



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 17, 2024 – 11:49 PM EDT

PDB ID : 3K5W  
Title : Crystal structure of a Carbohydrate kinase (YjeF family) from *Helicobacter pylori*  
Authors : Satyanarayana, L.; Burley, S.K.; Swaminathan, S.; New York SGX Research Center for Structural Genomics (NYSGXRC)  
Deposited on : 2009-10-08  
Resolution : 2.60 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 2.37.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	475	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 3619 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Carbohydrate kinase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	461	3535	2268	597	654	9	7	0	0	0

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	MSE	-	expression tag	UNP P56176
A	-1	SER	-	expression tag	UNP P56176
A	73	ARG	LYS	see remark 999	UNP P56176
A	74	VAL	THR	see remark 999	UNP P56176
A	82	THR	ALA	see remark 999	UNP P56176
A	91	LYS	GLN	see remark 999	UNP P56176
A	103	THR	ALA	see remark 999	UNP P56176
A	165	ARG	GLY	see remark 999	UNP P56176
A	204	PRO	GLN	see remark 999	UNP P56176
A	227	LYS	ARG	see remark 999	UNP P56176
A	310	ARG	LYS	see remark 999	UNP P56176
A	329	ILE	VAL	see remark 999	UNP P56176
A	337	ALA	VAL	see remark 999	UNP P56176
A	338	VAL	ILE	see remark 999	UNP P56176
A	351	ASN	LYS	see remark 999	UNP P56176
A	439	LEU	SER	see remark 999	UNP P56176
A	467	GLU	-	expression tag	UNP P56176
A	468	GLY	-	expression tag	UNP P56176
A	469	HIS	-	expression tag	UNP P56176
A	470	HIS	-	expression tag	UNP P56176
A	471	HIS	-	expression tag	UNP P56176
A	472	HIS	-	expression tag	UNP P56176
A	473	HIS	-	expression tag	UNP P56176
A	474	HIS	-	expression tag	UNP P56176

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	P		
2	A	1	5	4	1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	79	79	79	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Carbohydrate kinase



## 4 Data and refinement statistics i

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	119.95Å 119.95Å 162.23Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.23 – 2.60 49.30 – 2.32	Depositor EDS
% Data completeness (in resolution range)	96.5 (48.23-2.60) 96.8 (49.30-2.32)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.42 (at 2.32Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.233 , 0.262 0.228 , 0.268	Depositor DCC
$R_{free}$ test set	1302 reflections (2.66%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	48.1	Xtrriage
Anisotropy	0.014	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 43.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.009 for $-1/2^*h+1/2^*k-1/2^*l, 1/2^*h-1/2^*k-1/2^*l, -h-k$ 0.017 for $-1/2^*h-1/2^*k+1/2^*l, -1/2^*h-1/2^*k-1/2^*l, h-k$	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	3619	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	48.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.80% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.38	0/3582	0.69	1/4818 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	441	HIS	N-CA-C	-5.40	96.43	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3535	0	3664	197	0
2	A	5	0	0	0	0
3	A	79	0	0	9	0
All	All	3619	0	3664	197	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

All (197) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:77:PHE:HB3	1:A:79:MSE:HE3	1.33	1.10
1:A:366:LYS:NZ	1:A:366:LYS:HB2	1.70	1.06
1:A:276:ASN:CG	1:A:277:ASN:H	1.65	0.98
1:A:351:ASN:HD22	1:A:351:ASN:C	1.74	0.88
1:A:77:PHE:HB3	1:A:79:MSE:CE	2.04	0.88
1:A:366:LYS:HB2	1:A:366:LYS:HZ3	1.33	0.87
1:A:186:ARG:HH22	1:A:363:LEU:HD12	1.42	0.84
1:A:276:ASN:CG	1:A:277:ASN:N	2.31	0.81
1:A:340:THR:HG22	1:A:340:THR:O	1.82	0.78
1:A:136:ASN:O	1:A:140:LEU:HD13	1.83	0.78
1:A:48:VAL:HG22	1:A:117:VAL:HG13	1.68	0.76
1:A:366:LYS:HB2	1:A:366:LYS:HZ2	1.51	0.75
1:A:367:LEU:HD22	1:A:371:ARG:NH1	2.02	0.73
1:A:274:THR:C	1:A:276:ASN:H	1.90	0.72
1:A:309:ASN:ND2	1:A:309:ASN:H	1.88	0.71
1:A:28:GLU:O	1:A:32:MSE:HG3	1.91	0.71
1:A:48:VAL:HG22	1:A:117:VAL:CG1	2.21	0.70
1:A:79:MSE:HE1	1:A:104:TYR:CB	2.22	0.70
1:A:409:LYS:O	1:A:412:SER:HB3	1.92	0.70
1:A:441:HIS:O	1:A:442:ALA:HB3	1.92	0.70
1:A:357:ILE:HG23	1:A:360:LEU:HG	1.74	0.69
1:A:354:GLY:C	1:A:355:ILE:HD12	2.14	0.68
1:A:132:GLU:HG3	1:A:134:PHE:CE2	2.30	0.67
1:A:105:GLU:HA	1:A:105:GLU:OE1	1.94	0.66
1:A:326:HIS:HB3	1:A:328:GLU:OE2	1.94	0.65
1:A:409:LYS:HG3	1:A:454:LEU:O	1.95	0.65
1:A:240:VAL:HG13	1:A:299:MSE:HE3	1.78	0.65
1:A:357:ILE:CG2	1:A:360:LEU:HG	2.25	0.65
1:A:349:LEU:O	1:A:353:VAL:HG23	1.97	0.64
1:A:359:MSE:HE3	1:A:362:LEU:HD11	1.80	0.64
1:A:271:CYS:HB2	3:A:532:HOH:O	1.98	0.63
1:A:274:THR:C	1:A:276:ASN:N	2.51	0.62
1:A:244:LYS:HD2	1:A:302:GLU:OE1	1.99	0.62
1:A:225:ARG:HD2	1:A:235:TYR:CZ	2.34	0.62
1:A:292:LEU:H	1:A:292:LEU:HD12	1.64	0.62
1:A:236:GLY:HA3	1:A:425:SER:O	2.00	0.62
1:A:248:ALA:HB1	1:A:299:MSE:HB2	1.82	0.62
1:A:462:LYS:HD3	3:A:538:HOH:O	2.00	0.61
1:A:400:ASN:ND2	1:A:402:LEU:H	1.99	0.61
1:A:451:ASN:HD22	1:A:451:ASN:C	2.03	0.61
1:A:351:ASN:C	1:A:351:ASN:ND2	2.48	0.61
1:A:366:LYS:HG3	1:A:367:LEU:N	2.16	0.61

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:367:LEU:HD23	3:A:507:HOH:O	2.00	0.61
1:A:357:ILE:HG22	1:A:358:SER:O	2.01	0.60
1:A:75:LEU:HD11	1:A:102:LYS:HD2	1.84	0.60
1:A:79:MSE:HE1	1:A:104:TYR:HB2	1.83	0.60
1:A:454:LEU:C	1:A:454:LEU:HD13	2.22	0.60
1:A:323:VAL:HB	1:A:329:ILE:HD13	1.84	0.60
1:A:439:LEU:O	1:A:443:LEU:HB2	2.02	0.59
1:A:441:HIS:O	1:A:442:ALA:CB	2.50	0.58
1:A:317:CYS:SG	1:A:319:LEU:HD21	2.42	0.58
1:A:211:ASP:HB2	3:A:494:HOH:O	2.03	0.58
1:A:276:ASN:OD1	1:A:277:ASN:N	2.38	0.57
1:A:276:ASN:ND2	1:A:277:ASN:H	2.03	0.57
1:A:277:ASN:O	1:A:278:LYS:O	2.22	0.57
1:A:112:ASN:C	1:A:114:GLU:H	2.06	0.57
1:A:415:VAL:O	1:A:419:LEU:HG	2.05	0.56
1:A:308:PHE:CE1	1:A:312:LEU:HD11	2.40	0.56
1:A:380:VAL:HG12	1:A:381:VAL:N	2.21	0.56
1:A:311:TRP:HA	1:A:314:LEU:HD23	1.88	0.55
1:A:342:HIS:H	1:A:345:GLU:HB2	1.71	0.55
1:A:28:GLU:OE1	1:A:66:ARG:NH2	2.40	0.55
1:A:419:LEU:HD12	1:A:441:HIS:HB2	1.90	0.54
1:A:5:TYR:O	1:A:179:LYS:HA	2.08	0.54
1:A:309:ASN:OD1	1:A:331:GLN:NE2	2.40	0.54
1:A:292:LEU:HD13	1:A:315:ALA:HB2	1.90	0.54
1:A:367:LEU:HD13	1:A:371:ARG:HD2	1.90	0.54
1:A:127:PHE:CE1	1:A:131:LEU:HD13	2.43	0.54
1:A:159:LYS:HE3	1:A:364:ASP:OD1	2.08	0.54
1:A:293:SER:O	1:A:316:PRO:HD2	2.08	0.53
1:A:116:ASP:HA	1:A:145:ARG:HG3	1.90	0.53
1:A:292:LEU:HD13	1:A:315:ALA:CB	2.38	0.53
1:A:86:MSE:O	1:A:90:GLN:HG2	2.08	0.53
1:A:336:GLU:HG2	1:A:430:PRO:HG2	1.90	0.53
1:A:147:LYS:HB2	1:A:147:LYS:NZ	2.25	0.52
1:A:320:ASP:O	1:A:323:VAL:HG22	2.09	0.52
1:A:272:GLU:O	1:A:272:GLU:HG2	2.09	0.52
1:A:340:THR:CG2	1:A:385:LYS:HE3	2.40	0.52
1:A:329:ILE:HG13	1:A:329:ILE:O	2.09	0.52
1:A:79:MSE:HA	1:A:79:MSE:HE2	1.91	0.51
1:A:438:SER:O	1:A:441:HIS:O	2.27	0.51
1:A:319:LEU:HB3	1:A:323:VAL:HG21	1.92	0.51
1:A:296:ALA:CB	1:A:299:MSE:HE1	2.41	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:290:ASN:C	1:A:291:LEU:HD22	2.31	0.50
1:A:82:THR:OG1	1:A:88:GLN:HG3	2.11	0.50
1:A:277:ASN:O	1:A:278:LYS:HB3	2.11	0.50
1:A:355:ILE:HD12	1:A:355:ILE:N	2.26	0.50
1:A:365:ASN:OD1	1:A:384:LEU:HD23	2.11	0.50
1:A:380:VAL:CG1	1:A:381:VAL:N	2.75	0.50
1:A:454:LEU:C	1:A:454:LEU:CD1	2.79	0.50
1:A:53:GLY:HA3	1:A:122:VAL:O	2.12	0.50
1:A:118:LEU:CD2	1:A:141:SER:HB3	2.42	0.50
1:A:360:LEU:HD12	1:A:360:LEU:O	2.12	0.49
1:A:388:ASN:CG	1:A:401:ILE:HG22	2.33	0.49
1:A:340:THR:O	1:A:340:THR:CG2	2.54	0.49
1:A:350:LEU:O	1:A:351:ASN:HB2	2.11	0.49
1:A:357:ILE:HG22	1:A:358:SER:N	2.26	0.49
1:A:114:GLU:HA	1:A:143:LYS:O	2.13	0.49
1:A:225:ARG:HD3	3:A:1:HOH:O	2.12	0.49
1:A:266:VAL:HG23	1:A:284:PHE:HD1	1.78	0.49
1:A:357:ILE:HG23	1:A:360:LEU:CG	2.43	0.49
1:A:180:SER:HB2	3:A:505:HOH:O	2.13	0.48
1:A:171:LEU:HD12	1:A:193:GLU:O	2.14	0.48
1:A:318:VAL:O	1:A:318:VAL:HG13	2.13	0.48
1:A:339:LEU:HD22	1:A:380:VAL:HG11	1.95	0.48
1:A:358:SER:C	1:A:360:LEU:H	2.17	0.48
1:A:29:ASN:HA	1:A:32:MSE:SE	2.64	0.47
1:A:451:ASN:C	1:A:451:ASN:ND2	2.68	0.47
1:A:168:LYS:HG3	1:A:190:TYR:CD1	2.49	0.47
1:A:401:ILE:C	1:A:401:ILE:HD12	2.34	0.47
1:A:328:GLU:O	1:A:331:GLN:HG3	2.14	0.47
1:A:448:PHE:CZ	1:A:454:LEU:HD22	2.49	0.47
1:A:64:LEU:HD21	1:A:119:ILE:HD13	1.96	0.47
1:A:77:PHE:CB	1:A:79:MSE:HE3	2.24	0.47
1:A:203:ASN:CG	1:A:204:PRO:HD3	2.35	0.47
1:A:253:ALA:HB3	1:A:282:LEU:HD21	1.97	0.47
1:A:328:GLU:H	1:A:328:GLU:CD	2.17	0.47
1:A:328:GLU:C	1:A:330:LEU:H	2.18	0.47
1:A:2:LEU:HD12	1:A:2:LEU:N	2.30	0.46
1:A:103:THR:HB	3:A:514:HOH:O	2.15	0.46
1:A:35:GLU:OE1	1:A:71:ARG:NH2	2.37	0.46
1:A:242:LEU:HB3	1:A:271:CYS:SG	2.56	0.46
1:A:28:GLU:CD	1:A:66:ARG:HH22	2.19	0.46
1:A:153:PRO:HD2	1:A:156:ILE:HD12	1.98	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:366:LYS:NZ	1:A:366:LYS:CB	2.53	0.46
1:A:241:LEU:HD23	1:A:297:LEU:HD13	1.98	0.46
1:A:117:VAL:HA	1:A:146:PHE:O	2.15	0.46
1:A:288:PHE:CZ	1:A:292:LEU:HD21	2.50	0.46
1:A:367:LEU:HD22	1:A:371:ARG:HH11	1.78	0.46
1:A:297:LEU:CD1	1:A:301:LEU:HD22	2.45	0.46
1:A:317:CYS:SG	1:A:319:LEU:CD2	3.04	0.46
1:A:139:SER:HA	1:A:142:GLN:HG3	1.99	0.45
1:A:292:LEU:HD12	1:A:292:LEU:N	2.31	0.45
1:A:454:LEU:HD13	1:A:455:THR:N	2.31	0.45
1:A:340:THR:HG22	1:A:385:LYS:HE3	1.97	0.45
1:A:419:LEU:HD21	1:A:463:ILE:HD13	1.98	0.45
1:A:225:ARG:HD2	1:A:235:TYR:CE1	2.51	0.45
1:A:85:PRO:HG2	3:A:479:HOH:O	2.15	0.45
1:A:448:PHE:CE2	1:A:454:LEU:CD2	3.00	0.45
1:A:179:LYS:N	1:A:179:LYS:HD2	2.31	0.45
1:A:22:SER:O	1:A:26:LEU:HD13	2.16	0.45
1:A:137:PHE:HA	1:A:140:LEU:HB2	1.99	0.45
1:A:34:LEU:HD12	1:A:34:LEU:HA	1.87	0.44
1:A:232:LYS:HB3	1:A:232:LYS:HE2	1.79	0.44
1:A:265:SER:HA	1:A:283:VAL:O	2.18	0.44
1:A:350:LEU:O	1:A:351:ASN:CB	2.65	0.44
1:A:361:GLU:HG2	1:A:361:GLU:O	2.16	0.44
1:A:46:ALA:HB1	1:A:116:ASP:CB	2.47	0.44
1:A:269:LEU:HD21	1:A:305:PRO:HG2	2.00	0.44
1:A:275:SER:O	1:A:276:ASN:O	2.36	0.44
1:A:309:ASN:OD1	1:A:331:GLN:CD	2.56	0.44
1:A:250:LEU:O	1:A:254:LEU:HD13	2.18	0.44
1:A:331:GLN:H	1:A:331:GLN:HG2	1.47	0.44
1:A:359:MSE:CE	1:A:362:LEU:HD21	2.49	0.43
1:A:104:TYR:CG	1:A:105:GLU:N	2.85	0.43
1:A:277:ASN:HB3	1:A:278:LYS:H	1.60	0.43
1:A:131:LEU:HB2	1:A:163:ASP:OD2	2.18	0.43
1:A:11:LEU:N	1:A:11:LEU:HD12	2.33	0.43
1:A:32:MSE:CE	3:A:525:HOH:O	2.67	0.43
1:A:353:VAL:CG1	1:A:377:TYR:OH	2.66	0.43
1:A:34:LEU:HD13	1:A:175:MSE:HE1	2.01	0.43
1:A:346:PHE:CE2	1:A:350:LEU:HD11	2.54	0.42
1:A:202:PHE:CD2	1:A:204:PRO:HD2	2.54	0.42
1:A:367:LEU:CD2	1:A:371:ARG:NH1	2.79	0.42
1:A:79:MSE:CE	1:A:104:TYR:HB3	2.50	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:254:LEU:HD11	1:A:279:PRO:HG2	2.01	0.42
1:A:465:GLN:HE21	1:A:465:GLN:HB3	1.43	0.42
1:A:367:LEU:CD1	1:A:371:ARG:HD2	2.49	0.42
1:A:452:TYR:CD1	1:A:452:TYR:C	2.93	0.42
1:A:404:SER:C	1:A:406:ALA:N	2.72	0.42
1:A:400:ASN:HD22	1:A:401:ILE:N	2.18	0.42
1:A:274:THR:OG1	1:A:276:ASN:N	2.51	0.41
1:A:333:LEU:HD13	1:A:377:TYR:CZ	2.56	0.41
1:A:348:SER:O	1:A:351:ASN:HB3	2.20	0.41
1:A:15:ALA:O	1:A:21:LEU:HB2	2.21	0.41
1:A:228:LYS:C	1:A:230:ALA:H	2.23	0.41
1:A:327:LYS:O	1:A:330:LEU:HB2	2.21	0.41
1:A:249:GLY:O	1:A:252:SER:HB2	2.21	0.41
1:A:297:LEU:HD11	1:A:301:LEU:HD22	2.03	0.41
1:A:79:MSE:CE	1:A:104:TYR:CB	2.95	0.41
1:A:147:LYS:HB2	1:A:147:LYS:HZ2	1.86	0.41
1:A:212:THR:OG1	1:A:371:ARG:NH2	2.46	0.41
1:A:256:ALA:HA	1:A:422:SER:HB2	2.03	0.41
1:A:346:PHE:CD2	1:A:350:LEU:HD11	2.55	0.41
1:A:186:ARG:HE	1:A:186:ARG:HB2	1.59	0.41
1:A:310:ARG:O	1:A:314:LEU:HD22	2.21	0.41
1:A:347:LEU:HD13	1:A:347:LEU:HA	1.80	0.41
1:A:112:ASN:N	1:A:112:ASN:HD22	2.17	0.41
1:A:320:ASP:CG	1:A:321:ALA:H	2.25	0.41
1:A:14:ARG:HG3	1:A:18:GLU:HB2	2.03	0.40
1:A:408:ALA:O	1:A:409:LYS:C	2.60	0.40
1:A:304:ILE:HD12	1:A:328:GLU:HB2	2.03	0.40
1:A:401:ILE:HD12	1:A:401:ILE:O	2.20	0.40
1:A:386:GLY:O	1:A:387:ALA:C	2.60	0.40
1:A:-1:SER:N	1:A:216:GLU:HG3	2.37	0.40
1:A:274:THR:H	1:A:276:ASN:HB3	1.86	0.40
1:A:112:ASN:C	1:A:112:ASN:HD22	2.25	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	455/475 (96%)	413 (91%)	33 (7%)	9 (2%)	7 14

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	276	ASN
1	A	321	ALA
1	A	351	ASN
1	A	409	LYS
1	A	129	GLY
1	A	442	ALA
1	A	278	LYS
1	A	307	ASP
1	A	44	LEU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	384/388 (99%)	330 (86%)	54 (14%)	3 6

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	GLU
1	A	19	LEU
1	A	21	LEU
1	A	24	ASP
1	A	25	ILE
1	A	34	LEU
1	A	39	LEU
1	A	44	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	47	LYS
1	A	51	LEU
1	A	84	SER
1	A	105	GLU
1	A	112	ASN
1	A	113	LEU
1	A	116	ASP
1	A	132	GLU
1	A	135	LEU
1	A	145	ARG
1	A	147	LYS
1	A	159	LYS
1	A	174	SER
1	A	186	ARG
1	A	225	ARG
1	A	229	ASN
1	A	241	LEU
1	A	242	LEU
1	A	250	LEU
1	A	251	LEU
1	A	259	PHE
1	A	269	LEU
1	A	276	ASN
1	A	280	LEU
1	A	292	LEU
1	A	299	MSE
1	A	309	ASN
1	A	310	ARG
1	A	330	LEU
1	A	331	GLN
1	A	339	LEU
1	A	347	LEU
1	A	350	LEU
1	A	351	ASN
1	A	353	VAL
1	A	361	GLU
1	A	364	ASP
1	A	366	LYS
1	A	367	LEU
1	A	400	ASN
1	A	412	SER
1	A	443	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	446	LEU
1	A	451	ASN
1	A	454	LEU
1	A	465	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	ASN
1	A	29	ASN
1	A	41	ASN
1	A	112	ASN
1	A	136	ASN
1	A	229	ASN
1	A	267	GLN
1	A	303	ASN
1	A	309	ASN
1	A	326	HIS
1	A	331	GLN
1	A	351	ASN
1	A	400	ASN
1	A	427	ASN
1	A	451	ASN
1	A	465	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	PO4	A	501	-	4,4,4	1.62	0	6,6,6	0.47	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	454/475 (95%)	-0.31	5 (1%) 80 78	24, 46, 68, 81	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	107	ASN	4.0
1	A	112	ASN	2.9
1	A	106	GLU	2.9
1	A	113	LEU	2.5
1	A	357	ILE	2.4

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	PO4	A	501	5/5	0.93	0.12	98,98,99,100	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.