



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 27, 2023 – 10:13 PM EDT

PDB ID : 3K8L  
Title : Crystal structure of SusG-D498N mutant with maltoheptaose  
Authors : Koropatkin, N.M.; Smith, T.J.  
Deposited on : 2009-10-14  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	669	 85% 12% ..
1	B	669	 82% 14% ..
2	C	7	 43% 43% 14%
3	D	5	 20% 60% 20%
3	F	5	 40% 20% 40%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
4	E	6	 67% 33%
4	G	6	 100%
4	H	6	 33% 50% 17%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GLC	G	6	-	-	-	X

## 2 Entry composition i

There are 7 unique types of molecules in this entry. The entry contains 11264 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-amylase, susG.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	649	Total	C	N	O	S	0	0	0
			5169	3288	836	1029	16			
1	B	646	Total	C	N	O	S	0	0	0
			5146	3277	832	1021	16			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	498	ASN	ASP	engineered mutation	UNP Q8A1G3
B	498	ASN	ASP	engineered mutation	UNP Q8A1G3

- Molecule 2 is an oligosaccharide called alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace
			Total	O			
2	C	7	Total	O	0	0	0
			78	36			

- Molecule 3 is an oligosaccharide called alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
3	D	5	Total	C	O	1	0	0
			56	30	26			
3	F	5	Total	C	O	0	0	0
			56	30	26			

- Molecule 4 is an oligosaccharide called alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
4	E	6	Total	C	O	0	0	0
			67	36	31			
4	G	6	Total	C	O	0	0	0
			67	36	31			
4	H	6	Total	C	O	0	0	0
			67	36	31			

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Ca	0	0
			2	2		
5	B	2	Total	Ca	0	0
			2	2		

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 4 2 2	0	0
6	A	1	Total C O 4 2 2	0	0
6	A	1	Total C O 4 2 2	0	0
6	B	1	Total C O 4 2 2	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	342	Total O 342 342	0	0
7	B	196	Total O 196 196	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Alpha-amylase, susG




- Molecule 1: Alpha-amylase, susG



- Molecule 2: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-beta-D-glucopyranose





- Molecule 3: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose




- Molecule 3: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose



- Molecule 4: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose



- Molecule 4: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose



- Molecule 4: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	128.04Å 128.04Å 130.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.30 45.69 – 2.20	Depositor EDS
% Data completeness (in resolution range)	94.4 (50.00-2.30) 92.2 (45.69-2.20)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.06	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	6.22 (at 2.20Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.184 , 0.216 0.178 , 0.208	Depositor DCC
$R_{free}$ test set	9847 reflections (9.99%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	27.0	Xtriage
Anisotropy	0.508	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 34.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.018 for -h,-l,-k 0.005 for -h,l,k 0.006 for l,-k,h 0.019 for -l,-k,-h 0.032 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	11264	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.55% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, GLC, BGC, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.35	0/5308	0.60	0/7214
1	B	0.33	0/5284	0.56	0/7181
All	All	0.34	0/10592	0.58	0/14395

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5169	0	4872	55	0
1	B	5146	0	4856	71	0
2	C	78	0	66	1	0
3	D	56	0	48	1	0
3	F	56	0	48	1	0
4	E	67	0	57	2	0
4	G	67	0	57	0	0
4	H	67	0	57	2	0
5	A	2	0	0	0	0
5	B	2	0	0	0	0
6	A	12	0	18	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	4	0	6	1	0
7	A	342	0	0	3	0
7	B	196	0	0	2	0
All	All	11264	0	10085	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:394:TYR:H	1:A:402:ASN:HD21	1.04	0.93
1:B:159:HIS:HD2	1:B:161:TRP:H	1.16	0.92
1:A:159:HIS:HD2	1:A:161:TRP:H	1.14	0.92
1:A:153:ASN:HD22	1:A:154:HIS:HD2	1.16	0.88
1:B:153:ASN:HD22	1:B:154:HIS:HD2	1.19	0.88
1:B:313:LYS:HG2	1:B:334:ASP:HA	1.59	0.85
1:A:612:HIS:HD2	1:A:615:TYR:H	1.27	0.82
1:B:596:ARG:O	1:B:600:THR:HG23	1.80	0.82
1:B:243:LYS:HE2	1:B:244:ALA:H	1.47	0.79
1:B:609:MET:HB2	1:B:631:MET:HE1	1.64	0.79
1:A:604:LEU:HD13	1:A:638:LEU:HD12	1.65	0.79
1:A:238:VAL:HG21	1:A:314:LEU:HD21	1.65	0.79
1:B:54:TRP:CD1	1:B:600:THR:HG22	2.17	0.78
1:A:159:HIS:CD2	1:A:161:TRP:H	2.01	0.78
1:B:604:LEU:HD13	1:B:638:LEU:HD12	1.71	0.73
1:A:153:ASN:HD22	1:A:154:HIS:CD2	2.06	0.70
1:B:153:ASN:HD22	1:B:154:HIS:CD2	2.07	0.70
1:B:60:ALA:H	1:B:599:ASN:HD22	1.38	0.70
1:A:61:ASP:OD2	1:A:526:HIS:HD2	1.77	0.68
1:A:414:ASN:ND2	1:A:426:PHE:H	1.92	0.67
1:B:183:PRO:O	1:B:187:ILE:HG12	1.95	0.66
1:B:67:LEU:HD22	1:B:531:TYR:HE2	1.59	0.66
1:A:238:VAL:CG2	1:A:314:LEU:HD21	2.26	0.65
1:B:243:LYS:HE2	1:B:244:ALA:N	2.11	0.65
1:A:198:GLU:OE1	1:A:395:HIS:HD2	1.80	0.65
4:E:2:GLC:H62	4:E:3:GLC:H5	1.78	0.64
1:B:153:ASN:ND2	1:B:154:HIS:HD2	1.93	0.64
1:B:159:HIS:CD2	1:B:161:TRP:H	2.07	0.63
1:A:60:ALA:H	1:A:599:ASN:HD22	1.43	0.63
4:H:3:GLC:H61	4:H:4:GLC:H5	1.80	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:609:MET:CB	1:B:631:MET:HE1	2.30	0.62
1:A:47:LEU:HD21	1:A:669:GLN:HB3	1.82	0.62
1:A:394:TYR:H	1:A:402:ASN:ND2	1.87	0.61
1:B:612:HIS:CD2	1:B:614:VAL:H	2.18	0.61
1:A:219:LYS:HG2	1:A:284:GLU:HG3	1.81	0.61
1:B:67:LEU:HD22	1:B:531:TYR:CE2	2.36	0.60
1:A:410:TYR:HD2	1:A:428:MET:HE2	1.67	0.59
1:A:671:THR:HA	1:A:675:SER:O	2.03	0.59
1:B:577:VAL:O	1:B:581:GLN:HG3	2.03	0.59
1:B:612:HIS:HD2	1:B:615:TYR:H	1.50	0.58
1:B:433:LEU:HD23	4:H:2:GLC:O4	2.03	0.57
1:B:298:PHE:O	1:B:300:PRO:HD3	2.04	0.57
1:A:428:MET:HE3	1:A:446:LEU:CD2	2.35	0.57
1:B:60:ALA:H	1:B:599:ASN:ND2	2.03	0.57
1:B:609:MET:HB2	1:B:631:MET:CE	2.35	0.56
1:B:198:GLU:OE1	1:B:395:HIS:HD2	1.89	0.56
1:B:598:ARG:NH1	7:B:875:HOH:O	2.26	0.55
1:B:238:VAL:HG13	1:B:316:LEU:HD23	1.88	0.54
1:B:221:LEU:HD11	1:B:244:ALA:HB2	1.89	0.54
1:A:50:SER:O	1:A:659:LYS:HE2	2.08	0.53
1:B:226:LEU:HB2	1:B:277:TYR:HB2	1.89	0.53
1:B:499:GLU:HA	1:B:541:LYS:HD2	1.90	0.53
1:B:100:LEU:HD13	1:B:144:ILE:CG2	2.39	0.53
1:A:596:ARG:HD3	7:A:967:HOH:O	2.08	0.53
3:D:3:GLC:H62	3:D:4:GLC:H5	1.90	0.53
1:B:106:HIS:HB3	1:B:118:ASP:O	2.10	0.52
1:B:142:ARG:HH11	1:B:142:ARG:HG3	1.75	0.51
1:B:619:GLN:NE2	1:B:619:GLN:HA	2.27	0.50
1:A:234:PRO:HB2	1:A:322:LEU:HD12	1.92	0.50
1:A:580:GLN:NE2	1:A:588:LEU:H	2.10	0.50
1:A:640:VAL:O	1:A:641:ILE:HD13	2.11	0.50
1:B:626:ILE:N	1:B:626:ILE:HD12	2.27	0.50
1:B:92:LEU:HD13	1:B:100:LEU:HD21	1.94	0.50
1:A:469:TYR:OH	1:A:620:GLU:HG3	2.12	0.49
1:B:609:MET:CA	1:B:631:MET:HE1	2.42	0.49
1:A:54:TRP:CE2	1:A:56:GLU:HA	2.48	0.49
1:B:66:LEU:C	1:B:66:LEU:HD12	2.33	0.49
1:B:667:THR:HG22	1:B:680:LEU:HD23	1.94	0.48
1:B:108:CYS:SG	1:B:113:GLY:HA2	2.53	0.48
1:A:390:VAL:HB	1:A:406:LEU:HD11	1.95	0.48
1:A:470:PHE:O	1:A:474:ILE:HG12	2.14	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:45:THR:HG22	1:B:669:GLN:O	2.13	0.48
1:A:410:TYR:CD2	1:A:428:MET:HE2	2.49	0.48
1:B:218:VAL:HG21	1:B:333:PHE:CD1	2.49	0.47
1:A:612:HIS:CD2	1:A:614:VAL:H	2.31	0.47
1:B:79:TYR:CE1	1:B:562:TYR:HB2	2.49	0.47
1:A:444:LYS:HE3	1:B:634:ASP:OD2	2.14	0.47
1:B:612:HIS:HD2	1:B:615:TYR:N	2.12	0.47
1:A:176:TYR:OH	6:A:900:EDO:H11	2.15	0.47
1:A:112:HIS:HE2	6:A:930:EDO:H11	1.79	0.47
1:A:633:LYS:HG2	7:B:701:HOH:O	2.14	0.47
1:B:194:MET:HE3	1:B:356:GLY:H	1.81	0.46
1:B:643:ASN:O	1:B:683:TYR:HA	2.15	0.46
1:A:606:GLU:OE2	1:A:633:LYS:HE3	2.16	0.46
1:A:195:ILE:HG12	1:A:395:HIS:HB2	1.98	0.46
1:B:115:ASP:HB3	1:B:350:PHE:CE1	2.50	0.46
1:B:134:ARG:HH11	1:B:134:ARG:HB3	1.80	0.46
1:B:402:ASN:HB2	1:B:403:PRO:HD3	1.98	0.46
1:B:668:GLN:HB2	1:B:679:LYS:HB3	1.97	0.45
3:F:3:GLC:H62	3:F:4:GLC:H5	1.98	0.45
1:B:451:GLU:OE1	1:B:490:GLU:OE2	2.34	0.45
1:B:668:GLN:OE1	1:B:679:LYS:HD3	2.17	0.45
1:B:656:LYS:O	1:B:656:LYS:HG3	2.17	0.45
1:B:510:ALA:O	1:B:514:LYS:HG3	2.17	0.44
1:A:474:ILE:O	1:A:478:GLN:HG3	2.17	0.44
1:B:100:LEU:HD13	1:B:144:ILE:HG21	1.98	0.44
1:A:292:ARG:HD2	1:A:299:TRP:CH2	2.52	0.44
2:C:3:GLC:C6	2:C:4:GLC:H5	2.48	0.44
1:A:54:TRP:CD2	1:A:56:GLU:HA	2.52	0.44
1:B:44:TRP:CE3	1:B:670:ASN:HB2	2.52	0.44
1:A:116:VAL:HG13	7:A:753:HOH:O	2.17	0.44
1:B:580:GLN:NE2	1:B:586:SER:HB2	2.33	0.44
1:B:47:LEU:HD12	1:B:667:THR:HB	2.00	0.44
1:B:183:PRO:HB2	1:B:203:TYR:CE1	2.53	0.43
1:A:580:GLN:HE21	1:A:580:GLN:HB3	1.65	0.43
1:A:643:ASN:O	1:A:683:TYR:HA	2.17	0.43
1:B:203:TYR:OH	6:B:920:EDO:H21	2.18	0.43
1:A:108:CYS:SG	1:A:113:GLY:HA2	2.58	0.43
1:A:226:LEU:HB2	1:A:277:TYR:HB2	2.01	0.43
1:A:100:LEU:HD13	1:A:144:ILE:HG21	2.01	0.43
1:B:530:TYR:O	1:B:533:GLU:HG2	2.19	0.43
1:A:105:ILE:HG12	1:A:105:ILE:O	2.18	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:195:ILE:HG12	1:B:395:HIS:HB2	2.00	0.42
1:B:628:ALA:HA	1:B:640:VAL:O	2.19	0.42
1:B:535:LEU:HD11	1:B:577:VAL:HG23	2.02	0.42
1:B:545:ASP:O	1:B:548:VAL:HG22	2.20	0.42
1:A:308:SER:HA	1:A:323:THR:HG21	2.02	0.42
4:E:1:GLC:H61	4:E:2:GLC:H5	2.01	0.42
1:A:633:LYS:HD2	7:A:831:HOH:O	2.19	0.42
1:B:101:TRP:C	1:B:101:TRP:CD1	2.92	0.42
1:A:207:GLU:OE1	1:A:395:HIS:HE1	2.02	0.41
1:A:298:PHE:O	1:A:300:PRO:HD3	2.20	0.41
1:A:428:MET:HE3	1:A:446:LEU:HD21	2.02	0.41
1:B:609:MET:HG2	1:B:610:THR:N	2.35	0.41
1:A:101:TRP:CD1	1:A:101:TRP:C	2.93	0.41
1:A:612:HIS:CD2	1:A:615:TYR:H	2.19	0.41
1:B:532:GLY:N	1:B:534:GLU:OE2	2.54	0.41
1:A:60:ALA:HB3	1:A:599:ASN:ND2	2.37	0.40
1:B:54:TRP:HD1	1:B:600:THR:HG22	1.76	0.40
1:B:115:ASP:HB3	1:B:350:PHE:HE1	1.87	0.40
1:A:669:GLN:OE1	1:A:676:TYR:HE1	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	647/669 (97%)	621 (96%)	25 (4%)	1 (0%)	47 58
1	B	642/669 (96%)	603 (94%)	38 (6%)	1 (0%)	47 58
All	All	1289/1338 (96%)	1224 (95%)	63 (5%)	2 (0%)	47 58

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	231	ALA
1	B	231	ALA

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	550/568 (97%)	536 (98%)	14 (2%)	47 65
1	B	547/568 (96%)	538 (98%)	9 (2%)	62 78
All	All	1097/1136 (97%)	1074 (98%)	23 (2%)	53 70

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	67	LEU
1	A	93	ASN
1	A	101	TRP
1	A	115	ASP
1	A	116	VAL
1	A	214	GLU
1	A	230	ASN
1	A	289	LEU
1	A	352	ASP
1	A	414	ASN
1	A	534	GLU
1	A	590	ILE
1	A	604	LEU
1	A	620	GLU
1	B	61	ASP
1	B	67	LEU
1	B	134	ARG
1	B	210	GLN
1	B	243	LYS
1	B	352	ASP
1	B	534	GLU
1	B	604	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	678	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (37) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	93	ASN
1	A	94	GLN
1	A	106	HIS
1	A	154	HIS
1	A	159	HIS
1	A	230	ASN
1	A	274	ASN
1	A	324	ASN
1	A	337	GLN
1	A	395	HIS
1	A	402	ASN
1	A	414	ASN
1	A	526	HIS
1	A	543	ASN
1	A	561	ASN
1	A	573	ASN
1	A	580	GLN
1	A	581	GLN
1	A	589	ASN
1	A	599	ASN
1	A	608	ASN
1	A	612	HIS
1	A	669	GLN
1	B	94	GLN
1	B	106	HIS
1	B	154	HIS
1	B	159	HIS
1	B	395	HIS
1	B	422	HIS
1	B	543	ASN
1	B	561	ASN
1	B	580	GLN
1	B	581	GLN
1	B	589	ASN
1	B	599	ASN
1	B	612	HIS
1	B	619	GLN



### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

35 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	BGC	C	1	2	12,12,12	0.92	0	17,17,17	0.82	0
2	GLC	C	2	2	11,11,12	0.91	0	15,15,17	0.87	0
2	GLC	C	3	2	11,11,12	1.16	0	15,15,17	0.70	0
2	GLC	C	4	2	11,11,12	1.23	2 (18%)	15,15,17	1.05	0
2	GLC	C	5	2	11,11,12	1.36	3 (27%)	15,15,17	0.75	0
2	GLC	C	6	2	11,11,12	1.51	2 (18%)	15,15,17	1.21	2 (13%)
2	GLC	C	7	2	11,11,12	1.23	0	15,15,17	0.74	0
3	GLC	D	1	3	12,12,12	0.94	0	17,17,17	0.73	0
3	GLC	D	2	3	11,11,12	1.26	2 (18%)	15,15,17	0.73	0
3	GLC	D	3	3	11,11,12	1.16	0	15,15,17	0.78	0
3	GLC	D	4	3	11,11,12	1.13	1 (9%)	15,15,17	1.18	1 (6%)
3	GLC	D	5	3	11,11,12	1.46	3 (27%)	15,15,17	0.88	0
4	GLC	E	1	4	12,12,12	1.11	0	17,17,17	0.72	0
4	GLC	E	2	4	11,11,12	1.26	1 (9%)	15,15,17	0.71	0
4	GLC	E	3	4	11,11,12	1.20	2 (18%)	15,15,17	0.82	0
4	GLC	E	4	4	11,11,12	1.18	1 (9%)	15,15,17	0.81	0
4	GLC	E	5	4	11,11,12	1.22	1 (9%)	15,15,17	0.91	0
4	GLC	E	6	4	11,11,12	1.26	1 (9%)	15,15,17	0.78	0
3	GLC	F	1	3	12,12,12	0.92	0	17,17,17	0.73	0
3	GLC	F	2	3	11,11,12	1.13	0	15,15,17	0.74	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	GLC	F	3	3	11,11,12	1.26	2 (18%)	15,15,17	0.88	0
3	GLC	F	4	3	11,11,12	1.30	2 (18%)	15,15,17	0.96	0
3	GLC	F	5	3	11,11,12	1.41	2 (18%)	15,15,17	0.78	0
4	GLC	G	1	4	12,12,12	1.51	3 (25%)	17,17,17	0.78	0
4	GLC	G	2	4	11,11,12	1.37	1 (9%)	15,15,17	0.76	0
4	GLC	G	3	4	11,11,12	1.43	2 (18%)	15,15,17	1.07	1 (6%)
4	GLC	G	4	4	11,11,12	1.47	3 (27%)	15,15,17	0.80	0
4	GLC	G	5	4	11,11,12	1.30	1 (9%)	15,15,17	0.85	0
4	GLC	G	6	4	11,11,12	1.43	1 (9%)	15,15,17	0.75	0
4	GLC	H	1	4	12,12,12	1.14	0	17,17,17	0.69	0
4	GLC	H	2	4	11,11,12	1.10	0	15,15,17	0.66	0
4	GLC	H	3	4	11,11,12	1.34	0	15,15,17	0.68	0
4	GLC	H	4	4	11,11,12	1.16	1 (9%)	15,15,17	1.00	0
4	GLC	H	5	4	11,11,12	1.38	2 (18%)	15,15,17	0.70	0
4	GLC	H	6	4	11,11,12	1.26	0	15,15,17	0.79	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BGC	C	1	2	-	2/2/22/22	0/1/1/1
2	GLC	C	2	2	-	0/2/19/22	0/1/1/1
2	GLC	C	3	2	-	0/2/19/22	0/1/1/1
2	GLC	C	4	2	-	0/2/19/22	0/1/1/1
2	GLC	C	5	2	-	0/2/19/22	0/1/1/1
2	GLC	C	6	2	-	2/2/19/22	0/1/1/1
2	GLC	C	7	2	-	0/2/19/22	0/1/1/1
3	GLC	D	1	3	-	2/2/22/22	0/1/1/1
3	GLC	D	2	3	-	0/2/19/22	0/1/1/1
3	GLC	D	3	3	-	0/2/19/22	0/1/1/1
3	GLC	D	4	3	-	2/2/19/22	0/1/1/1
3	GLC	D	5	3	-	0/2/19/22	0/1/1/1
4	GLC	E	1	4	-	1/2/22/22	0/1/1/1
4	GLC	E	2	4	-	2/2/19/22	0/1/1/1
4	GLC	E	3	4	-	0/2/19/22	0/1/1/1
4	GLC	E	4	4	-	0/2/19/22	0/1/1/1
4	GLC	E	5	4	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GLC	E	6	4	-	0/2/19/22	0/1/1/1
3	GLC	F	1	3	-	1/2/22/22	0/1/1/1
3	GLC	F	2	3	-	0/2/19/22	0/1/1/1
3	GLC	F	3	3	-	0/2/19/22	0/1/1/1
3	GLC	F	4	3	-	0/2/19/22	0/1/1/1
3	GLC	F	5	3	-	2/2/19/22	0/1/1/1
4	GLC	G	1	4	-	0/2/22/22	0/1/1/1
4	GLC	G	2	4	-	2/2/19/22	0/1/1/1
4	GLC	G	3	4	-	2/2/19/22	0/1/1/1
4	GLC	G	4	4	-	2/2/19/22	0/1/1/1
4	GLC	G	5	4	-	2/2/19/22	0/1/1/1
4	GLC	G	6	4	-	0/2/19/22	0/1/1/1
4	GLC	H	1	4	-	0/2/22/22	0/1/1/1
4	GLC	H	2	4	-	0/2/19/22	0/1/1/1
4	GLC	H	3	4	-	1/2/19/22	0/1/1/1
4	GLC	H	4	4	-	0/2/19/22	0/1/1/1
4	GLC	H	5	4	-	0/2/19/22	0/1/1/1
4	GLC	H	6	4	-	0/2/19/22	0/1/1/1

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	4	GLC	O5-C1	2.86	1.48	1.43
4	G	3	GLC	C2-C3	2.69	1.56	1.52
4	G	3	GLC	O5-C1	2.63	1.47	1.43
4	G	2	GLC	C1-C2	2.61	1.58	1.52
4	G	1	GLC	O4-C4	2.52	1.48	1.43
3	F	5	GLC	C2-C3	2.47	1.56	1.52
4	H	4	GLC	O5-C1	2.41	1.47	1.43
2	C	5	GLC	O5-C1	2.40	1.47	1.43
3	F	4	GLC	O5-C1	2.38	1.47	1.43
2	C	6	GLC	O4-C4	2.36	1.48	1.43
3	D	5	GLC	C2-C3	2.34	1.56	1.52
3	D	5	GLC	O5-C1	2.34	1.47	1.43
4	G	6	GLC	O5-C1	2.34	1.47	1.43
2	C	6	GLC	C4-C3	2.31	1.58	1.52
4	G	4	GLC	O5-C1	2.29	1.47	1.43
4	G	4	GLC	O5-C5	2.29	1.48	1.43
3	F	3	GLC	C2-C3	2.27	1.55	1.52
4	G	1	GLC	C4-C5	2.27	1.57	1.53
3	F	5	GLC	O5-C1	2.24	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	2	GLC	C2-C3	2.22	1.55	1.52
2	C	5	GLC	O5-C5	2.19	1.47	1.43
3	D	2	GLC	O5-C1	2.19	1.47	1.43
4	E	2	GLC	O5-C1	2.18	1.47	1.43
4	G	5	GLC	O5-C1	2.16	1.47	1.43
2	C	5	GLC	C4-C5	2.15	1.57	1.53
3	D	4	GLC	O5-C1	2.12	1.47	1.43
3	F	4	GLC	C2-C3	2.10	1.55	1.52
4	E	4	GLC	O5-C1	2.10	1.47	1.43
4	G	4	GLC	C2-C3	2.10	1.55	1.52
3	F	3	GLC	O5-C1	2.09	1.47	1.43
4	G	1	GLC	C1-C2	2.09	1.57	1.52
4	E	3	GLC	C1-C2	2.08	1.56	1.52
2	C	4	GLC	C1-C2	2.06	1.56	1.52
4	H	5	GLC	O5-C1	2.05	1.47	1.43
4	H	5	GLC	C4-C5	2.04	1.57	1.53
4	E	6	GLC	O5-C1	2.03	1.47	1.43
3	D	5	GLC	C1-C2	2.03	1.56	1.52
4	E	5	GLC	O5-C1	2.02	1.46	1.43
4	E	3	GLC	O5-C1	2.01	1.46	1.43

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	4	GLC	C1-C2-C3	-2.51	106.58	109.67
4	G	3	GLC	C1-C2-C3	-2.39	106.72	109.67
2	C	6	GLC	O5-C5-C6	2.31	110.83	107.20
2	C	6	GLC	C1-C2-C3	-2.10	107.09	109.67

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	G	4	GLC	O5-C5-C6-O6
3	F	5	GLC	O5-C5-C6-O6
2	C	1	BGC	O5-C5-C6-O6
4	E	2	GLC	O5-C5-C6-O6
4	G	2	GLC	O5-C5-C6-O6
4	G	5	GLC	O5-C5-C6-O6
2	C	1	BGC	C4-C5-C6-O6
4	E	2	GLC	C4-C5-C6-O6
3	F	5	GLC	C4-C5-C6-O6

Continued on next page...

*Continued from previous page...*




Mol	Chain	Res	Type	Atoms
4	G	4	GLC	C4-C5-C6-O6
4	G	5	GLC	C4-C5-C6-O6
3	D	1	GLC	O5-C5-C6-O6
3	D	4	GLC	O5-C5-C6-O6
3	D	4	GLC	C4-C5-C6-O6
4	G	2	GLC	C4-C5-C6-O6
3	D	1	GLC	C4-C5-C6-O6
4	E	5	GLC	O5-C5-C6-O6
4	G	3	GLC	C4-C5-C6-O6
4	E	1	GLC	O5-C5-C6-O6
3	F	1	GLC	O5-C5-C6-O6
2	C	6	GLC	C4-C5-C6-O6
4	G	3	GLC	O5-C5-C6-O6
2	C	6	GLC	O5-C5-C6-O6
4	H	3	GLC	O5-C5-C6-O6
4	E	5	GLC	C4-C5-C6-O6


There are no ring outliers.

12 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	3	GLC	1	0
4	E	3	GLC	1	0
2	C	4	GLC	1	0
4	E	2	GLC	2	0
3	F	3	GLC	1	0
2	C	3	GLC	1	0
4	H	3	GLC	1	0
4	H	4	GLC	1	0
4	E	1	GLC	1	0
4	H	2	GLC	1	0
3	F	4	GLC	1	0
3	D	4	GLC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





## 5.6 Ligand geometry [\(i\)](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
6	EDO	B	920	-	3,3,3	0.77	0	2,2,2	0.32	0
6	EDO	A	930	-	3,3,3	0.75	0	2,2,2	0.35	0
6	EDO	A	900	-	3,3,3	0.73	0	2,2,2	0.35	0
6	EDO	A	910	-	3,3,3	0.66	0	2,2,2	0.38	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	B	920	-	-	1/1/1/1	-
6	EDO	A	930	-	-	0/1/1/1	-
6	EDO	A	900	-	-	0/1/1/1	-
6	EDO	A	910	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	B	920	EDO	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	920	EDO	1	0
6	A	930	EDO	1	0
6	A	900	EDO	1	0

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.



## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	649/669 (97%)	-0.48	2 (0%) 94 96	15, 26, 44, 67	0
1	B	646/669 (96%)	-0.18	10 (1%) 73 79	20, 37, 54, 69	0
All	All	1295/1338 (96%)	-0.33	12 (0%) 84 88	15, 31, 52, 69	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	675	SER	3.4
1	A	692	ASN	3.4
1	B	674	ASP	3.2
1	B	677	THR	2.9
1	B	646	GLY	2.7
1	B	647	THR	2.7
1	B	671	THR	2.5
1	A	674	ASP	2.4
1	B	648	ALA	2.3
1	B	243	LYS	2.2
1	B	650	GLN	2.0
1	B	623	TYR	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	GLC	H	1	12/12	0.62	0.32	61,70,71,72	0
4	GLC	G	6	11/12	0.63	0.41	72,75,76,76	0
3	GLC	D	5	11/12	0.72	0.32	61,65,66,66	0
4	GLC	G	2	11/12	0.73	0.20	60,66,68,68	0
3	GLC	F	5	11/12	0.74	0.33	65,68,70,71	0
4	GLC	G	1	12/12	0.78	0.35	66,69,70,71	0
2	GLC	C	7	11/12	0.78	0.20	47,51,52,53	0
4	GLC	H	6	11/12	0.79	0.21	59,62,65,66	0
3	GLC	D	4	11/12	0.82	0.14	41,46,50,55	1
2	GLC	C	6	11/12	0.82	0.16	40,43,51,52	0
2	BGC	C	1	12/12	0.84	0.19	48,58,60,61	0
4	GLC	G	3	11/12	0.86	0.13	56,57,58,58	0
4	GLC	E	6	11/12	0.87	0.26	61,64,66,68	0
4	GLC	E	1	12/12	0.89	0.15	53,55,57,59	0
4	GLC	H	4	11/12	0.90	0.17	32,37,39,41	0
4	GLC	E	2	11/12	0.90	0.10	40,50,54,55	0
4	GLC	G	5	11/12	0.91	0.12	59,62,64,68	0
4	GLC	H	2	11/12	0.91	0.15	47,52,56,56	0
3	GLC	D	1	12/12	0.92	0.10	38,42,44,46	0
4	GLC	H	5	11/12	0.92	0.15	40,41,47,53	0
4	GLC	E	5	11/12	0.92	0.10	44,49,56,57	0
4	GLC	H	3	11/12	0.93	0.12	38,39,42,43	0
2	GLC	C	4	11/12	0.94	0.14	21,23,25,26	0
4	GLC	G	4	11/12	0.94	0.14	51,54,55,56	0
3	GLC	F	1	12/12	0.94	0.14	31,43,45,47	0
3	GLC	F	4	11/12	0.94	0.15	41,48,52,58	0
4	GLC	E	3	11/12	0.94	0.13	30,32,36,38	0
2	GLC	C	5	11/12	0.95	0.14	22,23,29,34	0
2	GLC	C	3	11/12	0.96	0.14	24,27,29,35	0
4	GLC	E	4	11/12	0.96	0.11	31,34,36,38	0
3	GLC	F	3	11/12	0.96	0.09	23,27,32,35	0
2	GLC	C	2	11/12	0.96	0.12	35,40,43,45	0
3	GLC	D	2	11/12	0.97	0.09	30,32,33,35	0
3	GLC	F	2	11/12	0.98	0.08	22,25,26,27	0
3	GLC	D	3	11/12	0.98	0.09	27,31,32,36	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around Chain C:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain D:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around Chain F:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)









**Electron density around Chain E:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around Chain G:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	EDO	B	920	4/4	0.84	0.24	53,53,54,55	0
6	EDO	A	930	4/4	0.89	0.22	53,57,57,59	0
6	EDO	A	900	4/4	0.92	0.18	45,46,47,49	0
6	EDO	A	910	4/4	0.93	0.14	41,42,43,43	0
5	CA	B	800	1/1	0.97	0.09	37,37,37,37	0
5	CA	A	700	1/1	0.98	0.10	31,31,31,31	0
5	CA	A	710	1/1	0.99	0.07	16,16,16,16	0
5	CA	B	810	1/1	0.99	0.08	29,29,29,29	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.