



## Full wwPDB EM Validation Report ⓘ

Nov 14, 2022 – 10:26 AM EST

PDB ID : 7K9J  
EMDB ID : EMD-22750  
Title : SARS-CoV-2 Spike in complex with neutralizing Fab 2H04 (three down conformation)  
Authors : Errico, J.M.; Fremont, D.H.; Center for Structural Genomics of Infectious Diseases (CSGID)  
Deposited on : 2020-09-29  
Resolution : 3.00 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1256	78% 22%
1	B	1256	78% 22%
1	C	1256	78% 22%
2	H	121	17% 98% .
2	I	121	17% 98% .
2	J	121	13% 98% .
3	L	106	35% 99% .
3	M	106	29% 99% .
3	N	106	29% 99% .
























*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
4	D	3	33% 100%
4	E	3	67% 100%
4	V	3	100%
4	W	3	100%
4	X	3	33% 100%
4	Y	3	33% 100%
4	j	3	100%
4	k	3	100%
4	l	3	33% 100%
4	m	3	33% 100%
4	x	3	100%
4	y	3	100%
5	F	2	100%
5	G	2	50% 100%
5	P	2	100%
5	Q	2	50% 100%
5	R	2	100%
5	T	2	100%
5	U	2	100%
5	Z	2	100%
5	a	2	50% 100%
5	d	2	100%
5	e	2	50% 100%
5	f	2	100%
5	h	2	100%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
5	i	2	 100%
5	n	2	 100%
5	o	2	 50%  100%
5	r	2	 100%
5	s	2	 50%  100%
5	t	2	 100%
5	v	2	 100%
5	w	2	 100%
6	K	4	 100%
6	b	4	 100%
6	p	4	 100%
7	O	2	 100%
7	c	2	 100%
7	q	2	 50%  100%
8	S	4	 75%  25%
8	g	4	 75%  25%
8	u	4	 75%  25%

## 2 Entry composition i

There are 9 unique types of molecules in this entry. The entry contains 29766 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	982	7680	4910	1277	1460	33	0	0
1	B	982	7680	4910	1277	1460	33	0	0
1	C	982	7680	4910	1277	1460	33	0	0

There are 156 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	ARG	deletion	UNP P0DTC2
A	?	-	ARG	deletion	UNP P0DTC2
A	?	-	ALA	deletion	UNP P0DTC2
A	685	ALA	ARG	engineered mutation	UNP P0DTC2
A	986	PRO	LYS	engineered mutation	UNP P0DTC2
A	987	PRO	VAL	engineered mutation	UNP P0DTC2
A	1214	SER	-	expression tag	UNP P0DTC2
A	1215	GLY	-	expression tag	UNP P0DTC2
A	1216	ARG	-	expression tag	UNP P0DTC2
A	1217	LEU	-	expression tag	UNP P0DTC2
A	1218	VAL	-	expression tag	UNP P0DTC2
A	1219	PRO	-	expression tag	UNP P0DTC2
A	1220	ARG	-	expression tag	UNP P0DTC2
A	1221	GLY	-	expression tag	UNP P0DTC2
A	1222	SER	-	expression tag	UNP P0DTC2
A	1223	PRO	-	expression tag	UNP P0DTC2
A	1224	GLY	-	expression tag	UNP P0DTC2
A	1225	SER	-	expression tag	UNP P0DTC2
A	1226	GLY	-	expression tag	UNP P0DTC2
A	1227	TYR	-	expression tag	UNP P0DTC2
A	1228	ILE	-	expression tag	UNP P0DTC2
A	1229	PRO	-	expression tag	UNP P0DTC2
A	1230	GLU	-	expression tag	UNP P0DTC2
A	1231	ALA	-	expression tag	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	1232	PRO	-	expression tag	UNP P0DTC2
A	1233	ARG	-	expression tag	UNP P0DTC2
A	1234	ASP	-	expression tag	UNP P0DTC2
A	1235	GLY	-	expression tag	UNP P0DTC2
A	1236	GLN	-	expression tag	UNP P0DTC2
A	1237	ALA	-	expression tag	UNP P0DTC2
A	1238	TYR	-	expression tag	UNP P0DTC2
A	1239	VAL	-	expression tag	UNP P0DTC2
A	1240	ARG	-	expression tag	UNP P0DTC2
A	1241	LYS	-	expression tag	UNP P0DTC2
A	1242	ASP	-	expression tag	UNP P0DTC2
A	1243	GLY	-	expression tag	UNP P0DTC2
A	1244	GLU	-	expression tag	UNP P0DTC2
A	1245	TRP	-	expression tag	UNP P0DTC2
A	1246	VAL	-	expression tag	UNP P0DTC2
A	1247	LEU	-	expression tag	UNP P0DTC2
A	1248	LEU	-	expression tag	UNP P0DTC2
A	1249	SER	-	expression tag	UNP P0DTC2
A	1250	THR	-	expression tag	UNP P0DTC2
A	1251	PHE	-	expression tag	UNP P0DTC2
A	1252	LEU	-	expression tag	UNP P0DTC2
A	1253	GLY	-	expression tag	UNP P0DTC2
A	1254	HIS	-	expression tag	UNP P0DTC2
A	1255	HIS	-	expression tag	UNP P0DTC2
A	1256	HIS	-	expression tag	UNP P0DTC2
A	1257	HIS	-	expression tag	UNP P0DTC2
A	1258	HIS	-	expression tag	UNP P0DTC2
A	1259	HIS	-	expression tag	UNP P0DTC2
B	?	-	ARG	deletion	UNP P0DTC2
B	?	-	ARG	deletion	UNP P0DTC2
B	?	-	ALA	deletion	UNP P0DTC2
B	685	ALA	ARG	engineered mutation	UNP P0DTC2
B	986	PRO	LYS	engineered mutation	UNP P0DTC2
B	987	PRO	VAL	engineered mutation	UNP P0DTC2
B	1214	SER	-	expression tag	UNP P0DTC2
B	1215	GLY	-	expression tag	UNP P0DTC2
B	1216	ARG	-	expression tag	UNP P0DTC2
B	1217	LEU	-	expression tag	UNP P0DTC2
B	1218	VAL	-	expression tag	UNP P0DTC2
B	1219	PRO	-	expression tag	UNP P0DTC2
B	1220	ARG	-	expression tag	UNP P0DTC2
B	1221	GLY	-	expression tag	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	1222	SER	-	expression tag	UNP P0DTC2
B	1223	PRO	-	expression tag	UNP P0DTC2
B	1224	GLY	-	expression tag	UNP P0DTC2
B	1225	SER	-	expression tag	UNP P0DTC2
B	1226	GLY	-	expression tag	UNP P0DTC2
B	1227	TYR	-	expression tag	UNP P0DTC2
B	1228	ILE	-	expression tag	UNP P0DTC2
B	1229	PRO	-	expression tag	UNP P0DTC2
B	1230	GLU	-	expression tag	UNP P0DTC2
B	1231	ALA	-	expression tag	UNP P0DTC2
B	1232	PRO	-	expression tag	UNP P0DTC2
B	1233	ARG	-	expression tag	UNP P0DTC2
B	1234	ASP	-	expression tag	UNP P0DTC2
B	1235	GLY	-	expression tag	UNP P0DTC2
B	1236	GLN	-	expression tag	UNP P0DTC2
B	1237	ALA	-	expression tag	UNP P0DTC2
B	1238	TYR	-	expression tag	UNP P0DTC2
B	1239	VAL	-	expression tag	UNP P0DTC2
B	1240	ARG	-	expression tag	UNP P0DTC2
B	1241	LYS	-	expression tag	UNP P0DTC2
B	1242	ASP	-	expression tag	UNP P0DTC2
B	1243	GLY	-	expression tag	UNP P0DTC2
B	1244	GLU	-	expression tag	UNP P0DTC2
B	1245	TRP	-	expression tag	UNP P0DTC2
B	1246	VAL	-	expression tag	UNP P0DTC2
B	1247	LEU	-	expression tag	UNP P0DTC2
B	1248	LEU	-	expression tag	UNP P0DTC2
B	1249	SER	-	expression tag	UNP P0DTC2
B	1250	THR	-	expression tag	UNP P0DTC2
B	1251	PHE	-	expression tag	UNP P0DTC2
B	1252	LEU	-	expression tag	UNP P0DTC2
B	1253	GLY	-	expression tag	UNP P0DTC2
B	1254	HIS	-	expression tag	UNP P0DTC2
B	1255	HIS	-	expression tag	UNP P0DTC2
B	1256	HIS	-	expression tag	UNP P0DTC2
B	1257	HIS	-	expression tag	UNP P0DTC2
B	1258	HIS	-	expression tag	UNP P0DTC2
B	1259	HIS	-	expression tag	UNP P0DTC2
C	?	-	ARG	deletion	UNP P0DTC2
C	?	-	ARG	deletion	UNP P0DTC2
C	?	-	ALA	deletion	UNP P0DTC2
C	685	ALA	ARG	engineered mutation	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	986	PRO	LYS	engineered mutation	UNP P0DTC2
C	987	PRO	VAL	engineered mutation	UNP P0DTC2
C	1214	SER	-	expression tag	UNP P0DTC2
C	1215	GLY	-	expression tag	UNP P0DTC2
C	1216	ARG	-	expression tag	UNP P0DTC2
C	1217	LEU	-	expression tag	UNP P0DTC2
C	1218	VAL	-	expression tag	UNP P0DTC2
C	1219	PRO	-	expression tag	UNP P0DTC2
C	1220	ARG	-	expression tag	UNP P0DTC2
C	1221	GLY	-	expression tag	UNP P0DTC2
C	1222	SER	-	expression tag	UNP P0DTC2
C	1223	PRO	-	expression tag	UNP P0DTC2
C	1224	GLY	-	expression tag	UNP P0DTC2
C	1225	SER	-	expression tag	UNP P0DTC2
C	1226	GLY	-	expression tag	UNP P0DTC2
C	1227	TYR	-	expression tag	UNP P0DTC2
C	1228	ILE	-	expression tag	UNP P0DTC2
C	1229	PRO	-	expression tag	UNP P0DTC2
C	1230	GLU	-	expression tag	UNP P0DTC2
C	1231	ALA	-	expression tag	UNP P0DTC2
C	1232	PRO	-	expression tag	UNP P0DTC2
C	1233	ARG	-	expression tag	UNP P0DTC2
C	1234	ASP	-	expression tag	UNP P0DTC2
C	1235	GLY	-	expression tag	UNP P0DTC2
C	1236	GLN	-	expression tag	UNP P0DTC2
C	1237	ALA	-	expression tag	UNP P0DTC2
C	1238	TYR	-	expression tag	UNP P0DTC2
C	1239	VAL	-	expression tag	UNP P0DTC2
C	1240	ARG	-	expression tag	UNP P0DTC2
C	1241	LYS	-	expression tag	UNP P0DTC2
C	1242	ASP	-	expression tag	UNP P0DTC2
C	1243	GLY	-	expression tag	UNP P0DTC2
C	1244	GLU	-	expression tag	UNP P0DTC2
C	1245	TRP	-	expression tag	UNP P0DTC2
C	1246	VAL	-	expression tag	UNP P0DTC2
C	1247	LEU	-	expression tag	UNP P0DTC2
C	1248	LEU	-	expression tag	UNP P0DTC2
C	1249	SER	-	expression tag	UNP P0DTC2
C	1250	THR	-	expression tag	UNP P0DTC2
C	1251	PHE	-	expression tag	UNP P0DTC2
C	1252	LEU	-	expression tag	UNP P0DTC2
C	1253	GLY	-	expression tag	UNP P0DTC2

*Continued on next page...*



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1254	HIS	-	expression tag	UNP P0DTC2
C	1255	HIS	-	expression tag	UNP P0DTC2
C	1256	HIS	-	expression tag	UNP P0DTC2
C	1257	HIS	-	expression tag	UNP P0DTC2
C	1258	HIS	-	expression tag	UNP P0DTC2
C	1259	HIS	-	expression tag	UNP P0DTC2

- Molecule 2 is a protein called 2H04 heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	H	121	Total	C	N	O	S	0	0
			947	600	152	191	4		
2	I	121	Total	C	N	O	S	0	0
			947	600	152	191	4		
2	J	121	Total	C	N	O	S	0	0
			947	600	152	191	4		

- Molecule 3 is a protein called 2H04 light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	L	106	Total	C	N	O	S	0	0
			806	504	136	164	2		
3	M	106	Total	C	N	O	S	0	0
			806	504	136	164	2		
3	N	106	Total	C	N	O	S	0	0
			806	504	136	164	2		

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
4	D	3	Total	C	N	O	0	0
			39	22	2	15		
4	E	3	Total	C	N	O	0	0
			39	22	2	15		
4	V	3	Total	C	N	O	0	0
			39	22	2	15		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	W	3	Total 39	C 22	N 2	O 15	0	0
4	X	3	Total 39	C 22	N 2	O 15	0	0
4	Y	3	Total 39	C 22	N 2	O 15	0	0
4	j	3	Total 39	C 22	N 2	O 15	0	0
4	k	3	Total 39	C 22	N 2	O 15	0	0
4	l	3	Total 39	C 22	N 2	O 15	0	0
4	m	3	Total 39	C 22	N 2	O 15	0	0
4	x	3	Total 39	C 22	N 2	O 15	0	0
4	y	3	Total 39	C 22	N 2	O 15	0	0

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
5	F	2	Total 28	C 16	N 2	O 10	0	0
5	G	2	Total 28	C 16	N 2	O 10	0	0
5	P	2	Total 28	C 16	N 2	O 10	0	0
5	Q	2	Total 28	C 16	N 2	O 10	0	0
5	R	2	Total 28	C 16	N 2	O 10	0	0
5	T	2	Total 28	C 16	N 2	O 10	0	0
5	U	2	Total 28	C 16	N 2	O 10	0	0
5	Z	2	Total 28	C 16	N 2	O 10	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
5	a	2	28	16	2	10	0	0
5	d	2	28	16	2	10	0	0
5	e	2	28	16	2	10	0	0
5	f	2	28	16	2	10	0	0
5	h	2	28	16	2	10	0	0
5	i	2	28	16	2	10	0	0
5	n	2	28	16	2	10	0	0
5	o	2	28	16	2	10	0	0
5	r	2	28	16	2	10	0	0
5	s	2	28	16	2	10	0	0
5	t	2	28	16	2	10	0	0
5	v	2	28	16	2	10	0	0
5	w	2	28	16	2	10	0	0

- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
6	K	4	49	28	2	19	0	0
6	b	4	49	28	2	19	0	0
6	p	4	49	28	2	19	0	0

- Molecule 7 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
7	O	2	24	14	1	9	0	0
7	c	2	24	14	1	9	0	0
7	q	2	24	14	1	9	0	0

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
8	S	4	50	28	2	20	0	0
8	g	4	50	28	2	20	0	0
8	u	4	50	28	2	20	0	0


- Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
9	A	1	Total 14	8	1	5	0
9	B	1	Total 14	8	1	5	0
9	C	1	Total 14	8	1	5	0









- Molecule 3: 2H04 light chain



- Molecule 3: 2H04 light chain



- Molecule 3: 2H04 light chain



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  100%

  
MAG1  
MAG2  
BMA3

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  33%  100%

  
MAG1  
MAG2  
BMA3

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  33%  100%

  
MAG1  
MAG2  
BMA3

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain j:  100%

  
MAG1  
MAG2  
BMA3

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain k:  100%

  
MAG1  
MAG2  
BMA3

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain l:  33%  100%

  
MAG1  
MAG2  
BMA3

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain m:  33%  
100%



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain x:  100%



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain y:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  50%  
100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  100%




- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



A small green rectangular label with the text 'NAG1' and 'NAG2' stacked vertically.

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  50% 100%

A horizontal progress bar for Chain e. The bar is 100% long. The first 50% of the bar is red, and the remaining 50% is green. The text '50%' is centered above the red portion, and '100%' is centered below the entire bar.A small green rectangular label with the text 'NAG1' and 'NAG2' stacked vertically, with a red diamond symbol above it.

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  100%

A horizontal progress bar for Chain f. The bar is 100% long and is entirely green. The text '100%' is centered below the bar.A small green rectangular label with the text 'NAG1' and 'NAG2' stacked vertically.

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h:  100%

A horizontal progress bar for Chain h. The bar is 100% long and is entirely green. The text '100%' is centered below the bar.A small green rectangular label with the text 'NAG1' and 'NAG2' stacked vertically.

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:  100%

A horizontal progress bar for Chain i. The bar is 100% long and is entirely green. The text '100%' is centered below the bar.A small green rectangular label with the text 'NAG1' and 'NAG2' stacked vertically.

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain n:  100%

A horizontal progress bar for Chain n. The bar is 100% long and is entirely green. The text '100%' is centered below the bar.A small green rectangular label with the text 'NAG1' and 'NAG2' stacked vertically.

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain o:  50% 100%

A horizontal progress bar for Chain o. The bar is 100% long. The first 50% of the bar is red, and the remaining 50% is green. The text '50%' is centered above the red portion, and '100%' is centered below the entire bar.A small green rectangular label with the text 'NAG1' and 'NAG2' stacked vertically, with a red diamond symbol above it.

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain r:  100%

  
NAG1  
NAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain s:  50%  
 100%

  
NAG1  
NAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain t:  100%

  
NAG1  
NAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain v:  100%

  
NAG1  
NAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain w:  100%

  
NAG1  
NAG2

- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%

  
NAG1  
NAG2  
FUC4

- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  100%



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain p:  100%



- Molecule 7: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  100%



- Molecule 7: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  100%



- Molecule 7: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain q:  50% 100%



- Molecule 8: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  75% 25%




- Molecule 8: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:  75% 25%

MAG1  
MAG2  
BMA3  
MAN4

- Molecule 8: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain u:  75% 25%

MAG1  
MAG2  
BMA3  
MAN4

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C3	Depositor
Number of particles used	155896	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	67	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	105000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	4.271	Depositor
Minimum map value	-2.566	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.091	Depositor
Recommended contour level	0.25	Depositor
Map size ( $\text{\AA}$ )	330.0, 330.0, 330.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	1.1, 1.1, 1.1	Depositor



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, FUC, BMA, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.31	0/7852	0.51	0/10683
1	B	0.31	0/7852	0.51	0/10683
1	C	0.31	0/7852	0.51	0/10683
2	H	0.27	0/972	0.50	0/1321
2	I	0.27	0/972	0.50	0/1321
2	J	0.27	0/972	0.50	0/1321
3	L	0.25	0/823	0.48	0/1118
3	M	0.25	0/823	0.48	0/1118
3	N	0.25	0/823	0.48	0/1118
All	All	0.30	0/28941	0.51	0/39366

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	964/1256 (77%)	925 (96%)	39 (4%)	0	100	100
1	B	964/1256 (77%)	925 (96%)	39 (4%)	0	100	100
1	C	964/1256 (77%)	924 (96%)	40 (4%)	0	100	100
2	H	119/121 (98%)	117 (98%)	2 (2%)	0	100	100
2	I	119/121 (98%)	117 (98%)	2 (2%)	0	100	100
2	J	119/121 (98%)	117 (98%)	2 (2%)	0	100	100
3	L	104/106 (98%)	100 (96%)	4 (4%)	0	100	100
3	M	104/106 (98%)	100 (96%)	4 (4%)	0	100	100
3	N	104/106 (98%)	100 (96%)	4 (4%)	0	100	100
All	All	3561/4449 (80%)	3425 (96%)	136 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	860/1093 (79%)	858 (100%)	2 (0%)	93	98
1	B	860/1093 (79%)	857 (100%)	3 (0%)	92	97
1	C	860/1093 (79%)	858 (100%)	2 (0%)	93	98
2	H	102/102 (100%)	100 (98%)	2 (2%)	55	83
2	I	102/102 (100%)	100 (98%)	2 (2%)	55	83
2	J	102/102 (100%)	100 (98%)	2 (2%)	55	83
3	L	92/92 (100%)	91 (99%)	1 (1%)	73	90
3	M	92/92 (100%)	91 (99%)	1 (1%)	73	90
3	N	92/92 (100%)	91 (99%)	1 (1%)	73	90
All	All	3162/3861 (82%)	3146 (100%)	16 (0%)	89	96

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	516	GLU
1	A	645	THR
1	B	377	PHE
1	B	516	GLU
1	B	645	THR
1	C	516	GLU
1	C	645	THR
2	H	10	GLU
2	H	37	VAL
2	I	10	GLU
2	I	37	VAL
2	J	10	GLU
2	J	37	VAL
3	L	13	VAL
3	M	13	VAL
3	N	13	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	563	GLN
1	A	804	GLN
1	A	935	GLN
1	B	563	GLN
1	B	804	GLN
1	B	935	GLN
1	C	563	GLN
3	L	27	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates i

108 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	D	1	1,4	14,14,15	0.93	1 (7%)	17,19,21	0.93	1 (5%)
4	NAG	D	2	4	14,14,15	0.82	1 (7%)	17,19,21	0.95	1 (5%)
4	BMA	D	3	4	11,11,12	1.29	2 (18%)	15,15,17	1.59	3 (20%)
4	NAG	E	1	1,4	14,14,15	0.42	0	17,19,21	0.36	0
4	NAG	E	2	4	14,14,15	0.30	0	17,19,21	0.41	0
4	BMA	E	3	4	11,11,12	0.58	0	15,15,17	0.74	0
5	NAG	F	1	5,1	14,14,15	0.29	0	17,19,21	0.44	0
5	NAG	F	2	5	14,14,15	0.38	0	17,19,21	0.43	0
5	NAG	G	1	5,1	14,14,15	0.29	0	17,19,21	0.45	0
5	NAG	G	2	5	14,14,15	0.42	0	17,19,21	0.38	0
6	NAG	K	1	6,1	14,14,15	0.27	0	17,19,21	0.51	0
6	NAG	K	2	6	14,14,15	0.17	0	17,19,21	0.38	0
6	BMA	K	3	6	11,11,12	0.60	0	15,15,17	0.73	0
6	FUC	K	4	6	10,10,11	0.64	0	14,14,16	0.87	0
7	NAG	O	1	7,1	14,14,15	0.28	0	17,19,21	0.51	0
7	FUC	O	2	7	10,10,11	0.72	0	14,14,16	0.90	0
5	NAG	P	1	5,1	14,14,15	0.34	0	17,19,21	0.43	0
5	NAG	P	2	5	14,14,15	0.44	0	17,19,21	0.34	0
5	NAG	Q	1	5,1	14,14,15	0.23	0	17,19,21	0.39	0
5	NAG	Q	2	5	14,14,15	0.22	0	17,19,21	0.37	0
5	NAG	R	1	5,1	14,14,15	0.29	0	17,19,21	0.40	0
5	NAG	R	2	5	14,14,15	0.20	0	17,19,21	0.42	0
8	NAG	S	1	8,1	14,14,15	0.27	0	17,19,21	0.44	0
8	NAG	S	2	8	14,14,15	0.23	0	17,19,21	0.46	0
8	BMA	S	3	8	11,11,12	0.58	0	15,15,17	0.75	0
8	MAN	S	4	8	11,11,12	0.67	0	15,15,17	1.00	2 (13%)
5	NAG	T	1	5,1	14,14,15	0.26	0	17,19,21	0.44	0
5	NAG	T	2	5	14,14,15	0.18	0	17,19,21	0.44	0
5	NAG	U	1	5,1	14,14,15	0.31	0	17,19,21	0.47	0
5	NAG	U	2	5	14,14,15	0.23	0	17,19,21	0.39	0
4	NAG	V	1	1,4	14,14,15	0.20	0	17,19,21	0.40	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	V	2	4	14,14,15	0.16	0	17,19,21	0.39	0
4	BMA	V	3	4	11,11,12	0.59	0	15,15,17	0.85	0
4	NAG	W	1	1,4	14,14,15	0.28	0	17,19,21	0.40	0
4	NAG	W	2	4	14,14,15	0.20	0	17,19,21	0.42	0
4	BMA	W	3	4	11,11,12	0.56	0	15,15,17	0.71	0
4	NAG	X	1	1,4	14,14,15	0.94	1 (7%)	17,19,21	0.93	1 (5%)
4	NAG	X	2	4	14,14,15	0.83	1 (7%)	17,19,21	0.95	1 (5%)
4	BMA	X	3	4	11,11,12	1.29	2 (18%)	15,15,17	1.60	3 (20%)
4	NAG	Y	1	1,4	14,14,15	0.43	0	17,19,21	0.36	0
4	NAG	Y	2	4	14,14,15	0.30	0	17,19,21	0.41	0
4	BMA	Y	3	4	11,11,12	0.59	0	15,15,17	0.74	0
5	NAG	Z	1	5,1	14,14,15	0.30	0	17,19,21	0.44	0
5	NAG	Z	2	5	14,14,15	0.38	0	17,19,21	0.44	0
5	NAG	a	1	5,1	14,14,15	0.28	0	17,19,21	0.45	0
5	NAG	a	2	5	14,14,15	0.42	0	17,19,21	0.38	0
6	NAG	b	1	6,1	14,14,15	0.27	0	17,19,21	0.51	0
6	NAG	b	2	6	14,14,15	0.18	0	17,19,21	0.38	0
6	BMA	b	3	6	11,11,12	0.59	0	15,15,17	0.74	0
6	FUC	b	4	6	10,10,11	0.62	0	14,14,16	0.88	0
7	NAG	c	1	7,1	14,14,15	0.30	0	17,19,21	0.52	0
7	FUC	c	2	7	10,10,11	0.72	0	14,14,16	0.90	0
5	NAG	d	1	5,1	14,14,15	0.32	0	17,19,21	0.42	0
5	NAG	d	2	5	14,14,15	0.44	0	17,19,21	0.34	0
5	NAG	e	1	5,1	14,14,15	0.22	0	17,19,21	0.38	0
5	NAG	e	2	5	14,14,15	0.23	0	17,19,21	0.38	0
5	NAG	f	1	5,1	14,14,15	0.30	0	17,19,21	0.40	0
5	NAG	f	2	5	14,14,15	0.20	0	17,19,21	0.42	0
8	NAG	g	1	8,1	14,14,15	0.27	0	17,19,21	0.43	0
8	NAG	g	2	8	14,14,15	0.23	0	17,19,21	0.46	0
8	BMA	g	3	8	11,11,12	0.58	0	15,15,17	0.74	0
8	MAN	g	4	8	11,11,12	0.66	0	15,15,17	1.00	2 (13%)
5	NAG	h	1	5,1	14,14,15	0.26	0	17,19,21	0.43	0
5	NAG	h	2	5	14,14,15	0.19	0	17,19,21	0.44	0
5	NAG	i	1	5,1	14,14,15	0.32	0	17,19,21	0.48	0
5	NAG	i	2	5	14,14,15	0.23	0	17,19,21	0.39	0
4	NAG	j	1	1,4	14,14,15	0.19	0	17,19,21	0.40	0
4	NAG	j	2	4	14,14,15	0.17	0	17,19,21	0.40	0
4	BMA	j	3	4	11,11,12	0.58	0	15,15,17	0.85	0
4	NAG	k	1	1,4	14,14,15	0.27	0	17,19,21	0.41	0
4	NAG	k	2	4	14,14,15	0.19	0	17,19,21	0.42	0
4	BMA	k	3	4	11,11,12	0.56	0	15,15,17	0.71	0
4	NAG	l	1	1,4	14,14,15	0.95	1 (7%)	17,19,21	0.93	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	l	2	4	14,14,15	0.82	1 (7%)	17,19,21	0.95	1 (5%)
4	BMA	l	3	4	11,11,12	1.28	2 (18%)	15,15,17	1.60	2 (13%)
4	NAG	m	1	1,4	14,14,15	0.42	0	17,19,21	0.36	0
4	NAG	m	2	4	14,14,15	0.30	0	17,19,21	0.41	0
4	BMA	m	3	4	11,11,12	0.58	0	15,15,17	0.75	0
5	NAG	n	1	5,1	14,14,15	0.31	0	17,19,21	0.43	0
5	NAG	n	2	5	14,14,15	0.38	0	17,19,21	0.44	0
5	NAG	o	1	5,1	14,14,15	0.29	0	17,19,21	0.46	0
5	NAG	o	2	5	14,14,15	0.43	0	17,19,21	0.39	0
6	NAG	p	1	6,1	14,14,15	0.27	0	17,19,21	0.50	0
6	NAG	p	2	6	14,14,15	0.18	0	17,19,21	0.37	0
6	BMA	p	3	6	11,11,12	0.58	0	15,15,17	0.73	0
6	FUC	p	4	6	10,10,11	0.63	0	14,14,16	0.88	0
7	NAG	q	1	7,1	14,14,15	0.29	0	17,19,21	0.52	0
7	FUC	q	2	7	10,10,11	0.72	0	14,14,16	0.90	0
5	NAG	r	1	5,1	14,14,15	0.32	0	17,19,21	0.41	0
5	NAG	r	2	5	14,14,15	0.45	0	17,19,21	0.35	0
5	NAG	s	1	5,1	14,14,15	0.22	0	17,19,21	0.38	0
5	NAG	s	2	5	14,14,15	0.24	0	17,19,21	0.38	0
5	NAG	t	1	5,1	14,14,15	0.30	0	17,19,21	0.39	0
5	NAG	t	2	5	14,14,15	0.21	0	17,19,21	0.42	0
8	NAG	u	1	8,1	14,14,15	0.25	0	17,19,21	0.44	0
8	NAG	u	2	8	14,14,15	0.22	0	17,19,21	0.45	0
8	BMA	u	3	8	11,11,12	0.58	0	15,15,17	0.74	0
8	MAN	u	4	8	11,11,12	0.65	0	15,15,17	1.00	2 (13%)
5	NAG	v	1	5,1	14,14,15	0.26	0	17,19,21	0.42	0
5	NAG	v	2	5	14,14,15	0.20	0	17,19,21	0.45	0
5	NAG	w	1	5,1	14,14,15	0.31	0	17,19,21	0.48	0
5	NAG	w	2	5	14,14,15	0.24	0	17,19,21	0.39	0
4	NAG	x	1	1,4	14,14,15	0.20	0	17,19,21	0.40	0
4	NAG	x	2	4	14,14,15	0.18	0	17,19,21	0.39	0
4	BMA	x	3	4	11,11,12	0.61	0	15,15,17	0.85	0
4	NAG	y	1	1,4	14,14,15	0.28	0	17,19,21	0.40	0
4	NAG	y	2	4	14,14,15	0.20	0	17,19,21	0.41	0
4	BMA	y	3	4	11,11,12	0.54	0	15,15,17	0.72	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	D	1	1,4	-	3/6/23/26	0/1/1/1
4	NAG	D	2	4	-	4/6/23/26	0/1/1/1
4	BMA	D	3	4	-	2/2/19/22	0/1/1/1
4	NAG	E	1	1,4	-	4/6/23/26	0/1/1/1
4	NAG	E	2	4	-	1/6/23/26	0/1/1/1
4	BMA	E	3	4	-	0/2/19/22	0/1/1/1
5	NAG	F	1	5,1	-	4/6/23/26	0/1/1/1
5	NAG	F	2	5	-	4/6/23/26	0/1/1/1
5	NAG	G	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	G	2	5	-	1/6/23/26	0/1/1/1
6	NAG	K	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	K	2	6	-	2/6/23/26	0/1/1/1
6	BMA	K	3	6	-	0/2/19/22	0/1/1/1
6	FUC	K	4	6	-	-	0/1/1/1
7	NAG	O	1	7,1	-	2/6/23/26	0/1/1/1
7	FUC	O	2	7	-	-	0/1/1/1
5	NAG	P	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	P	2	5	-	2/6/23/26	0/1/1/1
5	NAG	Q	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	Q	2	5	-	2/6/23/26	0/1/1/1
5	NAG	R	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	R	2	5	-	2/6/23/26	0/1/1/1
8	NAG	S	1	8,1	-	2/6/23/26	0/1/1/1
8	NAG	S	2	8	-	2/6/23/26	0/1/1/1
8	BMA	S	3	8	-	2/2/19/22	0/1/1/1
8	MAN	S	4	8	-	0/2/19/22	0/1/1/1
5	NAG	T	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	T	2	5	-	2/6/23/26	0/1/1/1
5	NAG	U	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	U	2	5	-	2/6/23/26	0/1/1/1
4	NAG	V	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	V	2	4	-	0/6/23/26	0/1/1/1
4	BMA	V	3	4	-	0/2/19/22	0/1/1/1
4	NAG	W	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	W	2	4	-	2/6/23/26	0/1/1/1
4	BMA	W	3	4	-	0/2/19/22	0/1/1/1
4	NAG	X	1	1,4	-	3/6/23/26	0/1/1/1
4	NAG	X	2	4	-	4/6/23/26	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BMA	X	3	4	-	2/2/19/22	0/1/1/1
4	NAG	Y	1	1,4	-	4/6/23/26	0/1/1/1
4	NAG	Y	2	4	-	1/6/23/26	0/1/1/1
4	BMA	Y	3	4	-	0/2/19/22	0/1/1/1
5	NAG	Z	1	5,1	-	4/6/23/26	0/1/1/1
5	NAG	Z	2	5	-	4/6/23/26	0/1/1/1
5	NAG	a	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	a	2	5	-	1/6/23/26	0/1/1/1
6	NAG	b	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	b	2	6	-	2/6/23/26	0/1/1/1
6	BMA	b	3	6	-	0/2/19/22	0/1/1/1
6	FUC	b	4	6	-	-	0/1/1/1
7	NAG	c	1	7,1	-	2/6/23/26	0/1/1/1
7	FUC	c	2	7	-	-	0/1/1/1
5	NAG	d	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	d	2	5	-	2/6/23/26	0/1/1/1
5	NAG	e	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	e	2	5	-	2/6/23/26	0/1/1/1
5	NAG	f	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	f	2	5	-	2/6/23/26	0/1/1/1
8	NAG	g	1	8,1	-	2/6/23/26	0/1/1/1
8	NAG	g	2	8	-	2/6/23/26	0/1/1/1
8	BMA	g	3	8	-	2/2/19/22	0/1/1/1
8	MAN	g	4	8	-	0/2/19/22	0/1/1/1
5	NAG	h	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	h	2	5	-	2/6/23/26	0/1/1/1
5	NAG	i	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	i	2	5	-	2/6/23/26	0/1/1/1
4	NAG	j	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	j	2	4	-	0/6/23/26	0/1/1/1
4	BMA	j	3	4	-	0/2/19/22	0/1/1/1
4	NAG	k	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	k	2	4	-	2/6/23/26	0/1/1/1
4	BMA	k	3	4	-	0/2/19/22	0/1/1/1
4	NAG	l	1	1,4	-	3/6/23/26	0/1/1/1
4	NAG	l	2	4	-	4/6/23/26	0/1/1/1
4	BMA	l	3	4	-	2/2/19/22	0/1/1/1

*Continued on next page...*



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	m	1	1,4	-	4/6/23/26	0/1/1/1
4	NAG	m	2	4	-	1/6/23/26	0/1/1/1
4	BMA	m	3	4	-	0/2/19/22	0/1/1/1
5	NAG	n	1	5,1	-	4/6/23/26	0/1/1/1
5	NAG	n	2	5	-	4/6/23/26	0/1/1/1
5	NAG	o	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	o	2	5	-	1/6/23/26	0/1/1/1
6	NAG	p	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	p	2	6	-	2/6/23/26	0/1/1/1
6	BMA	p	3	6	-	0/2/19/22	0/1/1/1
6	FUC	p	4	6	-	-	0/1/1/1
7	NAG	q	1	7,1	-	2/6/23/26	0/1/1/1
7	FUC	q	2	7	-	-	0/1/1/1
5	NAG	r	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	r	2	5	-	2/6/23/26	0/1/1/1
5	NAG	s	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	s	2	5	-	2/6/23/26	0/1/1/1
5	NAG	t	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	t	2	5	-	2/6/23/26	0/1/1/1
8	NAG	u	1	8,1	-	2/6/23/26	0/1/1/1
8	NAG	u	2	8	-	2/6/23/26	0/1/1/1
8	BMA	u	3	8	-	2/2/19/22	0/1/1/1
8	MAN	u	4	8	-	0/2/19/22	0/1/1/1
5	NAG	v	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	v	2	5	-	2/6/23/26	0/1/1/1
5	NAG	w	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	w	2	5	-	2/6/23/26	0/1/1/1
4	NAG	x	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	x	2	4	-	0/6/23/26	0/1/1/1
4	BMA	x	3	4	-	0/2/19/22	0/1/1/1
4	NAG	y	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	y	2	4	-	2/6/23/26	0/1/1/1
4	BMA	y	3	4	-	0/2/19/22	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	l	1	NAG	O5-C1	-3.06	1.38	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	X	1	NAG	O5-C1	-3.02	1.38	1.43
4	D	1	NAG	O5-C1	-2.98	1.38	1.43
4	X	3	BMA	C1-C2	2.84	1.58	1.52
4	D	3	BMA	C1-C2	2.83	1.58	1.52
4	l	3	BMA	C1-C2	2.80	1.58	1.52
4	D	3	BMA	C2-C3	2.61	1.56	1.52
4	l	3	BMA	C2-C3	2.57	1.56	1.52
4	X	3	BMA	C2-C3	2.57	1.56	1.52
4	X	2	NAG	O5-C1	2.50	1.47	1.43
4	D	2	NAG	O5-C1	2.49	1.47	1.43
4	l	2	NAG	O5-C1	2.46	1.47	1.43

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	l	3	BMA	C1-C2-C3	4.23	114.86	109.67
4	D	3	BMA	C1-C2-C3	4.19	114.82	109.67
4	X	3	BMA	C1-C2-C3	4.19	114.82	109.67
4	D	2	NAG	C1-O5-C5	3.62	117.09	112.19
4	X	2	NAG	C1-O5-C5	3.62	117.09	112.19
4	l	2	NAG	C1-O5-C5	3.61	117.08	112.19
4	X	3	BMA	C2-C3-C4	2.79	115.72	110.89
4	D	3	BMA	C2-C3-C4	2.78	115.71	110.89
4	l	3	BMA	C2-C3-C4	2.77	115.69	110.89
8	g	4	MAN	C1-O5-C5	2.28	115.28	112.19
8	u	4	MAN	C1-O5-C5	2.27	115.26	112.19
8	S	4	MAN	C1-O5-C5	2.26	115.26	112.19
8	g	4	MAN	O2-C2-C3	-2.17	105.79	110.14
8	u	4	MAN	O2-C2-C3	-2.15	105.82	110.14
8	S	4	MAN	O2-C2-C3	-2.15	105.83	110.14
4	D	1	NAG	C4-C3-C2	2.11	114.11	111.02
4	X	1	NAG	C4-C3-C2	2.07	114.05	111.02
4	l	1	NAG	C4-C3-C2	2.06	114.04	111.02
4	X	3	BMA	O5-C5-C4	-2.01	105.95	110.83
4	D	3	BMA	O5-C5-C4	-2.00	105.96	110.83

There are no chirality outliers.

All (159) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	E	1	NAG	O5-C5-C6-O6
4	Y	1	NAG	O5-C5-C6-O6

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	m	1	NAG	O5-C5-C6-O6
5	P	2	NAG	O5-C5-C6-O6
5	d	2	NAG	O5-C5-C6-O6
5	r	2	NAG	O5-C5-C6-O6
4	l	1	NAG	O5-C5-C6-O6
4	D	1	NAG	O5-C5-C6-O6
4	D	2	NAG	O5-C5-C6-O6
4	W	2	NAG	O5-C5-C6-O6
4	X	1	NAG	O5-C5-C6-O6
4	X	2	NAG	O5-C5-C6-O6
4	k	2	NAG	O5-C5-C6-O6
4	l	2	NAG	O5-C5-C6-O6
4	y	2	NAG	O5-C5-C6-O6
7	O	1	NAG	O5-C5-C6-O6
7	c	1	NAG	O5-C5-C6-O6
7	q	1	NAG	O5-C5-C6-O6
5	T	2	NAG	O5-C5-C6-O6
5	U	2	NAG	O5-C5-C6-O6
5	h	2	NAG	O5-C5-C6-O6
5	i	2	NAG	O5-C5-C6-O6
5	v	2	NAG	O5-C5-C6-O6
5	w	2	NAG	O5-C5-C6-O6
4	E	1	NAG	C4-C5-C6-O6
4	Y	1	NAG	C4-C5-C6-O6
4	m	1	NAG	C4-C5-C6-O6
5	U	1	NAG	O5-C5-C6-O6
5	i	1	NAG	O5-C5-C6-O6
5	w	1	NAG	O5-C5-C6-O6
4	D	1	NAG	C4-C5-C6-O6
4	X	1	NAG	C4-C5-C6-O6
4	l	1	NAG	C4-C5-C6-O6
5	P	2	NAG	C4-C5-C6-O6
5	d	2	NAG	C4-C5-C6-O6
5	r	2	NAG	C4-C5-C6-O6
5	F	2	NAG	O5-C5-C6-O6
5	Z	2	NAG	O5-C5-C6-O6
5	n	2	NAG	O5-C5-C6-O6
6	K	2	NAG	O5-C5-C6-O6
6	b	2	NAG	O5-C5-C6-O6
6	p	2	NAG	O5-C5-C6-O6
4	D	2	NAG	C4-C5-C6-O6
4	X	2	NAG	C4-C5-C6-O6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	l	2	NAG	C4-C5-C6-O6
5	Q	2	NAG	C4-C5-C6-O6
5	e	2	NAG	C4-C5-C6-O6
5	s	2	NAG	C4-C5-C6-O6
8	S	3	BMA	O5-C5-C6-O6
8	g	3	BMA	O5-C5-C6-O6
8	u	3	BMA	O5-C5-C6-O6
5	U	2	NAG	C4-C5-C6-O6
5	i	2	NAG	C4-C5-C6-O6
5	w	2	NAG	C4-C5-C6-O6
5	t	2	NAG	O5-C5-C6-O6
5	R	2	NAG	O5-C5-C6-O6
5	f	2	NAG	O5-C5-C6-O6
5	i	1	NAG	C4-C5-C6-O6
7	O	1	NAG	C4-C5-C6-O6
7	q	1	NAG	C4-C5-C6-O6
4	k	2	NAG	C4-C5-C6-O6
5	U	1	NAG	C4-C5-C6-O6
5	w	1	NAG	C4-C5-C6-O6
7	c	1	NAG	C4-C5-C6-O6
4	E	1	NAG	C8-C7-N2-C2
4	E	1	NAG	O7-C7-N2-C2
4	Y	1	NAG	C8-C7-N2-C2
4	Y	1	NAG	O7-C7-N2-C2
4	m	1	NAG	C8-C7-N2-C2
4	m	1	NAG	O7-C7-N2-C2
5	F	1	NAG	C8-C7-N2-C2
5	F	1	NAG	O7-C7-N2-C2
5	F	2	NAG	C8-C7-N2-C2
5	F	2	NAG	O7-C7-N2-C2
5	Z	1	NAG	C8-C7-N2-C2
5	Z	1	NAG	O7-C7-N2-C2
5	Z	2	NAG	C8-C7-N2-C2
5	Z	2	NAG	O7-C7-N2-C2
5	n	1	NAG	C8-C7-N2-C2
5	n	1	NAG	O7-C7-N2-C2
5	n	2	NAG	C8-C7-N2-C2
5	n	2	NAG	O7-C7-N2-C2
5	Q	2	NAG	O5-C5-C6-O6
5	e	2	NAG	O5-C5-C6-O6
5	s	2	NAG	O5-C5-C6-O6
4	W	2	NAG	C4-C5-C6-O6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	y	2	NAG	C4-C5-C6-O6
8	S	3	BMA	C4-C5-C6-O6
8	g	3	BMA	C4-C5-C6-O6
8	u	3	BMA	C4-C5-C6-O6
5	F	2	NAG	C4-C5-C6-O6
5	Z	2	NAG	C4-C5-C6-O6
5	n	2	NAG	C4-C5-C6-O6
4	W	1	NAG	O5-C5-C6-O6
4	k	1	NAG	O5-C5-C6-O6
4	y	1	NAG	O5-C5-C6-O6
5	T	2	NAG	C4-C5-C6-O6
5	h	2	NAG	C4-C5-C6-O6
5	v	2	NAG	C4-C5-C6-O6
5	R	2	NAG	C4-C5-C6-O6
5	t	2	NAG	C4-C5-C6-O6
5	F	1	NAG	O5-C5-C6-O6
5	Z	1	NAG	O5-C5-C6-O6
5	n	1	NAG	O5-C5-C6-O6
5	f	2	NAG	C4-C5-C6-O6
4	W	1	NAG	C4-C5-C6-O6
4	k	1	NAG	C4-C5-C6-O6
4	y	1	NAG	C4-C5-C6-O6
5	Z	1	NAG	C4-C5-C6-O6
5	n	1	NAG	C4-C5-C6-O6
5	F	1	NAG	C4-C5-C6-O6
4	D	3	BMA	C4-C5-C6-O6
4	X	3	BMA	C4-C5-C6-O6
4	l	3	BMA	C4-C5-C6-O6
8	S	1	NAG	O5-C5-C6-O6
8	g	1	NAG	O5-C5-C6-O6
8	u	1	NAG	O5-C5-C6-O6
6	K	2	NAG	C4-C5-C6-O6
6	b	2	NAG	C4-C5-C6-O6
6	p	2	NAG	C4-C5-C6-O6
5	a	1	NAG	O5-C5-C6-O6
5	G	1	NAG	O5-C5-C6-O6
5	o	1	NAG	O5-C5-C6-O6
5	G	2	NAG	O5-C5-C6-O6
5	a	2	NAG	O5-C5-C6-O6
5	o	2	NAG	O5-C5-C6-O6
4	D	2	NAG	C1-C2-N2-C7
4	X	2	NAG	C1-C2-N2-C7

*Continued on next page...*



*Continued from previous page...*



Mol	Chain	Res	Type	Atoms
4	l	2	NAG	C1-C2-N2-C7
4	E	2	NAG	O5-C5-C6-O6
4	Y	2	NAG	O5-C5-C6-O6
4	m	2	NAG	O5-C5-C6-O6
5	t	1	NAG	O5-C5-C6-O6
5	R	1	NAG	O5-C5-C6-O6
5	f	1	NAG	O5-C5-C6-O6
8	u	2	NAG	C4-C5-C6-O6
8	g	2	NAG	C4-C5-C6-O6
8	S	2	NAG	C4-C5-C6-O6
4	l	3	BMA	O5-C5-C6-O6
5	h	1	NAG	C4-C5-C6-O6
5	T	1	NAG	C4-C5-C6-O6
4	D	3	BMA	O5-C5-C6-O6
4	X	3	BMA	O5-C5-C6-O6
5	v	1	NAG	C4-C5-C6-O6
4	D	1	NAG	C1-C2-N2-C7
4	X	1	NAG	C1-C2-N2-C7
4	l	1	NAG	C1-C2-N2-C7
4	D	2	NAG	C3-C2-N2-C7
4	X	2	NAG	C3-C2-N2-C7
4	l	2	NAG	C3-C2-N2-C7
8	S	1	NAG	C4-C5-C6-O6
8	g	1	NAG	C4-C5-C6-O6
8	u	1	NAG	C4-C5-C6-O6
8	g	2	NAG	O5-C5-C6-O6
8	u	2	NAG	O5-C5-C6-O6
8	S	2	NAG	O5-C5-C6-O6
5	T	1	NAG	C1-C2-N2-C7
5	h	1	NAG	C1-C2-N2-C7
5	v	1	NAG	C1-C2-N2-C7

There are no ring outliers.



No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.










































































































## 5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
9	NAG	B	1300	1	14,14,15	0.36	0	17,19,21	0.33	0
9	NAG	A	1300	1	14,14,15	0.36	0	17,19,21	0.32	0
9	NAG	C	1300	1	14,14,15	0.36	0	17,19,21	0.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	B	1300	1	-	2/6/23/26	0/1/1/1
9	NAG	A	1300	1	-	2/6/23/26	0/1/1/1
9	NAG	C	1300	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	A	1300	NAG	C4-C5-C6-O6
9	C	1300	NAG	C4-C5-C6-O6
9	B	1300	NAG	C4-C5-C6-O6
9	B	1300	NAG	O5-C5-C6-O6
9	C	1300	NAG	O5-C5-C6-O6
9	A	1300	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-22750. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)

#### 6.1.1 Primary map



#### 6.1.2 Raw map




The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


### 6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 140




Y Index: 146




Z Index: 197


### 6.3.2 Raw map



X Index: 159



Y Index: 146



Z Index: 147

The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



X



Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.25. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


### 6.4.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 352 nm<sup>3</sup>; this corresponds to an approximate mass of 318 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.333 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.333 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.00	-	-
Author-provided FSC curve	3.00	3.37	3.03
Unmasked-calculated*	3.79	4.40	3.85


\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.79 differs from the reported value 3.0 by more than 10 %



## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-22750 and PDB model 7K9J. Per-residue inclusion information can be found in section [3](#) on page [14](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.25 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.25).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 88% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary



































The table lists the average atom inclusion at the recommended contour level (0.25) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8836	 0.4570
A	 0.9412	 0.4930
B	 0.9417	 0.4940
C	 0.9410	 0.4950
D	 0.6154	 0.3620
E	 0.4359	 0.3160
F	 0.8214	 0.4060
G	 0.5714	 0.3560
H	 0.7189	 0.3140
I	 0.7049	 0.3030
J	 0.7243	 0.3160
K	 0.8571	 0.4770
L	 0.5886	 0.2890
M	 0.6278	 0.3170
N	 0.6228	 0.3160
O	 0.3750	 0.2740
P	 0.8214	 0.3890
Q	 0.3214	 0.2400
R	 0.8214	 0.4360
S	 0.8800	 0.4840
T	 0.9286	 0.4100
U	 0.8571	 0.5010
V	 0.9231	 0.4510
W	 0.8462	 0.5040
X	 0.5641	 0.3650
Y	 0.4615	 0.3380
Z	 0.8571	 0.4160
a	 0.5714	 0.3420
b	 0.9184	 0.4800
c	 0.3750	 0.2680
d	 0.7857	 0.3820
e	 0.3214	 0.2600
f	 0.8214	 0.4530
g	 0.8800	 0.4780
h	 0.9286	 0.4180



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
i	 0.8571	 0.4950
j	 0.9231	 0.4530
k	 0.8462	 0.5070
l	 0.5641	 0.3660
m	 0.4359	 0.3260
n	 0.8929	 0.4140
o	 0.5714	 0.3530
p	 0.8980	 0.4770
q	 0.4167	 0.2880
r	 0.7857	 0.3760
s	 0.3214	 0.2570
t	 0.8214	 0.4430
u	 0.8800	 0.4890
v	 0.9286	 0.4220
w	 0.8571	 0.5090
x	 0.9231	 0.4560
y	 0.8718	 0.5070