



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 19, 2024 – 02:08 PM JST

PDB ID : 8K9S
Title : Crystal structure of plasmodium LysRS complexing with ASP3026 derived LysRS inhibitor 1 (ADKI1)
Authors : Zhou, J.; Xia, M.; Yang, G.; Li, P.; Fang, P.
Deposited on : 2023-08-01
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.37.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1164 (2.36-2.36)
Clashscore	141614	1232 (2.36-2.36)
Ramachandran outliers	138981	1211 (2.36-2.36)
Sidechain outliers	138945	1212 (2.36-2.36)
RSRZ outliers	127900	1150 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	516	
1	B	516	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8115 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Lysine-tRNA ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	489	3883	2504	647	715	17	0	0	0
1	B	479	3831	2471	633	710	17	0	0	0

There are 18 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	76	MET	-	initiating methionine	UNP A0A024X378
A	584	GLY	-	expression tag	UNP A0A024X378
A	585	GLY	-	expression tag	UNP A0A024X378
A	586	HIS	-	expression tag	UNP A0A024X378
A	587	HIS	-	expression tag	UNP A0A024X378
A	588	HIS	-	expression tag	UNP A0A024X378
A	589	HIS	-	expression tag	UNP A0A024X378
A	590	HIS	-	expression tag	UNP A0A024X378
A	591	HIS	-	expression tag	UNP A0A024X378
B	76	MET	-	initiating methionine	UNP A0A024X378
B	584	GLY	-	expression tag	UNP A0A024X378
B	585	GLY	-	expression tag	UNP A0A024X378
B	586	HIS	-	expression tag	UNP A0A024X378
B	587	HIS	-	expression tag	UNP A0A024X378
B	588	HIS	-	expression tag	UNP A0A024X378
B	589	HIS	-	expression tag	UNP A0A024X378
B	590	HIS	-	expression tag	UNP A0A024X378
B	591	HIS	-	expression tag	UNP A0A024X378

- Molecule 2 is LYSINE (three-letter code: LYS) (formula: C₆H₁₅N₂O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			10	6	2	2		
2	B	1	Total	C	N	O	0	0
			10	6	2	2		

- Molecule 3 is methyl 4-methoxy-3-[[4-[(2-propan-2-ylsulfonylphenyl)amino]-1,3,5-triazin-2-yl]amino]benzoate (three-letter code: JRU) (formula: C₂₁H₂₃N₅O₅S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			32	21	5	5	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
3	B	1	32	21	5	5	1	0	0

- Molecule 4 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
4	B	1	12	6	1	4	1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	174	Total O 174 174	0	0
5	B	131	Total O 131 131	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Lysine-tRNA ligase



- Molecule 1: Lysine-tRNA ligase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	71.46Å 95.89Å 167.50Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.25 – 2.35 48.25 – 2.35	Depositor EDS
% Data completeness (in resolution range)	99.3 (48.25-2.35) 99.2 (48.25-2.35)	Depositor EDS
R_{merge}	0.20	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.76 (at 2.34Å)	Xtrriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.219 , 0.263 0.217 , 0.262	Depositor DCC
R_{free} test set	2406 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	46.2	Xtrriage
Anisotropy	0.333	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 44.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	8115	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: JRU, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/3980	0.49	0/5395
1	B	0.26	0/3926	0.50	0/5319
All	All	0.26	0/7906	0.50	0/10714

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3883	0	3754	37	0
1	B	3831	0	3698	53	0
2	A	10	0	12	0	0
2	B	10	0	12	0	0
3	A	32	0	0	1	0
3	B	32	0	0	1	0
4	B	12	0	12	1	0
5	A	174	0	0	3	0
5	B	131	0	0	1	0
All	All	8115	0	7488	86	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 6.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:483:ARG:HH11	1:B:483:ARG:HG3	1.46	0.80
1:B:350:ALA:HA	1:B:550:THR:HG22	1.66	0.76
1:A:478:LEU:HD23	1:A:514:GLN:HE22	1.54	0.72
1:B:87:ARG:NH2	1:B:188:ASP:OD1	2.23	0.71
1:B:407:ILE:HG13	1:B:457:ILE:HD11	1.73	0.70
1:B:315:ILE:HG21	1:B:550:THR:HG21	1.75	0.67
1:B:110:ILE:HG21	1:B:133:LEU:HD13	1.75	0.67
1:B:279:ASN:HB2	1:B:281:ILE:HG12	1.78	0.65
1:A:87:ARG:NH2	1:A:188:ASP:OD1	2.29	0.65
1:A:580:ARG:HD3	1:B:297:LEU:HD22	1.80	0.64
1:B:166:ASN:HB3	1:B:169:PHE:CD1	2.34	0.62
1:A:155:VAL:HG12	1:A:160:LYS:HG3	1.81	0.62
1:A:107:GLU:HA	4:B:603:MES:H62	1.82	0.61
1:B:166:ASN:HB3	1:B:169:PHE:HD1	1.65	0.61
1:B:421:SER:O	1:B:425:ILE:HG13	2.02	0.60
1:B:423:GLU:OE1	1:B:423:GLU:N	2.30	0.59
1:B:508:LEU:HD22	1:B:514:GLN:HG2	1.84	0.59
1:B:240:ASP:OD1	1:B:244:ASN:ND2	2.36	0.58
1:B:281:ILE:HG13	1:B:302:TYR:HB2	1.85	0.58
1:B:192:ILE:HG23	1:B:208:PRO:HB3	1.86	0.58
1:B:427:LYS:O	1:B:431:ILE:HD12	2.03	0.58
1:B:483:ARG:HH11	1:B:483:ARG:CG	2.17	0.57
1:B:309:LEU:HD13	1:B:539:PHE:HB2	1.87	0.57
1:B:500:GLU:HG2	3:B:602:JRU:O31	2.04	0.57
1:B:135:ILE:HG22	1:B:192:ILE:HB	1.87	0.56
1:A:491:ARG:HA	1:A:505:TYR:HB3	1.87	0.56
1:A:500:GLU:HG2	3:A:602:JRU:O31	2.06	0.55
1:B:132:ILE:O	1:B:132:ILE:HD12	2.07	0.55
1:A:253:THR:O	1:A:257:ILE:HG12	2.07	0.55
1:A:104:HIS:HE1	1:B:481:TYR:O	1.90	0.55
1:A:337:THR:HG21	1:A:499:LYS:HE2	1.90	0.54
1:A:152:PHE:HB2	1:A:163:VAL:HB	1.89	0.54
1:A:508:LEU:HD22	1:A:514:GLN:HG2	1.90	0.54
1:B:406:GLU:OE2	1:B:460:LYS:NZ	2.32	0.53
1:A:227:LEU:HD11	1:A:239:LEU:HB3	1.89	0.53
1:A:412:ASN:ND2	5:A:704:HOH:O	2.37	0.53
1:A:271:PHE:CZ	1:B:252:VAL:HA	2.45	0.52
1:A:192:ILE:HG23	1:A:208:PRO:HB3	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:357:LEU:HD13	1:A:504:ALA:HB1	1.92	0.51
1:A:401:VAL:HB	1:A:457:ILE:HD11	1.93	0.51
1:A:110:ILE:HG21	1:A:133:LEU:HD13	1.93	0.50
1:B:152:PHE:HB2	1:B:163:VAL:HB	1.93	0.50
1:A:271:PHE:HZ	1:B:252:VAL:HA	1.76	0.50
1:A:438:GLU:O	1:A:451:GLN:NE2	2.34	0.50
1:B:176:ASN:HB3	1:B:179:GLU:HB3	1.94	0.50
1:A:235:ARG:NH2	1:A:580:ARG:O	2.32	0.49
1:B:132:ILE:O	1:B:133:LEU:HD23	2.13	0.49
1:B:471:HIS:NE2	1:B:493:GLU:OE1	2.46	0.49
1:B:407:ILE:O	1:B:411:THR:HG22	2.11	0.49
1:B:339:ASN:HB2	1:B:570:ILE:HD13	1.94	0.48
1:A:113:PRO:HG3	1:A:159:GLU:HG3	1.96	0.48
1:B:272:GLU:HB2	1:B:323:TYR:CZ	2.49	0.47
1:A:280:LEU:HD12	1:A:280:LEU:H	1.80	0.47
1:A:570:ILE:HG22	1:A:571:LYS:HE2	1.96	0.47
1:A:105:LYS:HE2	1:A:107:GLU:HG2	1.98	0.46
1:B:424:THR:O	1:B:428:MET:HG3	2.16	0.46
1:B:548:PRO:O	1:B:550:THR:HG23	2.15	0.46
1:B:155:VAL:HG12	1:B:160:LYS:HG3	1.96	0.46
1:B:470:GLU:HA	1:B:489:THR:O	2.16	0.46
1:A:209:LYS:HD2	5:A:778:HOH:O	2.16	0.45
1:A:115:PHE:CE2	1:A:196:PRO:HB3	2.51	0.45
1:A:130:ASP:N	1:A:130:ASP:OD1	2.50	0.45
1:B:139:ILE:O	1:B:187:GLY:N	2.46	0.45
1:A:91:ILE:O	1:A:95:LYS:HG2	2.16	0.45
1:B:171:ASN:HB2	1:B:209:LYS:HD2	1.99	0.44
1:A:336:ASN:ND2	5:A:714:HOH:O	2.51	0.44
1:B:143:SER:OG	1:B:151:PHE:HB2	2.17	0.44
1:B:141:ARG:HE	1:B:141:ARG:HB3	1.60	0.43
1:B:349:TRP:CD2	1:B:352:ALA:HB2	2.53	0.43
1:A:504:ALA:HB2	1:A:553:LEU:HG	2.00	0.43
1:B:483:ARG:HG3	1:B:483:ARG:NH1	2.21	0.43
1:B:334:ILE:HG12	1:B:340:PRO:HD3	2.00	0.43
1:B:444:THR:HG23	1:B:447:LYS:H	1.83	0.43
1:A:432:ILE:HG23	1:A:437:ILE:O	2.19	0.42
1:B:83:TYR:CD2	1:B:220:MET:HG3	2.54	0.42
1:B:109:THR:HG22	1:B:110:ILE:HG22	2.01	0.42
1:B:309:LEU:CD1	1:B:539:PHE:HB2	2.49	0.42
1:B:327:LYS:HD2	1:B:341:GLU:HG2	2.01	0.42
1:B:145:SER:HB3	1:B:151:PHE:HE2	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:340:PRO:HG2	1:A:578:THR:HG21	2.02	0.41
1:B:225:TYR:CB	5:B:812:HOH:O	2.68	0.41
1:B:491:ARG:HA	1:B:505:TYR:HB3	2.03	0.41
1:A:128:LEU:O	1:A:195:PHE:HB2	2.20	0.41
1:A:224:LYS:HA	1:A:243:ILE:HG23	2.02	0.41
1:B:445:ALA:HA	1:B:448:LEU:HD12	2.02	0.40
1:A:569:SER:OG	1:A:571:LYS:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	485/516 (94%)	473 (98%)	12 (2%)	0	100	100
1	B	471/516 (91%)	463 (98%)	8 (2%)	0	100	100
All	All	956/1032 (93%)	936 (98%)	20 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	413/464 (89%)	407 (98%)	6 (2%)	65	76

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	412/464 (89%)	396 (96%)	16 (4%)	32	40
All	All	825/928 (89%)	803 (97%)	22 (3%)	44	55

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	104	HIS
1	A	130	ASP
1	A	354	TYR
1	A	402	SER
1	A	492	LEU
1	A	542	SER
1	B	109	THR
1	B	124	ASN
1	B	130	ASP
1	B	148	LYS
1	B	160	LYS
1	B	168	SER
1	B	174	LYS
1	B	288	ARG
1	B	344	SER
1	B	359	LYS
1	B	417	GLN
1	B	464	LYS
1	B	476	SER
1	B	483	ARG
1	B	492	LEU
1	B	571	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	104	HIS
1	A	462	ASN
1	A	514	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	LYS	B	601	-	8,9,9	0.80	1 (12%)	9,10,10	1.18	2 (22%)
3	JRU	A	602	-	33,34,34	5.96	13 (39%)	43,48,48	3.52	14 (32%)
3	JRU	B	602	-	33,34,34	5.94	11 (33%)	43,48,48	2.75	12 (27%)
2	LYS	A	601	-	8,9,9	0.82	1 (12%)	9,10,10	1.13	2 (22%)
4	MES	B	603	-	12,12,12	2.14	1 (8%)	14,16,16	2.22	6 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LYS	B	601	-	-	3/9/9/9	-
3	JRU	A	602	-	-	12/28/28/28	0/3/3/3
3	JRU	B	602	-	-	10/28/28/28	0/3/3/3
2	LYS	A	601	-	-	1/9/9/9	-
4	MES	B	603	-	-	5/6/14/14	0/1/1/1

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	602	JRU	O27-S26	22.32	1.64	1.44
3	B	602	JRU	O31-S26	22.29	1.64	1.44
3	B	602	JRU	O27-S26	22.27	1.64	1.44
3	A	602	JRU	O31-S26	22.22	1.64	1.44
4	B	603	MES	C8-S	-7.13	1.67	1.77
3	B	602	JRU	O08-C07	-6.83	1.18	1.33
3	A	602	JRU	O08-C07	-6.50	1.19	1.33
3	B	602	JRU	O10-C07	6.30	1.39	1.22
3	A	602	JRU	O10-C07	6.13	1.39	1.22
3	A	602	JRU	C18-N19	5.70	1.48	1.36
3	B	602	JRU	C18-N19	5.37	1.47	1.36
3	A	602	JRU	C14-N13	4.99	1.46	1.36
3	B	602	JRU	C14-N13	4.63	1.45	1.36
3	A	602	JRU	C18-N17	-2.48	1.31	1.34
3	B	602	JRU	C18-N17	-2.34	1.31	1.34
3	A	602	JRU	C12-N13	2.24	1.46	1.39
3	A	602	JRU	C20-N19	2.24	1.46	1.39
3	A	602	JRU	O08-C09	-2.24	1.40	1.45
3	B	602	JRU	C12-N13	2.19	1.45	1.39
3	B	602	JRU	C20-N19	2.19	1.45	1.39
3	A	602	JRU	C06-C07	2.13	1.54	1.50
2	A	601	LYS	OXT-C	-2.12	1.23	1.30
2	B	601	LYS	OXT-C	-2.10	1.23	1.30
3	A	602	JRU	C14-N15	-2.08	1.31	1.34
3	B	602	JRU	C14-N15	-2.08	1.31	1.34
3	A	602	JRU	O02-C03	2.02	1.40	1.37
3	B	602	JRU	O08-C09	-2.02	1.40	1.45

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	602	JRU	O08-C07-C06	11.14	129.23	112.34
3	A	602	JRU	O31-S26-O27	-10.60	108.99	118.71
3	B	602	JRU	O31-S26-O27	-9.13	110.34	118.71
3	A	602	JRU	N17-C18-N32	-7.78	119.18	126.55
3	B	602	JRU	N17-C18-N32	-7.09	119.83	126.55
3	A	602	JRU	N15-C14-N32	-6.91	120.00	126.55
3	A	602	JRU	C09-O08-C07	6.36	128.08	115.83
3	B	602	JRU	N15-C14-N32	-6.23	120.64	126.55
3	B	602	JRU	N17-C16-N15	-5.74	119.63	128.60
3	B	602	JRU	O08-C07-C06	5.51	120.69	112.34
3	A	602	JRU	N17-C16-N15	-5.44	120.10	128.60
4	B	603	MES	C5-N4-C3	5.21	120.57	108.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	602	JRU	O27-S26-C28	5.21	111.48	107.97
3	A	602	JRU	O08-C07-O10	-4.52	114.62	123.45
3	B	602	JRU	O02-C03-C12	3.86	119.53	114.80
3	A	602	JRU	C18-N32-C14	3.62	120.03	113.89
3	B	602	JRU	C18-N32-C14	3.14	119.21	113.89
3	B	602	JRU	C25-C20-N19	-3.12	118.50	121.45
4	B	603	MES	C7-N4-C3	3.09	119.14	111.23
3	B	602	JRU	C25-S26-C28	3.02	111.58	105.55
3	A	602	JRU	O02-C03-C12	2.82	118.26	114.80
3	A	602	JRU	C05-C06-C07	2.66	126.41	120.40
2	B	601	LYS	OXT-C-O	-2.59	118.20	124.09
4	B	603	MES	O3S-S-C8	2.54	109.88	105.77
4	B	603	MES	O2S-S-C8	2.53	109.96	106.92
3	B	602	JRU	O02-C03-C04	-2.53	120.04	124.37
4	B	603	MES	O1S-S-C8	2.51	109.94	106.92
3	A	602	JRU	C11-C06-C07	-2.50	115.24	120.10
3	B	602	JRU	C01-O02-C03	-2.48	113.79	117.53
2	A	601	LYS	OXT-C-O	-2.46	118.51	124.09
4	B	603	MES	C7-N4-C5	2.40	117.36	111.23
2	B	601	LYS	OXT-C-CA	2.22	120.95	113.38
2	A	601	LYS	OXT-C-CA	2.18	120.80	113.38
3	A	602	JRU	C25-S26-C28	2.18	109.90	105.55
3	A	602	JRU	C25-C20-N19	-2.17	119.40	121.45
3	B	602	JRU	C20-N19-C18	-2.07	123.36	129.60

There are no chirality outliers.

All (31) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	602	JRU	N17-C18-N19-C20
3	A	602	JRU	N32-C18-N19-C20
3	A	602	JRU	C29-C28-S26-C25
3	A	602	JRU	C29-C28-S26-O27
3	A	602	JRU	C29-C28-S26-O31
3	A	602	JRU	C30-C28-S26-C25
3	A	602	JRU	C30-C28-S26-O27
3	A	602	JRU	C30-C28-S26-O31
3	B	602	JRU	C29-C28-S26-C25
3	B	602	JRU	C29-C28-S26-O27
3	B	602	JRU	C29-C28-S26-O31
3	B	602	JRU	C30-C28-S26-C25
3	B	602	JRU	C30-C28-S26-O27

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	B	602	JRU	C30-C28-S26-O31
4	B	603	MES	C8-C7-N4-C3
4	B	603	MES	C7-C8-S-O2S
4	B	603	MES	C7-C8-S-O3S
3	A	602	JRU	O10-C07-O08-C09
3	A	602	JRU	C06-C07-O08-C09
3	B	602	JRU	N32-C18-N19-C20
3	B	602	JRU	N15-C14-N13-C12
3	B	602	JRU	N32-C14-N13-C12
3	B	602	JRU	N17-C18-N19-C20
4	B	603	MES	C8-C7-N4-C5
4	B	603	MES	C7-C8-S-O1S
2	B	601	LYS	CG-CD-CE-NZ
3	A	602	JRU	C24-C25-S26-O31
2	B	601	LYS	CA-CB-CG-CD
2	A	601	LYS	CG-CD-CE-NZ
2	B	601	LYS	CE-CD-CG-CB
3	A	602	JRU	C20-C25-S26-O31

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	602	JRU	1	0
3	B	602	JRU	1	0
4	B	603	MES	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	489/516 (94%)	0.38	23 (4%) 31 44	32, 50, 73, 93	0
1	B	479/516 (92%)	0.67	45 (9%) 8 13	31, 61, 96, 125	0
All	All	968/1032 (93%)	0.52	68 (7%) 16 24	31, 54, 88, 125	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	145	SER	12.3
1	B	144	ALA	7.8
1	B	146	GLY	7.4
1	A	78	VAL	7.2
1	A	228	LYS	5.8
1	B	280	LEU	5.5
1	A	223	MET	5.5
1	A	229	ASP	5.5
1	A	512	PHE	5.4
1	A	227	LEU	4.4
1	B	515	LYS	4.2
1	B	151	PHE	4.1
1	B	98	GLY	4.0
1	B	416	GLU	3.8
1	B	225	TYR	3.8
1	B	536	ASP	3.7
1	B	99	ILE	3.4
1	B	164	LEU	3.4
1	B	457	ILE	3.4
1	B	160	LYS	3.3
1	B	149	LEU	3.3
1	B	432	ILE	3.3
1	B	199	SER	3.2
1	B	191	GLY	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	145	SER	3.2
1	A	82	LEU	3.1
1	B	202	GLY	3.0
1	A	144	ALA	3.0
1	B	461	TYR	2.9
1	B	387	ASN	2.9
1	B	443	PRO	2.9
1	A	580	ARG	2.9
1	B	230	THR	2.9
1	B	582	ALA	2.6
1	B	86	ASN	2.5
1	B	97	LYS	2.5
1	B	403	ILE	2.4
1	A	299	LEU	2.4
1	B	169	PHE	2.4
1	A	141	ARG	2.4
1	B	394	PHE	2.4
1	B	207	PHE	2.3
1	A	535	LEU	2.3
1	B	232	ILE	2.3
1	B	158	GLY	2.3
1	B	425	ILE	2.3
1	B	415	LEU	2.2
1	B	147	GLN	2.2
1	A	225	TYR	2.2
1	A	582	ALA	2.2
1	B	382	LYS	2.1
1	B	141	ARG	2.1
1	A	281	ILE	2.1
1	B	78	VAL	2.1
1	B	203	GLU	2.1
1	B	192	ILE	2.1
1	A	226	GLY	2.1
1	B	190	VAL	2.1
1	A	517	CYS	2.1
1	B	459	ASN	2.1
1	A	328	VAL	2.1
1	A	249	HIS	2.0
1	A	149	LEU	2.0
1	B	414	ILE	2.0
1	B	143	SER	2.0
1	A	79	ASP	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	174	LYS	2.0
1	A	84	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	LYS	B	601	10/10	0.84	0.25	44,47,64,66	0
3	JRU	A	602	32/32	0.90	0.19	42,50,60,63	0
3	JRU	B	602	32/32	0.92	0.15	43,58,70,77	0
2	LYS	A	601	10/10	0.95	0.23	33,38,43,46	0
4	MES	B	603	12/12	0.96	0.14	43,49,56,57	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around JRU A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.