



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 18, 2018 – 05:31 am GMT

PDB ID : 1KAE
Title : L-HISTIDINOL DEHYDROGENASE (HISD) STRUCTURE COMPLEXED WITH L-HISTIDINOL (SUBSTRATE), ZINC AND NAD (COFACTOR)
Authors : Barbosa, J.A.R.G.; Sivaraman, J.; Li, Y.; Larocque, R.; Matte, A.; Schrag, J.D.; Cygler, M.
Deposited on : 2001-11-01
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30686


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	122078	4165 (1.70-1.70)
Ramachandran outliers	120005	4098 (1.70-1.70)
Sidechain outliers	119972	4098 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	434	
1	B	434	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	DTT	A	901	X	-	-	-

2 Entry composition i

There are 9 unique types of molecules in this entry. The entry contains 7249 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histidinol dehydrogenase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	434	3247	2021	565	646	8	7	31	5	0
1	B	434	3237	2017	562	644	7	7	66	2	0

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	MODIFIED RESIDUE	UNP P06988
A	15	GLU	VAL	SEE REMARK 999	UNP P06988
A	22	MSE	MET	MODIFIED RESIDUE	UNP P06988
A	88	MSE	MET	MODIFIED RESIDUE	UNP P06988
A	144	MSE	MET	MODIFIED RESIDUE	UNP P06988
A	150	SER	ARG	SEE REMARK 999	UNP P06988
A	232	MSE	MET	MODIFIED RESIDUE	UNP P06988
A	277	MSE	MET	MODIFIED RESIDUE	UNP P06988
A	313	LEU	SER	SEE REMARK 999	UNP P06988
A	390	MSE	MET	MODIFIED RESIDUE	UNP P06988
A	403	LEU	VAL	SEE REMARK 999	UNP P06988
B	1	MSE	MET	MODIFIED RESIDUE	UNP P06988
B	15	GLU	VAL	SEE REMARK 999	UNP P06988
B	22	MSE	MET	MODIFIED RESIDUE	UNP P06988
B	88	MSE	MET	MODIFIED RESIDUE	UNP P06988
B	144	MSE	MET	MODIFIED RESIDUE	UNP P06988
B	150	SER	ARG	SEE REMARK 999	UNP P06988
B	232	MSE	MET	MODIFIED RESIDUE	UNP P06988
B	277	MSE	MET	MODIFIED RESIDUE	UNP P06988
B	313	LEU	SER	SEE REMARK 999	UNP P06988
B	390	MSE	MET	MODIFIED RESIDUE	UNP P06988
B	403	LEU	VAL	SEE REMARK 999	UNP P06988

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Zn	0	0
			1	1		
3	A	1	Total	Zn	0	0
			1	1		

- Molecule 4 is 2,3-DIHYDROXY-1,4-DITHIOBUTANE (three-letter code: DTT) (formula: C₄H₁₀O₂S₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
4	A	1	Total	C	O	S	5	0
			8	4	2	2		

- Molecule 5 is L-histidinol (three-letter code: HSO) (formula: $C_6H_{12}N_3O$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
5	A	1	Total	C	N	O	0	0
			10	6	3	1		

- Molecule 6 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
6	A	1	44	21	7	14	2	17	0
6	B	1	44	21	7	14	2	35	0

- Molecule 7 is IMIDAZOLE (three-letter code: IMD) (formula: $C_3H_5N_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	N		
7	B	1	5	3	2	0	0

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	B	1	Total C O 6 3 3	0	0

- Molecule 9 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	327	Total O 327 327	0	0
9	B	299	Total O 299 299	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Histidinol dehydrogenase



- Molecule 1: Histidinol dehydrogenase



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	54.93Å 107.94Å 156.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.50 – 1.70	Depositor
% Data completeness (in resolution range)	87.4 (38.50-1.70)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.213 , 0.241	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	7249	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, IMD, NAD, HSO, SO4, DTT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.69	0/3314	0.80	1/4496 (0.0%)
1	B	0.72	1/3290 (0.0%)	0.83	5/4466 (0.1%)
All	All	0.70	1/6604 (0.0%)	0.81	6/8962 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	27	SER	CA-C	6.16	1.69	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	26	ILE	O-C-N	-8.24	109.51	122.70
1	B	60	LYS	C-N-CA	-7.82	102.16	121.70
1	B	231	ASP	CB-CG-OD1	5.79	123.51	118.30
1	A	124	VAL	N-CA-C	-5.62	95.82	111.00
1	B	60	LYS	N-CA-C	-5.20	96.96	111.00
1	B	26	ILE	C-N-CA	-5.09	108.98	121.70

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	130	TYR	Sidechain
1	B	26	ILE	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3247	0	3265	53	0
1	B	3237	0	3256	81	0
2	A	10	0	0	0	0
2	B	10	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	8	0	8	0	0
5	A	10	0	11	0	0
6	A	44	0	26	0	0
6	B	44	0	26	1	0
7	B	5	0	4	0	0
8	B	6	0	8	2	0
9	A	327	0	0	4	0
9	B	299	0	0	9	0
All	All	7249	0	6604	121	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:431:LYS:O	1:A:431:LYS:HE3	1.56	1.04
1:B:4:ASN:ND2	1:B:5:THR:H	1.65	0.94
1:A:118:GLN:HE22	1:B:336:ARG:HH22	1.18	0.92
1:A:336:ARG:HH12	1:B:118:GLN:HE22	1.18	0.87
1:A:336:ARG:HH12	1:B:118:GLN:NE2	1.74	0.85
1:B:313:LEU:HG	8:B:801:GOL:H11	1.59	0.84

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:219:ARG:HH11	1:B:223:GLN:HE21	1.27	0.83
1:B:5:THR:HG22	1:B:6:ILE:HG13	1.59	0.82
1:B:237:SER:HB2	1:B:259:GLN:HE22	1.46	0.81
1:B:4:ASN:CG	1:B:5:THR:H	1.84	0.81
1:A:334:ASN:HD22	1:A:334:ASN:H	1.30	0.80
1:B:46:ARG:HH22	1:B:53:GLU:CD	1.90	0.74
1:B:333:ARG:HE	1:B:333:ARG:C	1.92	0.74
1:B:4:ASN:ND2	1:B:5:THR:N	2.36	0.72
1:A:118:GLN:NE2	1:B:336:ARG:HH22	1.87	0.71
1:A:336:ARG:NH1	1:B:118:GLN:HE22	1.89	0.70
1:B:267:GLN:CD	1:B:306:ARG:NH1	2.45	0.69
1:B:265:ASP:HB2	9:B:1481:HOH:O	1.93	0.69
1:A:1:MSE:HA	1:A:4:ASN:HD22	1.57	0.68
1:B:333:ARG:HE	1:B:334:ASN:N	1.92	0.68
1:B:46:ARG:NH2	1:B:53:GLU:OE1	2.26	0.68
1:A:219:ARG:HH11	1:B:223:GLN:NE2	1.93	0.67
1:B:42:ASN:HD21	1:B:46:ARG:HE	1.44	0.66
1:B:13:THR:OG1	1:B:16:GLN:HG3	1.95	0.66
1:B:6:ILE:HD11	1:B:279:ARG:HA	1.78	0.65
1:B:273:PRO:HG2	8:B:801:GOL:H12	1.79	0.65
1:A:155:LYS:NZ	1:A:155:LYS:HB2	2.12	0.64
1:B:4:ASN:CG	1:B:5:THR:N	2.52	0.63
1:B:267:GLN:OE1	1:B:306:ARG:NH1	2.32	0.62
1:A:219:ARG:NH1	1:B:223:GLN:HE21	1.96	0.61
1:A:46:ARG:HH22	1:A:53:GLU:CD	2.03	0.61
1:B:20:LEU:O	1:B:306:ARG:NH2	2.34	0.61
1:A:55:SER:O	1:A:59:ASP:HB3	2.01	0.61
1:A:40:LEU:HD22	1:A:191:ALA:HB2	1.83	0.60
1:B:156:LYS:HB2	1:B:156:LYS:NZ	2.16	0.59
1:B:267:GLN:CD	1:B:306:ARG:HH11	2.06	0.58
1:A:16:GLN:O	1:A:20:LEU:HG	2.04	0.58
1:B:132:PRO:HA	6:B:1202:NAD:O1A	2.03	0.58
1:A:431:LYS:C	1:A:431:LYS:HE3	2.24	0.57
1:A:105:PRO:HG3	1:B:105:PRO:HG2	1.87	0.57
1:A:105:PRO:HG3	1:B:105:PRO:CG	2.34	0.57
1:A:13:THR:O	1:A:17:GLN:HG3	2.05	0.56
1:A:276[A]:ASP:OD2	9:A:1382:HOH:O	2.18	0.56
1:B:237:SER:CB	1:B:259:GLN:HE22	2.17	0.56
1:B:238:GLU:HG3	1:B:326:GLU:H	1.71	0.55
1:B:188:GLN:NE2	1:B:188:GLN:H	2.04	0.55
1:A:46:ARG:HH12	1:A:49:GLU:HG2	1.72	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:29:SER:O	1:B:32:ILE:HG22	2.07	0.55
1:A:118:GLN:HE22	1:B:336:ARG:NH2	1.98	0.54
1:B:29:SER:HB3	1:B:32:ILE:HG22	1.89	0.54
1:B:333:ARG:NE	1:B:334:ASN:HB3	2.23	0.54
1:A:1:MSE:HA	1:A:4:ASN:ND2	2.23	0.53
1:A:55:SER:C	1:A:59:ASP:HB3	2.28	0.53
1:B:137:PRO:HD2	9:B:1448:HOH:O	2.07	0.53
1:B:25:ALA:HA	1:B:372:TYR:OH	2.09	0.53
1:B:397:LYS:NZ	1:B:433:GLN:HE22	2.07	0.53
1:B:137:PRO:HB2	1:B:169:ILE:HD11	1.91	0.52
1:B:57:LYS:C	1:B:58:PHE:HD2	2.13	0.52
1:A:55:SER:CB	1:A:63:VAL:HG12	2.41	0.51
1:B:333:ARG:HE	1:B:334:ASN:CA	2.23	0.51
1:B:269:ILE:HD11	1:B:306:ARG:NH1	2.24	0.51
1:A:40:LEU:CD2	1:A:191:ALA:HB2	2.41	0.51
1:B:137:PRO:HD2	9:B:1467:HOH:O	2.09	0.51
1:B:370:PRO:HG2	1:B:375:THR:HG22	1.93	0.50
1:B:42:ASN:HD21	1:B:46:ARG:NE	2.09	0.50
1:B:292:LEU:HB2	1:B:295:ALA:HB2	1.94	0.49
1:A:57:LYS:HE3	1:A:58:PHE:CZ	2.48	0.49
1:B:269:ILE:HD11	1:B:306:ARG:HH11	1.78	0.49
1:A:49:GLU:O	1:A:53:GLU:HG3	2.12	0.49
1:A:31:SER:O	1:A:34:ARG:HG2	2.13	0.48
1:B:5:THR:O	9:B:1302:HOH:O	2.20	0.48
1:B:174:GLN:HG3	9:B:1457:HOH:O	2.14	0.47
1:A:96:GLU:OE2	1:A:151:ILE:HG12	2.14	0.47
1:B:156:LYS:HB2	1:B:156:LYS:HZ2	1.80	0.47
1:B:356:GLU:CD	9:B:1483:HOH:O	2.53	0.47
1:B:207:PHE:CD2	1:B:231:ASP:HB3	2.50	0.47
1:A:18:ARG:NH1	9:A:1448:HOH:O	2.46	0.46
1:A:207:PHE:CD2	1:A:231:ASP:HB3	2.51	0.46
1:B:238:GLU:CG	1:B:326:GLU:H	2.28	0.46
1:A:258:SER:O	1:B:419:HIS:CE1	2.68	0.46
1:B:29:SER:CB	1:B:32:ILE:HG22	2.45	0.46
1:A:147:THR:HB	1:A:148:PRO:HD3	1.96	0.46
1:A:279[A]:ARG:HB3	1:A:279[A]:ARG:HH11	1.80	0.46
1:B:267:GLN:NE2	1:B:304:ALA:O	2.40	0.46
1:B:232:MSE:HE1	1:B:370:PRO:HB3	1.98	0.45
1:B:299:ARG:HD2	9:B:1488:HOH:O	2.16	0.45
1:A:224:ARG:HB3	1:A:226:ASP:OD1	2.16	0.45
1:B:428:ASN:HA	1:B:431:LYS:HE2	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:261:GLU:CD	1:B:418:ALA:HB3	2.37	0.45
1:B:105:PRO:HD2	9:B:1293:HOH:O	2.17	0.44
1:A:46:ARG:NH1	1:A:49:GLU:OE1	2.50	0.44
1:A:15:GLU:H	1:A:15:GLU:CD	2.21	0.44
1:A:329:ILE:HG21	1:A:331:GLN:HE21	1.83	0.44
1:B:107:VAL:HB	1:B:119:GLN:HB3	1.99	0.44
1:B:32:ILE:HG23	1:B:33:THR:N	2.33	0.43
1:A:236:PRO:HD2	9:A:1224:HOH:O	2.18	0.43
1:B:137:PRO:CB	1:B:169:ILE:HD11	2.47	0.43
1:B:77:SER:O	1:B:85:LYS:HE2	2.18	0.43
1:B:156:LYS:CB	1:B:156:LYS:NZ	2.82	0.43
1:A:1:MSE:O	1:A:2:SER:HB3	2.19	0.42
1:B:134:GLY:HA3	9:B:1470:HOH:O	2.19	0.42
1:A:279[A]:ARG:HB3	1:A:279[A]:ARG:NH1	2.35	0.42
1:A:255:ASP:OD2	1:A:331:GLN:NE2	2.53	0.42
1:A:92:VAL:CG2	1:A:143:LEU:HD22	2.49	0.42
1:B:156:LYS:HA	1:B:179:GLN:OE1	2.20	0.42
1:B:32:ILE:HG13	1:B:213:PHE:CE2	2.56	0.41
1:B:48:ASP:OD2	1:B:199:SER:OG	2.31	0.41
1:A:305:SER:HB3	9:A:1329:HOH:O	2.21	0.41
1:A:334:ASN:ND2	1:A:334:ASN:H	2.05	0.41
1:A:123:PRO:HB3	1:A:152:ALA:O	2.20	0.41
1:A:155:LYS:HZ2	1:A:155:LYS:HB2	1.83	0.41
1:A:57:LYS:HE3	1:A:58:PHE:CE2	2.56	0.41
1:B:28:ALA:O	1:B:29:SER:HB3	2.20	0.41
1:B:100:THR:O	1:B:103:LYS:HG3	2.21	0.41
1:B:67:LYS:HE3	1:B:180:ASP:OD1	2.20	0.41
1:B:333:ARG:NE	1:B:334:ASN:N	2.65	0.41
1:A:148:PRO:HB2	1:A:386:PHE:CE1	2.56	0.40
1:B:292:LEU:HA	1:B:293:PRO:HD3	1.88	0.40
1:B:4:ASN:O	1:B:5:THR:OG1	2.35	0.40
1:B:158:VAL:HG12	1:B:180:ASP:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	437/434 (101%)	419 (96%)	14 (3%)	4 (1%)	19	5
1	B	434/434 (100%)	413 (95%)	19 (4%)	2 (0%)	31	14
All	All	871/868 (100%)	832 (96%)	33 (4%)	6 (1%)	24	9

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2	SER
1	A	28	ALA
1	A	57	LYS
1	B	5	THR
1	B	60	LYS
1	A	58	PHE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	352/340 (104%)	341 (97%)	11 (3%)	43	23
1	B	349/340 (103%)	341 (98%)	8 (2%)	53	34
All	All	701/680 (103%)	682 (97%)	19 (3%)	49	28

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	SER
1	A	60	LYS
1	A	209	PRO
1	A	225	LEU
1	A	276[A]	ASP
1	A	276[B]	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	334	ASN
1	A	367	HIS
1	A	388	LYS
1	A	393	GLN
1	A	431	LYS
1	B	3	PHE
1	B	20	LEU
1	B	22	MSE
1	B	32	ILE
1	B	333	ARG
1	B	367	HIS
1	B	388	LYS
1	B	393	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	118	GLN
1	A	334	ASN
1	A	387	GLN
1	B	4	ASN
1	B	42	ASN
1	B	118	GLN
1	B	188	GLN
1	B	223	GLN
1	B	259	GLN
1	B	387	GLN
1	B	433	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 12 ligands modelled in this entry, 2 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	HSO	A	1001	3	6,10,10	0.79	0	4,12,12	1.20	0
6	NAD	A	1201	-	40,48,48	2.09	7 (17%)	44,73,73	1.90	6 (13%)
2	SO4	A	702	-	4,4,4	0.37	0	6,6,6	0.10	0
2	SO4	A	704	-	4,4,4	0.27	0	6,6,6	0.23	0
4	DTT	A	901	1	7,7,7	6.30	5 (71%)	4,8,8	5.36	4 (100%)
6	NAD	B	1202	-	40,48,48	2.16	8 (20%)	44,73,73	1.97	7 (15%)
2	SO4	B	701	-	4,4,4	0.31	0	6,6,6	0.24	0
2	SO4	B	703	-	4,4,4	0.46	0	6,6,6	0.12	0
8	GOL	B	801	-	5,5,5	0.31	0	5,5,5	0.25	0
7	IMD	B	902	3	3,5,5	0.19	0	4,5,5	0.70	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HSO	A	1001	3	-	0/6/6/6	0/1/1/1
6	NAD	A	1201	-	-	0/22/62/62	0/5/5/5
2	SO4	A	702	-	-	0/0/0/0	0/0/0/0
2	SO4	A	704	-	-	0/0/0/0	0/0/0/0
4	DTT	A	901	1	2/2/2/2	0/8/8/8	0/0/0/0
6	NAD	B	1202	-	-	0/22/62/62	0/5/5/5
2	SO4	B	701	-	-	0/0/0/0	0/0/0/0
2	SO4	B	703	-	-	0/0/0/0	0/0/0/0
8	GOL	B	801	-	-	0/4/4/4	0/0/0/0
7	IMD	B	902	3	-	0/0/0/0	0/1/1/1

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	901	DTT	O2-C2	-15.13	1.10	1.43
4	A	901	DTT	C4-S4	-4.06	1.72	1.81
6	B	1202	NAD	O4B-C1B	-3.51	1.36	1.41
4	A	901	DTT	C4-C3	-3.19	1.41	1.51
4	A	901	DTT	C3-C2	-2.94	1.45	1.53
4	A	901	DTT	O3-C3	-2.91	1.37	1.43
6	B	1202	NAD	O5B-C5B	-2.86	1.33	1.44
6	A	1201	NAD	O4B-C1B	-2.36	1.37	1.41
6	B	1202	NAD	C6N-C5N	-2.35	1.33	1.38
6	A	1201	NAD	C6N-C5N	-2.10	1.33	1.38
6	B	1202	NAD	C2A-N1A	2.26	1.38	1.33
6	A	1201	NAD	C2A-N1A	2.26	1.38	1.33
6	B	1202	NAD	C6N-N1N	3.71	1.45	1.35
6	A	1201	NAD	C6N-N1N	3.81	1.45	1.35
6	B	1202	NAD	C4N-C3N	5.27	1.48	1.39
6	A	1201	NAD	C4N-C3N	5.65	1.49	1.39
6	B	1202	NAD	C5N-C4N	6.33	1.51	1.38
6	A	1201	NAD	C5N-C4N	6.40	1.51	1.38
6	A	1201	NAD	C2N-C3N	7.33	1.50	1.39
6	B	1202	NAD	C2N-C3N	7.39	1.50	1.39

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	901	DTT	C3-C4-S4	-8.08	90.02	114.45
6	B	1202	NAD	C4D-O4D-C1D	-5.96	103.61	109.83
6	A	1201	NAD	C4D-O4D-C1D	-5.88	103.69	109.83
6	A	1201	NAD	O7N-C7N-C3N	-5.56	112.66	119.62
6	B	1202	NAD	O7N-C7N-C3N	-5.37	112.90	119.62
4	A	901	DTT	C2-C1-S1	-5.04	99.23	114.45
6	B	1202	NAD	O5B-C5B-C4B	-3.61	96.46	109.00
6	A	1201	NAD	C5N-C4N-C3N	-3.32	116.45	120.35
6	B	1202	NAD	C5N-C4N-C3N	-2.94	116.90	120.35
4	A	901	DTT	O3-C3-C2	-2.44	104.72	109.68
6	B	1202	NAD	C4A-C5A-N7A	2.05	111.39	109.41
6	A	1201	NAD	C4A-C5A-N7A	2.39	111.72	109.41
6	A	1201	NAD	C5N-C6N-N1N	3.40	125.58	120.39
6	B	1202	NAD	C5N-C6N-N1N	3.45	125.66	120.39
4	A	901	DTT	O2-C2-C3	4.26	118.35	109.68
6	A	1201	NAD	C3N-C7N-N7N	6.51	125.32	117.76
6	B	1202	NAD	C3N-C7N-N7N	6.64	125.47	117.76

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	901	DTT	C2
4	A	901	DTT	C3

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	1202	NAD	1	0
8	B	801	GOL	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.