



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 13, 2018 – 03:27 pm GMT

PDB ID : 3KBO
Title : 2.14 Angstrom Crystal Structure of Putative Oxidoreductase (ycdW) from Salmonella typhimurium in Complex with NADP
Authors : Minasov, G.; Wawrzak, Z.; Skarina, T.; Onopriyenko, O.; Papazisi, L.; Savchenko, A.; Anderson, W.F.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on : 2009-10-20
Resolution : 2.14 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : trunk31020
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk31020


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	2128 (2.16-2.12)
Clashscore	122126	2253 (2.16-2.12)
Ramachandran outliers	120053	2223 (2.16-2.12)
Sidechain outliers	120020	2222 (2.16-2.12)
RSRZ outliers	108989	2086 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	315	
1	B	315	
1	C	315	
1	D	315	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 10785 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glyoxylate/hydroxypyruvate reductase A.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	312	2510	1606	442	453	1	8	0	4	0
1	B	312	2490	1595	439	447	1	8	0	2	0
1	C	312	2484	1592	438	445	1	8	0	1	0
1	D	312	2490	1595	439	447	1	8	0	2	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	EXPRESSION TAG	UNP Q8ZQ30
A	-1	ASN	-	EXPRESSION TAG	UNP Q8ZQ30
A	0	ALA	-	EXPRESSION TAG	UNP Q8ZQ30
B	-2	SER	-	EXPRESSION TAG	UNP Q8ZQ30
B	-1	ASN	-	EXPRESSION TAG	UNP Q8ZQ30
B	0	ALA	-	EXPRESSION TAG	UNP Q8ZQ30
C	-2	SER	-	EXPRESSION TAG	UNP Q8ZQ30
C	-1	ASN	-	EXPRESSION TAG	UNP Q8ZQ30
C	0	ALA	-	EXPRESSION TAG	UNP Q8ZQ30
D	-2	SER	-	EXPRESSION TAG	UNP Q8ZQ30
D	-1	ASN	-	EXPRESSION TAG	UNP Q8ZQ30
D	0	ALA	-	EXPRESSION TAG	UNP Q8ZQ30


- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
3	A	1	13	7	1	4	1	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Cl		
4	B	2	2	2	0	0
4	A	2	2	2	0	0
4	D	2	2	2	0	0
4	C	2	2	2	0	0

- Molecule 5 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: C₈H₁₈N₂O₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
5	B	1	15	8	2	4	1	0	0
5	D	1	15	8	2	4	1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	147	Total 152	O 152	0	6
6	B	125	Total 127	O 127	0	2
6	C	179	Total 184	O 184	0	5
6	D	104	Total 105	O 105	0	1


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glyoxylate/hydroxypyruvate reductase A




- Molecule 1: Glyoxylate/hydroxypyruvate reductase A




- Molecule 1: Glyoxylate/hydroxypyruvate reductase A



- Molecule 1: Glyoxylate/hydroxypyruvate reductase A





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	279.62Å 45.59Å 112.33Å 90.00° 101.58° 90.00°	Depositor
Resolution (Å)	29.93 – 2.14 29.83 – 2.14	Depositor EDS
% Data completeness (in resolution range)	98.0 (29.93-2.14) 98.0 (29.83-2.14)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.48 (at 2.14Å)	Xtrriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.211 , 0.269 0.219 , 0.275	Depositor DCC
R_{free} test set	3806 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	31.7	Xtrriage
Anisotropy	0.831	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 45.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10785	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 85.53 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.2269e-07. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NDP, NDB, EPE, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.66	0/2568	0.71	0/3485
1	B	0.59	0/2548	0.68	0/3457
1	C	0.70	0/2542	0.72	0/3449
1	D	0.54	0/2548	0.67	0/3457
All	All	0.63	0/10206	0.69	0/13848

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2510	0	2490	34	0
1	B	2490	0	2478	29	0
1	C	2484	0	2474	22	0
1	D	2490	0	2478	41	0
2	A	48	0	25	2	0
2	B	48	0	26	1	0
2	C	48	0	26	0	0
2	D	48	0	26	1	0
3	A	13	0	18	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	2	0	0	0	0
4	B	2	0	0	0	0
4	C	2	0	0	0	0
4	D	2	0	0	0	0
5	B	15	0	17	0	0
5	D	15	0	17	0	0
6	A	152	0	0	2	0
6	B	127	0	0	3	0
6	C	184	0	0	1	0
6	D	105	0	0	3	0
All	All	10785	0	10075	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:232[B]:GLN:N	1:D:232[B]:GLN:HE21	1.64	0.96
1:A:121:LYS:NZ	1:D:267:HIS:O	2.23	0.70
1:A:121:LYS:NZ	1:D:270:VAL:O	2.22	0.69
1:C:156:GLN:HB2	1:C:162:LEU:HD13	1.79	0.65
1:A:307:ASP:HB3	1:A:310:ARG:HG2	1.79	0.64
1:A:139:VAL:HB	1:A:162:LEU:HD22	1.81	0.63
1:A:131:GLU:HA	6:A:403:HOH:O	1.98	0.63
1:D:232[B]:GLN:H	1:D:232[B]:GLN:HE21	1.44	0.63
1:D:123:GLN:O	1:D:124:ALA:HB3	1.99	0.63
1:D:47:PRO:HG2	1:D:80:MSE:HE1	1.81	0.62
1:B:276:ILE:HD13	1:C:117:TYR:CE2	2.35	0.62
1:B:201:THR:O	1:B:205:VAL:HG23	1.99	0.62
1:D:52:LEU:HD12	1:D:80:MSE:HE2	1.81	0.62
1:D:208:ILE:HB	1:D:231:VAL:HG22	1.82	0.61
1:C:303:THR:HB	1:C:304:GLY:HA2	1.87	0.57
1:C:307:ASP:HB3	1:C:310:ARG:HG2	1.86	0.57
1:A:273:THR:HB	1:A:276:ILE:HD11	1.87	0.57
1:A:139:VAL:HB	1:A:162:LEU:CD2	2.35	0.56
1:D:144:ALA:HB1	1:D:172:TRP:CH2	2.41	0.56
1:A:212:LEU:HD23	1:A:212:LEU:C	2.27	0.55
1:B:182:GLU:CD	1:B:182:GLU:H	2.10	0.55
1:C:252:VAL:C	1:C:253:PHE:CD2	2.80	0.55
1:B:300:GLU:HB3	1:B:301:PRO:CD	2.37	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:142:MSE:HG3	1:A:194:LEU:HD11	1.90	0.54
1:D:310:ARG:HD2	1:D:312:TYR:CZ	2.42	0.54
1:A:308:ARG:HB3	6:A:426:HOH:O	2.08	0.53
1:C:276:ILE:C	1:C:276:ILE:HD12	2.28	0.53
1:A:253:PHE:CZ	1:A:272:MSE:HE3	2.43	0.53
1:A:144:ALA:HB1	1:A:172:TRP:CH2	2.44	0.53
1:A:70:ILE:HG22	1:A:71:LEU:N	2.22	0.53
1:C:74:LEU:HD21	1:C:308:ARG:NH2	2.23	0.52
1:D:141:ILE:HD12	1:D:152:ALA:HB2	1.91	0.52
1:A:53:ALA:HA	1:A:80:MSE:HA	1.92	0.52
1:D:69:ALA:HB3	6:D:373:HOH:O	2.08	0.52
1:A:282:PRO:O	1:A:286:ILE:HG12	2.09	0.51
1:B:139:VAL:HB	1:B:162:LEU:HD23	1.91	0.51
1:D:20:GLU:HG2	1:D:28:VAL:HG23	1.92	0.51
1:A:201:THR:O	1:A:205:VAL:HG23	2.11	0.51
1:D:139:VAL:HG11	1:D:155:LEU:HD13	1.93	0.51
1:A:124:ALA:HA	1:D:265:TRP:CE3	2.46	0.51
1:A:265:TRP:CE3	1:D:124:ALA:HA	2.46	0.51
1:B:262:SER:HA	6:B:379[A]:HOH:O	2.11	0.51
1:B:47:PRO:HG2	1:B:80:MSE:HE1	1.93	0.50
1:D:232[B]:GLN:HE21	1:D:232[B]:GLN:CA	2.24	0.50
1:B:300:GLU:HB3	1:B:301:PRO:HD2	1.93	0.50
1:D:240:LEU:HD23	1:D:245:LEU:HB2	1.93	0.50
1:A:207:ILE:HG23	1:A:208:ILE:HG13	1.93	0.49
1:D:305:GLN:HB2	6:D:320:HOH:O	2.13	0.49
1:D:165:TRP:HA	1:D:178:TYR:O	2.13	0.49
1:D:139:VAL:HB	1:D:162:LEU:HD23	1.95	0.48
1:B:276:ILE:HD13	1:C:117:TYR:CZ	2.49	0.48
1:D:123:GLN:O	1:D:124:ALA:CB	2.61	0.48
1:D:46:GLN:N	1:D:47:PRO:CD	2.77	0.48
1:D:85:ILE:O	1:D:308:ARG:NH1	2.48	0.47
1:C:73:LYS:HG2	1:C:80:MSE:CE	2.43	0.47
1:D:81:LEU:HD11	1:D:85:ILE:HG21	1.96	0.47
1:B:176:GLU:HG2	6:B:384:HOH:O	2.13	0.47
1:B:102:TYR:OH	1:B:249:MSE:HE2	2.15	0.47
1:D:182:GLU:CD	1:D:182:GLU:H	2.17	0.47
1:D:199:PRO:HD3	2:D:313:NDP:H52A	1.97	0.47
1:A:62:VAL:CG2	1:A:70:ILE:HD12	2.45	0.47
1:C:253:PHE:CD2	1:C:253:PHE:N	2.82	0.47
1:D:212:LEU:C	1:D:212:LEU:HD23	2.36	0.46
1:B:170:LYS:NZ	2:B:313:NDP:O3X	2.29	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:276:ILE:C	1:D:276:ILE:HD12	2.35	0.46
1:C:102:TYR:OH	1:C:249:MSE:HE2	2.15	0.46
1:B:2:GLU:HB3	1:B:39:ALA:HA	1.98	0.46
1:D:47:PRO:HG2	1:D:80:MSE:CE	2.45	0.46
1:A:19:LEU:HD22	1:A:43:LEU:HD22	1.98	0.45
1:A:252:VAL:C	1:A:253:PHE:CD2	2.89	0.45
1:A:253:PHE:CE1	1:A:272:MSE:HE3	2.51	0.45
1:B:144:ALA:HB1	1:B:172:TRP:CH2	2.51	0.45
1:B:276:ILE:CD1	1:C:117:TYR:CE2	2.99	0.45
1:A:7:HIS:CD2	1:A:10:PHE:CD2	3.04	0.45
1:C:142:MSE:HG3	1:C:194:LEU:HD11	1.97	0.45
1:C:212:LEU:C	1:C:212:LEU:HD23	2.36	0.45
1:D:232[B]:GLN:N	1:D:232[B]:GLN:NE2	2.48	0.45
1:A:81:LEU:O	1:A:82:ASP:C	2.55	0.45
1:A:123:GLN:O	1:A:124:ALA:C	2.55	0.45
1:B:7:HIS:CD2	1:B:10:PHE:CD2	3.05	0.45
1:B:221:TYR:HA	1:B:247:GLY:O	2.17	0.44
1:B:237:LEU:HD11	1:B:263:PRO:HG2	1.98	0.44
1:B:69:ALA:HB3	6:B:453:HOH:O	2.16	0.44
1:D:156:GLN:HB2	1:D:162:LEU:CD1	2.47	0.44
1:D:227:ARG:CA	1:D:252:VAL:HG21	2.48	0.43
1:B:92:ASP:O	1:B:93:THR:OG1	2.33	0.43
1:B:102:TYR:CZ	1:B:249:MSE:HE2	2.54	0.43
1:C:33:VAL:O	1:C:33:VAL:HG23	2.17	0.43
1:C:1:MSE:N	6:C:424:HOH:O	2.52	0.43
1:C:286:ILE:O	1:C:290:SER:CB	2.67	0.43
1:A:226:ALA:HA	2:A:313:NDP:H1D	2.00	0.42
1:A:267:HIS:O	1:D:121:LYS:NZ	2.53	0.42
1:B:81:LEU:HD23	1:B:308:ARG:NH2	2.34	0.42
1:B:261:GLU:O	1:B:262:SER:C	2.58	0.42
1:D:207:ILE:O	1:D:212:LEU:HD13	2.19	0.42
1:C:123:GLN:O	1:C:124:ALA:HB3	2.20	0.42
1:B:212:LEU:C	1:B:212:LEU:HD23	2.39	0.42
1:D:307:ASP:HB3	1:D:310:ARG:HG2	2.01	0.42
1:D:310:ARG:HD2	1:D:312:TYR:CE2	2.55	0.42
1:C:188:LEU:HD11	1:C:212:LEU:HG	2.02	0.42
1:A:307:ASP:OD2	1:A:309:ALA:HB3	2.20	0.41
3:A:314:NDB:HAG	3:A:314:NDB:HAH	2.00	0.41
1:B:139:VAL:HG11	1:B:155:LEU:HD13	2.02	0.41
1:C:222:VAL:O	1:C:248:ALA:HA	2.20	0.41
1:D:46:GLN:N	1:D:47:PRO:HD3	2.34	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:199:PRO:HD3	2:A:313:NDP:H52A	2.01	0.41
1:A:71:LEU:HA	1:A:74:LEU:HG	2.01	0.41
1:B:256:GLU:HA	1:B:257:PRO:C	2.40	0.41
1:D:156:GLN:N	1:D:162:LEU:HD11	2.35	0.41
1:D:185:ARG:HB3	6:D:376:HOH:O	2.20	0.41
1:B:112:ARG:HD3	1:C:101:GLU:OE1	2.20	0.41
1:B:156:GLN:N	1:B:162:LEU:HD11	2.36	0.41
1:B:232[B]:GLN:HB3	1:B:235:ASP:HB2	2.02	0.41
1:C:276:ILE:C	1:C:276:ILE:CD1	2.88	0.41
1:D:4:ILE:HD12	1:D:51:MSE:HE3	2.02	0.41
1:A:102:TYR:OH	1:A:249:MSE:HE2	2.22	0.40
1:A:19:LEU:HD22	1:A:43:LEU:CD2	2.51	0.40
1:A:19:LEU:HD12	1:A:19:LEU:HA	1.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	314/315 (100%)	302 (96%)	11 (4%)	1 (0%)	43 38
1	B	312/315 (99%)	296 (95%)	15 (5%)	1 (0%)	43 38
1	C	311/315 (99%)	301 (97%)	9 (3%)	1 (0%)	43 38
1	D	312/315 (99%)	291 (93%)	18 (6%)	3 (1%)	17 9
All	All	1249/1260 (99%)	1190 (95%)	53 (4%)	6 (0%)	31 23

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	92	ASP
1	D	124	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	189	ASN
1	A	92	ASP
1	B	92	ASP
1	D	92	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	261/251 (104%)	257 (98%)	4 (2%)	67	71
1	B	259/251 (103%)	258 (100%)	1 (0%)	92	93
1	C	258/251 (103%)	254 (98%)	4 (2%)	65	69
1	D	259/251 (103%)	257 (99%)	2 (1%)	83	86
All	All	1037/1004 (103%)	1026 (99%)	11 (1%)	76	78

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	LYS
1	A	156	GLN
1	A	163	ARG
1	A	291	ARG
1	B	118	GLN
1	C	162	LEU
1	C	163	ARG
1	C	232	GLN
1	C	272	MSE
1	D	27	ARG
1	D	50	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	17	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 8 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NDP	A	313	-	45,52,52	1.76	8 (17%)	54,80,80	1.85	6 (11%)
3	NDB	A	314	-	12,12,12	1.78	2 (16%)	15,17,17	1.66	3 (20%)
2	NDP	B	313	-	45,52,52	1.83	7 (15%)	54,80,80	1.95	7 (12%)
5	EPE	B	314	-	15,15,15	0.86	1 (6%)	18,20,20	1.49	3 (16%)
2	NDP	C	313	-	45,52,52	1.78	9 (20%)	54,80,80	1.65	6 (11%)
2	NDP	D	313	-	45,52,52	1.77	7 (15%)	54,80,80	1.82	5 (9%)
5	EPE	D	314	-	15,15,15	0.69	1 (6%)	18,20,20	1.42	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	A	313	-	-	0/30/77/77	0/5/5/5
3	NDB	A	314	-	-	0/12/12/12	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	B	313	-	-	0/30/77/77	0/5/5/5
5	EPE	B	314	-	-	0/9/19/19	0/1/1/1
2	NDP	C	313	-	-	0/30/77/77	0/5/5/5
2	NDP	D	313	-	-	0/30/77/77	0/5/5/5
5	EPE	D	314	-	-	0/9/19/19	0/1/1/1

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	313	NDP	C4N-C5N	-3.79	1.40	1.49
2	D	313	NDP	C4N-C5N	-3.75	1.40	1.49
2	B	313	NDP	C4N-C5N	-3.69	1.41	1.49
2	C	313	NDP	C4N-C5N	-3.65	1.41	1.49
3	A	314	NDB	CAI-NAL	-2.66	1.46	1.52
2	A	313	NDP	O2D-C2D	-2.65	1.36	1.43
2	B	313	NDP	O4D-C4D	-2.50	1.39	1.45
2	C	313	NDP	O4D-C4D	-2.37	1.39	1.45
2	D	313	NDP	O4D-C4D	-2.36	1.39	1.45
2	C	313	NDP	PN-O2N	-2.34	1.43	1.55
2	C	313	NDP	O2D-C2D	-2.24	1.37	1.43
2	A	313	NDP	PN-O2N	-2.01	1.45	1.55
2	D	313	NDP	C7N-C3N	2.10	1.53	1.48
2	B	313	NDP	P2B-O2B	2.11	1.63	1.59
2	A	313	NDP	O4D-C1D	2.20	1.47	1.42
2	C	313	NDP	C6N-C5N	2.25	1.37	1.33
5	D	314	EPE	C10-S	2.26	1.80	1.77
2	B	313	NDP	C6N-C5N	2.50	1.37	1.33
2	D	313	NDP	C6N-C5N	2.51	1.37	1.33
2	A	313	NDP	C6N-C5N	2.54	1.37	1.33
2	C	313	NDP	P2B-O2B	2.67	1.64	1.59
5	B	314	EPE	C10-S	2.80	1.81	1.77
2	A	313	NDP	C2A-N1A	2.80	1.39	1.33
2	B	313	NDP	C2A-N1A	3.31	1.40	1.33
2	D	313	NDP	C2A-N1A	3.47	1.40	1.33
2	C	313	NDP	C2A-N1A	3.52	1.40	1.33
3	A	314	NDB	CAK-SAM	4.10	1.83	1.77
2	C	313	NDP	C2A-N3A	4.14	1.38	1.32
2	A	313	NDP	C2A-N3A	4.33	1.39	1.32
2	D	313	NDP	C2A-N3A	4.40	1.39	1.32
2	B	313	NDP	C2A-N3A	4.74	1.39	1.32
2	C	313	NDP	O7N-C7N	6.20	1.39	1.24
2	A	313	NDP	O7N-C7N	6.42	1.40	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	313	NDP	O7N-C7N	6.74	1.40	1.24
2	B	313	NDP	O7N-C7N	7.11	1.41	1.24

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	313	NDP	N3A-C2A-N1A	-11.90	118.67	128.86
2	D	313	NDP	N3A-C2A-N1A	-10.98	119.46	128.86
2	A	313	NDP	N3A-C2A-N1A	-10.80	119.62	128.86
2	C	313	NDP	N3A-C2A-N1A	-9.04	121.13	128.86
2	B	313	NDP	C1B-N9A-C4A	-3.10	121.28	126.64
2	C	313	NDP	C1B-N9A-C4A	-2.82	121.77	126.64
2	A	313	NDP	C3N-C2N-N1N	-2.66	119.26	123.09
2	A	313	NDP	C1B-N9A-C4A	-2.62	122.11	126.64
3	A	314	NDB	CAH-CAJ-NAL	-2.34	110.35	115.34
2	B	313	NDP	C4A-C5A-N7A	-2.31	107.18	109.41
2	C	313	NDP	C3N-C2N-N1N	-2.20	119.92	123.09
2	A	313	NDP	C4A-C5A-N7A	-2.15	107.33	109.41
2	D	313	NDP	C1B-N9A-C4A	-2.12	122.97	126.64
2	D	313	NDP	O3X-P2B-O1X	-2.03	102.69	110.60
2	C	313	NDP	O2N-PN-O1N	2.02	122.42	112.14
2	B	313	NDP	C2D-C1D-N1N	2.08	118.58	113.32
2	B	313	NDP	O3X-P2B-O2B	2.10	115.40	105.99
2	A	313	NDP	O3X-P2B-O2X	2.10	115.90	107.59
2	C	313	NDP	O3X-P2B-O2X	2.13	116.01	107.59
2	B	313	NDP	O5B-PA-O1A	2.15	117.47	109.07
5	D	314	EPE	C2-C3-N4	2.16	114.90	110.64
5	B	314	EPE	O3S-S-C10	2.19	109.31	105.77
2	C	313	NDP	C3D-C2D-C1D	2.26	105.75	101.44
2	D	313	NDP	O3X-P2B-O2B	2.33	116.45	105.99
5	B	314	EPE	C6-N1-C2	2.38	114.14	108.87
3	A	314	NDB	OAC-SAM-CAK	2.47	109.89	106.92
2	B	313	NDP	O2N-PN-O1N	2.58	125.24	112.14
2	A	313	NDP	O2N-PN-O1N	2.67	125.69	112.14
2	D	313	NDP	O2N-PN-O1N	2.95	127.12	112.14
5	B	314	EPE	O2S-S-C10	3.33	110.93	106.92
3	A	314	NDB	OAD-SAM-CAK	3.71	111.77	105.77
5	D	314	EPE	O2S-S-C10	4.84	112.75	106.92

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	313	NDP	2	0
3	A	314	NDB	1	0
2	B	313	NDP	1	0
2	D	313	NDP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	304/315 (96%)	0.33	11 (3%) 42 50	9, 29, 49, 58	0
1	B	304/315 (96%)	0.44	23 (7%) 14 17	17, 34, 53, 68	0
1	C	304/315 (96%)	0.22	11 (3%) 42 50	14, 28, 41, 51	0
1	D	304/315 (96%)	0.63	31 (10%) 7 8	16, 39, 54, 67	0
All	All	1216/1260 (96%)	0.41	76 (6%) 20 24	9, 31, 52, 68	0

All (76) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	73	LYS	5.3
1	D	75	ASN	4.9
1	C	261	GLU	4.9
1	B	75	ASN	4.8
1	A	299	GLY	4.2
1	B	25	HIS	4.2
1	B	76	ALA	4.2
1	A	261	GLU	4.1
1	B	33	VAL	3.9
1	D	76	ALA	3.9
1	B	260	GLN	3.7
1	D	241	ASP	3.6
1	C	303	THR	3.5
1	A	81	LEU	3.5
1	D	238	ALA	3.4
1	A	262	SER	3.3
1	B	103	ALA	3.1
1	D	56	ARG	3.0
1	D	171	SER	2.9
1	B	74	LEU	2.8
1	B	241	ASP	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	309	ALA	2.7
1	A	259	PRO	2.7
1	D	49	VAL	2.7
1	C	25	HIS	2.7
1	A	309	ALA	2.7
1	D	182	GLU	2.6
1	C	255	GLN	2.6
1	B	102	TYR	2.6
1	D	173	PRO	2.6
1	D	240	LEU	2.5
1	D	261	GLU	2.5
1	B	108	LEU	2.5
1	D	266	ARG	2.5
1	A	78	PRO	2.5
1	D	242	SER	2.5
1	D	156	GLN	2.5
1	C	238	ALA	2.5
1	D	243	GLY	2.5
1	C	223	LEU	2.4
1	D	237	LEU	2.4
1	A	49	VAL	2.4
1	D	2	GLU	2.4
1	D	54	GLY	2.4
1	C	193	VAL	2.4
1	A	75	ASN	2.4
1	D	309	ALA	2.4
1	D	25	HIS	2.3
1	A	193	VAL	2.3
1	D	103	ALA	2.3
1	B	106	GLN	2.3
1	B	261	GLU	2.3
1	B	238	ALA	2.2
1	D	223	LEU	2.2
1	D	255	GLN	2.2
1	D	265	TRP	2.2
1	A	194	LEU	2.2
1	B	53	ALA	2.2
1	B	242	SER	2.2
1	C	259	PRO	2.1
1	D	78	PRO	2.1
1	D	102	TYR	2.1
1	D	259	PRO	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	77	HIS	2.1
1	B	109	HIS	2.1
1	D	73	LYS	2.1
1	B	243	GLY	2.1
1	B	257	PRO	2.1
1	D	225	LEU	2.0
1	B	107	VAL	2.0
1	B	277	ALA	2.0
1	D	260	GLN	2.0
1	B	104	VAL	2.0
1	C	266	ARG	2.0
1	C	298	LYS	2.0
1	D	6	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	EPE	D	314	15/15	0.76	0.20	48,57,61,62	0
5	EPE	B	314	15/15	0.81	0.17	41,56,64,64	0
4	CL	B	316	1/1	0.90	0.06	61,61,61,61	0
4	CL	B	315	1/1	0.90	0.17	54,54,54,54	0
3	NDB	A	314	13/13	0.92	0.20	31,33,40,45	0
4	CL	D	316	1/1	0.93	0.11	62,62,62,62	0
4	CL	C	315	1/1	0.93	0.04	63,63,63,63	0
4	CL	A	315	1/1	0.93	0.14	52,52,52,52	0
4	CL	D	315	1/1	0.94	0.23	55,55,55,55	0
4	CL	C	314	1/1	0.94	0.08	44,44,44,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NDP	D	313	48/48	0.95	0.11	20,28,35,37	0
2	NDP	B	313	48/48	0.96	0.10	15,25,29,34	0
2	NDP	C	313	48/48	0.97	0.09	13,19,24,27	0
4	CL	A	316	1/1	0.97	0.04	62,62,62,62	0
2	NDP	A	313	48/48	0.97	0.10	11,19,25,27	0

6.5 Other polymers [i](#)

There are no such residues in this entry.