

Full wwPDB X-ray Structure Validation Report (i)

Jul 29, 2024 - 10:10 AM JST

PDB ID	:	8KB7
Title	:	Crystal structure of UDP/mannose-bound AGO61/beta-1,4-N-Acetylglucosa
		minyltransferase 2 (POMGNT2)
Authors	:	Satoh, T.; Umezawa, F.; Yagi, H.; Kato, K.
Deposited on	:	2023-08-04
Resolution	:	2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569(2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
1	А	558	% 7 8%	13%		8%
1	В	558	77%	12%	•	9%
1	С	558	77%	13%	•	8%
1	D	558	2% 78 %	12%	•	9%



8KB7

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 16869 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Protein O-linked-mannose beta-1,4-N-acetylglucosaminyltran sferase 2.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Λ	515	Total	С	Ν	Ο	\mathbf{S}	0	0	0
1	Л	515	4192	2712	724	733	23	0		
1	В	505	Total	С	Ν	0	S	0	0	0
1	D	000	4121	2671	711	716	23	0		
1	C	511	Total	С	Ν	0	S	0	0	0
	C	116	4163	2695	720	725	23	0	0	0
1 D	510	Total	С	Ν	0	S	0	0	0	
	510	4157	2692	719	723	23	U	U	0	

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	23	GLY	-	expression tag	UNP Q8NAT1
А	24	GLU	-	expression tag	UNP Q8NAT1
А	25	PHE	-	expression tag	UNP Q8NAT1
В	23	GLY	-	expression tag	UNP Q8NAT1
В	24	GLU	-	expression tag	UNP Q8NAT1
В	25	PHE	-	expression tag	UNP Q8NAT1
С	23	GLY	-	expression tag	UNP Q8NAT1
С	24	GLU	-	expression tag	UNP Q8NAT1
С	25	PHE	-	expression tag	UNP Q8NAT1
D	23	GLY	-	expression tag	UNP Q8NAT1
D	24	GLU	-	expression tag	UNP Q8NAT1
D	25	PHE	-	expression tag	UNP Q8NAT1

• Molecule 2 is URIDINE-5'-DIPHOSPHATE (three-letter code: UDP) (formula: $C_9H_{14}N_2O_{12}P_2$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
9	Λ	1	Total	С	Ν	Ο	Р	0	0	
	Л	I	25	9	2	12	2	0	0	
9	В	1	1 Total C N O P		0	0				
	D	1	25	9	2	12	2	0	0	
0	C	1	Total	С	Ν	Ο	Р	0	0	
	U	L	25	9	2	12	2	0	0	
0	Л	1	Total	С	Ν	Ο	Р	0	0	
			25	9	2	12	2	0	U	

• Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).





Mol	Chain	Residues	Aton	ns		ZeroOcc	AltConf
3	Δ	1	Total C	Ν	Ο	0	0
J	Л	I	14 8	1	5	0	0
3	Δ	1	Total C	Ν	Ο	0	0
5	Л	T	14 8	1	5	0	0
3	В	1	Total C	Ν	Ο	0	0
5	D	T	14 8	1	5	0	0
3	С	1	Total C	Ν	Ο	0	0
5	U	T	14 8	1	5	0	0
3	С	1	Total C	Ν	Ο	0	0
5	U	1	14 8	1	5	0	0
3	Л	1	Total C	Ν	Ο	0	0
J			14 8	1	5	0	0

• Molecule 4 is alpha-D-mannopyranose (three-letter code: MAN) (formula: $C_6H_{12}O_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total C O 12 6 6	0	0
4	В	1	Total C O 12 6 6	0	0
4	С	1	Total C O 12 6 6	0	0
4	D	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 12 6 6 \end{array}$	0	0

• Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	Total Cl 1 1	0	0
5	В	1	Total Cl 1 1	0	0
5	С	1	Total Cl 1 1	0	0
5	D	1	Total Cl 1 1	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Protein O-linked-mannose beta-1,4-N-acetylglucosaminyltransferase 2





• Molecule 1: Protein O-linked-mannose beta-1,4-N-acetylglucosaminyltransferase 2







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	145.02Å 150.00Å 191.48Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	47.92 - 2.80	Depositor
Resolution (A)	47.87 - 2.80	EDS
% Data completeness	99.8 (47.92-2.80)	Depositor
(in resolution range)	99.9 (47.87 - 2.80)	EDS
R _{merge}	0.06	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.86 (at 2.81 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
D D.	0.191 , 0.228	Depositor
Π, Π_{free}	0.195 , 0.228	DCC
R_{free} test set	5042 reflections $(4.90%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	89.1	Xtriage
Anisotropy	0.012	Xtriage
Bulk solvent $k_{sol}(e/A^3)$, $B_{sol}(A^2)$	0.31, 58.2	EDS
L-test for twinning ²	$< L >=0.49, < L^2>=0.33$	Xtriage
Estimated twinning fraction	0.006 for k,h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16869	wwPDB-VP
Average B, all atoms $(Å^2)$	94.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.52% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: UDP, MAN, CL, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.67	0/4306	0.86	0/5854	
1	В	0.66	0/4235	0.85	0/5758	
1	С	0.66	0/4277	0.86	0/5814	
1	D	0.65	0/4271	0.84	0/5807	
All	All	0.66	0/17089	0.85	0/23233	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4192	0	4168	43	0
1	В	4121	0	4098	47	0
1	С	4163	0	4141	42	0
1	D	4157	0	4140	41	0
2	А	25	0	11	0	0
2	В	25	0	11	3	0
2	С	25	0	11	0	0
2	D	25	0	11	0	0
3	A	28	0	26	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	В	14	0	13	0	0
3	С	28	0	26	2	0
3	D	14	0	13	0	0
4	А	12	0	12	0	0
4	В	12	0	12	0	0
4	С	12	0	12	0	0
4	D	12	0	12	0	0
5	А	1	0	0	0	0
5	В	1	0	0	0	0
5	С	1	0	0	0	0
5	D	1	0	0	0	0
All	All	16869	0	16717	155	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:421:GLU:HG3	1:D:547:THR:HG21	1.68	0.76
1:B:440:PRO:HG2	1:D:501:ARG:HH12	1.51	0.75
1:B:277:VAL:CG1	1:B:277:VAL:O	2.39	0.70
1:A:547:THR:HG21	1:C:421:GLU:HG3	1.76	0.68
1:A:277:VAL:CG1	1:A:277:VAL:O	2.43	0.67
1:A:76:ASP:OD2	1:B:76:ASP:OD2	2.15	0.65
1:B:277:VAL:O	1:B:277:VAL:HG12	1.96	0.65
1:A:277:VAL:O	1:A:277:VAL:HG12	1.97	0.64
1:C:277:VAL:CG1	1:C:277:VAL:O	2.45	0.64
1:D:277:VAL:CG1	1:D:277:VAL:O	2.45	0.64
1:A:493:SER:O	1:A:494:VAL:HG23	1.98	0.63
1:B:298:ARG:NH2	1:B:345:HIS:O	2.31	0.63
1:C:276:ASN:HD22	3:C:603:NAG:H83	1.64	0.62
1:D:277:VAL:O	1:D:277:VAL:HG12	2.00	0.62
1:D:125:HIS:H	1:D:128:GLN:HE21	1.48	0.62
1:C:57:LEU:O	1:C:61:MET:HG3	2.00	0.61
1:C:119:LEU:HG	1:C:130:PHE:HB2	1.83	0.61
1:B:57:LEU:O	1:B:61:MET:HG3	2.01	0.60
1:C:277:VAL:O	1:C:277:VAL:HG12	2.01	0.60
1:C:125:HIS:H	1:C:128:GLN:HE21	1.50	0.59
2:B:601:UDP:H2'	2:B:601:UDP:O5'	2.02	0.59
1:D:119:LEU:HG	1:D:130:PHE:HB2	1.84	0.59



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:119:LEU:HG	1:A:130:PHE:HB2	1.85	0.59
1:B:421:GLU:OE1	1:D:501:ARG:NH2	2.35	0.59
1:B:125:HIS:H	1:B:128:GLN:HE21	1.51	0.58
1:A:125:HIS:H	1:A:128:GLN:HE21	1.50	0.58
1:C:65:THR:O	1:C:101:SER:HB2	2.04	0.58
1:D:57:LEU:O	1:D:61:MET:HG3	2.03	0.58
1:B:119:LEU:HG	1:B:130:PHE:HB2	1.86	0.57
1:C:421:GLU:HG2	1:C:424:ARG:NH2	2.20	0.57
1:A:57:LEU:O	1:A:61:MET:HG3	2.06	0.56
1:A:480:LEU:CD2	1:B:97:HIS:CD2	2.89	0.56
1:C:514:TYR:CE2	1:D:143:MET:HG3	2.41	0.55
1:A:65:THR:O	1:A:101:SER:HB2	2.07	0.55
1:B:65:THR:O	1:B:101:SER:HB2	2.08	0.54
1:D:65:THR:O	1:D:101:SER:HB2	2.08	0.54
1:B:465:VAL:O	1:B:465:VAL:HG23	2.09	0.52
1:A:118:ASP:HA	1:A:128:GLN:O	2.10	0.52
1:C:118:ASP:HA	1:C:128:GLN:O	2.11	0.51
1:A:97:HIS:CD2	1:B:480:LEU:CD2	2.95	0.50
1:D:118:ASP:HA	1:D:128:GLN:O	2.10	0.50
1:C:77:ARG:HB3	1:C:117:LEU:HD23	1.94	0.49
1:B:118:ASP:HA	1:B:128:GLN:O	2.11	0.49
1:A:480:LEU:HD22	1:B:97:HIS:CD2	2.48	0.49
1:D:77:ARG:HB3	1:D:117:LEU:HD23	1.94	0.49
1:C:145:LYS:HA	1:C:145:LYS:HE2	1.95	0.48
1:A:145:LYS:HA	1:A:145:LYS:HE2	1.95	0.48
1:C:119:LEU:N	1:C:128:GLN:O	2.41	0.48
1:A:480:LEU:HD21	1:B:97:HIS:CD2	2.48	0.48
1:B:298:ARG:NH1	2:B:601:UDP:O3B	2.46	0.48
1:C:510:TRP:CE2	1:D:90:ALA:HB2	2.48	0.48
1:B:465:VAL:O	1:B:465:VAL:CG2	2.61	0.48
2:B:601:UDP:O5'	2:B:601:UDP:C2'	2.62	0.48
1:C:90:ALA:HB2	1:D:510:TRP:CD1	2.50	0.47
1:A:119:LEU:N	1:A:128:GLN:O	2.41	0.47
1:A:77:ARG:HB3	1:A:117:LEU:HD23	1.97	0.47
1:D:77:ARG:O	1:D:117:LEU:CD2	2.63	0.47
1:D:119:LEU:N	1:D:128:GLN:O	2.43	0.47
1:B:117:LEU:HB2	1:B:130:PHE:HB3	1.96	0.46
1:B:264:ILE:HG21	1:B:386:MET:CE	2.45	0.46
1:C:459:GLN:HB3	1:C:463:ARG:NH2	2.30	0.46
1:D:375:THR:N	1:D:376:PRO:CD	2.78	0.46
1:A:77:ARG:O	1:A:117:LEU:CD2	2.62	0.46



	A L O	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:199:GLU:HB3	1:B:203:PHE:CG	2.51	0.46
1:A:375:THR:N	1:A:376:PRO:CD	2.79	0.46
1:C:77:ARG:O	1:C:117:LEU:CD2	2.64	0.46
1:D:117:LEU:HB2	1:D:130:PHE:HB3	1.98	0.46
1:B:77:ARG:HB3	1:B:117:LEU:HD23	1.96	0.46
1:B:119:LEU:N	1:B:128:GLN:O	2.43	0.46
1:A:117:LEU:HB2	1:A:130:PHE:HB3	1.99	0.45
1:B:440:PRO:CG	1:D:501:ARG:HH12	2.23	0.45
1:A:97:HIS:CD2	1:B:480:LEU:HD22	2.52	0.45
1:A:264:ILE:HG21	1:A:386:MET:CE	2.47	0.45
1:B:77:ARG:O	1:B:117:LEU:CD2	2.64	0.45
1:C:199:GLU:HB3	1:C:203:PHE:HB2	1.96	0.45
1:C:375:THR:N	1:C:376:PRO:CD	2.80	0.45
1:A:164:LEU:HD13	1:A:202:HIS:CE1	2.52	0.45
1:B:199:GLU:HB3	1:B:203:PHE:HB2	1.98	0.45
1:C:104:LEU:HG	1:D:239:ILE:HG21	1.98	0.45
1:D:199:GLU:HB3	1:D:203:PHE:HB2	1.98	0.45
1:D:446:ILE:HD12	1:D:446:ILE:HA	1.91	0.45
1:C:117:LEU:HB2	1:C:130:PHE:HB3	1.98	0.45
1:A:412:GLY:HA2	1:A:443:LEU:HB3	1.99	0.44
1:B:145:LYS:HA	1:B:145:LYS:HE2	1.98	0.44
1:B:246:GLY:HA2	1:B:249:GLN:O	2.17	0.44
1:B:375:THR:N	1:B:376:PRO:CD	2.80	0.44
1:A:199:GLU:HB3	1:A:203:PHE:HB2	1.98	0.44
1:C:371:PRO:CD	1:C:394:ARG:HD2	2.47	0.44
1:A:403:THR:HB	1:A:444:PHE:CZ	2.53	0.44
1:C:164:LEU:HD13	1:C:202:HIS:CE1	2.53	0.44
1:D:111:ARG:HD2	1:D:131:ASN:OD1	2.18	0.44
1:C:298:ARG:HG3	1:C:446:ILE:O	2.18	0.43
1:C:264:ILE:HG21	1:C:386:MET:CE	2.48	0.43
1:D:199:GLU:HB3	1:D:203:PHE:CG	2.53	0.43
1:D:298:ARG:HG3	1:D:446:ILE:O	2.18	0.43
1:A:298:ARG:HG3	1:A:446:ILE:O	2.18	0.43
1:C:199:GLU:HB3	1:C:203:PHE:CG	2.53	0.43
1:C:365:PHE:CD1	1:C:371:PRO:HG3	2.53	0.43
1:D:508:ILE:HD12	1:D:512:LEU:HB3	2.01	0.43
1:C:547:THR:OG1	1:C:548:GLU:N	2.51	0.43
1:D:164:LEU:HD13	1:D:202:HIS:CE1	2.53	0.43
1:A:446:ILE:HD12	1:A:446:ILE:HA	1.91	0.43
1:B:412:GLY:HA2	1:B:443:LEU:HB3	2.01	0.43
1:A:199:GLU:HB3	1:A:203:PHE:CG	2.53	0.43



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:407:ARG:O	1:B:413:GLY:HA3	2.18	0.43
1:D:365:PHE:CD1	1:D:371:PRO:HG3	2.54	0.43
1:A:294:ARG:NH2	1:A:298:ARG:NH1	2.67	0.43
1:B:436:CYS:HA	1:B:437:CYS:HA	1.73	0.43
1:D:407:ARG:O	1:D:413:GLY:HA3	2.19	0.42
1:A:111:ARG:HD2	1:A:131:ASN:OD1	2.19	0.42
1:A:104:LEU:HG	1:B:239:ILE:HG21	2.01	0.42
1:A:508:ILE:HD12	1:A:512:LEU:HB3	2.00	0.42
1:C:94:ILE:HD11	1:D:510:TRP:CH2	2.54	0.42
1:B:111:ARG:HD2	1:B:131:ASN:OD1	2.19	0.42
1:A:365:PHE:CD1	1:A:371:PRO:HG3	2.54	0.42
1:B:164:LEU:HD13	1:B:202:HIS:CE1	2.55	0.42
1:B:527:GLN:HE21	1:B:532:ASN:HA	1.85	0.42
1:B:142:PHE:CD1	1:B:142:PHE:N	2.88	0.42
1:C:72:ARG:NH2	1:D:256:ASN:HB2	2.35	0.42
1:C:514:TYR:CE2	1:D:143:MET:CG	3.02	0.42
1:C:407:ARG:O	1:C:413:GLY:HA3	2.20	0.42
1:A:142:PHE:CD1	1:A:142:PHE:N	2.87	0.42
1:B:365:PHE:CD1	1:B:371:PRO:HG3	2.54	0.42
1:B:367:TYR:O	1:B:368:ALA:HB3	2.19	0.42
1:A:470:GLY:O	1:A:471:PRO:C	2.58	0.41
1:A:397:MET:HB2	1:A:397:MET:HE2	1.98	0.41
1:C:199:GLU:HB3	1:C:203:PHE:CB	2.50	0.41
1:D:142:PHE:N	1:D:142:PHE:CD1	2.88	0.41
1:D:264:ILE:HG21	1:D:386:MET:CE	2.50	0.41
1:A:246:GLY:HA2	1:A:249:GLN:O	2.21	0.41
1:C:294:ARG:NH2	1:C:298:ARG:NH1	2.68	0.41
1:C:111:ARG:HD2	1:C:131:ASN:OD1	2.19	0.41
1:D:470:GLY:O	1:D:471:PRO:C	2.58	0.41
1:A:97:HIS:CD2	1:B:480:LEU:HD21	2.56	0.41
1:D:294:ARG:NH2	1:D:298:ARG:NH1	2.68	0.41
1:D:367:TYR:O	1:D:368:ALA:HB3	2.20	0.41
1:A:199:GLU:HB3	1:A:203:PHE:CB	2.51	0.41
1:A:407:ARG:O	1:A:413:GLY:HA3	2.21	0.41
1:B:397:MET:HB2	1:B:397:MET:HE2	1.95	0.41
1:C:77:ARG:HD2	1:C:116:LEU:O	2.21	0.41
1:D:336:SER:O	1:D:356:PRO:HD3	2.21	0.41
1:D:199:GLU:HB3	1:D:203:PHE:CB	2.51	0.41
1:B:461:ILE:HG22	1:B:465:VAL:HG22	2.03	0.41
1:C:246:GLY:HA2	1:C:249:GLN:O	2.20	0.41
1:C:276:ASN:HD22	3:C:603:NAG:C8	2.33	0.41



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:246:GLY:HA2	1:D:249:GLN:O	2.21	0.41
1:A:223:LEU:HD23	1:A:223:LEU:HA	1.92	0.40
1:B:298:ARG:HG2	1:B:446:ILE:O	2.21	0.40
1:B:470:GLY:O	1:B:471:PRO:C	2.59	0.40
1:D:452:VAL:HG11	1:D:457:LEU:HD22	2.03	0.40
1:C:142:PHE:CD1	1:C:142:PHE:N	2.89	0.40
1:A:494:VAL:O	1:A:494:VAL:CG1	2.68	0.40
1:C:470:GLY:O	1:C:471:PRO:C	2.59	0.40
1:B:199:GLU:HB3	1:B:203:PHE:CB	2.51	0.40
1:C:403:THR:HB	1:C:444:PHE:CZ	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	507/558~(91%)	475 (94%)	30~(6%)	2(0%)	34	66
1	В	497/558~(89%)	467 (94%)	28~(6%)	2~(0%)	34	66
1	С	503/558~(90%)	470 (93%)	30~(6%)	3(1%)	25	56
1	D	502/558~(90%)	472 (94%)	28~(6%)	2 (0%)	34	66
All	All	2009/2232~(90%)	1884 (94%)	116 (6%)	9 (0%)	34	66

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	126	ASN
1	В	126	ASN
1	С	126	ASN
1	D	126	ASN
1	В	518	ARG



Continued from previous page...

		-	10
Mol	Chain	Res	Type
1	С	518	ARG
1	D	518	ARG
1	С	185	LEU
1	А	150	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	457/490~(93%)	422 (92%)	35~(8%)	13 35
1	В	449/490~(92%)	419 (93%)	30 (7%)	16 43
1	С	453/490~(92%)	418 (92%)	35~(8%)	13 35
1	D	453/490~(92%)	425 (94%)	28 (6%)	18 47
All	All	1812/1960~(92%)	1684 (93%)	128 (7%)	14 39

All (128) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	55	LYS
1	А	58	GLN
1	А	61	MET
1	А	133	VAL
1	А	142	PHE
1	А	145	LYS
1	А	173	LEU
1	А	221	LYS
1	А	226	LEU
1	А	249	GLN
1	А	262	ASN
1	А	263	GLU
1	А	269	ARG
1	А	277	VAL
1	А	292	PHE
1	А	296	GLN
1	А	298	ARG



Mol	Chain	Res	Type
1	А	406	GLU
1	А	419	ARG
1	А	427	GLN
1	А	438	ARG
1	А	451	LYS
1	А	462	ARG
1	А	468	ARG
1	А	471	PRO
1	А	477	THR
1	А	502	LEU
1	А	512	LEU
1	А	516	LYS
1	А	518	ARG
1	A	531	GLU
1	А	532	ASN
1	А	533	THR
1	А	539	LEU
1	А	541	LEU
1	В	55	LYS
1	В	58	GLN
1	В	61	MET
1	В	133	VAL
1	В	142	PHE
1	В	145	LYS
1	В	221	LYS
1	В	239	ILE
1	В	249	GLN
1	В	263	GLU
1	В	269	ARG
1	В	277	VAL
1	B	292	PHE
1	B	296	GLN
1	B	406	GLU
1	B	419	ARG
1	B	427	GLN
1	B	438	ARG
1	B	451	LYS
1	B	462	ARG
1	B	465	VAL
1	B	466	LYS
1	B	468	ARG
1	В	471	PRO



Mol	Chain	Res	Type
1	В	502	LEU
1	В	512	LEU
1	В	531	GLU
1	В	532	ASN
1	В	533	THR
1	В	539	LEU
1	С	55	LYS
1	С	58	GLN
1	С	61	MET
1	С	133	VAL
1	С	142	PHE
1	С	145	LYS
1	С	221	LYS
1	С	239	ILE
1	С	249	GLN
1	С	263	GLU
1	С	269	ARG
1	С	277	VAL
1	С	292	PHE
1	С	296	GLN
1	С	298	ARG
1	С	315	GLN
1	С	317	LYS
1	С	406	GLU
1	С	419	ARG
1	С	427	GLN
1	С	429	ARG
1	С	451	LYS
1	С	462	ARG
1	С	468	ARG
1	С	471	PRO
1	C	478	VAL
1	С	501	ARG
1	С	502	LEU
1	С	512	LEU
1	С	531	GLU
1	С	532	ASN
1	С	533	THR
1	С	539	LEU
1	С	548	GLU
1	C	549	ASN
1	D	55	LYS



Mol	Chain	Res	Type
1	D	58	GLN
1	D	61	MET
1	D	133	VAL
1	D	142	PHE
1	D	145	LYS
1	D	221	LYS
1	D	239	ILE
1	D	249	GLN
1	D	263	GLU
1	D	269	ARG
1	D	277	VAL
1	D	292	PHE
1	D	296	GLN
1	D	298	ARG
1	D	406	GLU
1	D	419	ARG
1	D	427	GLN
1	D	451	LYS
1	D	462	ARG
1	D	477	THR
1	D	502	LEU
1	D	512	LEU
1	D	531	GLU
1	D	532	ASN
1	D	533	THR
1	D	539	LEU
1	D	541	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	128	GLN
1	А	181	GLN
1	А	202	HIS
1	А	400	ASN
1	А	527	GLN
1	В	181	GLN
1	В	202	HIS
1	В	400	ASN
1	В	527	GLN
1	С	181	GLN
1	С	202	HIS



Mol	Chain	\mathbf{Res}	Type							
1	С	315	GLN							
1	С	400	ASN							
1	D	128	GLN							
1	D	181	GLN							
1	D	202	HIS							
1	D	400	ASN							
1	D	527	GLN							
1	D	579	ASN							

Continued from previous page...

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 18 ligands modelled in this entry, 4 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type C	vne Chain		Timle	Bo	ond leng	$_{\rm ths}$	E	Bond ang	gles	
IVIOI	Moi Type Chain	nes	LINK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
3	NAG	D	602	1	14,14,15	1.67	4 (28%)	17,19,21	2.82	12 (70%)
3	NAG	С	602	1	14,14,15	0.76	1 (7%)	17,19,21	1.40	3 (17%)
2	UDP	В	601	-	24,26,26	1.35	3 (12%)	37,40,40	2.18	15 (40%)
4	MAN	D	603	-	12,12,12	1.06	0	17,17,17	2.83	10 (58%)
3	NAG	С	603	1	14,14,15	1.05	1 (7%)	17,19,21	2.47	5 (29%)



Mal	ol Type Chain Re		Dec	Tink	Bo	Bond lengths			Bond angles		
	туре	Unam	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
4	MAN	В	603	-	12,12,12	1.27	2 (16%)	17,17,17	1.98	5 (29%)	
2	UDP	А	601	-	24,26,26	1.26	4 (16%)	37,40,40	1.52	7 (18%)	
3	NAG	В	602	1	14,14,15	0.77	1 (7%)	17,19,21	1.47	3 (17%)	
2	UDP	С	601	-	24,26,26	1.25	2 (8%)	37,40,40	1.68	11 (29%)	
4	MAN	А	604	-	12,12,12	1.04	0	17,17,17	2.00	6 (35%)	
3	NAG	А	603	1	14,14,15	1.17	1 (7%)	17,19,21	3.10	8 (47%)	
4	MAN	С	604	-	12,12,12	0.98	0	17,17,17	1.64	4 (23%)	
2	UDP	D	601	-	24,26,26	1.28	4 (16%)	37,40,40	1.51	7 (18%)	
3	NAG	А	602	1	14,14,15	0.84	1 (7%)	17,19,21	1.47	2 (11%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	D	602	1	-	2/6/23/26	0/1/1/1
3	NAG	С	602	1	-	2/6/23/26	0/1/1/1
2	UDP	В	601	-	-	4/16/32/32	0/2/2/2
4	MAN	D	603	-	-	2/2/22/22	0/1/1/1
3	NAG	С	603	1	-	4/6/23/26	0/1/1/1
4	MAN	В	603	-	-	0/2/22/22	0/1/1/1
2	UDP	А	601	-	-	3/16/32/32	0/2/2/2
3	NAG	В	602	1	-	0/6/23/26	0/1/1/1
2	UDP	С	601	-	-	2/16/32/32	0/2/2/2
4	MAN	А	604	-	-	1/2/22/22	0/1/1/1
3	NAG	А	603	1	-	0/6/23/26	0/1/1/1
4	MAN	С	604	-	-	2/2/22/22	0/1/1/1
2	UDP	D	601	-	-	6/16/32/32	0/2/2/2
3	NAG	А	602	1	-	2/6/23/26	0/1/1/1

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
2	С	601	UDP	C2-N1	3.53	1.44	1.38
2	D	601	UDP	C2-N1	3.46	1.44	1.38
2	В	601	UDP	C2-N1	3.45	1.44	1.38
3	D	602	NAG	C1-C2	3.22	1.57	1.52



Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	Ideal(Å)
2	А	601	UDP	C2-N1	3.13	1.43	1.38
3	D	602	NAG	O5-C5	2.61	1.48	1.43
2	С	601	UDP	C6-C5	2.48	1.40	1.35
3	С	602	NAG	C1-C2	2.48	1.56	1.52
2	А	601	UDP	C4-N3	-2.48	1.34	1.38
3	D	602	NAG	C6-C5	2.44	1.60	1.51
3	D	602	NAG	O5-C1	2.42	1.47	1.43
3	В	602	NAG	C1-C2	2.36	1.55	1.52
4	В	603	MAN	O1-C1	2.31	1.47	1.39
3	А	603	NAG	O5-C5	2.31	1.48	1.43
4	В	603	MAN	O2-C2	2.27	1.48	1.43
2	D	601	UDP	O2-C2	2.19	1.27	1.23
2	В	601	UDP	C6-C5	2.18	1.40	1.35
3	С	603	NAG	O5-C1	2.17	1.47	1.43
2	А	601	UDP	C2-N3	-2.11	1.34	1.38
2	D	601	UDP	C6-C5	2.11	1.39	1.35
2	A	601	UDP	C6-C5	2.06	1.39	1.35
3	А	602	NAG	C1-C2	2.04	1.55	1.52
2	D	601	UDP	C4-N3	-2.02	1.34	1.38
2	В	601	UDP	C3'-C2'	2.02	1.58	1.53

All (98) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	А	603	NAG	C1-O5-C5	9.07	124.48	112.19
3	С	603	NAG	C1-O5-C5	7.40	122.22	112.19
4	D	603	MAN	C3-C4-C5	7.17	123.03	110.24
3	D	602	NAG	C1-O5-C5	5.44	119.56	112.19
2	В	601	UDP	O3'-C3'-C2'	4.85	127.50	111.82
3	А	603	NAG	O5-C5-C6	4.82	114.76	107.20
4	В	603	MAN	C3-C4-C5	4.58	118.40	110.24
3	D	602	NAG	O4-C4-C3	-4.34	100.31	110.35
2	С	601	UDP	N3-C2-N1	4.26	120.54	114.89
2	В	601	UDP	O3'-C3'-C4'	-4.13	99.10	111.05
3	А	603	NAG	C6-C5-C4	-4.08	103.44	113.00
3	С	603	NAG	C8-C7-N2	3.87	122.64	116.10
4	А	604	MAN	C3-C4-C5	3.83	117.08	110.24
2	А	601	UDP	C4-N3-C2	-3.83	121.53	126.58
2	А	601	UDP	N3-C2-N1	3.83	119.97	114.89
3	D	602	NAG	C1-C2-N2	3.78	116.95	110.49
2	В	601	UDP	N3-C2-N1	3.74	119.86	114.89
4	В	603	MAN	O2-C2-C1	3.73	117.82	109.16



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	С	601	UDP	C4-N3-C2	-3.62	121.81	126.58
2	D	601	UDP	C4-N3-C2	-3.62	121.81	126.58
4	А	604	MAN	C4-C3-C2	3.61	117.13	110.82
2	В	601	UDP	O2'-C2'-C3'	3.56	123.33	111.82
4	А	604	MAN	O3-C3-C2	-3.53	102.19	110.35
2	В	601	UDP	C4-N3-C2	-3.49	121.98	126.58
4	С	604	MAN	C3-C4-C5	3.49	116.47	110.24
2	D	601	UDP	N3-C2-N1	3.35	119.34	114.89
2	А	601	UDP	C5-C4-N3	3.34	119.84	114.84
3	С	602	NAG	C4-C3-C2	-3.33	106.14	111.02
2	В	601	UDP	O2B-PB-O1B	3.32	123.67	110.68
4	D	603	MAN	O3-C3-C2	-3.29	102.73	110.35
3	А	602	NAG	C1-O5-C5	3.27	116.62	112.19
2	D	601	UDP	C5-C4-N3	3.25	119.70	114.84
4	D	603	MAN	O5-C1-C2	3.19	115.98	110.28
4	D	603	MAN	C6-C5-C4	3.15	120.39	113.00
3	D	602	NAG	C2-N2-C7	3.15	127.39	122.90
2	В	601	UDP	O4'-C1'-C2'	-3.14	99.80	106.64
2	В	601	UDP	C2'-C1'-N1	3.05	121.85	113.22
3	А	603	NAG	O3-C3-C4	-3.02	103.38	110.35
3	D	602	NAG	O7-C7-N2	3.02	127.50	121.95
4	D	603	MAN	O4-C4-C5	-2.96	101.95	109.30
3	D	602	NAG	O6-C6-C5	2.95	121.41	111.29
4	\mathbf{C}	604	MAN	O3-C3-C2	-2.95	103.54	110.35
2	В	601	UDP	C5-C4-N3	2.94	119.25	114.84
2	В	601	UDP	O4-C4-C5	-2.93	120.00	125.16
4	D	603	MAN	O5-C5-C6	2.90	113.64	106.44
3	D	602	NAG	O7-C7-C8	-2.89	116.70	122.06
4	D	603	MAN	O5-C5-C4	-2.86	104.51	109.69
4	С	604	MAN	O2-C2-C1	2.84	115.74	109.16
4	D	603	MAN	O2-C2-C3	-2.82	103.82	110.35
2	В	601	UDP	C2'-C3'-C4'	-2.79	97.21	102.64
3	В	602	NAG	C1-C2-N2	2.78	115.24	110.49
4	В	603	MAN	C4-C3-C2	2.65	115.45	110.82
2	В	601	UDP	C1'-N1-C2	2.65	122.36	117.57
3	А	603	NAG	C4-C3-C2	2.63	114.87	111.02
4	А	604	MAN	O2-C2-C3	-2.62	104.28	110.35
3	А	602	NAG	O4-C4-C5	2.60	115.76	109.30
3	D	602	NAG	O4-C4-C5	2.59	115.74	109.30
3	А	603	NAG	C2-N2-C7	2.59	126.59	122.90
2	С	601	UDP	O2-C2-N3	-2.54	116.76	121.50
3	А	603	NAG	O5-C5-C4	2.54	117.01	110.83



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	D	603	MAN	O3-C3-C4	2.54	116.22	110.35
2	А	601	UDP	O4-C4-C5	-2.52	120.73	125.16
3	D	602	NAG	O5-C1-C2	2.51	115.26	111.29
2	С	601	UDP	C5-C4-N3	2.48	118.56	114.84
2	А	601	UDP	O2-C2-N3	-2.47	116.90	121.50
2	А	601	UDP	O4'-C1'-N1	2.46	113.98	108.36
2	А	601	UDP	PA-O3A-PB	-2.39	124.61	132.83
2	В	601	UDP	O3B-PB-O3A	2.36	112.54	104.64
3	В	602	NAG	O4-C4-C5	2.35	115.13	109.30
4	В	603	MAN	O4-C4-C3	-2.34	104.95	110.35
4	С	604	MAN	C4-C3-C2	2.32	114.88	110.82
2	D	601	UDP	O4-C4-C5	-2.31	121.10	125.16
3	А	603	NAG	C3-C4-C5	2.31	114.36	110.24
2	С	601	UDP	C2'-C3'-C4'	-2.30	98.18	102.64
3	D	602	NAG	O5-C5-C6	2.29	110.79	107.20
3	D	602	NAG	C3-C4-C5	2.27	114.28	110.24
2	С	601	UDP	O4-C4-C5	-2.26	121.18	125.16
2	С	601	UDP	O3'-C3'-C2'	2.24	119.06	111.82
3	С	603	NAG	C4-C3-C2	-2.23	107.75	111.02
3	С	603	NAG	O5-C5-C6	2.23	110.70	107.20
2	D	601	UDP	O4'-C1'-C2'	-2.20	101.84	106.64
3	В	602	NAG	C1-O5-C5	2.20	115.17	112.19
2	С	601	UDP	C1'-N1-C2	2.18	121.52	117.57
4	D	603	MAN	O4-C4-C3	-2.15	105.38	110.35
3	D	602	NAG	C6-C5-C4	2.13	117.99	113.00
3	С	602	NAG	C1-C2-N2	2.12	114.11	110.49
2	D	601	UDP	O3B-PB-O1B	2.12	118.96	110.68
4	А	604	MAN	O1-C1-O5	-2.11	104.04	110.38
2	В	601	UDP	C6-N1-C2	-2.11	118.30	120.99
2	С	601	UDP	O3B-PB-O1B	2.09	118.88	110.68
3	С	602	NAG	C3-C4-C5	-2.09	106.50	110.24
2	С	601	UDP	O4'-C1'-C2'	-2.09	102.08	106.64
4	В	603	MAN	C1-C2-C3	-2.09	105.98	110.31
4	А	604	MAN	O1-C1-C2	2.07	114.85	109.03
2	С	601	UDP	O4'-C4'-C3'	2.05	109.17	105.11
2	В	601	UDP	O2-C2-N3	-2.04	117.70	121.50
3	С	603	NAG	O7-C7-C8	-2.01	118.32	122.06
2	D	601	UDP	O2-C2-N3	-2.00	117.77	121.50

Continued from previous page...

There are no chirality outliers.

All (30) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	А	601	UDP	C5'-O5'-PA-O2A
2	В	601	UDP	C5'-O5'-PA-O3A
2	D	601	UDP	C3'-C4'-C5'-O5'
2	D	601	UDP	O4'-C4'-C5'-O5'
2	D	601	UDP	C5'-O5'-PA-O3A
3	D	602	NAG	O5-C5-C6-O6
3	А	602	NAG	C4-C5-C6-O6
4	С	604	MAN	O5-C5-C6-O6
3	А	602	NAG	O5-C5-C6-O6
4	С	604	MAN	C4-C5-C6-O6
3	D	602	NAG	C4-C5-C6-O6
3	С	602	NAG	O5-C5-C6-O6
3	С	603	NAG	C8-C7-N2-C2
3	С	603	NAG	O7-C7-N2-C2
4	D	603	MAN	C4-C5-C6-O6
3	С	603	NAG	O5-C5-C6-O6
3	С	602	NAG	C4-C5-C6-O6
3	С	603	NAG	C4-C5-C6-O6
4	А	604	MAN	O5-C5-C6-O6
4	D	603	MAN	O5-C5-C6-O6
2	D	601	UDP	PA-O3A-PB-O2B
2	А	601	UDP	C5'-O5'-PA-O3A
2	С	601	UDP	O4'-C4'-C5'-O5'
2	В	601	UDP	C5'-O5'-PA-O2A
2	D	601	UDP	C5'-O5'-PA-O1A
2	D	601	UDP	C5'-O5'-PA-O2A
2	В	601	UDP	PB-O3A-PA-O1A
2	С	601	UDP	C3'-C4'-C5'-O5'
2	В	601	UDP	PA-O3A-PB-O3B
2	А	601	UDP	C5'-O5'-PA-O1A

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	В	601	UDP	3	0
3	С	603	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.



Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





















5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2		$\mathbf{OWAB}(\mathrm{\AA}^2)$	Q < 0.9
1	А	515/558~(92%)	-0.04	8 (1%) 72	66	52, 83, 127, 159	0
1	В	505/558~(90%)	0.19	27 (5%) 26	17	57, 80, 148, 187	0
1	С	511/558~(91%)	0.10	14 (2%) 54	44	58, 89, 137, 162	0
1	D	510/558~(91%)	0.05	10 (1%) 65	56	65, 98, 141, 175	0
All	All	2041/2232 (91%)	0.07	59 (2%) 51	41	52, 88, 139, 187	0

All (59) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	546	PHE	6.2
1	В	556	TYR	5.8
1	В	553	PHE	4.6
1	В	537	TYR	4.5
1	С	580	THR	4.2
1	D	468	ARG	4.1
1	В	526	LEU	4.0
1	С	526	LEU	3.9
1	В	578	CYS	3.7
1	В	532	ASN	3.5
1	В	539	LEU	3.5
1	В	521	LYS	3.3
1	В	508	ILE	3.2
1	С	546	PHE	3.0
1	В	538	ILE	2.9
1	В	502	LEU	2.9
1	В	541	LEU	2.9
1	С	532	ASN	2.9
1	А	533	THR	2.8
1	D	306	LEU	2.8
1	В	545	THR	2.8



Mol	Chain	Res	Type	RSRZ
1	С	537	TYR	2.7
1	D	532	ASN	2.7
1	В	531	GLU	2.6
1	С	52	ASP	2.6
1	С	223	LEU	2.6
1	В	141	ARG	2.5
1	В	555	THR	2.5
1	А	477	THR	2.5
1	А	478	VAL	2.5
1	D	305	GLU	2.5
1	С	553	PHE	2.5
1	А	532	ASN	2.4
1	В	517	VAL	2.4
1	В	504	VAL	2.4
1	А	285	GLY	2.3
1	D	142	PHE	2.3
1	D	314	PHE	2.3
1	В	577	VAL	2.3
1	В	534	TYR	2.3
1	В	503	THR	2.3
1	С	557	LEU	2.3
1	С	468	ARG	2.3
1	В	524	VAL	2.3
1	D	530	GLY	2.2
1	С	492	ALA	2.2
1	D	310	LEU	2.2
1	С	527	GLN	2.2
1	В	522	TYR	2.1
1	С	534	TYR	2.1
1	А	530	GLY	2.1
1	А	500	ALA	2.1
1	С	556	TYR	2.1
1	А	71	GLY	2.1
1	В	558	VAL	2.1
1	D	143	MET	2.0
1	В	519	GLU	2.0
1	D	287	GLU	2.0
1	В	491	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B -factors($Å^2$)	Q<0.9
3	NAG	D	602	14/15	0.56	0.30	90,113,156,169	0
3	NAG	В	602	14/15	0.77	0.37	109,161,167,167	0
5	CL	А	605	1/1	0.80	0.43	108,108,108,108	0
5	CL	В	604	1/1	0.81	0.29	100,100,100,100	0
5	CL	D	604	1/1	0.81	0.39	105,105,105,105	0
3	NAG	A	603	14/15	0.82	0.18	116,135,147,150	0
3	NAG	С	602	14/15	0.82	0.35	111,152,171,177	0
3	NAG	С	603	14/15	0.83	0.30	117,148,167,168	0
5	CL	С	605	1/1	0.84	0.49	112,112,112,112	0
3	NAG	A	602	14/15	0.87	0.24	117,150,161,172	0
2	UDP	В	601	25/25	0.90	0.24	78,136,210,226	0
2	UDP	D	601	25/25	0.90	0.15	108,147,171,174	0
4	MAN	В	603	12/12	0.90	0.18	77,111,128,133	0
4	MAN	D	603	12/12	0.90	0.24	84,120,127,127	0
4	MAN	С	604	12/12	0.92	0.21	82,112,122,126	0
2	UDP	С	601	25/25	0.92	0.18	93,135,145,169	0
4	MAN	А	604	12/12	0.93	0.14	78,100,114,122	0
2	UDP	A	601	25/25	0.97	0.18	73,99,126,141	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

































6.5 Other polymers (i)

There are no such residues in this entry.

