



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2018 – 08:14 pm GMT

PDB ID : 3KDM  
Title : Crystal Structure of Human Anti-steroid Fab 5F2 in Complex with Testosterone  
Authors : Niemi, M.H.; Rouvinen, J.  
Deposited on : 2009-10-23  
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtrriage (Phenix) : 1.13  
EDS : trunk30967  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30967


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	2534 (1.50-1.50)
Clashscore	122126	2727 (1.50-1.50)
Ramachandran outliers	120053	2661 (1.50-1.50)
Sidechain outliers	120020	2659 (1.50-1.50)
RSRZ outliers	108989	2481 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	218	 77% 21%
1	L	218	 72% 25%
2	B	225	 64% 31% 5%
2	H	225	 61% 34%

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 7532 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Immunoglobulin light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	L	216	Total 1631	C 1013	N 275	O 337	S 6	0	2	0
1	A	216	Total 1627	C 1009	N 275	O 337	S 6	0	0	0

- Molecule 2 is a protein called Immunoglobulin heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	H	223	Total 1655	C 1044	N 275	O 329	S 7	0	0	0
2	B	223	Total 1658	C 1047	N 275	O 329	S 7	0	1	0

- Molecule 3 is TESTOSTERONE (three-letter code: TES) (formula:  $C_{19}H_{28}O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	H	1	Total	C	O	0	0
			21	19	2		
3	B	1	Total	C	O	0	0
			21	19	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	L	238	Total	O	0	0
			238	238		
4	H	223	Total	O	0	0
			223	223		
4	A	239	Total	O	0	0
			239	239		
4	B	219	Total	O	0	0
			219	219		


### 3 Residue-property plots i

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Immunoglobulin light chain



- Molecule 1: Immunoglobulin light chain



- Molecule 2: Immunoglobulin heavy chain



- Molecule 2: Immunoglobulin heavy chain



E1 V2  
Q3 L4  
V5 E6  
S7 V12  
Q13  
S17  
L18  
R19  
L20  
C22  
F27  
T28  
S31  
Y32  
A33  
M34  
A50  
I51  
S54  
G55  
G56  
S57  
T58  
Y59  
Y60  
A61  
D62  
S63  
V64  
K65  
G66  
R67  
F68  
S71  
R72  
D73  
N74  
S75  
K76  
L79  
Y80  
L81  
Q82  
M83  
N84  
R87

A88  
E89  
D90  
T91  
A92  
L102  
Y105  
G113  
Q114  
T119  
S122  
A123  
S124  
T125  
K126  
V130  
P135  
S136  
S137  
K138  
S139  
T140  
S141  
G142  
G143  
T144  
L147  
K152  
P156  
E157  
P158  
S165  
Q180  
V191  
S195  
M208  
H209  
K210  
P211  
S212  
V216  
K223  
SER

CYS

## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	66.75Å 67.08Å 67.06Å 81.32° 69.30° 69.27°	Depositor
Resolution (Å)	48.25 – 1.50 48.25 – 1.50	Depositor EDS
% Data completeness (in resolution range)	93.3 (48.25-1.50) 93.2 (48.25-1.50)	Depositor EDS
$R_{merge}$	0.03	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.23 (at 1.50Å)	Xtriage
Refinement program	PHENIX ?	Depositor
R, $R_{free}$	0.180 , 0.208 0.179 , 0.208	Depositor DCC
$R_{free}$ test set	7595 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	15.3	Xtriage
Anisotropy	0.364	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 43.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.469 for -h,-l,-k	Xtriage
Reported twinning fraction	0.501 for -h,-l,-k	Depositor
Outliers	0 of 151891 reflections	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	7532	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.52% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TES, PCA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.63	1/1662 (0.1%)	0.74	0/2257
1	L	0.62	1/1677 (0.1%)	0.71	0/2278
2	B	0.64	0/1696	0.81	1/2313 (0.0%)
2	H	0.67	0/1689	0.80	3/2303 (0.1%)
All	All	0.64	2/6724 (0.0%)	0.77	4/9151 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	198	CYS	CB-SG	-10.05	1.65	1.82
1	L	198	CYS	CB-SG	-5.34	1.73	1.81

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	73	ASP	CB-CG-OD1	6.03	123.72	118.30
2	H	82	GLN	N-CA-C	-5.83	95.26	111.00
2	H	58	THR	N-CA-C	-5.83	95.27	111.00
2	B	56	GLY	N-CA-C	5.76	127.49	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1627	0	1564	40	0
1	L	1631	0	1568	63	0
2	B	1658	0	1613	81	0
2	H	1655	0	1608	102	0
3	B	21	0	28	0	0
3	H	21	0	28	3	0
4	A	239	0	0	7	0
4	B	219	0	0	7	1
4	H	223	0	0	7	0
4	L	238	0	0	12	1
All	All	7532	0	6409	277	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (277) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:145:PRO:HG3	1:L:203:GLN:HE22	1.19	1.05
1:L:119:VAL:HG21	1:L:200[A]:VAL:HG21	1.37	1.03
2:B:68:PHE:HA	2:B:82:GLN:O	1.61	1.00
2:H:82:GLN:NE2	2:H:84:ASN:OD1	1.95	1.00
2:B:87:ARG:HD3	2:B:89:GLU:OE1	1.61	0.99
2:H:60:TYR:CZ	2:H:70:ILE:HG22	1.97	0.98
1:L:167:VAL:HG22	1:L:179:LEU:CD1	1.96	0.95
1:A:187:LYS:O	1:A:191:GLU:HG2	1.69	0.92
1:L:145:PRO:HG3	1:L:203:GLN:NE2	1.85	0.91
1:L:167:VAL:HG22	1:L:179:LEU:HD12	1.54	0.89
2:B:72:ARG:CD	2:B:74:ASN:OD1	2.21	0.88
2:B:137:SER:HA	2:B:140:THR:HB	1.56	0.87
1:L:194:LYS:HE2	1:L:214:ASN:HB3	1.57	0.87
1:A:201:THR:HG22	1:A:208:PRO:HB3	1.56	0.86
1:L:85:GLU:HG3	4:L:919:HOH:O	1.76	0.85
2:H:141:SER:HB3	2:H:144:THR:O	1.79	0.82
2:H:51:ILE:HG13	2:H:58:THR:HG22	1.62	0.81
2:B:135:PRO:HA	2:B:139:SER:OG	1.81	0.80
2:B:51:ILE:HD13	2:B:72:ARG:HG2	1.65	0.79
2:H:60:TYR:CE1	2:H:70:ILE:HG22	2.19	0.78
1:A:85:GLU:CG	1:A:110:ILE:HG12	2.13	0.78
2:B:72:ARG:HD3	2:B:74:ASN:OD1	1.84	0.78
2:H:64:VAL:HG13	2:H:68:PHE:HB2	1.65	0.77
1:L:167:VAL:CG2	1:L:179:LEU:CD1	2.63	0.77

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:136:SER:HB3	2:H:138:LYS:HE2	1.67	0.75
2:B:60:TYR:HD1	2:B:64:VAL:HG23	1.51	0.75
1:L:145:PRO:CG	1:L:203:GLN:NE2	2.49	0.75
2:B:61:ALA:C	2:B:63:SER:H	1.90	0.74
1:L:127:GLU:OE2	4:L:350:HOH:O	2.04	0.74
1:L:194:LYS:CE	1:L:214:ASN:HB3	2.17	0.74
2:B:2:VAL:HG13	2:B:27:PHE:HD1	1.53	0.73
1:L:167:VAL:HG22	1:L:179:LEU:HD13	1.69	0.73
1:L:3:ALA:HB1	1:L:102:PHE:O	1.90	0.72
1:L:167:VAL:CG2	1:L:179:LEU:HD12	2.19	0.72
1:A:201:THR:HG23	4:A:304:HOH:O	1.89	0.71
2:B:51:ILE:CD1	2:B:72:ARG:HG2	2.21	0.71
1:A:120:PHE:HD1	2:B:139:SER:HA	1.54	0.71
1:A:85:GLU:HG2	1:A:110:ILE:HG12	1.71	0.70
1:A:199:GLU:HG2	4:A:304:HOH:O	1.90	0.70
1:L:141:ASN:HD21	2:H:173:HIS:CD2	2.09	0.70
1:L:141:ASN:HD21	2:H:173:HIS:HD2	1.38	0.70
2:H:73:ASP:O	2:H:77:ASN:N	2.25	0.69
1:A:121:ILE:O	2:B:138:LYS:HE2	1.93	0.69
2:B:76:LYS:HD2	2:B:80:TYR:OH	1.94	0.68
2:H:135:PRO:HG3	2:H:147:LEU:HD23	1.73	0.68
2:H:209:HIS:HD2	2:H:212:SER:OG	1.76	0.67
2:B:223:LYS:C	2:B:223:LYS:HE3	2.15	0.67
2:H:136:SER:CB	2:H:138:LYS:HE2	2.24	0.67
2:H:16:GLY:O	2:H:86:LEU:N	2.27	0.67
2:B:62:ASP:OD1	2:B:65:LYS:HD3	1.96	0.66
2:B:68:PHE:CE1	2:B:83:MET:HB3	2.30	0.66
2:H:51:ILE:CG1	2:H:58:THR:HG22	2.24	0.66
2:H:67:ARG:NH1	2:H:68:PHE:CE1	2.64	0.66
1:L:145:PRO:CG	1:L:203:GLN:HE22	2.00	0.66
2:H:59:TYR:CE2	3:H:226:TES:H192	2.30	0.65
2:B:140:THR:HA	2:B:144:THR:O	1.97	0.65
2:H:130:VAL:HG12	2:H:218:LYS:HG3	1.78	0.65
1:L:214:ASN:HB2	1:L:217:GLU:HB2	1.78	0.65
2:B:2:VAL:HG13	2:B:27:PHE:CD1	2.32	0.65
2:B:73:ASP:CG	2:B:76:LYS:HG3	2.17	0.65
2:B:20:LEU:HG	2:B:83:MET:CE	2.27	0.65
2:B:156:PRO:O	2:B:209:HIS:HE1	1.80	0.65
1:L:156:ASN:OD1	4:L:575:HOH:O	2.15	0.64
2:H:57:SER:HB3	2:H:59:TYR:CZ	2.32	0.64
2:H:29:PHE:CD2	2:H:74:ASN:OD1	2.50	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:4:LEU:HD11	2:H:34:MET:HE1	1.79	0.64
2:B:60:TYR:HB2	2:B:65:LYS:HB3	1.80	0.63
2:B:34:MET:O	2:B:50:ALA:HA	1.98	0.63
1:L:85:GLU:O	1:L:85:GLU:HG2	1.96	0.63
2:B:143:GLY:C	2:B:195:SER:HB2	2.19	0.63
1:A:42:PRO:HA	4:A:583:HOH:O	1.97	0.63
2:H:51:ILE:CD1	2:H:58:THR:HG22	2.29	0.63
2:B:34:MET:HG2	2:B:72:ARG:NH2	2.14	0.62
2:H:135:PRO:HG3	2:H:147:LEU:CD2	2.30	0.62
2:B:62:ASP:HA	2:B:65:LYS:HG2	1.79	0.62
2:H:170:SER:O	2:H:171:SER:HB2	1.99	0.62
2:H:60:TYR:HE1	2:H:70:ILE:H	1.47	0.62
2:H:101:GLY:HA3	2:H:104:ASP:O	1.99	0.62
2:B:223:LYS:HE3	2:B:223:LYS:O	2.00	0.61
2:H:135:PRO:HD2	2:H:221:GLU:C	2.21	0.61
2:B:6:GLU:OE1	2:B:113:GLY:HA3	2.01	0.61
1:L:191:GLU:OE2	4:L:753:HOH:O	2.16	0.61
2:B:6:GLU:HB2	2:B:114:GLN:OE1	2.02	0.60
2:H:14:PRO:C	2:H:16:GLY:H	2.05	0.60
2:B:209:HIS:HD2	2:B:212:SER:OG	1.85	0.60
2:H:30:SER:HB3	2:H:74:ASN:ND2	2.17	0.60
2:B:18:LEU:HD12	4:B:913:HOH:O	2.01	0.59
2:B:67:ARG:NH2	2:B:90:ASP:OD1	2.35	0.59
2:H:60:TYR:OH	2:H:70:ILE:HG22	2.02	0.59
2:H:19:ARG:HB2	2:H:82:GLN:OE1	2.02	0.59
2:B:13:GLN:HE21	2:B:122:SER:HA	1.67	0.59
2:H:83:MET:SD	2:H:86:LEU:HD21	2.43	0.59
1:A:85:GLU:HG3	1:A:110:ILE:HG12	1.85	0.58
1:L:124:PRO:HD3	1:L:136:VAL:HG22	1.84	0.58
2:B:61:ALA:C	2:B:63:SER:N	2.56	0.58
2:H:29:PHE:O	2:H:72:ARG:NH1	2.35	0.58
1:L:213:PHE:HB3	2:H:138:LYS:HD3	1.86	0.58
1:L:195:VAL:HG22	1:L:214:ASN:ND2	2.18	0.58
2:B:139:SER:OG	2:B:139:SER:O	2.22	0.58
2:B:72:ARG:HD2	2:B:74:ASN:OD1	2.01	0.57
2:H:135:PRO:HG2	2:H:222:PRO:HD3	1.86	0.57
2:B:72:ARG:O	2:B:74:ASN:N	2.38	0.57
2:H:51:ILE:HD11	2:H:55:GLY:HA2	1.86	0.57
2:H:134:ALA:HB1	2:H:221:GLU:O	2.04	0.56
2:B:19:ARG:HG3	2:B:82:GLN:OE1	2.05	0.56
1:A:151:GLN:HG3	4:A:467:HOH:O	2.06	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:130:VAL:HB	2:B:216:VAL:HG11	1.87	0.56
2:H:73:ASP:OD2	2:H:76:LYS:HE2	2.06	0.56
2:H:67:ARG:HB2	2:H:85:SER:HB2	1.88	0.56
2:H:30:SER:HB3	2:H:74:ASN:CG	2.26	0.56
2:H:42:GLY:C	2:H:43:LYS:HE2	2.26	0.56
2:H:64:VAL:HG13	2:H:68:PHE:CB	2.35	0.56
1:L:196:TYR:O	1:L:212:SER:HB2	2.06	0.56
1:L:99:PRO:CB	3:H:226:TES:H61	2.36	0.56
1:A:201:THR:HG22	1:A:208:PRO:CB	2.34	0.55
2:B:4:LEU:HD22	2:B:22:CYS:SG	2.47	0.55
1:L:151:GLN:HB3	1:L:158:LEU:HD11	1.89	0.55
2:H:18:LEU:O	2:H:83:MET:N	2.37	0.55
1:L:217:GLU:HB3	4:L:418:HOH:O	2.05	0.55
2:H:67:ARG:CB	2:H:85:SER:HB2	2.37	0.55
1:A:188:ALA:O	1:A:192:LYS:HG2	2.07	0.55
2:H:57:SER:HB3	4:H:730:HOH:O	2.06	0.54
2:B:72:ARG:O	2:B:72:ARG:HG3	2.06	0.54
2:H:82:GLN:HG3	2:H:84:ASN:HD21	1.72	0.54
1:A:144:TYR:CD1	1:A:145:PRO:HA	2.42	0.54
2:H:51:ILE:HA	2:H:58:THR:HA	1.90	0.54
2:H:60:TYR:OH	2:H:70:ILE:N	2.40	0.54
2:B:60:TYR:CD1	2:B:64:VAL:HG23	2.38	0.54
2:B:158:PRO:HB2	4:B:427:HOH:O	2.07	0.54
1:L:149:LYS:HB2	1:L:201:THR:OG1	2.08	0.54
2:H:81:LEU:O	2:H:82:GLN:C	2.43	0.53
2:H:12:VAL:HG13	2:H:120:VAL:HG13	1.89	0.53
2:H:29:PHE:CE2	2:H:72:ARG:HD3	2.43	0.53
1:A:203:GLN:HG2	1:A:203:GLN:O	2.07	0.53
1:A:120:PHE:HD1	2:B:139:SER:CA	2.22	0.53
2:H:144:THR:CG2	2:H:192:THR:HB	2.39	0.53
1:L:13:SER:O	1:L:16:GLN:HB2	2.07	0.53
2:B:54:SER:O	2:B:74:ASN:ND2	2.42	0.53
1:L:99:PRO:HB2	3:H:226:TES:H61	1.91	0.53
2:B:12:VAL:HG11	2:B:18:LEU:HD22	1.90	0.53
2:B:34:MET:CE	2:B:79:LEU:HD22	2.39	0.52
1:L:111:LYS:HE3	4:L:413:HOH:O	2.10	0.52
1:L:197:ALA:HB2	1:L:212:SER:HB3	1.92	0.52
2:H:147:LEU:HD13	2:H:220:ALA:HB3	1.91	0.52
2:H:50:ALA:O	2:H:59:TYR:N	2.32	0.52
1:L:123:PRO:HG3	2:H:138:LYS:NZ	2.25	0.52
1:L:155:ASP:O	1:L:156:ASN:HB2	2.09	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:120:PHE:CD1	2:B:139:SER:HA	2.40	0.52
1:A:57:PRO:HD2	1:A:60:VAL:HG21	1.92	0.52
1:A:14:PRO:HD3	1:A:111:LYS:O	2.09	0.52
1:A:153:LYS:NZ	4:A:710:HOH:O	2.35	0.52
1:A:198:CYS:O	1:A:210:THR:HA	2.10	0.52
1:A:17:SER:HA	1:A:77:ILE:O	2.10	0.52
2:H:143:GLY:O	2:H:194:PRO:HA	2.10	0.51
2:H:18:LEU:HB3	2:H:86:LEU:HD11	1.91	0.51
2:B:137:SER:HA	2:B:140:THR:CB	2.37	0.51
1:L:64:PHE:CD2	1:L:77:ILE:HG12	2.46	0.51
2:H:209:HIS:CD2	2:H:212:SER:OG	2.62	0.51
1:L:14:PRO:HA	1:L:80:LEU:O	2.11	0.51
2:B:136:SER:O	2:B:140:THR:OG1	2.27	0.51
2:H:6:GLU:OE1	2:H:95:TYR:HA	2.11	0.51
1:A:126:ASP:HA	1:A:129:LEU:HD12	1.92	0.51
1:L:213:PHE:HB3	2:H:138:LYS:CD	2.41	0.51
1:L:12:GLY:CA	1:L:111:LYS:HE2	2.41	0.51
2:B:208:ASN:HD21	2:B:210:LYS:HE3	1.75	0.51
1:L:167:VAL:CG2	1:L:179:LEU:HD13	2.38	0.51
2:H:78:THR:HG22	2:H:80:TYR:CE2	2.45	0.51
2:B:61:ALA:O	2:B:63:SER:N	2.44	0.50
2:H:18:LEU:O	2:H:83:MET:O	2.28	0.50
2:H:78:THR:CG2	2:H:80:TYR:CE2	2.94	0.50
1:A:144:TYR:CG	1:A:145:PRO:HA	2.47	0.50
2:H:64:VAL:HG13	2:H:68:PHE:CG	2.47	0.50
2:H:30:SER:HB2	4:H:563:HOH:O	2.11	0.50
2:H:62:ASP:C	2:H:64:VAL:H	2.14	0.50
2:H:14:PRO:C	2:H:16:GLY:N	2.65	0.50
2:B:34:MET:HE2	2:B:79:LEU:HD22	1.94	0.49
1:L:185:LEU:HD23	4:L:459:HOH:O	2.13	0.49
2:B:19:ARG:NH1	2:B:82:GLN:OE1	2.44	0.49
1:L:12:GLY:HA2	1:L:111:LYS:HE2	1.95	0.49
2:H:60:TYR:HE1	2:H:70:ILE:N	2.10	0.49
1:L:127:GLU:HB2	4:L:281:HOH:O	2.13	0.49
2:H:62:ASP:O	2:H:65:LYS:HG2	2.11	0.49
2:H:156:PRO:O	2:H:209:HIS:HE1	1.96	0.49
2:H:62:ASP:O	2:H:64:VAL:N	2.45	0.49
2:H:30:SER:CB	2:H:74:ASN:ND2	2.75	0.48
1:A:195:VAL:HG22	1:A:214:ASN:ND2	2.29	0.48
1:A:56:ARG:NE	4:A:337:HOH:O	2.36	0.48
2:H:138:LYS:O	2:H:139:SER:HB2	2.13	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:14:PRO:O	2:H:16:GLY:N	2.47	0.48
2:H:81:LEU:O	2:H:83:MET:N	2.46	0.48
1:L:129:LEU:HD21	1:L:134:ALA:HB2	1.96	0.47
1:L:194:LYS:CD	1:L:214:ASN:HB3	2.44	0.47
1:A:189:ASP:HA	1:A:192:LYS:CG	2.44	0.47
1:A:207:SER:HA	1:A:208:PRO:HD3	1.59	0.47
2:H:187:LEU:HD12	2:H:187:LEU:C	2.35	0.47
2:H:73:ASP:CG	2:H:76:LYS:HB2	2.34	0.47
1:L:80:LEU:HG	1:L:110:ILE:HD12	1.95	0.47
1:A:189:ASP:HA	1:A:192:LYS:HG3	1.96	0.47
2:B:82:GLN:NE2	4:B:762:HOH:O	2.47	0.47
2:H:29:PHE:HD2	2:H:74:ASN:OD1	1.94	0.47
2:B:68:PHE:CD1	2:B:83:MET:HA	2.50	0.47
2:H:122:SER:O	4:H:248:HOH:O	2.20	0.47
1:L:194:LYS:HD3	1:L:214:ASN:HB3	1.96	0.47
2:H:51:ILE:HG13	2:H:58:THR:CG2	2.40	0.47
1:A:85:GLU:HG3	1:A:110:ILE:CG1	2.45	0.47
2:H:70:ILE:HD11	2:H:79:LEU:HD11	1.97	0.46
2:B:61:ALA:HB3	2:B:63:SER:OG	2.15	0.46
1:A:133:THR:HG23	1:A:185:LEU:O	2.15	0.46
1:A:63:ARG:HD2	1:A:78:SER:O	2.16	0.46
2:B:32:TYR:O	2:B:72:ARG:NH2	2.48	0.46
2:B:34:MET:HG2	2:B:72:ARG:HH22	1.79	0.46
2:B:91:THR:HG23	2:B:119:THR:HA	1.97	0.45
2:B:17:SER:HA	2:B:83:MET:O	2.16	0.45
2:B:33:ALA:HB2	2:B:105:TYR:HE2	1.82	0.45
1:L:129:LEU:CD2	1:L:134:ALA:HB2	2.46	0.45
1:A:87:ASP:OD1	1:A:107:LYS:HE2	2.16	0.45
2:H:88:ALA:HA	2:H:120:VAL:HB	1.99	0.45
1:L:99:PRO:CB	4:L:305:HOH:O	2.64	0.45
1:L:12:GLY:HA2	1:L:111:LYS:CE	2.47	0.45
1:L:54:THR:HG22	1:L:66:GLY:O	2.17	0.45
2:H:38:ARG:HG3	4:H:274:HOH:O	2.17	0.45
2:H:76:LYS:HE2	2:H:76:LYS:HB2	1.62	0.44
1:A:205:LEU:HD13	1:A:209:VAL:HG23	2.00	0.44
2:H:210:LYS:N	2:H:211:PRO:CD	2.80	0.44
2:H:14:PRO:HD3	2:H:121:SER:C	2.37	0.44
2:H:82:GLN:HG3	2:H:84:ASN:ND2	2.32	0.44
1:A:153:LYS:HA	1:A:157:ALA:O	2.17	0.44
2:B:17:SER:HB3	2:B:82:GLN:NE2	2.32	0.44
2:H:64:VAL:CG1	2:H:68:PHE:HB2	2.43	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:58:THR:OG1	4:B:272:HOH:O	2.07	0.44
2:H:60:TYR:CE1	2:H:70:ILE:N	2.79	0.44
2:H:67:ARG:HD2	2:H:67:ARG:H	1.81	0.44
2:H:57:SER:CB	4:H:730:HOH:O	2.65	0.43
2:B:147:LEU:CD1	2:B:191:VAL:CG1	2.96	0.43
2:H:100:PRO:HG2	2:H:106:TYR:CZ	2.54	0.43
1:A:97:ARG:NH1	4:A:804:HOH:O	2.49	0.43
2:B:84:ASN:OD1	4:B:762:HOH:O	2.21	0.43
2:H:219:LYS:HD3	2:H:221:GLU:OE1	2.18	0.43
2:B:152:LYS:NZ	2:B:180:GLN:OE1	2.51	0.43
2:H:180:GLN:OE1	4:H:263:HOH:O	2.21	0.43
2:B:135:PRO:CA	2:B:139:SER:OG	2.62	0.43
2:H:4:LEU:HD21	2:H:34:MET:HE1	2.01	0.43
1:A:146:ARG:NH2	1:A:167:VAL:HG11	2.34	0.43
1:L:56:ARG:HD3	1:L:64:PHE:O	2.19	0.43
2:B:210:LYS:N	2:B:211:PRO:CD	2.82	0.42
4:H:550:HOH:O	2:B:125:THR:HG21	2.18	0.42
1:L:117:PRO:HD3	1:L:202:HIS:CG	2.54	0.42
2:B:28:THR:N	4:B:682:HOH:O	2.26	0.42
1:L:50[A]:ILE:HD13	1:L:66:GLY:N	2.34	0.42
2:B:72:ARG:CG	2:B:74:ASN:OD1	2.67	0.42
1:L:3:ALA:HB3	1:L:104:THR:HG22	2.02	0.42
1:L:195:VAL:HG22	1:L:214:ASN:HD22	1.84	0.42
2:B:123:ALA:HB1	4:B:652:HOH:O	2.19	0.41
2:H:18:LEU:CB	2:H:86:LEU:HD11	2.50	0.41
2:B:147:LEU:HD11	2:B:191:VAL:CG1	2.49	0.41
2:H:11:LEU:HA	2:H:119:THR:O	2.20	0.41
1:L:85:GLU:CG	4:L:919:HOH:O	2.53	0.41
1:L:64:PHE:CE2	1:L:77:ILE:HG12	2.56	0.41
2:B:71:SER:O	2:B:79:LEU:HD12	2.21	0.41
1:L:107:LYS:HB2	1:L:107:LYS:HE2	1.84	0.41
1:L:85:GLU:O	1:L:85:GLU:CG	2.66	0.41
2:H:101:GLY:CA	2:H:104:ASP:O	2.67	0.41
1:L:97:ARG:NE	4:L:831:HOH:O	2.53	0.41
2:H:48:VAL:HG13	2:H:64:VAL:HG21	2.03	0.41
2:B:31:SER:HB3	2:B:102:LEU:HD12	2.02	0.41
2:B:91:THR:O	2:B:92:ALA:HB2	2.21	0.41
1:A:85:GLU:CG	1:A:110:ILE:CG1	2.93	0.41
2:H:97:ALA:HB1	2:H:109:MET:HB3	2.01	0.41
2:B:143:GLY:CA	2:B:195:SER:HB2	2.50	0.41
1:L:164:GLN:HG2	4:L:395:HOH:O	2.21	0.41

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:191:GLU:HA	1:A:191:GLU:OE1	2.21	0.41
2:B:135:PRO:HD3	2:B:147:LEU:HB3	2.02	0.41
2:H:20:LEU:HG	2:H:83:MET:CE	2.51	0.40
2:B:12:VAL:CG1	2:B:18:LEU:HD22	2.51	0.40
2:H:67:ARG:NH1	2:H:68:PHE:CZ	2.89	0.40
1:A:85:GLU:OE1	1:A:172:SER:HA	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:L:273:HOH:O	4:B:271:HOH:O[1_465]	2.09	0.11

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	214/218 (98%)	204 (95%)	9 (4%)	1 (0%)	31	10
1	L	216/218 (99%)	207 (96%)	9 (4%)	0	100	100
2	B	222/225 (99%)	206 (93%)	12 (5%)	4 (2%)	9	1
2	H	221/225 (98%)	207 (94%)	9 (4%)	5 (2%)	7	1
All	All	873/886 (98%)	824 (94%)	39 (4%)	10 (1%)	16	3

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	139	SER
1	A	217	GLU
2	H	15	GLY
2	H	63	SER

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type
2	H	222	PRO
2	B	73	ASP
2	B	62	ASP
2	H	141	SER
2	B	136	SER
2	B	165	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	185/187 (99%)	182 (98%)	3 (2%)	65 38
1	L	187/187 (100%)	178 (95%)	9 (5%)	28 4
2	B	184/185 (100%)	172 (94%)	12 (6%)	19 2
2	H	183/185 (99%)	177 (97%)	6 (3%)	41 11
All	All	739/744 (99%)	709 (96%)	30 (4%)	33 6

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	17	SER
1	L	28	ASP
1	L	85	GLU
1	L	94	THR
1	L	126	ASP
1	L	156	ASN
1	L	194	LYS
1	L	207	SER
1	L	217	GLU
2	H	64	VAL
2	H	67	ARG
2	H	72	ARG
2	H	87	ARG
2	H	138	LYS
2	H	206	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	28	ASP
1	A	94	THR
1	A	192	LYS
2	B	3	GLN
2	B	7	SER
2	B	12	VAL
2	B	13	GLN
2	B	18	LEU
2	B	57	SER
2	B	67	ARG
2	B	126	LYS
2	B	138	LYS
2	B	139	SER
2	B	195	SER
2	B	223	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	55	ASN
1	L	141	ASN
1	L	203	GLN
1	L	214	ASN
2	H	209	HIS
1	A	214	ASN
2	B	13	GLN
2	B	208	ASN
2	B	209	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PCA	B	1	2	8,8,9	1.79	1 (12%)	9,10,12	2.83	4 (44%)
2	PCA	H	1	2	8,8,9	1.70	1 (12%)	9,10,12	2.11	5 (55%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PCA	B	1	2	-	0/0/11/13	0/1/1/1
2	PCA	H	1	2	-	0/0/11/13	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	1	PCA	CD-N	4.46	1.47	1.34
2	B	1	PCA	CD-N	4.78	1.48	1.34

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1	PCA	CB-CA-C	-6.20	104.17	112.70
2	B	1	PCA	CA-N-CD	-3.56	101.38	113.58
2	H	1	PCA	CA-N-CD	-3.06	103.12	113.58
2	B	1	PCA	O-C-CA	-2.73	118.72	125.09
2	B	1	PCA	OE-CD-CG	-2.68	122.00	126.83
2	H	1	PCA	O-C-CA	-2.52	119.22	125.09
2	H	1	PCA	OE-CD-CG	-2.05	123.14	126.83
2	H	1	PCA	CB-CA-N	2.47	110.40	103.30
2	H	1	PCA	CG-CD-N	2.54	115.31	108.35

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	TES	B	226	-	24,24,24	0.72	0	39,39,39	1.27	5 (12%)
3	TES	H	226	-	24,24,24	0.73	0	39,39,39	1.19	5 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TES	B	226	-	-	0/0/58/58	0/4/4/4
3	TES	H	226	-	-	0/0/58/58	0/4/4/4

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	226	TES	C16-C17-C13	-3.10	101.99	104.53
3	B	226	TES	C6-C5-C4	-2.90	116.08	120.87
3	H	226	TES	C11-C12-C13	-2.80	107.94	112.79
3	B	226	TES	C16-C17-C13	-2.63	102.37	104.53
3	H	226	TES	C6-C5-C4	-2.35	116.99	120.87
3	B	226	TES	C15-C16-C17	2.05	107.79	105.80
3	H	226	TES	C6-C5-C10	2.13	120.70	116.77
3	B	226	TES	C6-C5-C10	2.41	121.21	116.77
3	H	226	TES	C1-C10-C5	2.49	113.42	108.76
3	B	226	TES	C14-C13-C17	2.69	102.03	99.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	226	TES	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	216/218 (99%)	-0.28	0 <b>100</b> <b>100</b>	12, 18, 27, 50	0
1	L	216/218 (99%)	-0.30	1 (0%) <b>90</b> <b>93</b>	12, 18, 26, 45	0
2	B	222/225 (98%)	-0.06	4 (1%) <b>68</b> <b>73</b>	13, 20, 28, 42	0
2	H	222/225 (98%)	-0.11	5 (2%) <b>60</b> <b>66</b>	13, 19, 29, 38	0
All	All	876/886 (98%)	-0.19	10 (1%) <b>80</b> <b>84</b>	12, 19, 27, 50	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	139	SER	5.5
2	B	142	GLY	3.5
2	H	141	SER	3.0
2	B	140	THR	2.8
2	B	139	SER	2.6
2	H	137	SER	2.3
2	H	138	LYS	2.3
2	B	80	TYR	2.3
1	L	218	CYS	2.2
2	H	140	THR	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	PCA	B	1	8/9	0.84	0.14	32,37,40,40	0
2	PCA	H	1	8/9	0.91	0.10	29,32,34,36	0

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	TES	H	226	21/21	0.95	0.07	15,17,19,20	0
3	TES	B	226	21/21	0.96	0.07	15,16,19,20	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.