

#### Full wwPDB X-ray Structure Validation Report (i)

#### Aug 13, 2024 – 06:08 PM JST

PDB ID : 8KGB

Title: SINDPS1-AtcPT4 Chimera complexed with GSPP, Mg2+, and IPP

Authors: Suenaga-Hiromori, M.; Ishii, T.; Imaizumi, R.; Takeshita, K.; Yanai, T.; Mat-

suura, H.; Sakai, N.; Yamaguchi, H.; Yanbe, F.; Waki, T.; Tozawa, Y.; Miyagi-Inoue, Y.; Yamamoto, M.; Kataoka, K.; Nakayama, T.; Yamashita, S.; Taka-

hashi, S.

Deposited on : 2023-08-18

Resolution : 2.32 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

 $Mol Probity \quad : \quad 4.02b\text{--}467$ 

Mogul : 1.8.5 (274361), CSD as541be (2020)

 $Xtriage\ (Phenix) \quad : \quad 1.13$ 

EDS : 2.37.1buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4: 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

Validation Pipeline (wwPDB-VP) : 2.37.1




#### 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$ 

The reported resolution of this entry is 2.32 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Metric	$(\# \mathrm{Entries})$	$(\#  ext{Entries},  ext{ resolution range}( ext{Å}))$
$R_{free}$	130704	5974 (2.34-2.30)
Clashscore	141614	6604 (2.34-2.30)
Ramachandran outliers	138981	6523 (2.34-2.30)
Sidechain outliers	138945	6523 (2.34-2.30)
RSRZ outliers	127900	5855 (2.34-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	A	265	81%	11% 8%
1	В	265	80%	10% • 8%
1	С	265	82%	9% • 8%
1	D	265	75%	12% • 9%



#### 2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 8200 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Dimethylallylcistransferase CPT1, chloroplastic, Dehydrodolic hyl diphosphate synthase 2.


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	٨	244	Total	С	N	О	S	0	2	0
1	A	244	1992	1272	341	368	11	U	2	U
1	В	244	Total	С	N	О	S	0	0	0
1	Б	244	1971	1258	336	366	11	U	U	U
1	C	245	Total	С	N	О	S	0	0	0
1		240	1973	1262	336	364	11	U	U	U
1	D	240	Total	С	N	О	S	0	0	0
1	Ъ	240	1937	1236	331	359	11	0	U	U

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	43	GLY	-	expression tag	UNP C1K5M2
A	44	ALA	-	expression tag	UNP C1K5M2
В	43	GLY	-	expression tag	UNP C1K5M2
В	44	ALA	-	expression tag	UNP C1K5M2
С	43	GLY	-	expression tag	UNP C1K5M2
С	44	ALA	-	expression tag	UNP C1K5M2
D	43	GLY	-	expression tag	UNP C1K5M2
D	44	ALA	-	expression tag	UNP C1K5M2


• Molecule 2 is GERANYL S-THIOLODIPHOSPHATE (three-letter code: GST) (formula:  $C_{10}H_{20}O_6P_2S$ ) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	Λ	1	Total	С	О	Р	S	0	0
2	A	1	19	10	6	2	1	U	0
2	С	1	Total	С	О	Р	S	0	0
		1	19	10	6	2	1	U	0
2	D	1	Total	С	О	Р	S	0	0
	ע	1	19	10	6	2	1	U	0

• Molecule 3 is 3-METHYLBUT-3-ENYL TRIHYDROGEN DIPHOSPHATE (three-letter code: IPE) (formula:  $C_5H_{12}O_7P_2$ ) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O P 14 5 7 2	0	0
3	В	1	Total C O P 14 5 7 2	0	0
3	В	1	Total C O P 14 5 7 2	0	0
3	С	1	Total C O P 14 5 7 2	0	0
3	D	1	Total C O P 14 5 7 2	0	0

• Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0
4	В	1	Total Mg 1 1	0	0
4	С	1	Total Mg 1 1	0	0
4	D	1	Total Mg 1 1	0	0

• Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	62	Total O 62 62	0	0
5	В	43	Total O 43 43	0	0
5	С	52	Total O 52 52	0	0
5	D	39	Total O 39 39	0	0




#### 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Dimethylallylcistransferase CPT1, chloroplastic,Dehydrodolichyl diphosphate synthase 2



 $\bullet$  Molecule 1: Dimethylallyl<br/>cistransferase CPT1, chloroplastic, Dehydrodolichyl diphosphate synthase<br/> 2




• Molecule 1: Dimethylallylcistransferase CPT1, chloroplastic,Dehydrodolichyl diphosphate synthase 2



 $\bullet$  Molecule 1: Dimethylallyl<br/>cistransferase CPT1, chloroplastic, Dehydrodolichyl diphosphate synthase<br/> 2







#### 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	59.54Å 126.71Å 72.69Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.25^{\circ}$ $90.00^{\circ}$	Depositor
Resolution (Å)	47.81 - 2.32	Depositor
Resolution (A)	47.76 - 2.32	EDS
% Data completeness	99.9 (47.81-2.32)	Depositor
(in resolution range)	98.7 (47.76-2.32)	EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.37 (at 2.32Å)	Xtriage
Refinement program	REFMAC 5.8.0258, PHENIX 1.19.2	Depositor
D.D.	0.188 , 0.235	Depositor
$R, R_{free}$	0.192 , $0.240$	DCC
$R_{free}$ test set	2334 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	50.0	Xtriage
Anisotropy	0.023	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.31, 36.0	EDS
L-test for twinning <sup>2</sup>	$< L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	0.196 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	8200	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.92% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $<L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

#### 5 Model quality (i)

#### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: GST, IPE, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
IVIOI		RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	A	0.62	0/2027	0.69	0/2723	
1	В	0.65	0/2007	0.69	0/2700	
1	С	0.65	0/2009	0.69	0/2703	
1	D	0.65	0/1971	0.70	0/2649	
All	All	0.64	0/8014	0.69	0/10775	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	$\mathbf{H}(\mathbf{added})$	Clashes	Symm-Clashes
1	A	1992	0	2005	10	0
1	В	1971	0	1980	13	0
1	С	1973	0	1985	15	0
1	D	1937	0	1945	36	0
2	A	19	0	17	0	0
2	С	19	0	17	3	0
2	D	19	0	17	1	0
3	A	14	0	9	1	0
3	В	28	0	18	2	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	$\mathbf{H}(\mathbf{added})$	Clashes	Symm-Clashes
3	С	14	0	9	1	0
3	D	14	0	9	2	0
4	A	1	0	0	0	0
4	В	1	0	0	0	0
4	С	1	0	0	0	0
4	D	1	0	0	0	0
5	A	62	0	0	0	0
5	В	43	0	0	2	0
5	С	52	0	0	2	0
5	D	39	0	0	2	0
All	All	8200	0	8011	75	0

The all-atom clash score is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clash score for this structure is 5.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} \text{Interatomic} \\ \text{distance } (\text{\AA}) \end{array}$	Clash overlap (Å)
1:D:63:LEU:HD23	1:D:234:LYS:CD	1.35	1.53
1:D:63:LEU:CD2	1:D:234:LYS:HD2	1.53	1.38
1:D:63:LEU:HD23	1:D:234:LYS:HD3	1.33	1.06
1:D:63:LEU:HD23	1:D:234:LYS:HD2	0.94	0.93
1:D:63:LEU:HB2	1:D:234:LYS:HE3	1.53	0.91
1:D:63:LEU:CD2	1:D:234:LYS:CD	2.25	0.89
1:D:63:LEU:HD22	1:D:234:LYS:HD2	1.57	0.86
1:D:63:LEU:HD21	1:D:235:ASN:HA	1.56	0.84
1:D:63:LEU:HB2	1:D:234:LYS:CE	2.10	0.82
1:D:63:LEU:HB3	1:D:234:LYS:HZ1	1.46	0.79
1:D:132:THR:HG21	5:D:533:HOH:O	1.85	0.76
1:D:63:LEU:CB	1:D:234:LYS:NZ	2.51	0.73
1:D:121:GLY:HA3	5:D:528:HOH:O	1.87	0.72
1:D:63:LEU:HB3	1:D:234:LYS:NZ	2.06	0.71
1:D:63:LEU:HD13	1:D:235:ASN:OD1	1.90	0.71
1:B:107:ILE:HG12	1:B:152:SER:HB3	1.74	0.69
1:B:301:ARG:NH1	5:B:501:HOH:O	2.27	0.67
1:D:63:LEU:CD1	1:D:235:ASN:OD1	2.43	0.67
1:D:128:PHE:CD2	3:D:402:IPE:H21	2.30	0.66
1:D:63:LEU:CB	1:D:234:LYS:CE	2.75	0.65
1:D:63:LEU:HD23	1:D:234:LYS:CE	2.25	0.65
1:D:116:ILE:O	1:D:120:LEU:HD22	1.99	0.62
1:C:145:LEU:HD23	2:C:402:GST:H92	1.82	0.61



 $Continued\ from\ previous\ page...$ 

Continued from previo		Interatomic	Clash	
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	overlap (Å)	
1:C:83:LEU:HD22	1:C:85:MET:HG2	1.84	0.59	
1:C:61:GLU:HA	5:C:501:HOH:O	2.03	0.58	
1:C:128:PHE:CD2	3:C:401:IPE:H21	2.42	0.55	
1:D:63:LEU:CG	1:D:234:LYS:HZ2	2.20	0.55	
1:D:63:LEU:HG	1:D:234:LYS:HZ2	1.73	0.54	
1:C:58:LEU:O	1:C:58:LEU:HD12	2.08	0.54	
1:C:145:LEU:HB3	2:C:402:GST:H83	1.90	0.53	
1:B:300:ARG:HD2	5:B:521:HOH:O	2.09	0.52	
1:D:76:LEU:O	1:D:296:GLN:HG2	2.10	0.52	
1:B:107:ILE:HD12	1:B:157:PHE:CE2	2.46	0.50	
1:B:264:LEU:HB3	1:B:267:GLN:HB2	1.93	0.50	
1:B:223:MET:HE2	1:B:223:MET:HA	1.93	0.50	
1:D:98:GLU:HB3	1:D:101:GLU:HG2	1.95	0.49	
1:A:130:PHE:HB3	1:A:203:LEU:HD12	1.94	0.49	
1:D:107:ILE:HG12	1:D:152:SER:HB3	1.93	0.49	
1:C:264:LEU:HB3	1:C:267:GLN:HB2	1.94	0.48	
1:B:128:PHE:CD2	3:B:402:IPE:H21	2.48	0.48	
1:B:64:CYS:HB2	1:B:246:PRO:HA	1.96	0.47	
1:D:97:LEU:HB3	1:D:101:GLU:HG3	1.96	0.47	
1:A:78:PRO:HG3	1:A:295:PHE:CD2	2.51	0.46	
1:D:132:THR:HG23	1:D:133:GLU:OE2	2.16	0.45	
1:C:244:LYS:HB3	5:C:546:HOH:O	2.15	0.45	
1:C:169:ILE:CD1	1:C:201:ILE:HB	2.46	0.44	
1:A:169:ILE:CD1	1:A:201:ILE:HB	2.47	0.44	
1:B:130:PHE:HB3	1:B:203:LEU:HD12	1.99	0.44	
1:A:111:LYS:HE2	1:A:159:ASN:HB3	2.00	0.44	
1:D:63:LEU:CB	1:D:234:LYS:HE3	2.35	0.44	
1:C:98:GLU:HB3	1:C:101:GLU:HG2	2.00	0.43	
1:D:63:LEU:CG	1:D:234:LYS:NZ	2.81	0.43	
1:A:264:LEU:HB3	1:A:267:GLN:HB2	2.01	0.43	
1:D:254:THR:HA	1:D:276:THR:HG23	2.01	0.43	
1:A:76:LEU:O	1:A:296:GLN:HG2	2.19	0.43	
1:B:109:LYS:HD3	1:B:283:PHE:O	2.19	0.43	
1:D:145:LEU:CB	2:D:403:GST:H83	2.48	0.43	
3:A:402:IPE:H11	3:A:402:IPE:H41	1.79	0.42	
1:B:195:LYS:HD3	1:B:195:LYS:HA	1.84	0.42	
1:C:130:PHE:CD1	2:C:402:GST:H82	2.55	0.42	
1:D:264:LEU:HB3	1:D:267:GLN:HB2	2.02	0.42	
1:A:81:ILE:O	1:A:125:ILE:HA	2.18	0.42	
1:C:169:ILE:HD13	1:C:201:ILE:HB	2.02	0.42	
1:A:195:LYS:HD3	1:A:195:LYS:HA	1.78	0.42	



Continued from previous page...

Atom-1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	${f distance} ({f A})$	overlap (Å)
1:D:128:PHE:CE2	3:D:402:IPE:H21	2.54	0.42
1:B:169:ILE:HG13	1:B:184:ILE:HG23	2.02	0.41
1:C:305:HIS:CE1	1:D:89:ARG:HD3	2.55	0.41
1:C:116:ILE:HD13	1:C:285:GLU:HA	2.02	0.41
1:A:166[A]:ARG:HD2	1:A:198:HIS:CD2	2.56	0.41
3:B:402:IPE:H53	3:B:403:IPE:H22	2.02	0.41
1:D:63:LEU:HD21	1:D:235:ASN:CA	2.41	0.41
1:A:145:LEU:HD12	1:A:148:LEU:HD23	2.01	0.41
1:D:95:LYS:O	1:D:97:LEU:HD13	2.22	0.40
1:B:61:GLU:HB2	1:B:62:LYS:H	1.71	0.40
1:C:164:ASN:O	1:C:194:ASN:HB3	2.21	0.40

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Analysed Favoured Allowed		Outliers	Perce	entiles
1	A	240/265 (91%)	237 (99%)	2 (1%)	1 (0%)	34	41
1	В	240/265~(91%)	230 (96%)	8 (3%)	2 (1%)	19	23
1	C	241/265~(91%)	235 (98%)	4 (2%)	2 (1%)	19	23
1	D	234/265~(88%)	230 (98%)	3 (1%)	1 (0%)	34	41
All	All	955/1060~(90%)	932 (98%)	17 (2%)	6 (1%)	25	30

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	263	PHE
1	A	263	PHE
1	В	263	PHE
1	С	263	PHE



Continued from previous page...

Mol	Chain	Res	Type
1	В	64	CYS
1	С	59	GLN

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric Outliers		Percentiles		
1	A	220/235~(94%)	209~(95%)	11 (5%)	24 34		
1	В	218/235 (93%)	201 (92%)	17 (8%)	12 15		
1	С	217/235 (92%)	205 (94%)	12 (6%)	21 29		
1	D	214/235 (91%)	190 (89%)	24 (11%)	6 6		
All	All	869/940 (92%)	805 (93%)	64 (7%)	13 17		

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	60	THR
1	A	62	LYS
1	A	83	LEU
1	A	115	ASP
1	A	128	PHE
1	A	145	LEU
1	A	160	LEU
1	A	164	ASN
1	A	212	LEU
1	A	223	MET
1	A	260	VAL
1	В	59	GLN
1	В	61	GLU
1	В	83	LEU
1	В	93	LYS
1	В	97	LEU
1	В	107	ILE
1	В	109	LYS
1	В	120	LEU



Continued from previous page...

Continued from previous page								
Mol	Chain	Res	Type					
1	В	128	PHE					
1	В	146	LEU					
1	В	162	LYS					
1	В	164	ASN					
1	В	192	LYS					
1	В	212	LEU					
1	В	223	MET					
1	В	260	VAL					
1	В	305	HIS					
1	С	53	SER					
1	С	59	GLN					
1	С	60	THR					
1	С	83	LEU					
1	B C C C C C C C C D D D	93	LEU LYS					
1	С	128	PHE LEU					
1	С	145	LEU					
1	С	186	LEU					
1	С	212	LEU					
1	С	223	MET					
1	С	260	VAL					
1	С	305	HIS					
1	D	57	ASN					
1	D	63	LEU					
1	D	83	LEU					
1	D	90	ARG					
1	D	93	LYS					
1	D	94	ASP					
1	D	97	LEU					
1	D	98	GLU					
1	D	107	ILE					
1	D	120	LEU					
1	D	128	PHE					
1	D	131	SER					
1	D	132	THR					
1	D	139	LYS					
1	D	145	LEU					
1	D	146	LEU					
1	D	156	GLU					
1	D	162	LYS					
1	D	163	ASN					
1	D	192	LYS					
1	D	212	LEU					



Continued from previous page...

Mol	Chain	Res	Type
1	D	260	VAL
1	D	297	GLN
1	D	305	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 5.6 Ligand geometry (i)

Of 12 ligands modelled in this entry, 4 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Mol Type Chain Res Lin		Link	Bond lengths			Bond angles						
MIOI	Type	Chain	nes	nes	nes	nes	Lilik	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	IPE	В	402	4	11,13,13	0.65	0	15,19,19	0.76	0			
2	GST	A	401	4	14,18,18	0.98	1 (7%)	17,25,25	0.74	0			
3	IPE	D	402	4	11,13,13	0.76	0	15,19,19	0.95	1 (6%)			
3	IPE	A	402	4	11,13,13	0.67	0	15,19,19	0.95	0			
2	GST	D	403	4	14,18,18	0.77	1 (7%)	17,25,25	1.05	1 (5%)			
3	IPE	С	401	4	11,13,13	0.74	0	15,19,19	0.76	0			
2	GST	С	402	4	14,18,18	0.88	1 (7%)	17,25,25	0.70	0			



Mol Type Chain R		Res Link		Bond lengths			Bond angles			
Moi Type Cha	Chain		LIIIK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2	
3	IPE	В	403	4	11,13,13	0.56	0	15,19,19	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	IPE	В	402	4	-	5/13/13/13	-
2	GST	A	401	4	-	0/13/19/19	-
3	IPE	D	402	4	-	1/13/13/13	-
3	IPE	A	402	4	-	2/13/13/13	-
2	GST	D	403	4	-	3/13/19/19	-
3	IPE	С	401	4	-	0/13/13/13	-
2	GST	С	402	4	-	2/13/19/19	-
3	IPE	В	403	4	-	7/13/13/13	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	Observed(A)	$\operatorname{Ideal}( ext{\AA})$
2	A	401	GST	PB-O3B	-2.89	1.49	1.56
2	С	402	GST	PB-O3B	-2.56	1.50	1.56
2	D	403	GST	PB-O3B	-2.09	1.51	1.56

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$\mathbf{Observed}(^o)$	$\mathrm{Ideal}(^{o})$
2	D	403	GST	O3B-PB-O2B	3.48	118.25	109.82
3	D	402	IPE	O2A-PA-O1A	2.02	122.24	112.24

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	В	402	IPE	C1-O1-PA-O2A
3	В	402	IPE	C1-C2-C3-C5
3	В	403	IPE	C2-C1-O1-PA
3	В	403	IPE	O1-C1-C2-C3
3	В	403	IPE	C1-O1-PA-O3A
3	В	403	IPE	C1-C2-C3-C5



Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	D	402	IPE	C1-C2-C3-C5
3	В	402	IPE	O1-C1-C2-C3
3	A	402	IPE	C1-C2-C3-C5
2	D	403	GST	C3-C4-C5-C6
2	D	403	GST	PA-O1B-PB-O3B
3	В	403	IPE	C1-O1-PA-O2A
2	С	402	GST	PA-O1B-PB-O2B
3	В	403	IPE	PB-O3A-PA-O1A
3	В	403	IPE	PB-O3A-PA-O2A
2	С	402	GST	C3-C4-C5-C6
3	В	402	IPE	C1-O1-PA-O3A
2	D	403	GST	PA-O1B-PB-O2B
3	A	402	IPE	C1-O1-PA-O1A
3	В	402	IPE	C1-O1-PA-O1A


There are no ring outliers.

7 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	В	402	IPE	2	0
3	D	402	IPE	2	0
3	A	402	IPE	1	0
2	D	403	GST	1	0
3	С	401	IPE	1	0
2	С	402	GST	3	0
3	В	403	IPE	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
























#### 5.7 Other polymers (i)

There are no such residues in this entry.

#### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



#### 6 Fit of model and data (i)

#### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle { m RSRZ} \rangle$	#RSRZ>2		$\mathbf{OWAB}(\mathbf{\mathring{A}}^2)$	Q < 0.9
1	A	244/265~(92%)	-0.39	2 (0%) 86	89	30, 50, 88, 129	0
1	В	$244/265 \ (92\%)$	-0.32	3 (1%) 79	83	31, 55, 94, 140	0
1	С	245/265~(92%)	-0.42	2 (0%) 86	89	31, 50, 88, 131	0
1	D	240/265~(90%)	-0.23	7 (2%) 51	59	33, 57, 97, 117	0
All	All	973/1060 (91%)	-0.34	14 (1%) 75	80	30, 53, 93, 140	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	60	THR	4.2
1	D	63	LEU	4.2
1	В	63	LEU	3.8
1	A	60	THR	3.4
1	D	149	PHE	3.4
1	С	61	GLU	2.6
1	С	60	THR	2.6
1	A	61	GLU	2.5
1	D	159	ASN	2.4
1	D	93	LYS	2.4
1	В	160	LEU	2.3
1	D	157	PHE	2.3
1	D	115	ASP	2.2
1	D	60	THR	2.1

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



#### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}(\mathring{\mathbf{A}}^2)$	Q < 0.9
4	MG	В	401	1/1	0.94	0.04	49,49,49,49	0
4	MG	С	403	1/1	0.95	0.07	41,41,41,41	0
4	MG	D	401	1/1	0.97	0.08	42,42,42,42	0
3	IPE	В	402	14/14	0.98	0.11	37,43,51,56	0
3	IPE	С	401	14/14	0.98	0.11	36,43,46,49	0
4	MG	A	403	1/1	0.98	0.04	45,45,45,45	0
2	GST	A	401	19/19	0.98	0.12	37,48,75,75	0
2	GST	С	402	19/19	0.98	0.15	37,52,84,86	0
2	GST	D	403	19/19	0.98	0.15	44,58,103,107	0
3	IPE	A	402	14/14	0.99	0.10	38,42,49,51	0
3	IPE	D	402	14/14	0.99	0.10	38,45,52,53	0
3	IPE	В	403	14/14	0.99	0.10	42,48,65,66	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## Electron density around MG B 401: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)




## Electron density around MG C 403: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)




#### Electron density around MG D 401:

 $2 {
m mF}_o {
m -DF}_c$  (at 0.7 rmsd) in gray  ${
m mF}_o {
m -DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)












#### Electron density around IPE B 402:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around IPE C 401:


 $2 \text{mF}_o\text{-DF}_c$  (at 0.7 rmsd) in gray  $\text{mF}_o\text{-DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)
















### Electron density around GST A 401: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c \ (\mathrm{at}\ 0.7\ \mathrm{rmsd}) \ \mathrm{in}\ \mathrm{gray}$

 ${
m mF}_o{
m -DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around GST C 402:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$  (at 0.7 rmsd) in gray  ${\rm mF}_o\text{-}{\rm DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)












#### Electron density around GST D 403:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around IPE A 402:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)












# Electron density around IPE D 402: 2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive)

#### Electron density around IPE B 403:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$  (at 0.7 rmsd) in gray  ${\rm mF}_o\text{-}{\rm DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)









#### 6.5 Other polymers (i)

There are no such residues in this entry.

