



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 27, 2023 – 06:20 PM JST

PDB ID : 8KHQ
Title : Bifunctional sulfoxide synthase OvoA_Th2 in complex with histidine and cysteine
Authors : Wang, J.; Ye, K.; Wang, X.Y.; Yan, W.P.
Deposited on : 2023-08-22
Resolution : 2.69 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.69 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	728	 2% 88% 8% .
1	B	728	 3% 87% 9% .
1	C	728	 2% 87% 9% .
1	D	728	 6% 85% 11% .

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 23253 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5-histidylcysteine sulfoxide synthase/putative 4-mercaptohistidine N1-methyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	700	5784	3742	967	1056	19	0	0	0
1	B	698	5763	3728	967	1050	18	0	0	0
1	C	699	5776	3735	970	1053	18	0	0	0
1	D	697	5693	3678	958	1038	19	0	0	0

There are 116 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP A0A1I5R890
A	2	GLY	-	expression tag	UNP A0A1I5R890
A	3	ASP	-	expression tag	UNP A0A1I5R890
A	4	ARG	-	expression tag	UNP A0A1I5R890
A	5	GLY	-	expression tag	UNP A0A1I5R890
A	6	PRO	-	expression tag	UNP A0A1I5R890
A	7	GLU	-	expression tag	UNP A0A1I5R890
A	8	PHE	-	expression tag	UNP A0A1I5R890
A	708	LEU	-	expression tag	UNP A0A1I5R890
A	709	GLU	-	expression tag	UNP A0A1I5R890
A	710	VAL	-	expression tag	UNP A0A1I5R890
A	711	ASP	-	expression tag	UNP A0A1I5R890
A	712	LEU	-	expression tag	UNP A0A1I5R890
A	713	GLN	-	expression tag	UNP A0A1I5R890
A	714	GLY	-	expression tag	UNP A0A1I5R890
A	715	ASP	-	expression tag	UNP A0A1I5R890
A	716	HIS	-	expression tag	UNP A0A1I5R890
A	717	GLY	-	expression tag	UNP A0A1I5R890
A	718	LEU	-	expression tag	UNP A0A1I5R890
A	719	SER	-	expression tag	UNP A0A1I5R890

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	720	ALA	-	expression tag	UNP A0A1I5R890
A	721	TRP	-	expression tag	UNP A0A1I5R890
A	722	SER	-	expression tag	UNP A0A1I5R890
A	723	HIS	-	expression tag	UNP A0A1I5R890
A	724	PRO	-	expression tag	UNP A0A1I5R890
A	725	GLN	-	expression tag	UNP A0A1I5R890
A	726	PHE	-	expression tag	UNP A0A1I5R890
A	727	GLU	-	expression tag	UNP A0A1I5R890
A	728	LYS	-	expression tag	UNP A0A1I5R890
B	1	MET	-	initiating methionine	UNP A0A1I5R890
B	2	GLY	-	expression tag	UNP A0A1I5R890
B	3	ASP	-	expression tag	UNP A0A1I5R890
B	4	ARG	-	expression tag	UNP A0A1I5R890
B	5	GLY	-	expression tag	UNP A0A1I5R890
B	6	PRO	-	expression tag	UNP A0A1I5R890
B	7	GLU	-	expression tag	UNP A0A1I5R890
B	8	PHE	-	expression tag	UNP A0A1I5R890
B	708	LEU	-	expression tag	UNP A0A1I5R890
B	709	GLU	-	expression tag	UNP A0A1I5R890
B	710	VAL	-	expression tag	UNP A0A1I5R890
B	711	ASP	-	expression tag	UNP A0A1I5R890
B	712	LEU	-	expression tag	UNP A0A1I5R890
B	713	GLN	-	expression tag	UNP A0A1I5R890
B	714	GLY	-	expression tag	UNP A0A1I5R890
B	715	ASP	-	expression tag	UNP A0A1I5R890
B	716	HIS	-	expression tag	UNP A0A1I5R890
B	717	GLY	-	expression tag	UNP A0A1I5R890
B	718	LEU	-	expression tag	UNP A0A1I5R890
B	719	SER	-	expression tag	UNP A0A1I5R890
B	720	ALA	-	expression tag	UNP A0A1I5R890
B	721	TRP	-	expression tag	UNP A0A1I5R890
B	722	SER	-	expression tag	UNP A0A1I5R890
B	723	HIS	-	expression tag	UNP A0A1I5R890
B	724	PRO	-	expression tag	UNP A0A1I5R890
B	725	GLN	-	expression tag	UNP A0A1I5R890
B	726	PHE	-	expression tag	UNP A0A1I5R890
B	727	GLU	-	expression tag	UNP A0A1I5R890
B	728	LYS	-	expression tag	UNP A0A1I5R890
C	1	MET	-	initiating methionine	UNP A0A1I5R890
C	2	GLY	-	expression tag	UNP A0A1I5R890
C	3	ASP	-	expression tag	UNP A0A1I5R890
C	4	ARG	-	expression tag	UNP A0A1I5R890

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	5	GLY	-	expression tag	UNP A0A1I5R890
C	6	PRO	-	expression tag	UNP A0A1I5R890
C	7	GLU	-	expression tag	UNP A0A1I5R890
C	8	PHE	-	expression tag	UNP A0A1I5R890
C	708	LEU	-	expression tag	UNP A0A1I5R890
C	709	GLU	-	expression tag	UNP A0A1I5R890
C	710	VAL	-	expression tag	UNP A0A1I5R890
C	711	ASP	-	expression tag	UNP A0A1I5R890
C	712	LEU	-	expression tag	UNP A0A1I5R890
C	713	GLN	-	expression tag	UNP A0A1I5R890
C	714	GLY	-	expression tag	UNP A0A1I5R890
C	715	ASP	-	expression tag	UNP A0A1I5R890
C	716	HIS	-	expression tag	UNP A0A1I5R890
C	717	GLY	-	expression tag	UNP A0A1I5R890
C	718	LEU	-	expression tag	UNP A0A1I5R890
C	719	SER	-	expression tag	UNP A0A1I5R890
C	720	ALA	-	expression tag	UNP A0A1I5R890
C	721	TRP	-	expression tag	UNP A0A1I5R890
C	722	SER	-	expression tag	UNP A0A1I5R890
C	723	HIS	-	expression tag	UNP A0A1I5R890
C	724	PRO	-	expression tag	UNP A0A1I5R890
C	725	GLN	-	expression tag	UNP A0A1I5R890
C	726	PHE	-	expression tag	UNP A0A1I5R890
C	727	GLU	-	expression tag	UNP A0A1I5R890
C	728	LYS	-	expression tag	UNP A0A1I5R890
D	1	MET	-	initiating methionine	UNP A0A1I5R890
D	2	GLY	-	expression tag	UNP A0A1I5R890
D	3	ASP	-	expression tag	UNP A0A1I5R890
D	4	ARG	-	expression tag	UNP A0A1I5R890
D	5	GLY	-	expression tag	UNP A0A1I5R890
D	6	PRO	-	expression tag	UNP A0A1I5R890
D	7	GLU	-	expression tag	UNP A0A1I5R890
D	8	PHE	-	expression tag	UNP A0A1I5R890
D	708	LEU	-	expression tag	UNP A0A1I5R890
D	709	GLU	-	expression tag	UNP A0A1I5R890
D	710	VAL	-	expression tag	UNP A0A1I5R890
D	711	ASP	-	expression tag	UNP A0A1I5R890
D	712	LEU	-	expression tag	UNP A0A1I5R890
D	713	GLN	-	expression tag	UNP A0A1I5R890
D	714	GLY	-	expression tag	UNP A0A1I5R890
D	715	ASP	-	expression tag	UNP A0A1I5R890
D	716	HIS	-	expression tag	UNP A0A1I5R890

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	717	GLY	-	expression tag	UNP A0A1I5R890
D	718	LEU	-	expression tag	UNP A0A1I5R890
D	719	SER	-	expression tag	UNP A0A1I5R890
D	720	ALA	-	expression tag	UNP A0A1I5R890
D	721	TRP	-	expression tag	UNP A0A1I5R890
D	722	SER	-	expression tag	UNP A0A1I5R890
D	723	HIS	-	expression tag	UNP A0A1I5R890
D	724	PRO	-	expression tag	UNP A0A1I5R890
D	725	GLN	-	expression tag	UNP A0A1I5R890
D	726	PHE	-	expression tag	UNP A0A1I5R890
D	727	GLU	-	expression tag	UNP A0A1I5R890
D	728	LYS	-	expression tag	UNP A0A1I5R890

- Molecule 2 is COBALT (II) ION (three-letter code: CO) (formula: Co) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Co 1 1	0	0
2	B	1	Total Co 1 1	0	0
2	C	1	Total Co 1 1	0	0
2	D	1	Total Co 1 1	0	0

- Molecule 3 is HISTIDINE (three-letter code: HIS) (formula: C₆H₁₀N₃O₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	11	6	3	2	0	0
3	B	1	11	6	3	2	0	0
3	C	1	11	6	3	2	0	0
3	D	1	11	6	3	2	0	0

- Molecule 4 is CYSTEINE (three-letter code: CYS) (formula: $C_3H_7NO_2S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
4	A	1	Total	C	N	O	S	0	0
			7	3	1	2	1		
4	B	1	Total	C	N	O	S	0	0
			7	3	1	2	1		
4	C	1	Total	C	N	O	S	0	0
			7	3	1	2	1		
4	D	1	Total	C	N	O	S	0	0
			7	3	1	2	1		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
5	B	1	Total	C	O	0	0
			7	4	3		
5	C	1	Total	C	O	0	0
			7	4	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	49	Total	O	0	0
			49	49		
6	B	40	Total	O	0	0
			40	40		
6	C	44	Total	O	0	0
			44	44		
6	D	14	Total	O	0	0
			14	14		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5-histidylcysteine sulfoxide synthase/putative 4-mercaptohistidine N1-methyltransferase




- Molecule 1: 5-histidylcysteine sulfoxide synthase/putative 4-mercaptohistidine N1-methyltransferase





- Molecule 1: 5-histidylcysteine sulfoxide synthase/putative 4-mercaptohistidine N1-methyltransferase





● Molecule 1: 5-histidylcysteine sulfoxide synthase/putative 4-mercaptohistidine N1-methyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	72.26Å 119.11Å 412.43Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.70 – 2.69 39.58 – 2.69	Depositor EDS
% Data completeness (in resolution range)	99.6 (38.70-2.69) 99.8 (39.58-2.69)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.07 (at 2.69Å)	Xtrriage
Refinement program	PHENIX (1.18.2_3874: ???)	Depositor
R, R_{free}	0.201 , 0.243 0.201 , 0.242	Depositor DCC
R_{free} test set	4983 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	58.1	Xtrriage
Anisotropy	0.313	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 29.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	23253	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, CO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/5953	0.42	0/8066
1	B	0.25	0/5932	0.42	0/8039
1	C	0.25	0/5945	0.42	0/8054
1	D	0.24	0/5858	0.41	0/7943
All	All	0.25	0/23688	0.41	0/32102

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5784	0	5616	32	0
1	B	5763	0	5591	35	0
1	C	5776	0	5609	37	0
1	D	5693	0	5488	43	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	11	0	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	11	0	6	0	0
3	C	11	0	6	0	0
3	D	11	0	6	0	0
4	A	7	0	3	0	0
4	B	7	0	3	0	0
4	C	7	0	3	0	0
4	D	7	0	3	0	0
5	B	7	0	10	0	0
5	C	7	0	10	0	0
6	A	49	0	0	0	0
6	B	40	0	0	0	0
6	C	44	0	0	0	0
6	D	14	0	0	0	0
All	All	23253	0	22360	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:549:ARG:HG2	1:B:580:VAL:HG13	1.69	0.73
1:A:108:ASP:HB3	1:B:624:LYS:HD3	1.77	0.67
1:C:105:MET:O	1:C:444:HIS:NE2	2.23	0.67
1:A:240:SER:O	1:A:452:ARG:NH1	2.29	0.66
1:C:549:ARG:HG2	1:C:580:VAL:HG13	1.79	0.64
1:C:309:VAL:HB	1:C:313:GLU:HB2	1.81	0.61
1:A:523:LEU:HD23	1:A:583:VAL:HG21	1.83	0.61
1:C:594:LYS:O	1:C:625:ARG:NH2	2.35	0.59
1:C:502:VAL:HG11	1:C:703:ILE:HD13	1.85	0.58
1:A:502:VAL:HG11	1:A:703:ILE:HD13	1.84	0.58
1:A:309:VAL:HB	1:A:313:GLU:HB2	1.86	0.58
1:C:484:ARG:HD2	1:C:489:GLU:HA	1.86	0.57
1:C:523:LEU:HD23	1:C:583:VAL:HG21	1.87	0.57
1:D:210:ILE:HD11	1:D:339:ARG:HB2	1.88	0.56
1:A:418:HIS:CE1	1:A:442:ARG:HE	2.25	0.55
1:D:502:VAL:HG21	1:D:703:ILE:HD13	1.89	0.54
1:A:61:LEU:HD22	1:A:105:MET:HB2	1.88	0.54
1:B:573:PRO:HD2	1:B:576:LEU:HD12	1.89	0.54
1:C:63:HIS:NE2	1:C:112:ASP:HB3	2.22	0.54
1:A:671:LEU:HB3	1:A:675:PHE:HB2	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:309:VAL:HB	1:B:313:GLU:HB2	1.89	0.53
1:D:502:VAL:HG11	1:D:703:ILE:HG21	1.90	0.52
1:A:331:LEU:HB2	1:A:391:GLU:HG3	1.91	0.52
1:C:597:PHE:O	1:C:625:ARG:HD3	2.09	0.52
1:B:416:ASN:O	1:B:443:ARG:NH2	2.39	0.52
1:D:358:ALA:HB2	1:D:376:PHE:HZ	1.74	0.51
1:D:332:PRO:HB3	1:D:454:VAL:HG21	1.91	0.51
1:B:164:ARG:HD3	1:B:430:GLY:HA3	1.92	0.51
1:C:240:SER:O	1:C:452:ARG:NH1	2.43	0.50
1:D:14:ARG:HH12	1:D:352:TRP:HB2	1.76	0.50
1:B:527:THR:HA	1:B:579:VAL:HG11	1.94	0.50
1:A:491:TYR:CD1	1:A:685:PHE:HB3	2.46	0.50
1:C:491:TYR:CD1	1:C:685:PHE:HB3	2.47	0.50
1:D:81:ILE:HG13	1:D:89:ARG:HD3	1.93	0.50
1:A:164:ARG:HD3	1:A:430:GLY:HA3	1.93	0.50
1:C:190:LYS:HE2	1:C:299:VAL:HG11	1.94	0.50
1:D:542:ILE:HG23	1:D:585:PHE:HB3	1.92	0.50
1:A:500:ILE:O	1:A:508:ARG:NH2	2.44	0.50
1:D:481:TRP:HH2	1:D:523:LEU:HD12	1.77	0.49
1:B:417:ARG:CZ	1:B:442:ARG:HH22	2.25	0.49
1:D:498:ILE:O	1:D:502:VAL:HG23	2.12	0.49
1:C:185:GLN:HB3	1:C:187:GLU:OE2	2.13	0.49
1:B:491:TYR:CD1	1:B:685:PHE:HB3	2.47	0.48
1:B:79:LYS:HD2	1:B:405:ILE:HG22	1.96	0.48
1:B:523:LEU:HD23	1:B:583:VAL:HG21	1.95	0.48
1:C:598:THR:HA	1:C:625:ARG:HB3	1.94	0.48
1:D:526:ALA:O	1:D:582:ARG:NH2	2.34	0.48
1:B:341:LYS:HG3	1:B:346:VAL:HB	1.95	0.48
1:B:671:LEU:HB3	1:B:675:PHE:HB2	1.94	0.48
1:C:17:LEU:O	1:C:20:GLN:NE2	2.37	0.48
1:D:330:ARG:NH2	1:D:458:TYR:O	2.46	0.48
1:A:597:PHE:O	1:A:625:ARG:HD3	2.14	0.47
1:A:210:ILE:HD11	1:A:339:ARG:HB2	1.95	0.47
1:B:190:LYS:HE2	1:B:299:VAL:HG11	1.96	0.47
1:C:491:TYR:HB3	1:C:492:PRO:HD3	1.95	0.47
1:D:343:TYR:HE2	1:D:379:PHE:HE1	1.62	0.47
1:D:500:ILE:O	1:D:508:ARG:NH2	2.47	0.47
1:D:68:TYR:HA	1:D:71:HIS:HB3	1.96	0.47
1:A:341:LYS:HG3	1:A:346:VAL:HB	1.96	0.47
1:B:74:VAL:HG21	1:B:98:PHE:HB2	1.96	0.47
1:C:349:VAL:HG21	1:C:433:ILE:HG13	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:358:ALA:HB2	1:A:376:PHE:HZ	1.80	0.47
1:B:68:TYR:HA	1:B:71:HIS:HB3	1.97	0.46
1:B:467:TYR:CD2	1:B:555:ARG:HB3	2.51	0.46
1:D:59:GLU:HG3	1:D:61:LEU:H	1.80	0.46
1:B:311:TYR:HB3	1:B:443:ARG:HB3	1.98	0.46
1:A:617:LYS:NZ	1:A:621:ASP:OD2	2.48	0.46
1:C:557:THR:HB	1:C:565:VAL:HB	1.98	0.46
1:D:220:TYR:OH	1:D:350:SER:HB3	2.16	0.46
1:D:245:SER:HA	1:D:306:PRO:HA	1.97	0.46
1:B:684:GLU:HG2	1:B:698:VAL:HG22	1.97	0.46
1:D:512:LEU:HB3	1:D:603:VAL:HG22	1.97	0.46
1:A:540:ARG:NH1	1:A:543:GLU:OE2	2.48	0.45
1:B:331:LEU:HB2	1:B:391:GLU:HG3	1.98	0.45
1:D:594:LYS:O	1:D:625:ARG:NH1	2.48	0.45
1:A:572:LEU:HD12	1:A:573:PRO:HD2	1.98	0.45
1:B:31:LYS:HE3	1:B:135:ASP:OD1	2.17	0.45
1:B:557:THR:HB	1:B:565:VAL:HB	1.99	0.45
1:C:626:ILE:HD12	1:C:675:PHE:HZ	1.81	0.45
1:C:331:LEU:HB2	1:C:391:GLU:HG3	1.98	0.45
1:B:502:VAL:HG11	1:B:703:ILE:HD13	1.99	0.45
1:A:79:LYS:HD2	1:A:405:ILE:HG22	1.98	0.44
1:A:105:MET:HG2	1:A:105:MET:O	2.17	0.44
1:B:594:LYS:O	1:B:625:ARG:NH1	2.46	0.44
1:C:74:VAL:HG21	1:C:98:PHE:HB2	1.99	0.44
1:B:491:TYR:HB3	1:B:492:PRO:HD3	1.98	0.44
1:C:31:LYS:NZ	1:C:135:ASP:OD1	2.51	0.44
1:C:355:LYS:HD2	1:C:355:LYS:HA	1.77	0.44
1:D:104:GLU:HA	1:D:442:ARG:NH1	2.32	0.44
1:B:55:TYR:OH	1:B:119:SER:HA	2.18	0.44
1:C:381:ASP:O	1:C:388:GLN:NE2	2.51	0.44
1:D:491:TYR:CD1	1:D:685:PHE:HB3	2.52	0.44
1:A:598:THR:HA	1:A:625:ARG:HB3	1.98	0.44
1:C:164:ARG:HD3	1:C:430:GLY:HA3	1.99	0.43
1:D:393:PRO:HA	1:D:419:ASN:HA	2.00	0.43
1:A:467:TYR:CD2	1:A:555:ARG:HB3	2.52	0.43
1:C:684:GLU:HG2	1:C:698:VAL:HG22	2.00	0.43
1:B:275:LYS:HE2	1:B:275:LYS:HB3	1.86	0.43
1:C:523:LEU:HD13	1:C:572:LEU:HD11	2.01	0.43
1:B:499:CYS:HB3	1:B:602:LEU:HD21	2.00	0.43
1:C:280:PRO:HD2	1:C:283:TRP:CE3	2.54	0.43
1:D:647:LYS:HE3	1:D:647:LYS:HB2	1.88	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:464:SER:O	1:C:555:ARG:NH2	2.49	0.43
1:A:594:LYS:O	1:A:625:ARG:NH1	2.51	0.42
1:B:341:LYS:HE2	1:B:435:ALA:HB1	2.01	0.42
1:A:684:GLU:HG2	1:A:698:VAL:HG22	2.00	0.42
1:D:203:LEU:HB2	1:D:379:PHE:CZ	2.55	0.42
1:D:56:ASN:O	1:D:58:PRO:HD3	2.19	0.42
1:C:358:ALA:HB2	1:C:376:PHE:HZ	1.84	0.42
1:C:411:THR:OG1	1:C:412:PRO:HD3	2.19	0.42
1:D:361:ASN:HA	1:D:429:THR:HG22	2.01	0.42
1:D:671:LEU:HB3	1:D:675:PHE:HB2	2.00	0.42
1:A:57:ARG:NH1	1:A:62:ARG:O	2.53	0.42
1:B:552:GLY:HA2	1:B:572:LEU:HD12	2.01	0.42
1:D:34:PHE:HB2	1:D:160:ILE:HD11	2.01	0.42
1:D:89:ARG:HD2	1:D:95:GLU:OE1	2.19	0.42
1:C:241:LYS:HE3	1:C:380:TYR:HE1	1.85	0.42
1:C:79:LYS:HD2	1:C:405:ILE:HG22	2.01	0.42
1:D:62:ARG:HD2	1:D:68:TYR:OH	2.20	0.42
1:D:380:TYR:O	1:D:452:ARG:NH1	2.51	0.42
1:D:557:THR:HB	1:D:565:VAL:HB	2.02	0.42
1:A:389:TRP:HA	1:A:421:ILE:HG22	2.02	0.41
1:A:491:TYR:HB3	1:A:492:PRO:HD3	2.01	0.41
1:D:19:LYS:HG3	1:D:219:ASP:OD1	2.20	0.41
1:D:491:TYR:HB3	1:D:492:PRO:HD3	2.01	0.41
1:C:106:SER:HA	1:C:444:HIS:CE1	2.55	0.41
1:D:498:ILE:HD13	1:D:681:ARG:HD2	2.03	0.41
1:D:51:ASP:N	1:D:51:ASP:OD1	2.53	0.41
1:C:430:GLY:O	1:C:433:ILE:HG12	2.20	0.41
1:A:68:TYR:HA	1:A:71:HIS:HB3	2.03	0.41
1:B:560:THR:HA	1:B:691:ALA:HB2	2.02	0.41
1:D:411:THR:OG1	1:D:412:PRO:HD3	2.21	0.41
1:A:74:VAL:HG21	1:A:98:PHE:HB2	2.03	0.41
1:A:542:ILE:HD13	1:A:542:ILE:HA	1.93	0.41
1:C:411:THR:HA	1:C:414:PHE:CD2	2.56	0.41
1:D:166:HIS:HA	1:D:169:THR:OG1	2.21	0.41
1:D:341:LYS:HE3	1:D:435:ALA:HB2	2.02	0.41
1:D:362:LEU:HD11	1:D:427:ILE:HG13	2.02	0.41
1:B:389:TRP:HA	1:B:421:ILE:HG22	2.02	0.41
1:C:163:GLU:O	1:C:167:ILE:HG13	2.21	0.41
1:A:244:VAL:HG21	1:A:451:PHE:CE2	2.56	0.40
1:B:511:ALA:HB2	1:B:529:PHE:CD2	2.56	0.40
1:B:647:LYS:HE3	1:B:647:LYS:HB2	1.85	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:74:VAL:HG21	1:D:98:PHE:HB2	2.04	0.40
1:D:685:PHE:CZ	1:D:697:SER:HB2	2.56	0.40
1:B:89:ARG:HB3	1:B:95:GLU:OE2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	696/728 (96%)	676 (97%)	20 (3%)	0	100	100
1	B	694/728 (95%)	670 (96%)	24 (4%)	0	100	100
1	C	695/728 (96%)	672 (97%)	23 (3%)	0	100	100
1	D	693/728 (95%)	661 (95%)	32 (5%)	0	100	100
All	All	2778/2912 (95%)	2679 (96%)	99 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	623/651 (96%)	619 (99%)	4 (1%)	86	95
1	B	620/651 (95%)	616 (99%)	4 (1%)	86	95

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	622/651 (96%)	617 (99%)	5 (1%)	81	93
1	D	604/651 (93%)	602 (100%)	2 (0%)	92	98
All	All	2469/2604 (95%)	2454 (99%)	15 (1%)	86	95

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	PHE
1	A	406	TYR
1	A	452	ARG
1	A	673	ASP
1	B	38	PHE
1	B	112	ASP
1	B	115	TYR
1	B	406	TYR
1	C	38	PHE
1	C	112	ASP
1	C	115	TYR
1	C	406	TYR
1	C	452	ARG
1	D	179	ILE
1	D	406	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 14 ligands modelled in this entry, 4 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	CYS	C	803	-	5,6,6	1.04	1 (20%)	5,7,7	1.58	2 (40%)
3	HIS	A	802	2	6,11,11	0.98	1 (16%)	7,14,14	1.59	3 (42%)
5	PEG	C	804	-	6,6,6	0.49	0	5,5,5	0.24	0
3	HIS	C	802	2	6,11,11	0.98	1 (16%)	7,14,14	1.53	3 (42%)
4	CYS	A	803	-	5,6,6	1.09	1 (20%)	5,7,7	1.68	2 (40%)
5	PEG	B	804	-	6,6,6	0.49	0	5,5,5	0.23	0
4	CYS	D	803	-	5,6,6	1.03	1 (20%)	5,7,7	1.57	2 (40%)
4	CYS	B	803	-	5,6,6	1.00	1 (20%)	5,7,7	1.68	2 (40%)
3	HIS	D	802	2	6,11,11	0.99	1 (16%)	7,14,14	1.65	3 (42%)
3	HIS	B	802	2	6,11,11	0.95	1 (16%)	7,14,14	1.58	3 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	CYS	C	803	-	-	3/6/6/6	-
3	HIS	A	802	2	-	1/8/8/8	0/1/1/1
5	PEG	C	804	-	-	0/4/4/4	-
3	HIS	C	802	2	-	1/8/8/8	0/1/1/1
4	CYS	A	803	-	-	3/6/6/6	-
5	PEG	B	804	-	-	1/4/4/4	-
4	CYS	D	803	-	-	3/6/6/6	-
4	CYS	B	803	-	-	3/6/6/6	-
3	HIS	D	802	2	-	4/8/8/8	0/1/1/1
3	HIS	B	802	2	-	2/8/8/8	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	802	HIS	OXT-C	-2.16	1.23	1.30
3	A	802	HIS	OXT-C	-2.15	1.23	1.30
3	C	802	HIS	OXT-C	-2.14	1.23	1.30
4	D	803	CYS	OXT-C	-2.14	1.23	1.30
4	C	803	CYS	OXT-C	-2.14	1.23	1.30
4	A	803	CYS	OXT-C	-2.11	1.23	1.30
3	B	802	HIS	OXT-C	-2.08	1.23	1.30
4	B	803	CYS	OXT-C	-2.01	1.24	1.30

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	802	HIS	OXT-C-O	-2.95	117.39	124.09
3	A	802	HIS	OXT-C-O	-2.81	117.71	124.09
4	C	803	CYS	OXT-C-O	-2.74	117.87	124.09
4	A	803	CYS	OXT-C-O	-2.70	117.95	124.09
3	B	802	HIS	OXT-C-O	-2.64	118.09	124.09
4	D	803	CYS	OXT-C-O	-2.62	118.14	124.09
4	B	803	CYS	OXT-C-O	-2.60	118.19	124.09
3	C	802	HIS	OXT-C-O	-2.55	118.30	124.09
4	B	803	CYS	OXT-C-CA	2.50	121.90	113.38
4	A	803	CYS	OXT-C-CA	2.34	121.35	113.38
3	B	802	HIS	OXT-C-CA	2.31	121.27	113.38
3	D	802	HIS	OXT-C-CA	2.29	121.18	113.38
4	D	803	CYS	OXT-C-CA	2.23	120.97	113.38
3	A	802	HIS	OXT-C-CA	2.18	120.81	113.38
3	C	802	HIS	OXT-C-CA	2.16	120.74	113.38
4	C	803	CYS	OXT-C-CA	2.14	120.66	113.38
3	C	802	HIS	CD2-NE2-CE1	2.05	108.98	105.78
3	D	802	HIS	CD2-NE2-CE1	2.03	108.95	105.78
3	A	802	HIS	CD2-NE2-CE1	2.02	108.94	105.78
3	B	802	HIS	CD2-NE2-CE1	2.01	108.92	105.78

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	802	HIS	CA-CB-CG-ND1
4	A	803	CYS	O-C-CA-N
4	B	803	CYS	O-C-CA-N
4	B	803	CYS	OXT-C-CA-N

Continued on next page...



Continued from previous page...



Mol	Chain	Res	Type	Atoms
4	C	803	CYS	OXT-C-CA-N
4	D	803	CYS	OXT-C-CA-N
4	A	803	CYS	OXT-C-CA-N
3	D	802	HIS	N-CA-CB-CG
3	D	802	HIS	C-CA-CB-CG
4	C	803	CYS	O-C-CA-N
4	D	803	CYS	O-C-CA-N
4	A	803	CYS	N-CA-CB-SG
4	B	803	CYS	N-CA-CB-SG
4	C	803	CYS	N-CA-CB-SG
4	D	803	CYS	N-CA-CB-SG
3	A	802	HIS	CA-CB-CG-ND1
3	C	802	HIS	CA-CB-CG-ND1
3	D	802	HIS	CA-CB-CG-ND1
3	D	802	HIS	CA-CB-CG-CD2
5	B	804	PEG	C4-C3-O2-C2
3	B	802	HIS	OXT-C-CA-N


There are no ring outliers.



No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	700/728 (96%)	0.07	16 (2%) 60 62	38, 55, 90, 152	0
1	B	698/728 (95%)	0.07	19 (2%) 54 55	39, 58, 86, 162	0
1	C	699/728 (96%)	0.03	18 (2%) 56 57	40, 57, 86, 133	0
1	D	697/728 (95%)	0.41	47 (6%) 17 16	45, 83, 122, 169	0
All	All	2794/2912 (95%)	0.14	100 (3%) 42 42	38, 60, 109, 169	0

All (100) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	440	ALA	4.1
1	D	286	PHE	3.8
1	D	117	TRP	3.8
1	D	116	GLU	3.6
1	B	630	GLY	3.6
1	B	115	TYR	3.6
1	C	575	ARG	3.5
1	B	106	SER	3.5
1	D	98	PHE	3.4
1	D	115	TYR	3.4
1	D	153	TRP	3.3
1	B	107	TRP	3.2
1	A	116	GLU	3.2
1	C	626	ILE	3.2
1	D	466	GLY	3.2
1	B	122	GLU	3.2
1	D	133	VAL	3.1
1	B	707	ILE	3.1
1	A	115	TYR	3.1
1	D	288	ASN	3.0
1	A	114	HIS	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	114	HIS	3.0
1	C	707	ILE	2.9
1	A	574	LYS	2.9
1	B	354	GLU	2.9
1	B	165	ILE	2.9
1	A	21	LYS	2.9
1	D	108	ASP	2.9
1	D	28	GLN	2.8
1	C	631	MET	2.8
1	D	12	LEU	2.7
1	C	115	TYR	2.7
1	D	320	TRP	2.7
1	A	676	LYS	2.6
1	C	106	SER	2.6
1	D	285	PRO	2.6
1	C	708	LEU	2.6
1	D	608	LEU	2.6
1	D	89	ARG	2.6
1	D	171	SER	2.6
1	D	104	GLU	2.5
1	D	54	PHE	2.5
1	D	143	LEU	2.5
1	B	704	TRP	2.5
1	D	202	LEU	2.5
1	D	463	ASN	2.5
1	C	107	TRP	2.5
1	B	675	PHE	2.5
1	D	289	GLU	2.5
1	D	170	SER	2.5
1	C	286	PHE	2.5
1	D	92	ALA	2.5
1	D	74	VAL	2.5
1	B	632	LEU	2.4
1	B	288	ASN	2.4
1	C	25	ASN	2.4
1	A	9	ASN	2.4
1	D	439	TYR	2.4
1	A	440	ALA	2.4
1	D	430	GLY	2.4
1	D	301	MET	2.4
1	B	112	ASP	2.4
1	C	675	PHE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	609	ILE	2.3
1	C	573	PRO	2.3
1	D	169	THR	2.3
1	A	170	SER	2.3
1	B	147	ILE	2.3
1	D	48	LEU	2.3
1	A	575	ARG	2.2
1	A	672	LYS	2.2
1	B	550	LYS	2.2
1	D	424	GLY	2.2
1	C	467	TYR	2.2
1	D	554	ILE	2.2
1	A	106	SER	2.2
1	B	111	ASN	2.2
1	D	137	LEU	2.2
1	D	30	ILE	2.2
1	D	323	ALA	2.2
1	A	424	GLY	2.2
1	B	671	LEU	2.2
1	D	574	LYS	2.2
1	D	290	TYR	2.2
1	D	203	LEU	2.2
1	D	340	LEU	2.2
1	D	37	THR	2.2
1	A	439	TYR	2.1
1	D	457	SER	2.1
1	C	677	LEU	2.1
1	C	440	ALA	2.1
1	C	622	ILE	2.1
1	B	602	LEU	2.1
1	D	447	GLN	2.1
1	C	287	LYS	2.1
1	D	425	SER	2.1
1	B	77	ILE	2.0
1	A	110	LEU	2.0
1	D	609	ILE	2.0
1	C	354	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	PEG	B	804	7/7	0.65	0.24	81,92,95,96	0
5	PEG	C	804	7/7	0.75	0.18	61,70,80,84	0
4	CYS	D	803	7/7	0.91	0.25	93,104,108,109	0
4	CYS	B	803	7/7	0.92	0.20	72,72,73,75	0
3	HIS	D	802	11/11	0.92	0.36	92,97,100,100	0
2	CO	D	801	1/1	0.93	0.10	89,89,89,89	0
3	HIS	A	802	11/11	0.93	0.23	53,57,63,64	0
4	CYS	C	803	7/7	0.93	0.22	72,72,72,73	0
2	CO	B	801	1/1	0.94	0.15	55,55,55,55	0
3	HIS	B	802	11/11	0.94	0.30	71,72,72,72	0
3	HIS	C	802	11/11	0.94	0.32	72,72,72,72	0
2	CO	A	801	1/1	0.95	0.12	57,57,57,57	0
4	CYS	A	803	7/7	0.96	0.16	61,70,75,76	0
2	CO	C	801	1/1	0.97	0.17	61,61,61,61	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around CYS D 803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CYS B 803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HIS D 802:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CO D 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HIS A 802:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CYS C 803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CO B 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HIS B 802:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HIS C 802:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CO A 801:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CYS A 803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.