



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2018 – 01:33 pm GMT

PDB ID : 3KLA  
Title : Ca<sup>2+</sup> release from the endoplasmic reticulum of NY-ESO-1 specific T cells is modulated by the affinity of T cell receptor and by the use of the CD8 co-receptor  
Authors : Chen, J.L.; Morgan, A.J.; Stewart-Jones, G.; Shepherd, D.; Bossi, G.; Wooldridge, L.  
Deposited on : 2009-11-07  
Resolution : 1.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : trunk30967  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30967


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	1521 (1.66-1.66)
Clashscore	122126	1616 (1.66-1.66)
Ramachandran outliers	120053	1584 (1.66-1.66)
Sidechain outliers	120020	1584 (1.66-1.66)
RSRZ outliers	108989	1487 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	275	 2% 80% 20%
1	D	275	 2% 81% 17%
2	B	100	 2% 87% 11%
2	E	100	 2% 84% 15%
3	C	9	 11% 78% 11%
3	F	9	 11% 78% 22%

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 8025 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HLA class I histocompatibility antigen, A-2 alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	275	Total	C	N	O	S	0	0	0
			2247	1403	409	426	9			
1	D	275	Total	C	N	O	S	0	0	0
			2247	1403	409	426	9			

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	100	Total	C	N	O	S	0	0	0
			837	533	141	159	4			
2	E	100	Total	C	N	O	S	0	0	0
			837	533	141	159	4			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	MET	-	INITIATING METHIONINE	UNP P61769
E	0	MET	-	INITIATING METHIONINE	UNP P61769

- Molecule 3 is a protein called NYESO-1 peptide analogue.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	9	Total	C	N	O	S	0	0	0
			77	52	11	13	1			
3	F	9	Total	C	N	O	S	0	0	0
			77	52	11	13	1			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	9	LEU	CYS	ENGINEERED	UNP P78358
F	9	LEU	CYS	ENGINEERED	UNP P78358


- Molecule 4 is water.

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
4	A	603	Total 603	O 603	0	0
4	B	256	Total 256	O 256	0	0
4	C	23	Total 23	O 23	0	0
4	D	587	Total 587	O 587	0	0
4	E	214	Total 214	O 214	0	0
4	F	20	Total 20	O 20	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain




- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain




- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin





- Molecule 3: NYESO-1 peptide analogue





- Molecule 3: NYESO-1 peptide analogue



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	62.85Å 93.75Å 79.90Å 90.00° 90.02° 90.00°	Depositor
Resolution (Å)	29.80 – 1.65 29.80 – 1.65	Depositor EDS
% Data completeness (in resolution range)	98.9 (29.80-1.65) 98.8 (29.80-1.65)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.75 (at 1.65Å)	Xtrriage
Refinement program	REFMAC 5.0	Depositor
R, $R_{free}$	0.188 , 0.239 0.186 , 0.236	Depositor DCC
$R_{free}$ test set	5497 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	23.2	Xtrriage
Anisotropy	0.176	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 34.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.480 for h,-k,-l	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	8025	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	37.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.13% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.62	0/2312	0.72	2/3137 (0.1%)
1	D	0.62	0/2312	0.71	0/3137
2	B	0.75	0/860	0.77	0/1162
2	E	0.72	0/860	0.75	0/1162
3	C	0.48	0/78	1.17	2/104 (1.9%)
3	F	0.54	0/78	1.28	2/104 (1.9%)
All	All	0.65	0/6500	0.74	6/8806 (0.1%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	3	LEU	CA-CB-CG	6.74	130.80	115.30
3	C	3	LEU	CA-CB-CG	6.31	129.80	115.30
3	C	3	LEU	CB-CG-CD2	-5.69	101.33	111.00
3	F	3	LEU	CB-CG-CD2	-5.31	101.98	111.00
1	A	110	LEU	CA-CB-CG	5.22	127.30	115.30
1	A	230	LEU	CA-CB-CG	5.19	127.23	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2247	0	2096	67	0

*Continued on next page...*



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	2247	0	2096	56	0
2	B	837	0	803	16	1
2	E	837	0	803	15	0
3	C	77	0	85	8	0
3	F	77	0	85	4	0
4	A	603	0	0	39	0
4	B	256	0	0	10	2
4	C	23	0	0	0	0
4	D	587	0	0	36	0
4	E	214	0	0	10	3
4	F	20	0	0	1	0
All	All	8025	0	5968	151	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:80:CYS:HB3	4:E:1079:HOH:O	1.05	1.22
1:D:251:SER:HA	4:D:763:HOH:O	1.47	1.14
1:A:251:SER:HA	4:A:1071:HOH:O	1.57	1.01
1:A:249:VAL:HB	4:A:1486:HOH:O	1.61	0.99
1:A:178:THR:HG22	4:A:1000:HOH:O	1.65	0.97
2:B:80:CYS:HB3	4:B:1078:HOH:O	0.75	0.93
1:A:70:HIS:HA	3:C:6:ILE:HD11	1.49	0.93
1:A:121:LYS:NZ	4:A:1542:HOH:O	1.83	0.93
1:D:251:SER:O	4:D:1319:HOH:O	1.85	0.93
2:B:98:ASP:HB2	4:B:109:HOH:O	1.67	0.92
2:B:97:ARG:HD3	4:B:664:HOH:O	1.69	0.91
2:E:46:ILE:CG2	4:E:1394:HOH:O	2.23	0.86
1:D:58:GLU:OE1	4:D:675:HOH:O	1.96	0.84
1:A:51:TRP:HE3	4:A:1356:HOH:O	1.59	0.84
1:D:74:HIS:HE1	1:D:97:ARG:HE	1.27	0.81
1:D:179:LEU:HD22	4:D:1382:HOH:O	1.79	0.80
1:D:232:GLU:OE2	4:D:775:HOH:O	2.01	0.79
1:A:58:GLU:OE1	4:A:375:HOH:O	2.02	0.77
1:A:51:TRP:CE3	4:A:1356:HOH:O	2.37	0.77
1:A:55:GLU:O	4:A:471:HOH:O	2.03	0.76
1:D:121:LYS:HD2	4:D:780:HOH:O	1.85	0.76
1:A:170:ARG:O	1:A:173:GLU:HG2	1.86	0.75

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:46:ILE:HG22	4:E:1394:HOH:O	1.85	0.75
2:E:46:ILE:HG21	4:E:1394:HOH:O	1.86	0.75
1:A:263:HIS:CD2	1:A:265:GLY:H	2.05	0.74
1:D:121:LYS:HG2	4:D:525:HOH:O	1.86	0.74
1:A:31:THR:HG21	4:A:1354:HOH:O	1.88	0.73
1:D:155:GLN:OE1	4:D:1480:HOH:O	2.06	0.72
2:B:96:ASP:O	2:B:98:ASP:N	2.24	0.69
1:D:93:HIS:HE1	4:D:370:HOH:O	1.75	0.69
1:A:54:GLN:HG3	4:A:996:HOH:O	1.93	0.69
1:A:127:LYS:HE2	4:A:1098:HOH:O	1.92	0.68
1:A:121:LYS:NZ	4:A:682:HOH:O	2.27	0.68
2:E:96:ASP:O	2:E:98:ASP:N	2.26	0.68
1:D:178:THR:HG22	4:D:1037:HOH:O	1.92	0.68
1:D:263:HIS:CD2	1:D:265:GLY:H	2.12	0.67
1:D:194:VAL:HB	4:D:1063:HOH:O	1.93	0.67
1:A:121:LYS:HZ2	2:B:1:ILE:HG12	1.60	0.66
1:A:93:HIS:HD2	1:A:119:ASP:OD2	1.79	0.66
1:A:121:LYS:HE3	4:A:682:HOH:O	1.96	0.66
1:D:74:HIS:CE1	1:D:97:ARG:HE	2.11	0.66
2:E:96:ASP:O	4:E:1392:HOH:O	2.14	0.65
1:D:58:GLU:OE2	4:D:989:HOH:O	2.15	0.65
1:A:58:GLU:OE2	4:A:1043:HOH:O	2.14	0.64
1:A:274:TRP:O	1:A:275:GLU:HB2	1.99	0.62
1:A:74:HIS:HE1	1:A:97:ARG:HE	1.47	0.61
1:D:178:THR:CG2	4:D:1037:HOH:O	2.48	0.61
1:A:255:GLN:HG2	4:A:651:HOH:O	2.00	0.61
2:B:44:GLU:HG3	4:B:341:HOH:O	2.00	0.61
1:D:93:HIS:HD2	1:D:119:ASP:OD2	1.84	0.61
1:D:17:ARG:HB2	4:D:1481:HOH:O	2.00	0.60
1:A:223:ASP:HB3	4:A:1059:HOH:O	1.99	0.60
1:A:263:HIS:HD2	1:A:265:GLY:H	1.45	0.60
1:D:263:HIS:HD2	1:D:265:GLY:H	1.48	0.60
1:D:73:THR:HG21	3:F:6:ILE:HG23	1.82	0.60
1:D:55:GLU:O	4:D:561:HOH:O	2.16	0.60
1:A:253:GLN:HB2	4:A:1486:HOH:O	2.02	0.60
2:E:47:GLU:HG3	4:E:1317:HOH:O	2.00	0.59
1:D:68:LYS:O	1:D:72:GLN:HG2	2.01	0.59
1:A:121:LYS:CE	4:A:682:HOH:O	2.50	0.59
1:A:253:GLN:NE2	1:A:256:ARG:HH11	2.00	0.59
1:A:121:LYS:NZ	2:B:1:ILE:HG12	2.17	0.58
1:A:73:THR:HB	3:C:6:ILE:CD1	2.33	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:93:HIS:HE1	4:A:307:HOH:O	1.87	0.58
1:D:272:LEU:N	1:D:272:LEU:HD12	2.18	0.58
1:D:113:TYR:CD1	4:D:825:HOH:O	2.52	0.58
1:A:73:THR:CB	3:C:6:ILE:HD13	2.35	0.57
1:A:272:LEU:N	1:A:272:LEU:HD12	2.18	0.57
1:D:136:ALA:HB3	4:D:1034:HOH:O	2.05	0.57
1:A:74:HIS:CE1	1:A:97:ARG:HE	2.22	0.57
1:D:74:HIS:CD2	4:D:1494:HOH:O	2.56	0.56
1:A:17:ARG:HD2	4:A:998:HOH:O	2.05	0.56
1:A:275:GLU:HG3	4:A:1651:HOH:O	2.05	0.56
1:D:73:THR:CG2	4:D:1558:HOH:O	2.53	0.56
1:A:54:GLN:HG2	4:F:1143:HOH:O	2.04	0.56
1:A:73:THR:HG21	3:C:6:ILE:HD13	1.87	0.56
1:A:73:THR:CB	3:C:6:ILE:CD1	2.85	0.55
1:D:1:GLY:HA2	4:D:1140:HOH:O	2.06	0.55
1:D:65:ARG:HD3	4:D:1096:HOH:O	2.06	0.55
2:B:36:GLU:CD	4:B:1184:HOH:O	2.45	0.55
1:A:73:THR:HB	3:C:6:ILE:HD13	1.89	0.54
1:D:253:GLN:NE2	1:D:256:ARG:HH11	2.05	0.54
4:A:1542:HOH:O	2:B:0:MET:HB2	2.07	0.54
2:B:47:GLU:HG3	4:B:671:HOH:O	2.06	0.54
1:A:275:GLU:HB2	4:A:352:HOH:O	2.07	0.53
2:E:90:PRO:HG2	4:E:782:HOH:O	2.08	0.53
1:D:19:GLU:HG3	1:D:20:PRO:HD2	1.91	0.53
1:A:75:ARG:HB2	4:A:1242:HOH:O	2.09	0.52
2:E:34:ASP:HB2	4:E:1090:HOH:O	2.09	0.52
1:D:272:LEU:HG	4:D:1629:HOH:O	2.08	0.52
1:A:131:ARG:HD2	4:A:1147:HOH:O	2.09	0.51
1:D:111:ARG:HD3	4:D:1257:HOH:O	2.10	0.51
1:A:73:THR:CG2	3:C:6:ILE:HD13	2.41	0.51
1:D:75:ARG:HD3	4:D:622:HOH:O	2.11	0.51
2:B:97:ARG:C	4:B:109:HOH:O	2.48	0.51
1:D:117:ALA:HB2	2:E:60:TRP:CE2	2.46	0.51
1:A:97:ARG:HH11	1:A:114:HIS:CE1	2.29	0.51
2:B:97:ARG:HG2	4:B:1449:HOH:O	2.11	0.50
1:D:54:GLN:HG2	4:D:599:HOH:O	2.11	0.50
1:A:255:GLN:HB3	4:A:1008:HOH:O	2.11	0.50
2:E:80:CYS:CB	4:E:1079:HOH:O	1.90	0.50
1:D:255:GLN:HB3	4:D:1152:HOH:O	2.11	0.49
1:D:28:VAL:HG12	4:D:1382:HOH:O	2.13	0.48
1:A:117:ALA:HB2	2:B:60:TRP:CE2	2.48	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:165:VAL:HB	4:A:1307:HOH:O	2.13	0.48
1:A:132:SER:HB2	4:A:1443:HOH:O	2.13	0.48
3:F:3:LEU:HD23	3:F:6:ILE:HG13	1.95	0.47
1:A:194:VAL:HG12	4:A:1228:HOH:O	2.14	0.47
1:D:14:ARG:HD2	1:D:17:ARG:HD2	1.96	0.47
1:A:144:LYS:O	1:A:148:GLU:HG3	2.15	0.47
1:A:232:GLU:OE2	4:A:418:HOH:O	2.20	0.47
1:D:74:HIS:CE1	4:D:1338:HOH:O	2.68	0.47
1:D:70:HIS:CD2	3:F:6:ILE:HD12	2.49	0.47
1:D:210:PRO:O	1:D:263:HIS:HE1	1.97	0.46
1:A:202:ARG:NH2	4:A:716:HOH:O	2.48	0.46
2:B:80:CYS:CB	4:B:1078:HOH:O	1.66	0.46
2:B:1:ILE:HG21	4:B:1376:HOH:O	2.16	0.46
1:D:6:ARG:HD3	4:D:825:HOH:O	2.15	0.46
1:A:82:ARG:NH1	4:A:544:HOH:O	2.50	0.45
1:D:11:SER:HB2	4:D:1035:HOH:O	2.16	0.45
1:A:136:ALA:HB3	4:A:1270:HOH:O	2.17	0.45
2:B:22:PHE:CZ	2:B:69:GLU:HG2	2.51	0.45
1:A:129:ASP:O	1:A:131:ARG:HG3	2.16	0.45
1:D:159:TYR:HA	1:D:163:THR:HG23	1.99	0.45
1:A:178:THR:HG21	4:A:1354:HOH:O	2.16	0.44
1:D:218:GLN:OE1	1:D:221:GLY:HA2	2.17	0.44
2:E:9:VAL:CG2	2:E:80:CYS:HB3	2.47	0.44
1:D:48:ARG:HD3	4:D:988:HOH:O	2.17	0.44
1:A:11:SER:HA	1:A:21:ARG:O	2.18	0.43
1:A:210:PRO:O	1:A:263:HIS:HE1	2.00	0.43
1:A:48:ARG:NH2	4:A:1484:HOH:O	2.51	0.43
2:E:49:VAL:HG22	4:E:1394:HOH:O	2.17	0.43
1:D:136:ALA:HB2	4:D:1301:HOH:O	2.19	0.43
1:A:178:THR:CG2	4:A:1354:HOH:O	2.67	0.42
1:D:17:ARG:O	1:D:17:ARG:HG2	2.19	0.42
1:D:129:ASP:O	1:D:131:ARG:HG3	2.19	0.42
1:A:54:GLN:CG	4:A:996:HOH:O	2.59	0.42
1:D:6:ARG:CZ	4:D:825:HOH:O	2.68	0.42
1:D:97:ARG:NH2	4:D:1558:HOH:O	2.43	0.42
1:D:75:ARG:NH2	4:D:1196:HOH:O	2.51	0.42
1:D:97:ARG:HD3	3:F:6:ILE:HD11	2.01	0.42
1:A:157:ARG:HD3	4:A:1346:HOH:O	2.20	0.42
1:A:272:LEU:N	1:A:272:LEU:CD1	2.84	0.41
1:A:6:ARG:CD	4:A:729:HOH:O	2.67	0.41
2:E:22:PHE:CZ	2:E:69:GLU:HG2	2.55	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:156:LEU:CD2	3:C:3:LEU:HD21	2.51	0.41
1:D:11:SER:OG	1:D:78:LEU:HD11	2.20	0.41
1:A:173:GLU:HG3	1:A:174:ASN:ND2	2.36	0.41
2:E:24:ASN:HB3	2:E:65:LEU:HD11	2.02	0.41
1:D:73:THR:HG22	4:D:1558:HOH:O	2.17	0.41
1:A:218:GLN:OE1	1:A:221:GLY:HA2	2.22	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:36:GLU:OE1	4:E:1598:HOH:O[2_646]	1.90	0.30
4:B:1323:HOH:O	4:E:223:HOH:O[2_646]	2.07	0.13
4:B:241:HOH:O	4:E:1340:HOH:O[2_646]	2.09	0.11

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	273/275 (99%)	267 (98%)	6 (2%)	0	100	100
1	D	273/275 (99%)	266 (97%)	7 (3%)	0	100	100
2	B	98/100 (98%)	95 (97%)	1 (1%)	2 (2%)	8	0
2	E	98/100 (98%)	95 (97%)	1 (1%)	2 (2%)	8	0
3	C	7/9 (78%)	7 (100%)	0	0	100	100
3	F	7/9 (78%)	7 (100%)	0	0	100	100
All	All	756/768 (98%)	737 (98%)	15 (2%)	4 (0%)	31	11

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	97	ARG
2	B	98	ASP
2	E	97	ARG
2	E	98	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	231/231 (100%)	228 (99%)	3 (1%)	71	52
1	D	231/231 (100%)	224 (97%)	7 (3%)	44	16
2	B	95/95 (100%)	94 (99%)	1 (1%)	76	59
2	E	95/95 (100%)	94 (99%)	1 (1%)	76	59
3	C	9/9 (100%)	9 (100%)	0	100	100
3	F	9/9 (100%)	8 (89%)	1 (11%)	7	1
All	All	670/670 (100%)	657 (98%)	13 (2%)	60	36

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	GLU
1	A	268	LYS
1	A	275	GLU
2	B	70	PHE
1	D	11	SER
1	D	110	LEU
1	D	138	MET
1	D	163	THR
1	D	194	VAL
1	D	223	ASP
1	D	275	GLU
2	E	70	PHE
3	F	6	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	74	HIS
1	A	93	HIS
1	A	114	HIS
1	A	115	GLN
1	A	174	ASN
1	A	253	GLN
1	A	263	HIS
3	C	8	GLN
1	D	74	HIS
1	D	86	ASN
1	D	93	HIS
1	D	180	GLN
1	D	253	GLN
1	D	263	HIS
3	F	8	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	275/275 (100%)	0.35	5 (1%) 68 72	27, 35, 43, 48	0
1	D	275/275 (100%)	0.32	5 (1%) 68 72	27, 35, 43, 50	0
2	B	100/100 (100%)	0.16	2 (2%) 65 68	26, 30, 40, 47	0
2	E	100/100 (100%)	0.17	2 (2%) 65 68	27, 30, 40, 46	0
3	C	9/9 (100%)	1.07	1 (11%) 5 4	33, 42, 47, 47	0
3	F	9/9 (100%)	0.89	1 (11%) 5 4	34, 43, 46, 47	0
All	All	768/768 (100%)	0.31	16 (2%) 63 66	26, 34, 43, 50	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	99	MET	4.1
2	E	98	ASP	3.6
2	E	99	MET	3.5
3	C	5	TRP	3.2
2	B	98	ASP	3.1
1	D	194	VAL	2.9
1	A	251	SER	2.7
1	D	275	GLU	2.7
3	F	5	TRP	2.4
1	A	195	SER	2.2
1	A	192	HIS	2.2
1	A	197	HIS	2.2
1	D	108	ARG	2.2
1	D	197	HIS	2.2
1	A	196	ASP	2.1
1	D	192	HIS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.