



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2018 – 05:07 am GMT

PDB ID : 5KSJ  
Title : Crystal structure of deoxygenated hemoglobin in complex with Sphingosine phosphate  
Authors : Ahmed, M.H.; Safo, M.K.; Xia, Y.  
Deposited on : 2016-07-08  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtriage (Phenix) : 1.13  
EDS : trunk30967  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30967


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	3481 (2.40-2.40)
Clashscore	122126	3956 (2.40-2.40)
Ramachandran outliers	120053	3897 (2.40-2.40)
Sidechain outliers	120020	3898 (2.40-2.40)
RSRZ outliers	108989	3386 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	141	
1	C	141	
2	B	146	
2	D	146	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	S1P	A	202[A]	-	-	-	X
4	S1P	A	203[B]	-	-	-	X

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5137 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Hemoglobin subunit alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	141	Total 1069	C 685	N 187	O 194	S 3	0	0	0
1	C	141	Total 1069	C 685	N 187	O 194	S 3	0	0	0

- Molecule 2 is a protein called Hemoglobin subunit beta.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	146	Total 1123	C 724	N 195	O 201	S 3	0	0	0
2	D	146	Total 1123	C 724	N 195	O 201	S 3	0	0	0

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	D	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 4 is (2S,3R,4E)-2-amino-3-hydroxyoctadec-4-en-1-yl dihydrogen phosphate (three-letter code: S1P) (formula: C<sub>18</sub>H<sub>38</sub>NO<sub>5</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	1
			18	11	1	5	1		
4	A	1	Total	C	N	O	P	0	1
			18	11	1	5	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	133	Total	O	0	0
			133	133		
5	B	125	Total	O	0	0
			125	125		
5	C	147	Total	O	0	0
			147	147		

*Continued on next page...*


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
5	D	140	Total 140	O 140	0	0


### 3 Residue-property plots i

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Hemoglobin subunit alpha




- Molecule 1: Hemoglobin subunit alpha



- Molecule 2: Hemoglobin subunit beta



- Molecule 2: Hemoglobin subunit beta



D94	R95	L96	H97	P100	E101	M102	F103	R104	L105	L106	G107	V111	A115	H116	H117	F118	F122	T123	P124	P125	V126	A129	Y130	V133	L141	A142	H143	K144	Y145	H146
-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	95.18Å 97.55Å 65.03Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.40 29.08 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.1 (30.00-2.40) 99.1 (29.08-2.40)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.89 (at 2.39Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.222 , 0.287 0.209 , 0.275	Depositor DCC
$R_{free}$ test set	1227 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	35.6	Xtrriage
Anisotropy	0.534	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 79.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.36$ , $\langle L^2 \rangle = 0.20$	Xtrriage
Estimated twinning fraction	0.058 for k,h,-l	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	5137	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	43.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.96% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, S1P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.36	0/1097	0.57	1/1491 (0.1%)
1	C	0.34	0/1097	0.56	0/1491
2	B	0.35	0/1153	0.59	0/1566
2	D	0.35	0/1153	0.59	0/1566
All	All	0.35	0/4500	0.58	1/6114 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	47	ASP	N-CA-C	-5.09	97.26	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1069	0	1073	36	0
1	C	1069	0	1073	36	0
2	B	1123	0	1118	58	0
2	D	1123	0	1118	49	0
3	A	43	0	30	1	0
3	B	43	0	30	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	43	0	30	1	0
3	D	43	0	30	3	0
4	A	36	0	38	6	0
5	A	133	0	0	5	0
5	B	125	0	0	7	0
5	C	147	0	0	4	1
5	D	140	0	0	11	0
All	All	5137	0	4540	173	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (173) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:82:LYS:H	2:B:82:LYS:HD2	1.16	1.08
2:D:39:GLN:HG3	5:D:302:HOH:O	1.63	0.95
1:C:113:LEU:HB3	1:C:116:GLU:HG2	1.60	0.83
2:D:14:LEU:HB3	5:D:301:HOH:O	1.85	0.77
1:A:36:PHE:CE2	4:A:203[B]:S1P:H5	2.20	0.75
2:B:123:THR:HB	2:B:125:PRO:HD2	1.68	0.74
1:A:45:HIS:H	1:A:45:HIS:CD2	2.07	0.73
2:B:21:ASP:HA	2:B:65:LYS:HD3	1.70	0.72
2:B:55:MET:O	2:B:61:LYS:HE3	1.89	0.72
1:A:107:VAL:HG11	2:B:127:GLN:OE1	1.91	0.71
2:B:82:LYS:N	2:B:82:LYS:HD2	2.01	0.71
1:A:88:ALA:HB2	5:A:301:HOH:O	1.90	0.70
1:C:58:HIS:O	1:C:62:VAL:HG23	1.92	0.69
1:A:36:PHE:CD2	4:A:203[B]:S1P:H5	2.29	0.68
1:A:43:PHE:N	1:A:44:PRO:HD3	2.07	0.68
1:C:43:PHE:N	1:C:44:PRO:HD3	2.08	0.68
2:D:21:ASP:HB3	2:D:65:LYS:HD2	1.73	0.68
2:D:93:CYS:HB2	2:D:145:TYR:CD2	2.28	0.68
2:B:124:PRO:HB2	2:B:125:PRO:HD3	1.75	0.67
2:D:126:VAL:HG23	5:D:304:HOH:O	1.95	0.67
2:D:93:CYS:HB2	2:D:145:TYR:CE2	2.30	0.67
1:C:94:ASP:OD2	1:C:96:VAL:HG22	1.94	0.66
2:D:11:VAL:O	5:D:301:HOH:O	2.14	0.66
1:A:21:ALA:HB1	1:A:63:ALA:HB1	1.78	0.65
2:B:107:GLY:HA3	2:B:134:VAL:CG1	2.27	0.65
1:C:46:PHE:HA	1:C:54:GLN:NE2	2.11	0.65

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:124:PRO:HB2	2:D:125:PRO:HD3	1.79	0.64
4:A:203[B]:S1P:H7	4:A:203[B]:S1P:O3	1.97	0.64
1:A:61:LYS:HA	5:A:342:HOH:O	1.98	0.63
2:D:7:GLU:HG2	2:D:129:ALA:HB2	1.81	0.62
2:D:7:GLU:HB2	5:D:303:HOH:O	1.99	0.62
1:A:47:ASP:HA	5:A:305:HOH:O	2.01	0.61
1:C:7:LYS:O	1:C:11:LYS:HG3	2.00	0.61
1:C:76:MET:CE	1:C:132:VAL:HG22	2.32	0.60
1:C:76:MET:HE1	1:C:132:VAL:HG22	1.83	0.60
1:A:131:SER:O	1:A:135:VAL:HG23	2.01	0.60
1:A:16:LYS:HE3	1:A:116:GLU:OE1	2.02	0.60
1:C:90:LYS:O	1:C:92:ARG:HD3	2.02	0.59
1:C:42:TYR:C	1:C:44:PRO:HD3	2.22	0.58
2:D:86:ALA:O	2:D:90:GLU:HG3	2.03	0.58
2:D:38:THR:HG22	2:D:102:ASN:ND2	2.19	0.58
2:B:82:LYS:H	2:B:82:LYS:CD	1.96	0.57
2:D:28:LEU:O	2:D:32:LEU:HD13	2.04	0.57
2:B:51:PRO:O	2:B:55:MET:HG2	2.04	0.57
1:C:16:LYS:HD3	5:C:358:HOH:O	2.04	0.57
2:B:107:GLY:HA3	2:B:134:VAL:HG13	1.87	0.57
2:D:85:PHE:HB3	2:D:141:LEU:HD23	1.87	0.57
2:D:15:TRP:N	5:D:301:HOH:O	2.35	0.56
2:B:33:VAL:CG2	2:B:54:VAL:HG11	2.36	0.56
2:D:107:GLY:O	2:D:111:VAL:HG23	2.05	0.56
3:D:201:HEM:HBC2	3:D:201:HEM:HMC1	1.88	0.56
1:C:6:ASP:HA	1:C:124:SER:OG	2.07	0.55
1:A:6:ASP:O	1:A:10:VAL:HG23	2.07	0.55
2:B:37:TRP:HB2	1:C:92:ARG:HB3	1.89	0.55
1:A:44:PRO:HB3	2:D:97:HIS:CE1	2.43	0.54
2:D:61:LYS:O	2:D:65:LYS:HG3	2.06	0.54
1:C:16:LYS:HE2	1:C:16:LYS:HA	1.90	0.54
1:A:45:HIS:H	1:A:45:HIS:HD2	1.55	0.53
2:D:32:LEU:O	5:D:302:HOH:O	2.19	0.53
1:A:83:LEU:HD23	1:A:136:LEU:HD21	1.90	0.53
2:D:63:HIS:CE1	3:D:201:HEM:HBD2	2.43	0.53
2:D:100:PRO:HG3	2:D:145:TYR:CE1	2.43	0.53
2:B:24:GLY:N	2:B:68:LEU:HD12	2.23	0.53
2:D:130:TYR:HA	2:D:133:VAL:HG23	1.91	0.53
2:B:74:GLY:C	2:B:76:ALA:H	2.12	0.53
2:B:38:THR:HG22	2:B:102:ASN:OD1	2.08	0.52
2:B:118:PHE:HB3	2:B:121:GLU:HB3	1.91	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:129:ALA:O	2:D:133:VAL:HG23	2.09	0.52
5:A:365:HOH:O	2:B:104:ARG:HD3	2.08	0.52
2:B:33:VAL:HG22	2:B:54:VAL:HG11	1.91	0.52
1:A:122:HIS:HB2	2:B:30:ARG:HH12	1.75	0.51
1:C:97:ASN:O	1:C:100:LEU:HB2	2.10	0.51
2:D:104:ARG:HH11	2:D:104:ARG:HG3	1.76	0.51
2:B:86:ALA:O	2:B:90:GLU:HB2	2.11	0.51
3:C:201:HEM:HBC2	3:C:201:HEM:HMC1	1.93	0.51
2:D:71:PHE:O	2:D:75:LEU:HD13	2.10	0.51
3:A:201:HEM:HMC1	3:A:201:HEM:HBC2	1.92	0.50
2:D:29:GLY:O	2:D:33:VAL:HG23	2.11	0.50
1:A:45:HIS:N	1:A:45:HIS:CD2	2.79	0.49
2:D:47:ASP:HB3	5:D:351:HOH:O	2.11	0.49
2:B:54:VAL:HG13	2:B:55:MET:N	2.26	0.49
2:B:4:THR:HG22	2:B:7:GLU:OE2	2.12	0.49
2:B:49:SER:HA	5:B:391:HOH:O	2.13	0.49
1:A:87:HIS:HA	1:A:91:LEU:HB2	1.95	0.49
2:D:91:LEU:HD12	2:D:95:LYS:HG3	1.95	0.48
2:B:4:THR:HG21	5:B:404:HOH:O	2.13	0.48
1:C:46:PHE:HA	1:C:54:GLN:HE22	1.77	0.48
1:C:43:PHE:HB3	1:C:46:PHE:HB2	1.94	0.48
1:C:22:GLY:HA2	1:C:60:LYS:HA	1.96	0.48
2:B:105:LEU:O	2:B:108:ASN:HB3	2.13	0.48
1:C:11:LYS:HB3	5:C:381:HOH:O	2.13	0.48
2:B:24:GLY:CA	2:B:68:LEU:HD12	2.43	0.48
2:B:4:THR:HG22	2:B:7:GLU:CD	2.33	0.48
2:B:93:CYS:HB2	2:B:145:TYR:CD2	2.49	0.47
2:B:50:THR:HB	2:B:51:PRO:CD	2.44	0.47
1:C:36:PHE:CG	1:C:100:LEU:HD22	2.49	0.47
2:D:143:HIS:ND1	2:D:144:LYS:NZ	2.54	0.47
1:A:43:PHE:HB3	1:A:46:PHE:HB2	1.95	0.47
2:B:15:TRP:CD1	2:B:75:LEU:HD12	2.50	0.47
2:D:38:THR:HG22	2:D:102:ASN:HD21	1.80	0.47
2:D:117:HIS:HD2	2:D:118:PHE:CE1	2.33	0.46
2:B:71:PHE:CE1	2:B:137:VAL:HG21	2.51	0.46
2:B:82:LYS:NZ	5:B:303:HOH:O	2.45	0.46
2:B:77:HIS:N	2:B:77:HIS:CD2	2.82	0.46
2:B:32:LEU:HD12	2:B:38:THR:OG1	2.16	0.46
1:A:6:ASP:HA	1:A:124:SER:OG	2.14	0.46
2:B:74:GLY:O	2:B:76:ALA:N	2.49	0.46
1:C:122:HIS:CD2	1:C:122:HIS:C	2.88	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:31:ARG:HG2	1:C:31:ARG:HH11	1.81	0.46
1:C:34:LEU:HD23	5:C:335:HOH:O	2.15	0.46
2:B:78:LEU:HA	2:B:81:LEU:HD21	1.98	0.45
1:C:113:LEU:HD13	1:C:116:GLU:HG3	1.98	0.45
1:C:3:SER:H	1:C:6:ASP:HB2	1.82	0.45
1:A:22:GLY:HA2	1:A:60:LYS:HA	1.98	0.45
2:D:31:LEU:HD22	2:D:106:LEU:HD13	1.99	0.45
2:B:107:GLY:HA3	2:B:134:VAL:HG11	1.99	0.45
2:B:131:GLN:NE2	2:B:131:GLN:HA	2.31	0.45
1:A:36:PHE:HE2	4:A:203[B]:S1P:H5	1.79	0.45
2:B:82:LYS:HG3	5:B:337:HOH:O	2.17	0.45
1:A:114:PRO:HB3	5:B:314:HOH:O	2.17	0.44
2:B:124:PRO:CB	2:B:125:PRO:HD3	2.44	0.44
1:C:97:ASN:O	1:C:100:LEU:N	2.50	0.44
2:B:77:HIS:ND1	2:B:84:THR:OG1	2.48	0.44
2:D:115:ALA:HB2	2:D:122:PHE:CD2	2.53	0.44
2:D:57:ASN:HB3	2:D:60:VAL:HB	2.00	0.44
1:C:123:ALA:HA	2:D:34:VAL:HG22	1.99	0.44
1:C:43:PHE:N	1:C:44:PRO:CD	2.80	0.44
1:A:112:HIS:O	1:A:113:LEU:HD23	2.17	0.44
1:C:76:MET:HE1	1:C:132:VAL:CG2	2.45	0.44
2:D:82:LYS:HB2	5:D:396:HOH:O	2.18	0.44
2:B:85:PHE:HA	5:B:315:HOH:O	2.16	0.43
2:D:66:LYS:HD3	3:D:201:HEM:HAA2	2.00	0.43
2:B:124:PRO:N	2:B:125:PRO:CD	2.81	0.43
2:D:55:MET:HG3	5:D:380:HOH:O	2.18	0.43
1:A:46:PHE:HA	1:A:54:GLN:NE2	2.34	0.43
2:B:143:HIS:CD2	2:B:143:HIS:C	2.92	0.43
1:A:103:HIS:CE1	2:B:108:ASN:OD1	2.72	0.42
1:C:12:ALA:O	1:C:16:LYS:HG2	2.19	0.42
2:D:15:TRP:HA	2:D:18:VAL:HG23	2.00	0.42
2:D:7:GLU:CG	2:D:129:ALA:HB2	2.48	0.42
2:B:101:GLU:OE2	2:B:101:GLU:HA	2.19	0.42
2:B:100:PRO:HA	2:B:103:PHE:CD2	2.55	0.42
2:B:114:LEU:O	2:B:118:PHE:HD1	2.02	0.42
2:D:130:TYR:HA	2:D:133:VAL:CG2	2.49	0.42
1:A:47:ASP:HB3	1:A:52:SER:OG	2.20	0.42
2:D:3:LEU:HB3	2:D:8:LYS:HG3	2.02	0.41
2:B:77:HIS:CG	2:B:84:THR:OG1	2.73	0.41
1:C:83:LEU:HA	1:C:83:LEU:HD23	1.85	0.41
1:A:42:TYR:C	1:A:44:PRO:HD3	2.41	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:36:PHE:CD2	1:C:100:LEU:HD22	2.55	0.41
1:C:119:PRO:HG3	2:D:55:MET:HE1	2.02	0.41
1:A:99:LYS:NZ	4:A:203[B]:S1P:O24	2.54	0.41
1:A:141:ARG:HB3	2:D:36:PRO:CG	2.50	0.41
2:B:1:VAL:CG1	2:B:132:LYS:HE2	2.51	0.41
2:B:82:LYS:CG	5:B:327:HOH:O	2.68	0.41
2:D:51:PRO:O	2:D:55:MET:HG2	2.20	0.41
1:A:116:GLU:CD	1:A:116:GLU:H	2.24	0.41
4:A:203[B]:S1P:H2	5:A:365:HOH:O	2.19	0.41
1:C:14:TRP:HD1	5:C:396:HOH:O	2.04	0.41
1:A:43:PHE:N	1:A:44:PRO:CD	2.80	0.41
1:C:115:ALA:HB3	1:C:116:GLU:OE2	2.21	0.41
1:A:141:ARG:HB3	2:D:36:PRO:HG3	2.03	0.41
2:B:31:LEU:HD12	2:B:35:TYR:HD2	1.86	0.41
2:D:32:LEU:CA	5:D:302:HOH:O	2.68	0.41
2:D:68:LEU:HD12	2:D:71:PHE:HB3	2.03	0.41
2:B:4:THR:O	2:B:5:PRO:C	2.59	0.40
1:A:93:VAL:O	1:A:140:TYR:HE1	2.04	0.40
1:A:119:PRO:HG2	2:B:55:MET:HG3	2.03	0.40
1:A:117:PHE:O	2:B:30:ARG:NH2	2.42	0.40
1:C:31:ARG:NH1	1:C:31:ARG:HG2	2.37	0.40
2:D:68:LEU:HD12	2:D:68:LEU:HA	1.91	0.40
2:B:21:ASP:HA	2:B:65:LYS:CD	2.45	0.40
2:B:53:ALA:O	2:B:57:ASN:HB2	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:C:333:HOH:O	5:C:333:HOH:O[2_555]	2.04	0.16

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	139/141 (99%)	129 (93%)	9 (6%)	1 (1%)	24	35
1	C	139/141 (99%)	125 (90%)	14 (10%)	0	100	100
2	B	144/146 (99%)	128 (89%)	13 (9%)	3 (2%)	8	9
2	D	144/146 (99%)	135 (94%)	9 (6%)	0	100	100
All	All	566/574 (99%)	517 (91%)	45 (8%)	4 (1%)	24	35

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	75	LEU
2	B	78	LEU
1	A	115	ALA
2	B	12	THR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	113/113 (100%)	108 (96%)	5 (4%)	31	48
1	C	113/113 (100%)	112 (99%)	1 (1%)	81	91
2	B	118/118 (100%)	113 (96%)	5 (4%)	32	51
2	D	118/118 (100%)	116 (98%)	2 (2%)	63	80
All	All	462/462 (100%)	449 (97%)	13 (3%)	47	67

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	LYS
1	A	45	HIS
1	A	78	ASN
1	A	96	VAL
1	A	101	LEU

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
2	B	4	THR
2	B	32	LEU
2	B	82	LYS
2	B	87	THR
2	B	120	LYS
1	C	83	LEU
2	D	14	LEU
2	D	21	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	45	HIS
1	A	78	ASN
2	B	39	GLN
2	B	131	GLN
2	D	39	GLN
2	D	63	HIS
2	D	97	HIS
2	D	102	ASN
2	D	117	HIS
2	D	127	GLN
2	D	131	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	HEM	A	201	1	27,50,50	1.97	10 (37%)	17,82,82	1.66	4 (23%)
4	S1P	A	202[A]	-	16,17,24	0.83	0	16,21,28	1.20	1 (6%)
4	S1P	A	203[B]	-	16,17,24	0.81	0	16,21,28	1.24	1 (6%)
3	HEM	B	201	2	27,50,50	1.98	7 (25%)	17,82,82	0.98	1 (5%)
3	HEM	C	201	1	27,50,50	1.82	8 (29%)	17,82,82	1.67	5 (29%)
3	HEM	D	201	2	27,50,50	1.73	7 (25%)	17,82,82	1.16	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	A	201	1	-	0/6/54/54	0/0/8/8
4	S1P	A	202[A]	-	-	0/18/18/25	0/0/0/0
4	S1P	A	203[B]	-	-	1/18/18/25	0/0/0/0
3	HEM	B	201	2	-	0/6/54/54	0/0/8/8
3	HEM	C	201	1	-	0/6/54/54	0/0/8/8
3	HEM	D	201	2	-	0/6/54/54	0/0/8/8

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	201	HEM	C3C-C2C	-5.17	1.33	1.40
3	B	201	HEM	C3B-CAB	-4.59	1.38	1.47
3	C	201	HEM	C3B-CAB	-4.57	1.38	1.47
3	B	201	HEM	C3C-CAC	-4.40	1.38	1.47
3	D	201	HEM	C3C-CAC	-4.22	1.39	1.47
3	D	201	HEM	C3B-CAB	-4.10	1.39	1.47
3	B	201	HEM	C3B-C2B	-3.99	1.34	1.40
3	A	201	HEM	C3C-CAC	-3.89	1.39	1.47
3	C	201	HEM	C3C-CAC	-3.49	1.40	1.47
3	C	201	HEM	C3C-C2C	-3.44	1.35	1.40

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	201	HEM	C3B-CAB	-3.39	1.41	1.47
3	B	201	HEM	C3C-C2C	-2.91	1.36	1.40
3	A	201	HEM	C3B-C2B	-2.32	1.37	1.40
3	C	201	HEM	C3B-C2B	-2.27	1.37	1.40
3	D	201	HEM	C4A-NA	2.00	1.40	1.36
3	A	201	HEM	C1D-ND	2.02	1.40	1.36
3	D	201	HEM	C1A-NA	2.05	1.40	1.36
3	C	201	HEM	CBB-CAB	2.08	1.43	1.29
3	C	201	HEM	C1D-ND	2.13	1.40	1.36
3	A	201	HEM	C4B-NB	2.19	1.40	1.36
3	D	201	HEM	CBC-CAC	2.21	1.44	1.29
3	D	201	HEM	CBB-CAB	2.28	1.44	1.29
3	B	201	HEM	CBC-CAC	2.31	1.44	1.29
3	B	201	HEM	CBB-CAB	2.31	1.44	1.29
3	A	201	HEM	CBB-CAB	2.36	1.45	1.29
3	A	201	HEM	C4D-C3D	2.38	1.48	1.42
3	C	201	HEM	C1C-C2C	2.46	1.48	1.42
3	C	201	HEM	CBC-CAC	2.48	1.45	1.29
3	A	201	HEM	CBC-CAC	2.48	1.45	1.29
3	A	201	HEM	C1A-NA	2.69	1.41	1.36
3	D	201	HEM	C1D-ND	2.79	1.41	1.36
3	B	201	HEM	C4A-NA	2.92	1.42	1.36

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	201	HEM	C4C-C3C-C2C	-4.41	103.82	106.90
3	C	201	HEM	CAA-C2A-C3A	-2.64	121.45	129.00
3	C	201	HEM	C4A-C3A-C2A	-2.61	105.18	107.00
3	A	201	HEM	CAD-C3D-C2D	-2.13	122.92	129.00
3	B	201	HEM	CAA-C2A-C3A	-2.06	123.12	129.00
3	C	201	HEM	CAD-C3D-C2D	-2.04	123.17	129.00
3	A	201	HEM	CAA-C2A-C3A	-2.04	123.17	129.00
4	A	202[A]	S1P	O23-P22-O24	2.02	115.58	107.59
3	C	201	HEM	CMB-C2B-C3B	2.10	128.71	124.88
3	D	201	HEM	CBA-CAA-C2A	2.44	117.15	112.48
3	A	201	HEM	C3B-C4B-NB	2.64	112.62	109.21
4	A	203[B]	S1P	O24-P22-O1	2.73	114.00	106.73
3	D	201	HEM	CMC-C2C-C3C	2.78	129.95	124.88
3	A	201	HEM	CBA-CAA-C2A	4.14	120.40	112.48

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	203[B]	S1P	C3-C4-C5-C6

There are no ring outliers.

4 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	201	HEM	1	0
4	A	203[B]	S1P	6	0
3	C	201	HEM	1	0
3	D	201	HEM	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	141/141 (100%)	-0.29	2 (1%) 75 73	25, 43, 62, 69	0
1	C	141/141 (100%)	-0.51	0 100 100	23, 40, 53, 63	0
2	B	146/146 (100%)	-0.13	2 (1%) 75 73	30, 46, 67, 99	0
2	D	146/146 (100%)	-0.31	2 (1%) 75 73	23, 38, 60, 90	0
All	All	574/574 (100%)	-0.31	6 (1%) 82 80	23, 42, 63, 99	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	1	VAL	6.3
2	B	1	VAL	4.8
2	D	2	HIS	4.7
2	B	2	HIS	4.6
1	A	80	LEU	3.2
1	A	79	ALA	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	S1P	A	203[B]	18/25	0.48	0.56	42,54,63,66	18
4	S1P	A	202[A]	18/25	0.74	0.41	46,55,65,67	18
3	HEM	B	201	43/43	0.95	0.12	28,50,69,77	0
3	HEM	A	201	43/43	0.96	0.11	23,42,52,57	0
3	HEM	C	201	43/43	0.97	0.11	21,38,49,51	0
3	HEM	D	201	43/43	0.97	0.12	15,35,43,52	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.