

wwPDB X-ray Structure Validation Summary Report (i)

Oct 31, 2023 – 07:31 AM EDT

PDB ID	:	3KZI
Title	:	Crystal Structure of Monomeric Form of Cyanobacterial Photosystem II
Authors	:	Gabdulkhakov, A.; Guskov, A.; Broser, M.; Kern, J.; Zouni, A.; Saenger, W.
Deposited on	:	2009-12-08
Resolution	:	3.60 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	1257 (3.70-3.50)
Clashscore	141614	1353 (3.70-3.50)
Ramachandran outliers	138981	1307 (3.70-3.50)
Sidechain outliers	138945	1307 (3.70-3.50)
RSRZ outliers	127900	1161 (3.70-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain							
_		2.1.1	5%							
	A	344	47%	46%	5% •					
	D	-10	3%							
2	В	510	53%	38%	• 5%					
	~	101	5%							
3	C	461	41%	50%	6% •					
	-		7%							
4	D	352	51%	39%	7% •					
	_		2%							
5	E	83	28%	57%	7% • 7%					



Mol	Chain	Length		Quality of chain		
		0	11%	• •		
6	F	44	25%	50%	11%	14%
7	Н	65	3%	49%		11% •
8	Ι	38	47%	4:	5%	8%
9	J	40	20%	58%	8%	15%
10	К	37	3% 11%	78%		11%
11	L	37	54%	3	2%	14%
12	М	36	39%	56%		6%
13	Ο	246	8% 50%		45%	•••
14	Т	32	56% 56%		34%	• 6%
15	U	104	55%		34%	•• 7%
16	V	137	4% 60%		36%	•
17	у	46	4%	13%	39%	
18	Х	40	48%	25%	12% •	12%
19	Z	62	37%	53%		10%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
21	CLA	А	362	Х	-	-	-
21	CLA	А	363	Х	-	-	Х
21	CLA	А	364	X	-	-	-
21	CLA	А	366	X	-	-	-
21	CLA	В	511	X	-	-	Х
21	CLA	В	512	X	-	-	-
21	CLA	В	513	X	-	Х	-
21	CLA	В	514	X	-	-	-
21	CLA	В	515	Х	-	-	-
21	CLA	В	516	X	-	-	-
21	CLA	В	517	Х	-	-	-
21	CLA	B	518	X	_	-	-
21	CLA	В	519	Х	-	-	-



3KZI	
OTTOT	

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
21	CLA	В	520	X	-	_	-
21	CLA	В	521	X	-	_	-
21	CLA	В	522	X	-	-	-
21	CLA	В	523	X	-	_	-
21	CLA	В	524	X	-	-	-
21	CLA	В	525	X	-	-	-
21	CLA	В	526	Х	-	-	Х
21	CLA	С	477	Х	_	-	_
21	CLA	С	478	Х	_	-	_
21	CLA	С	479	Х	-	_	-
21	CLA	С	480	Х	-	-	-
21	CLA	С	481	Х	-	_	_
21	CLA	С	482	Х	-	_	Х
21	CLA	С	483	Х	-	-	-
21	CLA	С	484	Х	-	_	-
21	CLA	С	485	Х	-	-	-
21	CLA	С	486	Х	-	Х	-
21	CLA	С	487	Х	-	_	-
21	CLA	С	488	Х	-	-	-
21	CLA	D	354	Х	-	-	-
21	CLA	D	356	Х	-	-	-
21	CLA	Κ	483	Х	-	-	-
22	PHO	А	365	Х	-	-	-
22	PHO	D	355	Х	-	-	-
23	MES	А	367	-	-	Х	-
25	BCR	В	527	-	-	-	Х
25	BCR	В	529	-	-	-	Х
25	BCR	В	530	-	-	-	Х
25	BCR	С	490	-	-	-	Х
25	BCR	J	115	-	-	-	Х
25	BCR	Х	107	-	-	-	Х
25	BCR	Ζ	116	-	-	-	Х
26	LHG	С	476	-	_	-	Х
27	LMG	A	373	-	_	X	X
27	LMG	С	494	-	_	-	Х
27	LMG	D	360	-	-	X	X
27	LMG	Ι	220	_	_	-	X
27	LMG	J	492	-	-	-	X
27	LMG	М	217	-	_	-	Х
28	DGD	A	375	-	-	-	X
28	DGD	В	528	-	_	Х	-
28	DGD	С	474	-	-	-	Х



Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
28	DGD	С	492	Х	-	-	-
28	DGD	С	493	Х	-	Х	-
28	DGD	D	362	-	-	-	Х
29	LMT	А	376	-	-	-	Х
29	LMT	В	535	-	-	-	Х
29	LMT	D	363	-	-	-	Х
29	LMT	Ι	274	-	-	-	Х
29	LMT	Т	226	-	-	-	Х
30	SQD	С	475	-	-	-	Х
30	SQD	F	224	-	-	-	Х
30	SQD	L	213	-	-	-	Х
32	PL9	D	357	-	-	Х	Х
34	CA	0	273	-	-	-	Х

Continued from previous page...



2 Entry composition (i)

There are 34 unique types of molecules in this entry. The entry contains 24678 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Photosystem Q(B) protein 1.

Mol	Chain	Residues		At	oms		ZeroOcc	AltConf	Trace	
1	А	335	Total 2628	C 1720	N 432	0 461	S 15	0	0	0

• Molecule 2 is a protein called Photosystem II core light harvesting protein.

Mol	Chain	Residues		At	oms		ZeroOcc	AltConf	Trace	
2	В	485	Total 3812	$\begin{array}{c} \mathrm{C} \\ 2505 \end{array}$	N 635	O 659	S 13	0	0	0

• Molecule 3 is a protein called Photosystem II CP43 protein.

Mol	Chain	Residues		At	oms		ZeroOcc	AltConf	Trace	
3	С	448	Total 3455	C 2262	N 580	O 600	S 13	0	0	0

• Molecule 4 is a protein called Photosystem II D2 protein.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
4	D	340	Total 2706	C 1794	N 440	O 460	S 12	0	0	0

• Molecule 5 is a protein called Cytochrome b559 subunit alpha.

Mol	Chain	Residues		Ato	ms		ZeroOcc	AltConf	Trace
5	Е	77	Total 635	C 417	N 103	0 115	0	0	0

• Molecule 6 is a protein called Cytochrome b559 subunit beta.

Mol	Chain	Residues		Ato	\mathbf{ms}			ZeroOcc	AltConf	Trace
6	F	38	Total 307	C 207	N 50	O 49	S 1	0	0	0



• Molecule 7 is a protein called Photosystem II reaction center protein H.

Mol	Chain	Residues		Ato	\mathbf{ms}			ZeroOcc	AltConf	Trace
7	Н	65	Total 507	C 338	N 81	O 86	${ m S} { m 2}$	0	0	0

• Molecule 8 is a protein called Photosystem II reaction center protein I.

Mol	Chain	Residues		Atc	\mathbf{ms}			ZeroOcc	AltConf	Trace
8	Ι	35	Total 286	C 195	N 45	0 45	S 1	0	0	0

• Molecule 9 is a protein called Photosystem II reaction center protein J.

Mol	Chain	Residues		Ato	\mathbf{ms}			ZeroOcc	AltConf	Trace
9	J	34	Total 249	C 170	N 38	O 40	S 1	0	0	0

• Molecule 10 is a protein called Photosystem II reaction center protein K.

Mol	Chain	Residues		Aton	ns		ZeroOcc	AltConf	Trace
10	K	37	Total 293	C 204	N 43	O 46	0	0	0

• Molecule 11 is a protein called Photosystem II reaction center protein L.

Mol	Chain	Residues		Atc	\mathbf{ms}			ZeroOcc	AltConf	Trace
11	L	37	Total 304	C 202	N 48	O 53	S 1	0	0	0

• Molecule 12 is a protein called Photosystem II reaction center protein M.

Mol	Chain	Residues		Ato	\mathbf{ms}			ZeroOcc	AltConf	Trace
12	М	34	Total 267	C 178	N 40	0 48	S 1	0	0	0

• Molecule 13 is a protein called Photosystem II manganese-stabilizing polypeptide.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
13	О	243	Total 1845	C 1154	N 308	0 379	${S \atop 4}$	0	0	0

• Molecule 14 is a protein called Photosystem II reaction center protein T.



Mol	Chain	Residues		Atoms					AltConf	Trace
14	Т	30	Total 256	C 180	N 36	O 38	${ m S} { m 2}$	0	0	0

• Molecule 15 is a protein called Photosystem II 12 kDa extrinsic protein.

Mol	Chain	Residues		Ato	ms		ZeroOcc	AltConf	Trace
15	U	97	Total 774	C 491	N 129	O 154	0	0	0

• Molecule 16 is a protein called Cytochrome c-550.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	V	137	Total 1060	$\begin{array}{c} \mathrm{C} \\ 673 \end{array}$	N 177	O 206	${S \atop 4}$	0	0	0

• Molecule 17 is a protein called Photosystem II reaction center protein ycf12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	У	28	Total 201	C 134	N 33	O 31	${ m S} { m 3}$	0	0	0

• Molecule 18 is a protein called Photosystem II reaction center X protein.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
18	Х	35	Total 254	C 172	N 38	O 44	0	0	0

• Molecule 19 is a protein called Photosystem II reaction center protein Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	Z	62	Total 479	C 328	N 72	O 77	${ m S} { m 2}$	0	0	0

• Molecule 20 is FE (II) ION (three-letter code: FE2) (formula: Fe).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
20	А	1	Total Fe 1 1	0	0

• Molecule 21 is CHLOROPHYLL A (three-letter code: CLA) (formula: $C_{55}H_{72}MgN_4O_5$).





Mol	Chain	Residues		At	oms			ZeroOcc	AltConf
01	٨	1	Total	С	Mg	Ν	0	0	0
21	А	1	65	55	1	4	5	0	0
-01	٨	1	Total	С	Mg	Ν	Ο	0	0
21	A	1	65	55	1	4	5	0	0
-01	٨	1	Total	С	Mg	Ν	Ο	0	0
	A	1	65	55	1	4	5	0	0
-01	٨	1	Total	С	Mg	Ν	Ο	0	0
21	A	1	65	55	1	4	5	0	0
01	D	1	Total	С	Mg	Ν	Ο	0	0
21	D	1	65	55	1	4	5	0	0
01	D	1	Total	С	Mg	Ν	0	0	0
21	D	1	65	55	1	4	5	0	0
01	D	1	Total	С	Mg	Ν	Ο	0	0
21	D	1	65	55	1	4	5	0	0
01	D	1	Total	С	Mg	Ν	0	0	0
	D	1	65	55	1	4	5	0	0
-01	D	1	Total	С	Mg	Ν	Ο	0	0
21	D	1	65	55	1	4	5	0	0
-01	D	1	Total	С	Mg	Ν	Ο	0	0
21	D	1	65	55	1	4	5	0	0
01	D	1	Total	С	Mg	Ν	Ο	0	0
	D	1	65	55	1	4	5	0	0
21	В	1	Total	С	Mg	Ν	0	0	0
	D	1	65	55	1	4	5	0	0
91	B	1	Total	С	Mg	Ν	0	0	0
	D	L	65	55	1	4	5	0	U
21	В	1	Total	С	Mg	Ν	0	0	0
<u></u>	D		65	55	1	4	5	U	0



Mol	Chain	Residues	-	At	oms			ZeroOcc	AltConf
01	р	1	Total	С	Mg	Ν	0	0	0
21	В	1	65	55	1	4	5	0	0
- 21	D	1	Total	С	Mg	Ν	Ο	0	0
21	D	1	65	55	1	4	5	0	0
- 91	D	1	Total	С	Mg	Ν	Ο	0	0
21	D	1	65	55	1	4	5	0	0
21	В	1	Total	С	Mg	Ν	0	0	0
21	D	1	65	55	1	4	5	0	0
21	В	1	Total	С	Mg	Ν	0	0	0
21	D	T	65	55	1	4	5	0	0
91	В	1	Total	С	Mg	Ν	Ο	0	0
21	D	T	65	55	1	4	5	0	0
21	С	1	Total	С	Mg	Ν	Ο	0	0
21	U	1	65	55	1	4	5	0	0
21	С	1	Total	С	Mg	Ν	Ο	0	0
21	U	1	65	55	1	4	5	0	0
21	С	1	Total	С	Mg	Ν	Ο	0	0
<u></u>	0	Ĩ	65	55	1	4	5	0	0
21	С	1	Total	С	Mg	Ν	Ο	0	0
<u>4</u> 1	U	1	65	55	1	4	5	0	0
21	С	1	Total	С	Mg	Ν	Ο	0	0
<u></u>	0	1	65	55	1	4	5	0	0
21	С	1	Total	\mathbf{C}	Mg	Ν	Ο	0	0
21	U	1	65	55	1	4	5	0	0
21	С	1	Total	С	Mg	Ν	Ο	0	0
	0	1	65	55	1	4	5	0	0
21	С	1	Total	С	Mg	Ν	Ο	0	0
	<u> </u>	1	65	55	1	4	5	Ŭ	
21	С	1	Total	С	Mg	Ν	Ο	0	0
		-	65	55	1	4	5	Ŭ	
21	C	1	Total	С	Mg	Ν	Ο	0	0
		-	65	55	1	4	5	Ŭ	
21	С	1	Total	С	Mg	Ν	Ο	0	0
	_		65	55	1	4	5	_	_
21	С	1	Total	С	Mg	Ν	O	0	0
		_	65	55	1	4	5		
21	D	1	'I'otal	C	Mg	N	Õ	0	0
			65	55	1	4	5	_	
21	D	1	Total	C	Mg	N	Ũ	0	0
			65	55	$\frac{1}{\sqrt{1}}$	4	5	_	-
21	K	1	'I'otal	C	Mg	N	Ō	0	0
		÷	65	55	1	4	5		



• Molecule 22 is PHEOPHYTIN A (three-letter code: PHO) (formula: $C_{55}H_{74}N_4O_5$).



Mol	Chain	Residues	A	Aton	ns		ZeroOcc	AltConf
22	А	1	Total 64	$\begin{array}{c} \mathrm{C} \\ 55 \end{array}$	N 4	O 5	0	0
22	D	1	Total 64	$\begin{array}{c} \mathrm{C} \\ 55 \end{array}$	N 4	O 5	0	0

• Molecule 23 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).





Mol	Chain	Residues		Ato	oms		ZeroOcc	AltConf	
23	А	1	Total 12	C 6	N 1	0 4	S 1	0	0

• Molecule 24 is OXYGEN EVOLVING SYSTEM (three-letter code: OEC) (formula: $CaMn_4O_4$).



Mol	Chain	Residues	A	toms	5	ZeroOcc	AltConf
24	А	1	Total 5	Ca 1	Mn 4	0	0

 $\bullet\,$ Molecule 25 is BETA-CAROTENE (three-letter code: BCR) (formula: $\mathrm{C}_{40}\mathrm{H}_{56}).$





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
25	А	1	Total C 40 40	0	0
25	В	1	Total C 40 40	0	0
25	В	1	Total C 40 40	0	0
25	В	1	Total C 40 40	0	0
25	С	1	Total C 40 40	0	0
25	С	1	Total C 40 40	0	0
25	D	1	Total C 40 40	0	0
25	J	1	Total C 40 40	0	0
25	J	1	Total C 40 40	0	0
25	Х	1	Total C 40 40	0	0
25	Z	1	Total C 40 40	0	0

• Molecule 26 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (three-letter code: LHG) (formula: $C_{38}H_{75}O_{10}P$).





Mol	Chain	Residues	A	Aton	ns		ZeroOcc	AltConf	
26	Λ	1	Total	С	Ο	Р	0	0	
20	Л	L	39	28	10	1	0	0	
26	С	1	Total	С	Ο	Р	0	0	
20	U	L	37	26	10	1	0	0	

• Molecule 27 is 1,2-DISTEAROYL-MONOGALACTOSYL-DIGLYCERIDE (three-letter code: LMG) (formula: C₄₅H₈₆O₁₀).



Mol	Chain	Residues	Aton	ıs	ZeroOcc	AltConf
27	Λ	1	Total C	O	0	0
21	A	1	51 41	l 10	0	0
27	В	1	Total C	O	0	0
21	D	1	49 39	9 10	0	0
97	С	1	Total C	O I	0	0
21	U	1	45 35	5 10	0	0
97	Л	1	Total C	O I	0	0
21		L	46 36	5 10		
27	Л	1	Total C	O I	0	0
21	D	1	48 38	8 10	0	
27	T	1	Total C	O I	0	0
21	1	1	43 33	3 10	0	0
97	т	1	Total C	O S	0	0
21	J	I	48 38	8 10	0	0
27	М	1	Total C	0	0	0
	IVI	L	42 32	2 10		U

• Molecule 28 is DIGALACTOSYL DIACYL GLYCEROL (DGDG) (three-letter code: DGD) (formula: $C_{51}H_{96}O_{15}$).





Mol	Chain	Residues	Ato	\mathbf{ms}		ZeroOcc	AltConf
28	А	1	Total	С	0	0	0
		-	52 3	37	15	·	
28	В	1	Total	С	0	0	0
20	20 D	I	66 5	51	15	0	0
10	D	1	Total	С	0	0	0
20	D	1	58 4	43	15	0	
20	С	1	Total	С	0	0	0
20	C	1	56 4	41	15		
20	С	1	Total	С	0	0	0
20	C	1	53 3	38	15	0	
<u> </u>	С	1	Total	С	0	0	0
20	C	1	62 4	47	15	0	0
<u> </u>	С	1	Total	С	0	0	0
20	U		66 8	51	15	0	U
20	р	1	Total	С	0	0	0
20	D		63 4	48	15	U	U

• Molecule 29 is DODECYL-BETA-D-MALTOSIDE (three-letter code: LMT) (formula: $\rm C_{24}H_{46}O_{11}).$





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
29	А	1	Total C O 35 24 11	0	0
29	В	1	Total C O 35 24 11	0	0
29	D	1	Total C O 35 24 11	0	0
29	D	1	Total C O 31 20 11	0	0
29	Ι	1	Total C O 35 24 11	0	0
29	О	1	Total C O 35 24 11	0	0
29	Т	1	Total C O 35 24 11	0	0

• Molecule 30 is 1,2-DI-O-ACYL-3-O-[6-DEOXY-6-SULFO-ALPHA-D-GLUCOPYRANOSY L]-SN-GLYCEROL (three-letter code: SQD) (formula: $C_{41}H_{78}O_{12}S$).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
30	С	1	Total	С	Ο	\mathbf{S}	0	0
	1	51	38	12	1	0	0	
30	Л	1	Total	С	Ο	\mathbf{S}	0	0
- 50	- 50 D	T	43	30	12	1	0	0
20	Б	1	Total	С	Ο	S	0	0
- 50	50 Г	1	45	32	12	1	0	
20) L	1	Total	С	Ο	S	0	0
30			47	34	12	1		0





Mo	Chain	Residues	Atoms			ZeroOcc	AltConf
31	D	1	Total 4	С 1	O 3	0	0

• Molecule 32 is 2,3-DIMETHYL-5-(3,7,11,15,19,23,27,31,35-NONAMETHYL-2,6,10,14,18 ,22,26,30,34-HEXATRIACONTANONAENYL-2,5-CYCLOHEXADIENE-1,4-DIONE-2, 3-DIMETHYL-5-SOLANESYL-1,4-BENZOQUINONE (three-letter code: PL9) (formula: $C_{53}H_{80}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
32	D	1	Total 55	C 53	O 2	0	0

• Molecule 33 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
22	Б	F 1	Total	С	Fe	Ν	0	0	0	
55 1	Г		43	34	1	4	4			
22	V	V	1	Total	С	Fe	Ν	Ο	0	0
33			43	34	1	4	4	0	0	

• Molecule 34 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
34	F	1	Total Ca 1 1	0	0
34	K	1	Total Ca 1 1	0	0
34	0	1	Total Ca 1 1	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Photosystem Q(B) protein 1





 \bullet Molecule 3: Photosystem II CP43 protein



 \bullet Molecule 4: Photosystem II D2 protein









• Molecule 9: Photosystem II reaction center protein J



• Molecule 10: Photosystem II reaction center protein K











4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants	119.89Å 224.69Å 337.28Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	29.87 - 3.60	Depositor
Resolution (A)	29.87 - 3.60	EDS
% Data completeness	89.2 (29.87-3.60)	Depositor
(in resolution range)	$99.3\ (29.87-3.60)$	EDS
R_{merge}	0.11	Depositor
R_{sym}	0.07	Depositor
$< I/\sigma(I) > 1$	$1.24 (at 3.56 \text{\AA})$	Xtriage
Refinement program	CNS 1.2	Depositor
D D.	0.297 , 0.308	Depositor
Λ, Λ_{free}	0.294 , 0.302	DCC
R_{free} test set	1054 reflections $(2.00%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	153.9	Xtriage
Anisotropy	0.105	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.27, 84.5	EDS
L-test for $twinning^2$	$ \langle L \rangle = 0.40, \langle L^2 \rangle = 0.22$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	24678	wwPDB-VP
Average B, all atoms $(Å^2)$	163.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.50% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, HEM, FE2, MES, BCT, PHO, BCR, LMT, PL9, LHG, CLA, OEC, DGD, SQD, LMG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
1VIOI	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.44	0/2713	0.66	0/3700	
2	В	0.43	0/3947	0.66	1/5379~(0.0%)	
3	С	0.41	0/3567	0.64	1/4856~(0.0%)	
4	D	0.47	0/2801	0.65	0/3818	
5	Е	0.43	0/654	0.69	0/891	
6	F	0.62	0/317	0.71	0/433	
7	Н	0.38	0/520	0.67	0/709	
8	Ι	0.51	0/293	0.68	0/395	
9	J	0.41	0/255	0.68	0/346	
10	Κ	0.41	0/303	0.62	0/416	
11	L	0.37	0/311	0.65	0/422	
12	М	0.44	0/270	0.70	0/367	
13	0	0.44	0/1876	0.70	0/2548	
14	Т	0.49	0/265	0.63	0/359	
15	U	0.42	0/785	0.73	1/1064~(0.1%)	
16	V	0.39	0/1081	0.65	0/1468	
17	У	0.46	0/202	0.73	0/272	
18	Х	0.42	0/257	0.59	0/348	
19	Ζ	0.45	0/490	0.69	0/669	
All	All	0.43	0/20907	0.66	$3/28460\ (0.0\%)$	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	1

There are no bond length outliers.



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	В	486	LEU	CA-CB-CG	6.98	131.36	115.30
3	С	32	GLY	N-CA-C	-5.55	99.23	113.10
15	U	72	TYR	N-CA-C	5.05	124.64	111.00

All (3) bond angle outliers are listed below:

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Group
1	А	161	TYR	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2628	0	2524	244	0
2	В	3812	0	3683	272	0
3	С	3455	0	3378	373	0
4	D	2706	0	2608	238	0
5	Ε	635	0	625	82	0
6	F	307	0	312	49	0
7	Н	507	0	521	67	0
8	Ι	286	0	308	18	0
9	J	249	0	262	50	0
10	Κ	293	0	305	56	0
11	L	304	0	316	28	0
12	М	267	0	289	34	0
13	0	1845	0	1801	119	0
14	Т	256	0	262	24	0
15	U	774	0	773	47	0
16	V	1060	0	1068	49	0
17	У	201	0	226	0	0
18	Х	254	0	282	28	0
19	Ζ	479	0	516	64	0
20	Α	1	0	0	0	0
21	A	260	0	288	49	0
21	В	1040	0	1152	151	0



2V71	
JULI	

	Continuea from previous page					
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
21	C	780	0	864	143	0
21	D	130	0	144	20	0
21	K	65	0	72	15	0
22	A	64	0	74	8	0
22	D	64	0	74	12	0
23	A	12	0	13	13	0
24	А	5	0	0	0	0
25	А	40	0	56	8	0
25	В	120	0	168	7	0
25	С	80	0	112	26	0
25	D	40	0	56	8	0
25	J	80	0	112	19	0
25	Х	40	0	56	6	0
25	Z	40	0	56	4	0
26	А	39	0	51	7	0
26	С	37	0	44	5	0
27	А	51	0	72	40	0
27	В	49	0	68	6	0
27	С	45	0	60	6	0
27	D	94	0	127	36	0
27	Ι	43	0	56	0	0
27	J	48	0	66	4	0
27	М	42	0	54	3	0
28	А	52	0	62	1	0
28	В	124	0	170	42	0
28	С	237	0	311	76	0
28	D	63	0	87	0	0
29	А	35	0	46	0	0
29	В	35	0	46	2	0
29	D	66	0	81	3	0
29	Ι	35	0	46	2	0
29	0	35	0	46	1	0
29	Т	35	0	46	1	0
30	С	51	0	68	5	0
30	D	43	0	49	9	0
30	F	45	0	53	0	0
30	L	47	0	60	2	0
31	D	4	0	0	0	0
32	D	55	0	80	31	0
33	F	43	0	30	6	0
33	V	43	0	30	5	0
34	F	1	0	0	0	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 37.

The worst 5 of 1799 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
30:C:475:SQD:C3	30:C:475:SQD:C4	1.74	1.58
16:V:63:CYS:SG	33:V:164:HEM:HAB	1.65	1.35
27:A:373:LMG:H112	4:D:266:TRP:CH2	1.77	1.19
1:A:271:LEU:HD11	23:A:367:MES:C8	1.73	1.17
28:B:533:DGD:HAH1	12:M:17:VAL:HG21	1.21	1.14

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	P	erc	entiles
1	А	333/344~(97%)	285 (86%)	41 (12%)	7 (2%)		7	40
2	В	483/510~(95%)	416 (86%)	54 (11%)	13 (3%)		5	35
3	С	446/461~(97%)	370 (83%)	60 (14%)	16 (4%)		3	29
4	D	338/352~(96%)	286 (85%)	43 (13%)	9 (3%)		5	35
5	E	75/83~(90%)	66 (88%)	5 (7%)	4 (5%)		2	19
6	F	36/44~(82%)	22 (61%)	9(25%)	5 (14%)		0	4
7	Н	63/65~(97%)	45 (71%)	9 (14%)	9 (14%)		0	4
8	Ι	33/38~(87%)	20 (61%)	11 (33%)	2 (6%)		1	17



Chain Non-H H(model) H(added) Clashes Symm-Clashes Mol 34 Κ 0 0 0 0 1 34 0 1 0 0 0 0 All All 24678 0 252651799 0

3KZI

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percent	tiles
9	J	32/40~(80%)	26 (81%)	4 (12%)	2~(6%)	1 1	.7
10	K	35/37~(95%)	26 (74%)	7 (20%)	2~(6%)	1 1	.8
11	L	35/37~(95%)	33 (94%)	2 (6%)	0	100	100
12	М	32/36~(89%)	23 (72%)	9 (28%)	0	100	100
13	Ο	241/246~(98%)	201 (83%)	29 (12%)	11 (5%)	2 2	23
14	Т	28/32~(88%)	25 (89%)	3 (11%)	0	100	100
15	U	95/104 (91%)	79~(83%)	12 (13%)	4 (4%)	3 2	25
16	V	135/137~(98%)	111 (82%)	23 (17%)	1 (1%)	22	61
17	У	26/46~(56%)	14 (54%)	8 (31%)	4 (15%)	0	3
18	Х	33/40~(82%)	25 (76%)	5 (15%)	3 (9%)	1 9	9
19	Z	60/62~(97%)	48 (80%)	9 (15%)	3 (5%)	2 2	21
All	All	2559/2714~(94%)	2121 (83%)	343 (13%)	95 (4%)	3 2	28

5 of 95 Ramachandran outliers are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	12	ASN
1	А	141	PRO
1	А	142	TRP
2	В	176	GLY
2	В	230	ARG

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	271/280~(97%)	257~(95%)	14 (5%)	23 58
2	В	385/407~(95%)	369~(96%)	16 (4%)	30 63
3	С	348/362~(96%)	327~(94%)	21 (6%)	19 54
4	D	275/283~(97%)	256~(93%)	19 (7%)	15 49
5	Е	69/72~(96%)	64 (93%)	5 (7%)	14 47





3KZI

Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
6	F	32/38~(84%)	31 (97%)	1 (3%)	40	71
7	Н	53/54~(98%)	49 (92%)	4 (8%)	13	45
8	Ι	32/35~(91%)	31 (97%)	1 (3%)	40	71
9	J	24/28~(86%)	23~(96%)	1 (4%)	30	63
10	Κ	30/30~(100%)	27~(90%)	3 (10%)	7	35
11	L	35/35~(100%)	30~(86%)	5 (14%)	3	21
12	М	31/33~(94%)	31 (100%)	0	100	100
13	Ο	202/208~(97%)	193~(96%)	9 (4%)	27	62
14	Т	27/29~(93%)	26~(96%)	1 (4%)	34	66
15	U	84/89~(94%)	80~(95%)	4 (5%)	25	60
16	V	116/117~(99%)	111 (96%)	5 (4%)	29	63
17	У	20/37~(54%)	18 (90%)	2(10%)	7	35
18	Х	28/33~(85%)	24 (86%)	4 (14%)	3	21
19	Z	52/52~(100%)	47 (90%)	5 (10%)	8	37
All	All	2114/2222 (95%)	1994 (94%)	120 (6%)	20	55

 $5~{\rm of}~120$ residues with a non-rotameric side chain are listed below:

Mol	Chain	Res	Type
4	D	130	PHE
17	у	46	LEU
5	Е	18	ARG
17	у	28	ILE
19	Ζ	58	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 32 such sidechains are listed below:

Mol	Chain	Res	Type
13	0	226	ASN
15	U	82	ASN
4	D	117	HIS
4	D	98	GLN
18	Х	42	GLN



5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 87 ligands modelled in this entry, 4 are monoatomic - leaving 83 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Bos	Link	Bond lengths			Bo	ond angl	es
	Type Cham I	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
21	CLA	С	483	-	65,73,73	2.93	21 (32%)	76,113,113	1.78	13 (17%)
21	CLA	А	363	-	65,73,73	2.42	19 (29%)	76,113,113	1.90	15 (19%)
30	SQD	D	361	-	42,43,54	2.57	19 (45%)	51,54,65	2.94	15 (29%)
21	CLA	С	477	-	65,73,73	2.54	17 (26%)	76,113,113	1.92	14 (18%)
21	CLA	В	518	-	65,73,73	2.72	20 (30%)	76,113,113	2.17	20 (26%)
25	BCR	Ζ	116	-	41,41,41	1.95	8 (19%)	56,56,56	2.08	19 (33%)
30	SQD	F	224	-	44,45,54	2.65	21 (47%)	53,56,65	2.85	19 (35%)
30	SQD	L	213	-	46,47,54	2.60	24 (52%)	$55,\!58,\!65$	2.88	19 (34%)
29	LMT	D	536	-	36,36,36	1.70	10 (27%)	47,47,47	1.58	8 (17%)
29	LMT	Т	226	-	36,36,36	1.79	9 (25%)	47,47,47	0.98	2 (4%)
23	MES	А	367	-	12,12,12	1.49	1 (8%)	14,16,16	1.21	3 (21%)
33	HEM	V	164	16	41,50,50	2.53	14 (34%)	45,82,82	3.01	16 (35%)
21	CLA	D	356	-	65,73,73	2.59	20 (30%)	76,113,113	1.88	13 (17%)
21	CLA	А	366	-	65,73,73	2.67	19 (29%)	76,113,113	1.75	11 (14%)



Mol	Type	Chain	Bos	Link	B	Bond lengths		Bond angles			
	туре	Chan	Ites		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2	
21	CLA	В	520	-	65,73,73	2.54	18 (27%)	76,113,113	1.72	11 (14%)	
21	CLA	В	512	-	65,73,73	2.38	18 (27%)	76,113,113	1.61	9 (11%)	
25	BCR	D	358	-	41,41,41	1.72	7 (17%)	56,56,56	2.29	20 (35%)	
22	PHO	А	365	-	$51,\!69,\!69$	3.42	10 (19%)	47,99,99	1.69	6 (12%)	
25	BCR	Х	107	-	41,41,41	1.55	6 (14%)	56, 56, 56	2.40	20 (35%)	
21	CLA	С	487	-	65,73,73	3.11	22 (33%)	76,113,113	1.85	10 (13%)	
21	CLA	В	522	-	65,73,73	2.39	18 (27%)	76,113,113	1.67	11 (14%)	
28	DGD	С	492	-	63,63,67	1.36	10 (15%)	77,77,81	2.78	21 (27%)	
21	CLA	В	526	-	65,73,73	2.98	20 (30%)	76,113,113	1.77	11 (14%)	
21	CLA	В	521	-	65,73,73	2.63	18 (27%)	76,113,113	1.95	19 (25%)	
21	CLA	В	523	-	65,73,73	2.52	18 (27%)	76,113,113	1.63	15 (19%)	
21	CLA	В	524	-	65,73,73	2.76	21 (32%)	76,113,113	1.84	15 (19%)	
21	CLA	С	479	-	65,73,73	2.75	20 (30%)	76,113,113	1.94	14 (18%)	
21	CLA	С	484	-	65,73,73	2.74	18 (27%)	76,113,113	1.81	16 (21%)	
22	PHO	D	355	-	51,69,69	<mark>3.23</mark>	11 (21%)	47,99,99	1.69	<mark>6 (12%)</mark>	
21	CLA	С	480	-	65,73,73	2.74	19 (29%)	76,113,113	2.00	13 (17%)	
21	CLA	С	482	-	65,73,73	3.25	22 (33%)	76,113,113	1.86	17 (22%)	
29	LMT	А	376	-	36,36,36	1.99	11 (30%)	47,47,47	1.45	8 (17%)	
27	LMG	М	217	-	42,42,55	1.95	8 (19%)	50,50,63	1.47	7 (14%)	
28	DGD	С	491	-	54,54,67	1.63	9 (16%)	68,68,81	2.98	23 (33%)	
21	CLA	С	488	-	65,73,73	2.88	19 (29%)	76,113,113	1.86	16 (21%)	
28	DGD	А	375	-	53,53,67	2.05	13 (24%)	67,67,81	2.50	22 (32%)	
33	HEM	F	85	5	41,50,50	2.78	17 (41%)	45,82,82	<mark>3.03</mark>	16 (35%)	
25	BCR	С	489	-	41,41,41	1.90	9 (21%)	56,56,56	2.09	16 (28%)	
25	BCR	В	530	-	41,41,41	2.51	11 (26%)	56,56,56	2.22	23 (41%)	
26	LHG	А	371	-	38,38,48	2.22	5 (13%)	41,44,54	1.41	4 (9%)	
25	BCR	J	112	-	41,41,41	1.90	8 (19%)	56,56,56	2.41	24 (42%)	
21	CLA	В	516	-	65,73,73	2.80	20 (30%)	76,113,113	1.98	17 (22%)	
21	CLA	С	485	-	65,73,73	2.75	19 (29%)	76,113,113	1.75	12 (15%)	
21	CLA	В	515	-	65,73,73	2.66	18 (27%)	76,113,113	1.79	12 (15%)	
29	LMT	Ι	274	-	36,36,36	1.87	12 (33%)	47,47,47	1.33	7 (14%)	
29	LMT	В	535	-	36,36,36	1.87	10 (27%)	47,47,47	1.15	2 (4%)	
21	CLA	С	486	3	65,73,73	<mark>3.25</mark>	22 (33%)	76,113,113	1.77	16 (21%)	
27	LMG	Ι	220	-	43,43,55	2.02	12 (27%)	51,51,63	2.17	14 (27%)	
28	DGD	С	493	-	67,67,67	1.44	16 (23%)	81,81,81	3.04	28 (34%)	



Mol	Type	vno Chain Bos Lin		Link	B	ond leng	gths	Bond angles		
	турс	Chan			Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
27	LMG	В	531	-	49,49,55	1.66	6 (12%)	57,57,63	2.81	18 (31%)
27	LMG	J	492	-	48,48,55	1.95	9 (18%)	56,56,63	1.87	17 (30%)
27	LMG	D	359	-	46, 46, 55	1.72	6 (13%)	54,54,63	2.55	17 (31%)
25	BCR	J	115	-	41,41,41	2.24	11 (26%)	56,56,56	3.20	17 (30%)
21	CLA	А	362	-	65,73,73	2.36	19 (29%)	76,113,113	1.78	13 (17%)
27	LMG	С	494	-	45,45,55	1.91	8 (17%)	53,53,63	2.19	16 (30%)
28	DGD	В	533	-	67,67,67	1.49	13 (19%)	81,81,81	1.83	19 (23%)
21	CLA	В	511	-	65,73,73	<mark>3.30</mark>	26 (40%)	76,113,113	1.81	15 (19%)
21	CLA	D	354	-	65,73,73	2.83	19 (29%)	76,113,113	1.64	12 (15%)
31	BCT	D	353	20	$2,\!3,\!3$	0.65	0	2,3,3	0.40	0
25	BCR	В	529	-	41,41,41	2.17	9 (21%)	56, 56, 56	2.16	19 (33%)
28	DGD	С	474	-	57,57,67	2.08	15 (26%)	71,71,81	3.57	24 (33%)
21	CLA	С	481	-	65,73,73	3.16	20 (30%)	76,113,113	2.03	15 (19%)
21	CLA	В	513	-	65,73,73	2.40	18 (27%)	76,113,113	1.87	14 (18%)
25	BCR	А	369	-	41,41,41	1.91	6 (14%)	56,56,56	2.08	18 (32%)
28	DGD	В	528	-	59,59,67	0.60	2 (3%)	73,73,81	1.07	8 (10%)
29	LMT	D	363	-	32,32,36	1.82	7 (21%)	43,43,47	1.49	6 (13%)
26	LHG	С	476	-	36,36,48	2.39	6 (16%)	39,42,54	1.50	4 (10%)
21	CLA	В	517	-	65,73,73	2.86	21 (32%)	76,113,113	2.04	22 (28%)
25	BCR	С	490	-	41,41,41	1.98	8 (19%)	56,56,56	2.21	21 (37%)
30	SQD	С	475	-	50,51,54	2.59	26 (52%)	59,62,65	2.75	18 (30%)
25	BCR	В	527	-	41,41,41	1.79	7 (17%)	56,56,56	2.34	21 (37%)
21	CLA	K	483	-	65,73,73	2.51	17 (26%)	76,113,113	1.76	11 (14%)
27	LMG	А	373	-	51,51,55	0.55	1 (1%)	59,59,63	1.09	6 (10%)
27	LMG	D	360	-	48,48,55	0.56	1 (2%)	56,56,63	1.11	6 (10%)
32	PL9	D	357	-	55, 55, 55	3.11	23 (41%)	68,69,69	2.92	26 (38%)
29	LMT	0	274	-	36,36,36	2.00	12 (33%)	47,47,47	1.39	7 (14%)
21	CLA	В	514	-	65,73,73	2.60	17 (26%)	76,113,113	1.60	14 (18%)
21	CLA	А	364	-	65,73,73	2.57	21 (32%)	76,113,113	1.91	15 (19%)
21	CLA	С	478	-	65,73,73	2.52	18 (27%)	76,113,113	1.73	14 (18%)
21	CLA	В	525	_	65,73,73	2.75	19 (29%)	76,113,113	1.83	11 (14%)
28	DGD	D	362	_	64,64,67	2.09	22 (34%)	78,78,81	2.55	21 (26%)
21	CLA	В	519	-	65,73,73	2.61	17 (26%)	76,113,113	1.84	15 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
21	CLA	С	483	_	2/2/15/20	11/37/115/115	-
21	CLA	А	363	_	$\frac{2}{2}/\frac{2}{15}/20$	8/37/115/115	-
30	SQD	D	361	_	- 15/38/58/69		0/1/1/1
21	CLA	С	477	_	2/2/15/20 $8/37/115/115$		_
21	CLA	В	518	_	$\frac{2}{2}/\frac{2}{15}/20$	10/37/115/115	-
25	BCR	Z	116	_		2/29/63/63	0/2/2/2
30	SQD	F	224	-	-	19/40/60/69	0/1/1/1
30	SQD	L	213	_	_	17/42/62/69	0/1/1/1
29	LMT	D	536	-	_	1/21/61/61	0/2/2/2
29	LMT	Т	226	-	-	1/21/61/61	0/2/2/2
23	MES	А	367	-	-	3/6/14/14	0/1/1/1
33	HEM	V	164	16	-	8/12/54/54	-
21	CLA	D	356	-	2/2/15/20	8/37/115/115	-
21	CLA	А	366	-	2/2/15/20	10/37/115/115	-
21	CLA	В	520	-	2/2/15/20	14/37/115/115	-
21	CLA	В	512	-	2/2/15/20	9/37/115/115	-
25	BCR	D	358	-	-	3/29/63/63	0/2/2/2
22	PHO	А	365	-	1/1/17/22	8/37/103/103	0/5/6/6
25	BCR	Х	107	-	-	3/29/63/63	0/2/2/2
21	CLA	С	487	-	2/2/15/20	9/37/115/115	-
21	CLA	В	522	-	2/2/15/20	16/37/115/115	-
28	DGD	С	492	-	1/1/13/13	8/51/91/95	0/2/2/2
21	CLA	В	526	-	2/2/15/20	11/37/115/115	-
21	CLA	В	521	-	2/2/15/20	11/37/115/115	-
21	CLA	В	523	-	2/2/15/20	10/37/115/115	-
21	CLA	В	524	-	2/2/15/20	14/37/115/115	-
21	CLA	С	479	-	2/2/15/20	11/37/115/115	-
21	CLA	С	484	-	2/2/15/20	11/37/115/115	-
22	PHO	D	355	-	1/1/17/22	17/37/103/103	0/5/6/6
21	CLA	С	480	-	2/2/15/20	13/37/115/115	-
21	CLA	С	482	-	2/2/15/20	12/37/115/115	-
29	LMT	A	376	-	-	3/21/61/61	0/2/2/2
27	LMG	М	217	-	-	3/37/57/70	0/1/1/1

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
28	DGD	С	491	-	-	5/42/82/95	0/2/2/2
21	CLA	С	488	-	2/2/15/20	9/37/115/115	-
28	DGD	А	375	-	-	6/41/81/95	0/2/2/2
33	HEM	F	85	5	-	6/12/54/54	-
25	BCR	С	489	-	-	5/29/63/63	0/2/2/2
25	BCR	В	530	-	-	4/29/63/63	0/2/2/2
26	LHG	А	371	-	-	17/43/43/53	-
25	BCR	J	112	-	_	1/29/63/63	0/2/2/2
21	CLA	В	516	-	2/2/15/20	9/37/115/115	-
21	CLA	С	485	-	2/2/15/20	11/37/115/115	-
21	CLA	В	515	-	2/2/15/20	8/37/115/115	-
29	LMT	Ι	274	-	_	2/21/61/61	0/2/2/2
29	LMT	В	535	-	-	3/21/61/61	0/2/2/2
21	CLA	С	486	3	2/2/15/20	8/37/115/115	-
27	LMG	Ι	220	-	-	4/38/58/70	0/1/1/1
28	DGD	С	493	-	1/1/13/13	9/55/95/95	0/2/2/2
27	LMG	В	531	-	-	4/44/64/70	0/1/1/1
27	LMG	J	492	_	-	5/43/63/70	0/1/1/1
27	LMG	D	359	_	-	5/41/61/70	0/1/1/1
25	BCR	J	115	_	-	4/29/63/63	0/2/2/2
21	CLA	А	362	_	2/2/15/20	10/37/115/115	-
27	LMG	С	494	_	_	3/40/60/70	0/1/1/1
28	DGD	В	533	_	-	9/55/95/95	0/2/2/2
21	CLA	В	511	-	2/2/15/20	16/37/115/115	-
21	CLA	D	354	-	2/2/15/20	10/37/115/115	_
25	BCR	В	529	-	-	0/29/63/63	0/2/2/2
28	DGD	С	474	-	-	7/45/85/95	0/2/2/2
21	CLA	С	481	-	2/2/15/20	10/37/115/115	-
21	CLA	В	513	-	2/2/15/20	12/37/115/115	-
25	BCR	А	369	-	-	5/29/63/63	0/2/2/2
28	DGD	В	528	-	-	19/47/87/95	0/2/2/2
29	LMT	D	363	-	-	1/17/57/61	0/2/2/2
26	LHG	C	476	-	-	18/41/41/53	-
21	CLA	В	517	-	2/2/15/20	8/37/115/115	-
25	BCR	С	490	_	-	3/29/63/63	0/2/2/2


Mol	Type	Chain	Res	Link	Chirals	Torsions	\mathbf{Rings}
30	SQD	С	475	-	-	22/46/66/69	0/1/1/1
25	BCR	В	527	-	-	4/29/63/63	0/2/2/2
21	CLA	К	483	-	2/2/15/20	7/37/115/115	-
27	LMG	А	373	-	-	20/46/66/70	0/1/1/1
27	LMG	D	360	-	-	19/43/63/70	0/1/1/1
32	PL9	D	357	-	-	17/53/73/73	0/1/1/1
29	LMT	Ο	274	-	-	3/21/61/61	0/2/2/2
21	CLA	В	514	-	2/2/15/20	10/37/115/115	-
21	CLA	А	364	-	2/2/15/20	14/37/115/115	-
21	CLA	С	478	-	2/2/15/20	7/37/115/115	-
21	CLA	В	525	-	2/2/15/20	11/37/115/115	-
28	DGD	D	362	-	-	10/52/92/95	0/2/2/2
21	CLA	В	519	-	2/2/15/20	9/37/115/115	-

Continued from previous page...

The worst 5 of 1167 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
22	А	365	PHO	C3A-C2A	-16.73	1.39	1.54
22	D	355	PHO	C3A-C2A	-16.66	1.39	1.54
21	В	511	CLA	C3B-C2B	11.81	1.56	1.40
21	С	486	CLA	MG-NA	11.31	2.33	2.06
32	D	357	PL9	C28-C29	11.30	1.60	1.33

The worst 5 of 1168 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
28	С	474	DGD	O1G-C1G-C2G	12.38	144.47	108.43
28	С	493	DGD	O5D-C6D-C5D	10.84	129.11	109.05
25	J	115	BCR	C32-C1-C6	-10.58	93.14	110.30
28	С	492	DGD	O5D-C1E-C2E	10.56	124.80	108.30
28	С	491	DGD	O5D-C1E-C2E	10.32	124.41	108.30

5 of 74 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
21	А	362	CLA	ND
21	А	362	CLA	C8
21	А	363	CLA	ND
21	А	363	CLA	C8



Continued from previous page...

Mol	Chain	Res	Type	Atom
21	А	366	CLA	ND

5 of 716 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
21	В	511	CLA	C11-C12-C13-C14
21	В	515	CLA	C2-C3-C5-C6
21	В	515	CLA	C4-C3-C5-C6
21	В	516	CLA	C2-C3-C5-C6
21	В	516	CLA	C4-C3-C5-C6

There are no ring outliers.

76 monomers are involved in 704 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
21	С	483	CLA	13	0
21	А	363	CLA	14	0
30	D	361	SQD	9	0
21	С	477	CLA	12	0
21	В	518	CLA	15	0
25	Ζ	116	BCR	4	0
30	L	213	SQD	2	0
29	D	536	LMT	1	0
29	Т	226	LMT	1	0
23	А	367	MES	13	0
33	V	164	HEM	5	0
21	D	356	CLA	5	0
21	А	366	CLA	10	0
21	В	520	CLA	7	0
21	В	512	CLA	9	0
25	D	358	BCR	8	0
22	А	365	PHO	8	0
25	Х	107	BCR	6	0
21	С	487	CLA	15	0
21	В	522	CLA	13	0
28	С	492	DGD	14	0
21	В	526	CLA	6	0
21	В	521	CLA	12	0
21	В	523	CLA	7	0
21	В	524	CLA	5	0
21	С	479	CLA	18	0
21	С	484	CLA	15	0



Mol	Chain	Res	Type	Clashes	Symm-Clashes
22	D	355	PHO	12	0
21	С	480	CLA	11	0
21	С	482	CLA	6	0
27	М	217	LMG	3	0
28	С	491	DGD	17	0
21	С	488	CLA	7	0
28	А	375	DGD	1	0
33	F	85	HEM	6	0
25	С	489	BCR	18	0
25	В	530	BCR	2	0
26	А	371	LHG	7	0
25	J	112	BCR	12	0
21	В	516	CLA	6	0
21	С	485	CLA	5	0
21	В	515	CLA	10	0
29	Ι	274	LMT	2	0
29	В	535	LMT	2	0
21	С	486	CLA	24	0
28	С	493	DGD	39	0
27	В	531	LMG	6	0
27	J	492	LMG	4	0
27	D	359	LMG	6	0
25	J	115	BCR	7	0
21	А	362	CLA	20	0
27	С	494	LMG	6	0
28	В	533	DGD	19	0
21	В	511	CLA	6	0
21	D	354	CLA	15	0
25	В	529	BCR	5	0
28	С	474	DGD	8	0
21	С	481	CLA	17	0
21	В	513	CLA	24	0
25	А	369	BCR	8	0
28	В	528	DGD	23	0
29	D	363	LMT	2	0
26	С	476	LHG	5	0
21	В	517	CLA	20	0
25	С	490	BCR	8	0
30	С	475	SQD	5	0
21	K	483	CLA	15	0
27	А	373	LMG	40	0
27	D	360	LMG	30	0

Continued from previous page...



Mol	Chain	Res	Type	Clashes	Symm-Clashes
32	D	357	PL9	31	0
29	0	274	LMT	1	0
21	В	514	CLA	10	0
21	А	364	CLA	6	0
21	С	478	CLA	16	0
21	В	525	CLA	7	0
21	В	519	CLA	8	0

Continued from previous page...

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

























































































































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	335/344~(97%)	0.08	18 (5%) 25 16	134, 163, 180, 180	0
2	В	485/510~(95%)	-0.04	16 (3%) 46 31	129, 158, 178, 180	0
3	С	448/461~(97%)	0.05	21 (4%) 31 19	136, 168, 180, 180	0
4	D	340/352~(96%)	0.21	25 (7%) 14 9	126, 154, 179, 180	0
5	Ε	77/83~(92%)	0.13	2 (2%) 56 40	138, 157, 179, 180	0
6	F	38/44~(86%)	0.16	5 (13%) 3 2	138, 157, 169, 177	0
7	Н	65/65~(100%)	0.04	2 (3%) 49 33	139, 164, 177, 180	0
8	Ι	35/38~(92%)	0.26	4 (11%) 5 3	163, 172, 180, 180	0
9	J	34/40~(85%)	-0.43	0 100 100	141, 155, 169, 171	0
10	Κ	37/37~(100%)	-0.11	1 (2%) 54 38	156, 166, 179, 180	0
11	L	37/37~(100%)	0.23	3 (8%) 12 7	152, 168, 180, 180	0
12	М	34/36~(94%)	0.75	8 (23%) 0 0	153, 165, 180, 180	0
13	Ο	243/246~(98%)	0.37	20 (8%) 11 7	143, 174, 180, 180	0
14	Т	30/32~(93%)	0.09	2 (6%) 17 10	152, 169, 180, 180	0
15	U	97/104~(93%)	0.16	4 (4%) 37 24	141, 160, 171, 179	0
16	V	137/137~(100%)	0.09	6 (4%) 34 21	136, 160, 171, 174	0
17	У	28/46~(60%)	-0.05	2 (7%) 16 9	158, 175, 180, 180	0
18	X	35/40 (87%)	-0.12	4 (11%) 5 3	144, 156, 174, 178	0
19	Z	62/62~(100%)	0.09	5 (8%) 12 7	166, 178, 180, 180	0
All	All	2597/2714 (95%)	0.10	148 (5%) 23 14	126, 164, 180, 180	0

The worst 5 of 148 RSRZ outliers are listed below:

\mathbf{Mol}	Chain	Res	Type	RSRZ
12	М	1	MET	7.7



Continued from previous page...

Mol	Chain	Res	Type	RSRZ
10	Κ	46	ARG	5.5
12	М	2	GLU	5.1
4	D	241	GLU	5.0
2	В	85	GLY	5.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
34	CA	0	273	1/1	0.17	0.68	180,180,180,180	0
25	BCR	В	530	40/40	0.42	0.86	173,180,180,180	0
26	LHG	С	476	37/49	0.52	0.43	143,176,180,180	0
30	SQD	F	224	45/54	0.53	0.81	152,179,180,180	0
27	LMG	Ι	220	43/55	0.61	0.86	158,180,180,180	0
29	LMT	Т	226	35/35	0.64	0.95	156,180,180,180	0
32	PL9	D	357	55/55	0.65	0.44	146,153,161,162	0
27	LMG	М	217	42/55	0.65	0.72	166,180,180,180	0
25	BCR	J	115	40/40	0.66	0.73	171,180,180,180	0
27	LMG	D	360	48/55	0.66	0.52	140,169,176,177	0
21	CLA	В	526	65/65	0.67	0.50	167,177,180,180	0
29	LMT	D	363	31/35	0.68	0.68	170,180,180,180	0
27	LMG	А	373	51/55	0.70	0.44	169,174,180,180	0
28	DGD	D	362	63/66	0.71	0.55	177,180,180,180	0
27	LMG	С	494	45/55	0.71	0.58	168,180,180,180	0
28	DGD	С	474	56/66	0.71	0.42	158,180,180,180	0
29	LMT	0	274	35/35	0.72	0.39	180,180,180,180	0
27	LMG	J	492	48/55	0.73	0.50	$155,\!175,\!180,\!180$	0



	E
JULL	L

Continued from previous page										
Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{\AA}^2)$	Q<0.9		
29	LMT	А	376	35/35	0.73	0.46	162,180,180,180	0		
30	SQD	L	213	47/54	0.73	0.58	155,178,180,180	0		
21	CLA	С	482	65/65	0.73	0.46	148,179,180,180	0		
21	CLA	В	511	65/65	0.73	0.55	148,179,180,180	0		
29	LMT	Ι	274	35/35	0.74	0.62	170,180,180,180	0		
30	SQD	С	475	51/54	0.74	0.43	156,172,180,180	0		
29	LMT	D	536	35/35	0.74	0.38	168,173,180,180	0		
21	CLA	А	366	65/65	0.76	0.40	152,162,164,166	0		
25	BCR	В	529	40/40	0.76	0.55	166,169,173,174	0		
28	DGD	С	492	62/66	0.77	0.36	153,171,180,180	0		
29	LMT	В	535	35/35	0.77	0.72	163,180,180,180	0		
25	BCR	С	490	40/40	0.78	0.51	164,169,180,180	0		
28	DGD	А	375	52/66	0.78	0.64	164,180,180,180	0		
28	DGD	В	533	66/66	0.78	0.35	166,179,180,180	0		
21	CLA	А	363	65/65	0.78	0.43	154,161,175,177	0		
25	BCR	В	527	40/40	0.78	0.73	161,169,176,178	0		
25	BCR	С	489	40/40	0.78	0.32	152,169,171,171	0		
25	BCR	Z	116	40/40	0.79	0.43	163,165,170,171	0		
21	CLA	С	488	65/65	0.80	0.33	169,176,179,180	0		
25	BCR	Х	107	40/40	0.80	0.55	$154,\!158,\!161,\!163$	0		
21	CLA	В	524	65/65	0.80	0.52	157,180,180,180	0		
28	DGD	С	493	66/66	0.81	0.35	$159,\!174,\!180,\!180$	0		
34	CA	K	56	1/1	0.81	0.42	180,180,180,180	0		
27	LMG	В	531	49/55	0.81	0.35	160, 167, 175, 176	0		
28	DGD	В	528	58/66	0.82	0.36	126,136,172,173	0		
25	BCR	A	369	40/40	0.82	0.41	164,171,178,178	0		
21	CLA	В	519	65/65	0.83	0.33	152,157,158,159	0		
21	CLA	С	486	65/65	0.83	0.32	143,180,180,180	0		
27	LMG	D	359	46/55	0.83	0.33	142,163,180,180	0		
21	CLA	B	525	65/65	0.84	0.36	148,167,180,180	0		
25	BCR	<u> </u>	112	40/40	0.84	0.30	157,160,172,173	0		
21	CLA	D	356	$\frac{65}{65}$	0.84	0.34	149,154,162,164	0		
21	CLA	C	487	65/65	0.85	0.34	176,180,180,180	0		
21	CLA		481	$\frac{65}{65}$	0.80	0.28	152,180,180,180	0		
21	CLA	D	354	$\frac{05}{05}$	0.80	0.37	135,154,164,168	0		
21			418	00/00	0.87	0.32	103,100,100,170			
21	CLA SOD		483 261	00/00	0.87	0.38	104,180,180,180	0		
_ <u>ა</u> ს 			501	43/34	0.01	0.29	144 160 164 167			
21 91		D C		00/00 65/65	0.01	$\begin{array}{c} 0.21 \\ 0.21 \end{array}$	$\frac{144,100,104,107}{163,160,170,190}$	0		
21	BCP		411		0.00	0.01	103,103,173,180 135,151,162,162			
20 21			- 300 - 364	40/40	0.00	0.29	$\frac{133,131,102,102}{126,141,175,177}$	0		
	ULA	A	004	00/00	0.00	0.31	120,141,173,177	0		


2V7I	
JULI	

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
21	CLA	С	479	65/65	0.88	0.26	162,180,180,180	0
21	CLA	С	484	65/65	0.88	0.28	168,177,180,180	0
21	CLA	С	485	65/65	0.88	0.30	170,176,178,180	0
28	DGD	С	491	53/66	0.88	0.28	$155,\!160,\!166,\!168$	0
26	LHG	А	371	39/49	0.88	0.30	156,175,179,180	0
21	CLA	В	516	65/65	0.89	0.27	152,155,180,180	0
24	OEC	А	368	5/9	0.89	0.24	118,138,151,154	0
21	CLA	А	362	65/65	0.89	0.28	$149,\!154,\!159,\!163$	0
21	CLA	В	518	65/65	0.90	0.33	150, 164, 167, 169	0
21	CLA	С	480	65/65	0.90	0.26	151,159,180,180	0
22	PHO	А	365	64/64	0.91	0.30	143,154,162,164	0
34	CA	F	225	1/1	0.91	0.42	142,142,142,142	0
21	CLA	В	514	65/65	0.91	0.30	139,146,168,169	0
21	CLA	K	483	65/65	0.91	0.39	155,160,174,176	0
21	CLA	В	515	65/65	0.92	0.32	142,162,168,170	0
22	PHO	D	355	64/64	0.92	0.40	140,162,169,171	0
23	MES	А	367	12/12	0.92	0.21	136,144,152,153	0
21	CLA	В	522	65/65	0.92	0.29	$134,\!144,\!163,\!165$	0
21	CLA	В	521	65/65	0.93	0.26	149,169,175,179	0
33	HEM	F	85	43/43	0.93	0.40	$154,\!159,\!162,\!163$	0
21	CLA	В	512	65/65	0.93	0.24	142,165,172,173	0
21	CLA	В	513	65/65	0.93	0.27	133,170,171,172	0
21	CLA	В	520	65/65	0.93	0.38	150, 162, 165, 167	0
21	CLA	В	523	65/65	0.94	0.23	134,142,169,170	0
33	HEM	V	164	43/43	0.95	0.29	89,102,122,129	0
20	FE2	А	361	1/1	0.95	0.17	160,160,160,160	0
31	BCT	D	353	4/4	0.97	0.22	$1\overline{69,}170,\!170,\!171$	0

Continued from previous page...

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




















































































































































































































6.5 Other polymers (i)

There are no such residues in this entry.

