



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 11, 2023 – 11:22 PM EDT

PDB ID : 4L39
Title : Crystal structure of GH3.12 from Arabidopsis thaliana in complex with AM-PCPP and salicylate
Authors : Zubieta, C.; Jez, J.M.; Brown, E.; Marcellin, R.; Kapp, U.; Round, A.; Westfall, C.
Deposited on : 2013-06-05
Resolution : 2.81 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.81 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3617 (2.84-2.80)
Clashscore	141614	4060 (2.84-2.80)
Ramachandran outliers	138981	3978 (2.84-2.80)
Sidechain outliers	138945	3980 (2.84-2.80)
RSRZ outliers	127900	3552 (2.84-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	581	 17% 81% 11% • 7%
1	B	581	 21% 75% 17% • 7%

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 8660 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 4-substituted benzoates-glutamate ligase GH3.12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	541	4153	2637	681	807	28	0	7	0
1	B	542	4211	2672	681	831	27	0	6	0


There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	GLY	-	expression tag	UNP Q9LYU4
A	-4	SER	-	expression tag	UNP Q9LYU4
A	-3	HIS	-	expression tag	UNP Q9LYU4
A	-2	MET	-	expression tag	UNP Q9LYU4
A	-1	ALA	-	expression tag	UNP Q9LYU4
A	0	SER	-	expression tag	UNP Q9LYU4
B	-5	GLY	-	expression tag	UNP Q9LYU4
B	-4	SER	-	expression tag	UNP Q9LYU4
B	-3	HIS	-	expression tag	UNP Q9LYU4
B	-2	MET	-	expression tag	UNP Q9LYU4
B	-1	ALA	-	expression tag	UNP Q9LYU4
B	0	SER	-	expression tag	UNP Q9LYU4

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is 2-HYDROXYBENZOIC ACID (three-letter code: SAL) (formula: C₇H₆O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			10	7	3		
3	B	1	Total	C	O	0	0
			10	7	3		

- Molecule 4 is DIPHOSPHOMETHYLPHOSPHONIC ACID ADENOSYL ESTER (three-letter code: APC) (formula: C₁₁H₁₈N₅O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			31	11	5	12	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
4	B	1	31	11	5	12	3	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	106	Total	O	0	0
			106	106		
5	B	107	Total	O	0	0
			107	107		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 4-substituted benzoates-glutamate ligase GH3.12



- Molecule 1: 4-substituted benzoates-glutamate ligase GH3.12



T546	G547	Q548	Y549	K550	T551	P552	R553	C554	T555	K556	S557	G558	K559	A560	L561	Q562	V563	L564	E565	T566	C567	V568	V569	A570	K571	F572	F573	S574	ILE
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	62.36Å 114.09Å 157.98Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	58.00 – 2.81 58.00 – 2.81	Depositor EDS
% Data completeness (in resolution range)	99.8 (58.00-2.81) 99.8 (58.00-2.81)	Depositor EDS
R_{merge}	0.26	Depositor
R_{sym}	0.26	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.45 (at 2.81Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, R_{free}	0.198 , 0.267 0.197 , 0.266	Depositor DCC
R_{free} test set	1418 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	29.4	Xtriage
Anisotropy	0.090	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 54.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8660	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 49.16 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.7619e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: APC, SAL, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.78	2/4251 (0.0%)	0.77	1/5770 (0.0%)
1	B	0.78	0/4309	0.78	2/5850 (0.0%)
All	All	0.78	2/8560 (0.0%)	0.77	3/11620 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	497	CYS	CB-SG	-6.99	1.70	1.82
1	A	275	GLU	CB-CG	-6.16	1.40	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	513	ARG	NE-CZ-NH2	-5.84	117.38	120.30
1	A	564	LEU	CB-CG-CD2	-5.33	101.94	111.00
1	B	224	ARG	NE-CZ-NH1	5.07	122.83	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	520	GLY	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4153	0	3910	51	0
1	B	4211	0	4003	79	0
2	A	1	0	0	0	0
3	A	10	0	5	0	0
3	B	10	0	5	0	0
4	A	31	0	14	1	0
4	B	31	0	14	0	0
5	A	106	0	0	2	0
5	B	107	0	0	6	0
All	All	8660	0	7951	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:310:MET:HE2	1:A:314:TYR:CZ	2.10	0.86
1:B:512:CYS:HG	1:B:518:SER:HG	1.15	0.84
1:B:8:ASN:N	5:B:739:HOH:O	2.12	0.82
1:B:513:ARG:NH2	1:B:521:PRO:HA	1.95	0.81
1:A:562:GLN:O	1:A:566:THR:HG23	1.84	0.77
1:A:535:LEU:HD13	1:A:564:LEU:HD21	1.67	0.75
1:B:427:ASP:HA	1:B:508:VAL:HG11	1.69	0.72
1:B:513:ARG:HD3	1:B:519:ILE:HB	1.74	0.69
1:A:310:MET:CE	1:A:314:TYR:CZ	2.74	0.69
1:A:501:MET:HE2	1:A:522:LEU:HD21	1.72	0.69
1:B:31:GLU:HG2	1:B:51:PHE:CE2	2.28	0.68
1:B:453:LYS:N	1:B:473:GLU:O	2.29	0.66
1:A:65:TYR:CE1	1:A:104:LYS:HD2	2.31	0.66
1:B:49:ASP:OD1	1:B:50:ARG:NH1	2.29	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:562:GLN:O	1:B:566:THR:OG1	2.09	0.65
1:A:80:SER:O	1:A:83:VAL:HG13	1.97	0.64
1:B:20:SER:O	5:B:718:HOH:O	2.14	0.64
1:B:499:LEU:HD23	1:B:502:GLU:HG3	1.79	0.64
1:A:445:LEU:HD11	1:A:497:CYS:SG	2.38	0.64
1:B:268:GLU:OE2	5:B:774:HOH:O	2.14	0.63
1:B:532:PHE:HA	1:B:535:LEU:HB3	1.80	0.62
1:A:501:MET:CE	1:A:522:LEU:HD21	2.29	0.62
1:B:437:ALA:HB1	1:B:501:MET:HG2	1.81	0.61
1:B:513:ARG:HH11	1:B:519:ILE:HB	1.67	0.60
1:A:310:MET:HE2	1:A:314:TYR:CE2	2.37	0.59
1:B:512:CYS:SG	1:B:518:SER:OG	2.42	0.58
1:B:522:LEU:HD12	1:B:523:GLU:N	2.19	0.58
1:A:227:GLU:HG3	1:A:464:PHE:CG	2.38	0.58
1:B:427:ASP:HB3	1:B:508:VAL:HG12	1.85	0.58
1:A:146:LYS:HZ1	1:A:511:ARG:HD2	1.68	0.58
1:B:12:GLU:N	1:B:12:GLU:OE1	2.37	0.58
1:B:470:VAL:HG23	1:B:522:LEU:HD11	1.86	0.57
1:B:421:VAL:HG23	1:B:422:LEU:HD12	1.85	0.57
1:B:499:LEU:HD23	1:B:502:GLU:CG	2.35	0.57
1:A:445:LEU:CD1	1:A:497:CYS:SG	2.93	0.56
1:B:513:ARG:NH1	1:B:519:ILE:HG22	2.20	0.56
1:B:35:THR:O	5:B:738:HOH:O	2.17	0.55
1:A:513:ARG:HA	1:A:519:ILE:HB	1.88	0.55
1:B:513:ARG:HH22	1:B:521:PRO:HA	1.68	0.55
1:B:178:TYR:O	1:B:213:ARG:NH2	2.41	0.54
1:B:499:LEU:CD2	1:B:502:GLU:HG3	2.37	0.54
1:B:373:GLU:N	1:B:373:GLU:OE1	2.41	0.53
1:B:458:TYR:CE1	1:B:561:LEU:HD11	2.43	0.53
1:A:501:MET:HE2	1:A:522:LEU:CD2	2.40	0.52
1:B:513:ARG:HH11	1:B:519:ILE:CB	2.22	0.52
1:B:427:ASP:HA	1:B:508:VAL:CG1	2.38	0.52
1:A:268[A]:GLU:HG2	1:A:269:LEU:N	2.25	0.52
1:A:535:LEU:HD12	1:A:564:LEU:HD11	1.92	0.51
1:B:23:LYS:HD3	1:B:373:GLU:HG3	1.93	0.51
1:B:131:VAL:HG22	1:B:339:LEU:HD21	1.93	0.51
1:B:511:ARG:HG3	1:B:512:CYS:N	2.26	0.50
1:A:161:THR:HG21	1:A:217:ILE:HD11	1.94	0.50
1:B:22:VAL:N	5:B:718:HOH:O	2.44	0.50
1:B:23:LYS:HD2	1:B:373:GLU:OE2	2.11	0.50
1:B:307:TYR:OH	1:B:424:ILE:O	2.23	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:103:GLN:OE1	1:A:508:VAL:HG12	2.12	0.49
1:B:458:TYR:CE1	1:B:561:LEU:CD1	2.96	0.48
1:A:427:ASP:CB	1:A:509:TYR:HA	2.43	0.48
1:A:441:ALA:O	1:A:444:VAL:HG22	2.14	0.48
1:A:460:ASP:OD1	1:A:467:HIS:N	2.45	0.48
1:B:435:PHE:HA	1:B:438:VAL:HG22	1.95	0.47
1:B:560:ALA:O	1:B:563:VAL:HG22	2.13	0.47
1:B:557:SER:O	1:B:561:LEU:HD13	2.15	0.47
1:B:528:ARG:N	1:B:531:THR:OG1	2.47	0.47
1:B:532:PHE:O	1:B:536:MET:N	2.47	0.47
1:B:73:ASP:O	1:B:77:ASN:ND2	2.48	0.46
1:B:501:MET:O	1:B:505:LEU:HD13	2.14	0.46
1:B:9:GLU:C	1:B:11:PHE:H	2.17	0.46
1:B:230:LYS:NZ	1:B:314:TYR:OH	2.46	0.46
1:A:166:LYS:HA	1:A:166:LYS:HD2	1.81	0.46
1:A:119:ILE:HG13	1:A:331:THR:HG21	1.98	0.46
1:A:247:ASN:ND2	5:A:762:HOH:O	2.46	0.46
1:A:458:TYR:CE1	1:A:561:LEU:HD11	2.50	0.46
1:A:9:GLU:N	5:A:775:HOH:O	2.48	0.46
1:B:318:LEU:O	5:B:736:HOH:O	2.21	0.46
1:A:498:CYS:HB2	1:A:574:SER:HB3	1.97	0.45
1:A:499:LEU:O	1:A:503:GLU:HG3	2.17	0.45
1:A:310:MET:CE	1:A:314:TYR:CE2	2.97	0.45
1:B:168:ASP:HA	1:B:171:LYS:HG2	1.99	0.45
1:A:499:LEU:HB3	1:A:574:SER:HB2	1.99	0.45
1:B:521:PRO:O	1:B:573:PHE:HD1	1.99	0.45
1:A:324:THR:O	4:A:603:APC:N6	2.50	0.44
1:A:498:CYS:HB3	1:A:524:ILE:HD12	1.99	0.44
1:B:360:PRO:HB3	1:B:365:ASP:HB3	1.99	0.44
1:A:494:LEU:HD12	1:A:497:CYS:SG	2.58	0.44
1:A:209:ASP:O	1:A:292:ASN:ND2	2.46	0.44
1:B:362:ASP:OD1	1:B:364:GLY:N	2.50	0.44
1:B:433:ASP:HB2	1:B:436:LYS:CE	2.48	0.44
1:A:420:VAL:HG12	1:A:421:VAL:N	2.33	0.43
1:B:35:THR:N	1:B:36:PRO:HD2	2.32	0.43
1:A:128[B]:THR:HG21	1:A:135:GLU:OE2	2.19	0.43
1:B:146:LYS:HD2	1:B:511:ARG:NH2	2.33	0.43
1:B:95:SER:O	1:B:95:SER:OG	2.28	0.43
1:A:177:TRP:CG	1:A:178:TYR:N	2.87	0.43
1:A:496:THR:HA	1:A:499:LEU:HG	2.00	0.43
1:B:433:ASP:CB	1:B:436:LYS:HE2	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:521:PRO:HB2	1:B:574:SER:HB2	2.01	0.43
1:A:186:GLU:OE1	1:A:186:GLU:N	2.48	0.42
1:A:40:THR:HA	1:A:82:ASP:O	2.19	0.42
1:A:52:ASP:HB3	1:A:55:LEU:HB3	2.01	0.42
1:A:177:TRP:CD2	1:A:178:TYR:N	2.88	0.42
1:B:503:GLU:HA	1:B:510:LYS:CE	2.49	0.42
1:A:535:LEU:O	1:A:535:LEU:HG	2.20	0.42
1:B:146:LYS:HE2	1:B:511:ARG:HH22	1.85	0.42
1:B:224:ARG:HD3	1:B:464:PHE:HZ	1.84	0.42
1:A:295:TYR:CE2	1:A:297:GLU:HB2	2.55	0.42
1:B:9:GLU:HG2	1:B:10:THR:N	2.35	0.42
1:B:227:GLU:HG3	1:B:464:PHE:CD1	2.54	0.42
1:B:498:CYS:SG	1:B:524:ILE:CD1	3.08	0.42
1:A:509:TYR:CD2	1:A:510:LYS:N	2.87	0.41
1:B:69:LYS:N	1:B:70:PRO:CD	2.83	0.41
1:B:209:ASP:O	1:B:292:ASN:ND2	2.45	0.41
1:B:135:GLU:HG2	1:B:177:TRP:CD1	2.54	0.41
1:A:535:LEU:CD1	1:A:564:LEU:HD21	2.42	0.41
1:B:379:CYS:HB2	1:B:381:TYR:CE2	2.56	0.41
1:B:523:GLU:HA	1:B:572:PHE:O	2.21	0.41
1:B:434:LEU:O	1:B:438:VAL:HG22	2.21	0.41
1:B:466:GLY:O	1:B:519:ILE:HG23	2.21	0.41
1:B:561:LEU:O	1:B:565:GLU:N	2.46	0.41
1:A:49:ASP:OD1	1:A:50:ARG:NH1	2.54	0.41
1:A:69:LYS:N	1:A:70:PRO:CD	2.84	0.41
1:A:460:ASP:OD2	1:A:467:HIS:NE2	2.54	0.40
1:B:190:CYS:HA	1:B:191:PRO:HD3	1.98	0.40
1:B:373:GLU:H	1:B:373:GLU:CD	2.25	0.40
1:A:310:MET:CE	1:A:314:TYR:CE1	3.04	0.40
1:B:8:ASN:O	1:B:12:GLU:OE1	2.38	0.40
1:B:177:TRP:CG	1:B:178:TYR:N	2.89	0.40
1:B:513:ARG:HG3	1:B:514:PHE:CD1	2.57	0.40
1:B:11:PHE:HB2	1:B:125:GLN:OE1	2.21	0.40
1:B:458:TYR:CE1	1:B:555:ILE:CB	3.05	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	534/581 (92%)	506 (95%)	27 (5%)	1 (0%)	47	76
1	B	537/581 (92%)	507 (94%)	30 (6%)	0	100	100
All	All	1071/1162 (92%)	1013 (95%)	57 (5%)	1 (0%)	51	80

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	425	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	445/527 (84%)	436 (98%)	9 (2%)	55	83
1	B	465/527 (88%)	456 (98%)	9 (2%)	57	84
All	All	910/1054 (86%)	892 (98%)	18 (2%)	57	83

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	81	SER
1	A	83	VAL
1	A	161	THR
1	A	167	SER
1	A	175	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	311	LEU
1	A	498	CYS
1	A	501	MET
1	A	535	LEU
1	B	24[B]	SER
1	B	31	GLU
1	B	83	VAL
1	B	128[A]	THR
1	B	128[B]	THR
1	B	163	SER
1	B	316	ASN
1	B	455	PHE
1	B	519	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	28	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	APC	B	602	-	27,33,33	2.04	6 (22%)	31,52,52	1.88	4 (12%)
3	SAL	A	602	-	10,10,10	1.11	0	13,13,13	1.69	4 (30%)
3	SAL	B	601	-	10,10,10	1.15	1 (10%)	13,13,13	1.19	2 (15%)
4	APC	A	603	2	27,33,33	2.14	7 (25%)	31,52,52	1.97	6 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	APC	B	602	-	-	2/15/38/38	0/3/3/3
3	SAL	A	602	-	-	0/4/4/4	0/1/1/1
3	SAL	B	601	-	-	0/4/4/4	0/1/1/1
4	APC	A	603	2	-	1/15/38/38	0/3/3/3

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	602	APC	O4'-C1'	7.38	1.51	1.41
4	A	603	APC	O4'-C1'	7.10	1.51	1.41
4	A	603	APC	C2'-C3'	-3.56	1.43	1.53
4	A	603	APC	C2'-C1'	-3.45	1.48	1.53
4	B	602	APC	C2'-C1'	-3.26	1.48	1.53
4	A	603	APC	O4'-C4'	3.00	1.51	1.45
4	B	602	APC	C2-N3	2.71	1.36	1.32
4	A	603	APC	C2-N3	2.67	1.36	1.32
4	A	603	APC	C3'-C4'	-2.62	1.46	1.53
4	B	602	APC	O4'-C4'	2.59	1.50	1.45
3	B	601	SAL	O2-C2	2.57	1.41	1.36
4	B	602	APC	C2'-C3'	-2.50	1.46	1.53
4	A	603	APC	C5-N7	-2.08	1.32	1.39
4	B	602	APC	C5-N7	-2.01	1.32	1.39

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	603	APC	N3-C2-N1	-6.89	117.91	128.68
4	B	602	APC	C3'-C2'-C1'	6.38	110.59	100.98
4	B	602	APC	N3-C2-N1	-6.06	119.21	128.68
4	A	603	APC	C3'-C2'-C1'	5.32	108.99	100.98
3	A	602	SAL	C2-C1-C1'	3.49	123.75	120.03
4	A	603	APC	O2'-C2'-C3'	-2.87	102.54	111.82
4	A	603	APC	C5'-C4'-C3'	-2.75	104.87	115.18
3	B	601	SAL	C2-C1-C1'	2.60	122.80	120.03
3	A	602	SAL	O2'-C1'-C1	2.53	122.60	115.31
3	A	602	SAL	C3-C2-C1	2.51	122.58	119.89
4	A	603	APC	C2-N1-C6	2.30	122.69	118.75
3	A	602	SAL	O2'-C1'-O1'	-2.20	118.47	123.35
4	B	602	APC	O4'-C4'-C3'	2.16	109.39	105.11
3	B	601	SAL	O2'-C1'-C1	2.15	121.48	115.31
4	B	602	APC	C2-N1-C6	2.09	122.33	118.75
4	A	603	APC	PB-O3B-PG	-2.03	125.48	132.62

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	603	APC	C5'-O5'-PA-O1A
4	B	602	APC	O4'-C4'-C5'-O5'
4	B	602	APC	C4'-C5'-O5'-PA

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	603	APC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	541/581 (93%)	0.38	97 (17%) 1 1	7, 20, 138, 155	0
1	B	542/581 (93%)	0.66	121 (22%) 0 0	6, 21, 160, 182	0
All	All	1083/1162 (93%)	0.52	218 (20%) 1 0	6, 21, 150, 182	0

All (218) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	554	CYS	15.3
1	B	546	THR	15.1
1	B	487	PHE	12.6
1	A	454	ASP	11.5
1	A	575	ILE	11.3
1	B	457	SER	10.6
1	B	547	GLY	9.7
1	B	444	VAL	9.5
1	B	537	ASP	9.5
1	A	448	SER	9.5
1	A	444	VAL	9.5
1	B	8	ASN	9.1
1	B	429	THR	9.0
1	B	448	SER	8.8
1	B	493	ALA	8.8
1	B	490	ASP	8.6
1	B	548	GLN	8.6
1	B	533	ASP	8.4
1	A	538	PHE	8.2
1	B	498	CYS	8.1
1	B	456	THR	8.1
1	A	493	ALA	8.1
1	A	534	SER	8.0
1	A	449	GLY	7.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	445	LEU	7.9
1	B	497	CYS	7.9
1	A	562	GLN	7.8
1	A	470	VAL	7.8
1	B	552	PRO	7.8
1	B	509	TYR	7.7
1	A	572	PHE	7.6
1	B	458	TYR	7.5
1	B	454	ASP	7.4
1	B	430	ASN	7.3
1	A	554	CYS	7.3
1	B	534	SER	7.3
1	A	566	THR	7.3
1	B	468	TYR	7.2
1	B	445	LEU	7.0
1	B	551	THR	7.0
1	B	555	ILE	6.8
1	A	525	ARG	6.7
1	B	426	SER	6.7
1	B	427	ASP	6.7
1	B	469	VAL	6.6
1	B	538	PHE	6.6
1	B	437	ALA	6.5
1	A	488	GLU	6.5
1	B	440	GLN	6.4
1	B	540	ILE	6.4
1	B	572	PHE	6.4
1	A	487	PHE	6.3
1	A	533	ASP	6.2
1	B	443	LEU	6.2
1	B	472	LEU	6.2
1	A	571	LYS	6.1
1	A	551	THR	5.9
1	A	457	SER	5.8
1	B	500	VAL	5.8
1	B	491	GLU	5.8
1	B	507	ASN	5.7
1	B	562	GLN	5.7
1	A	437	ALA	5.6
1	B	455	PHE	5.5
1	A	443	LEU	5.5
1	A	494	LEU	5.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	442	LYS	5.4
1	A	441	ALA	5.4
1	A	450	LEU	5.4
1	A	535	LEU	5.3
1	A	492	GLU	5.3
1	B	549	TYR	5.3
1	A	438	VAL	5.3
1	B	535	LEU	5.3
1	B	489	LEU	5.2
1	A	508	VAL	5.2
1	A	570	ALA	5.2
1	B	471	TYR	5.1
1	B	568	VAL	5.0
1	A	455	PHE	5.0
1	A	465	PRO	5.0
1	A	466	GLY	5.0
1	A	550	LYS	4.9
1	A	563	VAL	4.9
1	A	537	ASP	4.9
1	B	518	SER	4.9
1	B	505	LEU	4.9
1	B	423	SER	4.9
1	B	470	VAL	4.8
1	B	464	PHE	4.8
1	A	440	GLN	4.7
1	B	453	LYS	4.7
1	A	505	LEU	4.6
1	A	552	PRO	4.6
1	A	486	GLN	4.6
1	A	471	TYR	4.6
1	A	490	ASP	4.6
1	B	438	VAL	4.5
1	B	519	ILE	4.5
1	B	496	THR	4.5
1	B	466	GLY	4.5
1	A	500	VAL	4.5
1	A	553	ARG	4.4
1	A	536	MET	4.4
1	A	516	ASP	4.4
1	A	507	ASN	4.4
1	A	456	THR	4.4
1	A	430	ASN	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	539	PHE	4.4
1	A	532	PHE	4.3
1	B	441	ALA	4.3
1	B	570	ALA	4.3
1	B	516	ASP	4.2
1	A	473	GLU	4.2
1	B	102	ALA	4.2
1	A	548	GLN	4.2
1	A	469	VAL	4.2
1	B	563	VAL	4.2
1	A	541	SER	4.2
1	B	532	PHE	4.2
1	B	463	THR	4.2
1	B	566	THR	4.1
1	A	498	CYS	4.1
1	B	536	MET	4.1
1	B	553	ARG	4.1
1	B	506	ASP	4.1
1	A	574	SER	4.1
1	A	567	CYS	4.0
1	A	559	LYS	4.0
1	B	492	GLU	4.0
1	A	452	LEU	3.9
1	A	524	ILE	3.9
1	B	447	SER	3.9
1	B	560	ALA	3.8
1	B	558	GLY	3.8
1	B	488	GLU	3.8
1	B	428	LYS	3.8
1	A	453	LYS	3.7
1	B	508	VAL	3.7
1	A	491	GLU	3.7
1	B	446	GLU	3.7
1	B	525	ARG	3.7
1	B	436	LYS	3.7
1	A	421	VAL	3.7
1	B	561	LEU	3.7
1	B	539	PHE	3.7
1	A	458	TYR	3.6
1	A	495	SER	3.6
1	A	560	ALA	3.6
1	A	506	ASP	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	531	THR	3.5
1	A	496	THR	3.5
1	B	494	LEU	3.5
1	B	9	GLU	3.5
1	A	447	SER	3.5
1	A	531	THR	3.5
1	B	421	VAL	3.5
1	B	517	GLY	3.4
1	A	439	SER	3.4
1	A	504	SER	3.4
1	A	472	LEU	3.4
1	B	439	SER	3.4
1	B	520	GLY	3.3
1	A	497	CYS	3.3
1	B	530	GLY	3.2
1	A	549	TYR	3.2
1	B	486	GLN	3.2
1	B	502	GLU	3.1
1	B	522	LEU	3.1
1	B	528	ARG	3.1
1	B	501	MET	3.1
1	A	561	LEU	3.0
1	B	499	LEU	3.0
1	B	556	LYS	3.0
1	A	509	TYR	3.0
1	A	569	VAL	2.9
1	B	503	GLU	2.9
1	B	473	GLU	2.9
1	B	434	LEU	2.9
1	B	567	CYS	2.8
1	B	504	SER	2.8
1	B	574	SER	2.8
1	B	422	LEU	2.8
1	A	102	ALA	2.8
1	B	462	SER	2.8
1	B	495	SER	2.7
1	B	460	ASP	2.7
1	A	464	PHE	2.7
1	B	569	VAL	2.7
1	B	433	ASP	2.7
1	A	522	LEU	2.6
1	A	451	ASP	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	565	GLU	2.6
1	A	521	PRO	2.6
1	B	526	VAL	2.5
1	B	435	PHE	2.5
1	B	529	GLN	2.5
1	B	557	SER	2.5
1	B	280	ASN	2.5
1	B	419	ASN	2.4
1	B	432	GLU	2.4
1	B	521	PRO	2.4
1	A	520	GLY	2.3
1	A	540	ILE	2.2
1	A	523	GLU	2.2
1	A	433	ASP	2.2
1	A	446	GLU	2.2
1	A	543	GLY	2.2
1	A	462	SER	2.2
1	A	573	PHE	2.2
1	A	429	THR	2.2
1	B	467	HIS	2.2
1	B	465	PRO	2.2
1	B	425	ASP	2.1
1	A	526	VAL	2.1
1	A	568	VAL	2.1
1	B	527	VAL	2.1
1	A	467	HIS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.


6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	MG	A	601	1/1	0.90	0.13	44,44,44,44	0
4	APC	A	603	31/31	0.93	0.15	15,30,78,84	0
4	APC	B	602	31/31	0.93	0.14	21,39,74,83	0
3	SAL	A	602	10/10	0.95	0.19	17,38,46,51	0
3	SAL	B	601	10/10	0.95	0.20	35,46,51,59	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.