



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 16, 2023 – 06:07 AM JST

PDB ID : 6L3R  
Title : Crystal structure of Ribonucleotide reductase R1 subunit, RRM1 in complex with 4-bromo-N-((1S,2R)-2-(naphthalen-1-yl)-1-(5-oxo-4,5-dihydro-1,3,4-oxadiazol-2-yl)propyl)benzenesulfonamide  
Authors : Miyahara, S.; Chong, K.T.; Suzuki, T.  
Deposited on : 2019-10-15  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	669	
1	E	669	

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 10971 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Ribonucleoside-diphosphate reductase large subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	656	Total	C	N	O	S	0	0	0
			5256	3357	884	986	29			
1	E	657	Total	C	N	O	S	0	0	0
			5255	3357	885	984	29			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	74	GLY	-	expression tag	UNP P23921
E	74	GLY	-	expression tag	UNP P23921

- Molecule 2 is THYMIDINE-5'-TRIPHOSPHATE (three-letter code: TTP) (formula: C<sub>10</sub>H<sub>17</sub>N<sub>2</sub>O<sub>14</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total	C	N	O	P	0	0
			29	10	2	14	3		

*Continued on next page...*


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	E	1	29	10	2	14	3	0	0

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
3	A	1	1	1	0	0
3	E	1	1	1	0	0

- Molecule 4 is 4-bromo-N-((1S,2R)-2-(naphthalen-1-yl)-1-(5-oxo-4,5-dihydro-1,3,4-oxadiazol-2-yl)propyl)benzenesulfonamide (three-letter code: E4X) (formula: C<sub>21</sub>H<sub>18</sub>BrN<sub>3</sub>O<sub>4</sub>S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	Br	C	N	O	S		
4	A	1	30	1	21	3	4	1	0	0
4	E	1	30	1	21	3	4	1	0	0

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula: C<sub>2</sub>H<sub>3</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	E	1	Total C O 4 2 2	0	0

- Molecule 6 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	E	1	Total O S 5 4 1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	164	Total 164	O 164	0	0
7	E	159	Total 159	O 159	0	0


### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ribonucleoside-diphosphate reductase large subunit



- Molecule 1: Ribonucleoside-diphosphate reductase large subunit



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	106.86Å 108.40Å 130.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.92 – 2.00 47.92 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.6 (47.92-2.00) 98.6 (47.92-2.00)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.88 (at 2.00Å)	Xtrriage
Refinement program	REFMAC 5.8.0158	Depositor
R, $R_{free}$	0.189 , 0.232 0.197 , 0.237	Depositor DCC
$R_{free}$ test set	5058 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	20.9	Xtrriage
Anisotropy	0.100	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 45.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	0.000 for k,h,-l	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	10971	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	26.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 34.73 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.5152e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, MG, TTP, SO4, E4X

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.88	0/5373	0.88	12/7276 (0.2%)
1	E	0.89	1/5372 (0.0%)	0.89	9/7276 (0.1%)
All	All	0.89	1/10745 (0.0%)	0.89	21/14552 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	343	GLU	CD-OE1	6.07	1.32	1.25

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	221	LEU	CA-CB-CG	7.59	132.76	115.30
1	E	703	ASP	CB-CG-OD2	-7.32	111.71	118.30
1	A	594	ARG	NE-CZ-NH1	6.46	123.53	120.30
1	E	703	ASP	CB-CG-OD1	6.30	123.97	118.30
1	A	703	ASP	CB-CG-OD2	-6.14	112.77	118.30
1	A	703	ASP	CB-CG-OD1	6.12	123.81	118.30
1	A	624	ILE	CB-CA-C	-5.78	100.03	111.60
1	E	381	ARG	NE-CZ-NH1	5.69	123.15	120.30
1	A	139	ARG	NE-CZ-NH1	5.66	123.13	120.30
1	A	406	LEU	CA-CB-CG	-5.64	102.32	115.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	594	ARG	NE-CZ-NH2	-5.52	117.54	120.30
1	E	379	ARG	NE-CZ-NH2	-5.47	117.56	120.30
1	E	475	ARG	NE-CZ-NH1	5.34	122.97	120.30
1	E	594	ARG	NE-CZ-NH1	5.24	122.92	120.30
1	A	475	ARG	NE-CZ-NH1	5.20	122.90	120.30
1	A	221	LEU	CA-CB-CG	5.14	127.11	115.30
1	E	277	ARG	NE-CZ-NH1	5.13	122.87	120.30
1	A	516	ARG	NE-CZ-NH2	-5.12	117.74	120.30
1	E	153	ARG	NE-CZ-NH1	5.10	122.85	120.30
1	A	139	ARG	NE-CZ-NH2	-5.02	117.79	120.30
1	A	277	ARG	NE-CZ-NH1	5.00	122.80	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	E	598	LEU	Mainchain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5256	0	5217	33	0
1	E	5255	0	5216	44	0
2	A	29	0	13	0	0
2	E	29	0	13	2	0
3	A	1	0	0	0	0
3	E	1	0	0	0	0
4	A	30	0	0	0	0
4	E	30	0	0	0	0
5	A	8	0	6	0	0
5	E	4	0	3	0	0
6	E	5	0	0	0	0
7	A	164	0	0	2	1
7	E	159	0	0	4	1
All	All	10971	0	10468	76	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:598:LEU:O	1:E:599:ILE:HD13	1.49	1.12
1:E:595:ASN:HB2	1:E:598:LEU:HD21	1.42	0.97
1:E:402:THR:HB	1:E:403:PRO:HA	1.58	0.85
1:E:595:ASN:HB2	1:E:598:LEU:CD2	2.18	0.71
1:E:395:GLU:OE2	1:E:399:GLU:OE2	2.10	0.67
1:E:644:ASP:O	1:E:648:ARG:HG2	1.97	0.64
1:A:210:THR:O	7:A:901:HOH:O	2.15	0.63
1:A:391:TYR:CE2	1:A:717:TYR:HE2	2.17	0.62
1:A:402:THR:HB	1:A:403:PRO:HA	1.84	0.59
1:E:115:MET:HE3	1:E:159:ILE:HG12	1.85	0.58
1:A:533:GLU:HG2	1:A:701:PHE:CE2	2.39	0.58
1:E:597:LEU:C	1:E:598:LEU:HG	2.25	0.57
1:E:135:ILE:HG21	1:E:137:TYR:CE1	2.39	0.57
1:A:529:LYS:HE2	1:A:697:GLU:HG2	1.88	0.56
1:E:106:ASN:HB3	1:E:109:ASN:HB3	1.86	0.56
1:E:445:ASN:HD21	1:E:495:ASN:HD21	1.54	0.55
1:E:533:GLU:HG2	1:E:701:PHE:CZ	2.42	0.55
1:E:254:CYS:SG	7:E:1051:HOH:O	2.12	0.53
1:A:432:ILE:HG13	1:A:444:CYS:SG	2.49	0.53
1:A:602:MET:HB2	1:A:603:PRO:HD2	1.90	0.52
1:E:505:VAL:O	1:E:616:SER:HA	2.09	0.52
1:A:445:ASN:HD21	1:A:495:ASN:HD21	1.57	0.52
1:A:505:VAL:O	1:A:616:SER:HA	2.09	0.52
1:E:681:LYS:NZ	7:E:906:HOH:O	2.42	0.51
1:A:602:MET:HB2	1:A:603:PRO:CD	2.41	0.51
1:A:644:ASP:O	1:A:648:ARG:HG2	2.11	0.50
1:E:429:CYS:SG	7:E:1031:HOH:O	2.50	0.49
1:E:109:ASN:ND2	1:E:111:LYS:HG2	2.28	0.48
1:E:533:GLU:HG2	1:E:701:PHE:CE2	2.47	0.48
1:A:533:GLU:HG2	1:A:701:PHE:CZ	2.48	0.48
1:E:109:ASN:C	1:E:109:ASN:HD22	2.17	0.48
1:A:506:GLN:HA	1:A:616:SER:HA	1.96	0.47
1:E:218:CYS:HB2	7:E:1036:HOH:O	2.15	0.46
1:A:135:ILE:HG23	1:A:168:GLN:HB3	1.97	0.46
1:E:264:GLY:HA3	2:E:803:TTP:O1B	2.14	0.46
1:E:402:THR:CB	1:E:403:PRO:HA	2.31	0.46
1:E:454:TYR:HB2	1:E:461:TYR:CZ	2.51	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:76:ILE:N	1:A:76:ILE:HD12	2.30	0.45
1:A:681:LYS:HE2	1:A:685:GLU:O	2.16	0.45
1:E:478:ASN:ND2	1:E:546:LEU:HD13	2.31	0.45
1:A:429:CYS:HB2	1:A:431:GLU:OE2	2.17	0.45
1:A:102:TYR:CD1	1:A:114:PRO:HB3	2.52	0.45
1:A:221:LEU:HD23	1:A:221:LEU:N	2.32	0.45
1:E:221:LEU:HD23	1:E:248:ILE:HG23	1.98	0.45
1:A:645:LEU:HD21	1:A:672:ILE:HG12	1.99	0.44
1:E:315:LYS:O	1:E:315:LYS:HG3	2.18	0.44
1:A:395:GLU:HB2	1:A:717:TYR:OH	2.17	0.44
1:E:347:ASP:OD1	1:E:385:LYS:HD2	2.18	0.44
1:A:220:LEU:N	1:A:220:LEU:HD12	2.32	0.43
1:E:270:ASN:HB2	1:E:274:PRO:HG3	1.98	0.43
1:E:434:GLU:OE1	1:E:442:ALA:HB1	2.18	0.43
1:E:703:ASP:OD1	1:E:703:ASP:N	2.52	0.43
1:A:536:TYR:CZ	1:A:540:LEU:HD11	2.54	0.43
1:A:698:ARG:HD2	1:A:706:GLN:OE1	2.19	0.43
1:E:648:ARG:HB2	1:E:650:LEU:CD1	2.49	0.43
1:A:199:THR:HG21	1:A:607:THR:HB	2.00	0.42
1:A:669:ILE:CG2	1:A:672:ILE:HD12	2.50	0.42
1:E:106:ASN:O	1:E:110:GLY:N	2.47	0.42
1:E:477:LEU:HD23	1:E:480:ILE:HD12	2.00	0.42
1:A:196:ARG:HD2	1:A:611:LEU:HD22	2.01	0.42
1:E:135:ILE:HG23	1:E:168:GLN:HB3	2.02	0.42
1:E:76:ILE:N	1:E:76:ILE:HD12	2.35	0.41
1:A:672:ILE:HA	1:A:673:PRO:HD3	1.95	0.41
1:E:242:SER:O	1:E:288:GLN:HA	2.20	0.41
1:A:196:ARG:HD2	1:A:611:LEU:CD2	2.51	0.41
1:A:322:GLU:HG2	1:E:284:ARG:NH1	2.36	0.41
1:E:337:LEU:HB2	1:E:368:GLU:HG2	2.03	0.41
1:A:166:ARG:O	1:A:167:PRO:C	2.59	0.41
1:A:218:CYS:HB2	7:A:1014:HOH:O	2.19	0.41
1:A:441:VAL:O	1:A:491:ALA:HA	2.20	0.41
1:E:405:MET:HG3	1:E:724:HIS:CE1	2.56	0.41
1:E:406:LEU:HD22	1:E:426:SER:HB2	2.03	0.41
1:E:86:LEU:HD12	1:E:148:PHE:HZ	1.87	0.40
1:E:265:THR:HG21	2:E:803:TTP:HM52	2.02	0.40
1:E:666:ILE:HD11	1:E:680:TYR:HB2	2.03	0.40
1:E:738:TYR:HB3	1:E:740:ARG:HE	1.87	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:1062:HOH:O	7:E:1054:HOH:O[2_464]	2.19	0.01

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	650/669 (97%)	630 (97%)	20 (3%)	0	100	100
1	E	651/669 (97%)	630 (97%)	21 (3%)	0	100	100
All	All	1301/1338 (97%)	1260 (97%)	41 (3%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	573/583 (98%)	555 (97%)	18 (3%)	40	40
1	E	572/583 (98%)	549 (96%)	23 (4%)	31	29
All	All	1145/1166 (98%)	1104 (96%)	41 (4%)	35	34

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	77	LEU
1	A	86	LEU
1	A	116	VAL

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	214	GLN
1	A	221	LEU
1	A	270	ASN
1	A	320	LYS
1	A	395	GLU
1	A	438	LYS
1	A	496	LYS
1	A	609	GLN
1	A	624	ILE
1	A	635	GLN
1	A	642	LEU
1	A	656	LYS
1	A	697	GLU
1	A	715	PRO
1	A	742	ARG
1	E	77	LEU
1	E	86	LEU
1	E	109	ASN
1	E	111	LYS
1	E	180	LYS
1	E	214	GLN
1	E	221	LEU
1	E	229	GLU
1	E	266	ASN
1	E	270	ASN
1	E	320	LYS
1	E	365	GLU
1	E	387	GLN
1	E	464	LYS
1	E	598	LEU
1	E	609	GLN
1	E	624	ILE
1	E	626	THR
1	E	636	ILE
1	E	642	LEU
1	E	648	ARG
1	E	714	GLU
1	E	740	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	109	ASN
1	A	211	ASN
1	A	323	GLN
1	A	445	ASN
1	E	109	ASN
1	E	323	GLN
1	E	445	ASN
1	E	609	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 2 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	E4X	E	802	-	33,33,33	2.60	8 (24%)	44,48,48	1.75	7 (15%)
6	SO4	E	805	-	4,4,4	0.71	0	6,6,6	0.38	0
2	TTP	A	801	3	26,30,30	1.88	7 (26%)	39,47,47	2.76	11 (28%)
4	E4X	A	803	-	33,33,33	2.59	10 (30%)	44,48,48	1.92	12 (27%)
5	ACT	A	805	-	3,3,3	0.75	0	3,3,3	1.87	1 (33%)
5	ACT	A	804	-	3,3,3	0.78	0	3,3,3	0.89	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	TTP	E	803	3	26,30,30	1.88	6 (23%)	39,47,47	2.65	15 (38%)
5	ACT	E	804	-	3,3,3	1.03	0	3,3,3	0.70	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	E4X	E	802	-	-	6/23/23/23	0/4/4/4
2	TTP	A	801	3	-	2/22/34/34	0/2/2/2
2	TTP	E	803	3	-	3/22/34/34	0/2/2/2
4	E4X	A	803	-	-	5/23/23/23	0/4/4/4

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	803	E4X	C22-S21	-9.95	1.61	1.76
4	E	802	E4X	C22-S21	-9.64	1.61	1.76
4	E	802	E4X	C10-C5	5.59	1.52	1.43
4	A	803	E4X	C10-C5	5.25	1.52	1.43
2	E	803	TTP	O2-C2	4.99	1.32	1.23
4	E	802	E4X	O20-C17	4.82	1.30	1.21
2	E	803	TTP	C2-N1	4.48	1.45	1.38
2	A	801	TTP	O2-C2	4.25	1.30	1.23
4	A	803	E4X	C5-C6	4.17	1.50	1.43
2	A	801	TTP	C2-N1	3.92	1.44	1.38
2	A	801	TTP	C6-N1	-3.87	1.31	1.38
2	A	801	TTP	C4-C5	3.84	1.51	1.44
4	A	803	E4X	O20-C17	3.70	1.28	1.21
4	E	802	E4X	C5-C6	3.68	1.49	1.43
2	E	803	TTP	C4-N3	-3.24	1.32	1.38
4	E	802	E4X	O29-S21	2.97	1.46	1.43
2	E	803	TTP	C2-N3	-2.95	1.32	1.38
4	E	802	E4X	C15-N19	2.79	1.36	1.30
2	E	803	TTP	C4-C5	2.70	1.49	1.44
4	A	803	E4X	C15-N19	2.66	1.36	1.30
2	A	801	TTP	C5M-C5	-2.61	1.44	1.50
2	A	801	TTP	C2-N3	-2.49	1.33	1.38
4	A	803	E4X	N18-N19	2.48	1.41	1.36
4	E	802	E4X	N18-N19	2.45	1.41	1.36

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	803	E4X	O29-S21	2.38	1.46	1.43
2	E	803	TTP	C6-N1	-2.34	1.34	1.38
4	E	802	E4X	C3-C4	2.34	1.42	1.36
4	A	803	E4X	C27-C22	2.29	1.42	1.38
2	A	801	TTP	C4-N3	-2.19	1.34	1.38
4	A	803	E4X	C9-C10	2.10	1.41	1.37
4	A	803	E4X	O16-C17	-2.00	1.36	1.40

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	TTP	C5M-C5-C6	-9.11	110.69	122.85
2	A	801	TTP	C5M-C5-C4	8.11	127.69	118.77
2	E	803	TTP	C5-C6-N1	-7.08	116.05	123.34
2	E	803	TTP	C5M-C5-C6	-6.74	113.84	122.85
4	E	802	E4X	C12-C15-N19	6.40	133.01	125.90
2	E	803	TTP	C5M-C5-C4	5.83	125.19	118.77
2	A	801	TTP	C5-C6-N1	-5.74	117.43	123.34
4	A	803	E4X	O28-S21-O29	-5.64	112.61	119.55
4	E	802	E4X	O28-S21-O29	-5.51	112.77	119.55
4	A	803	E4X	C12-C15-N19	5.21	131.69	125.90
2	E	803	TTP	C4-N3-C2	-4.98	120.90	127.35
2	A	801	TTP	C4-N3-C2	-4.67	121.31	127.35
2	E	803	TTP	C5-C4-N3	4.57	119.21	115.31
2	A	801	TTP	C6-C5-C4	4.28	121.61	118.03
2	E	803	TTP	O4'-C1'-N1	3.71	114.49	107.86
2	A	801	TTP	N3-C2-N1	3.56	119.62	114.89
2	E	803	TTP	C6-C5-C4	3.50	120.96	118.03
2	E	803	TTP	N3-C2-N1	3.48	119.51	114.89
4	A	803	E4X	O16-C17-N18	3.47	112.42	107.57
4	A	803	E4X	C23-C22-S21	-3.12	116.38	119.77
4	A	803	E4X	BR3-C25-C24	-3.06	114.85	119.30
2	E	803	TTP	PB-O3A-PA	-2.68	123.64	132.83
4	E	802	E4X	C9-C10-C11	-2.67	117.04	120.77
4	A	803	E4X	C9-C10-C11	-2.58	117.17	120.77
5	A	805	ACT	O-C-CH3	-2.56	112.35	122.33
4	E	802	E4X	O16-C17-N18	2.56	111.15	107.57
2	E	803	TTP	O2A-PA-O1A	2.52	124.72	112.24
2	A	801	TTP	O2A-PA-O1A	2.52	124.70	112.24
2	E	803	TTP	O3G-PG-O2G	2.51	117.25	107.64
2	E	803	TTP	PB-O3B-PG	-2.44	124.47	132.83
4	E	802	E4X	O16-C15-N19	-2.42	110.91	113.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	TTP	O3G-PG-O2G	2.35	116.63	107.64
4	A	803	E4X	C11-C10-C5	2.30	123.57	119.83
4	A	803	E4X	C4-C5-C10	2.30	126.07	123.40
2	A	801	TTP	C1'-N1-C6	-2.28	116.84	120.77
2	A	801	TTP	PB-O3A-PA	-2.24	125.14	132.83
4	A	803	E4X	O29-S21-C22	-2.23	105.22	107.97
4	A	803	E4X	C10-C11-C12	2.22	115.30	111.47
4	E	802	E4X	O16-C17-O20	2.18	124.16	120.75
2	A	801	TTP	PB-O3B-PG	-2.17	125.39	132.83
2	E	803	TTP	O2A-PA-O5'	2.10	117.48	107.75
2	E	803	TTP	O4-C4-N3	-2.08	116.14	120.12
4	A	803	E4X	O29-S21-N13	2.03	110.55	106.88
4	A	803	E4X	C26-C25-C24	2.02	124.62	121.34
2	E	803	TTP	C6-N1-C2	2.02	123.34	121.30
4	E	802	E4X	C4-C5-C10	2.02	125.74	123.40

There are no chirality outliers.

All (16) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	803	E4X	C23-C22-S21-O29
4	A	803	E4X	N13-C12-C15-O16
4	E	802	E4X	N13-C12-C15-O16
4	E	802	E4X	C23-C22-S21-O29
4	A	803	E4X	C27-C22-S21-O29
4	E	802	E4X	C27-C22-S21-O29
2	A	801	TTP	PA-O3A-PB-O1B
2	A	801	TTP	PA-O3A-PB-O2B
2	E	803	TTP	PA-O3A-PB-O2B
2	E	803	TTP	PA-O3A-PB-O1B
4	E	802	E4X	N13-C12-C15-N19
4	A	803	E4X	C23-C22-S21-N13
2	E	803	TTP	PB-O3A-PA-O1A
4	E	802	E4X	C23-C22-S21-N13
4	E	802	E4X	C27-C22-S21-N13
4	A	803	E4X	C27-C22-S21-N13



There are no ring outliers.


1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	803	TTP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	656/669 (98%)	0.13	29 (4%) 34 33	11, 22, 49, 72	2 (0%)
1	E	657/669 (98%)	0.06	17 (2%) 56 54	12, 23, 47, 69	2 (0%)
All	All	1313/1338 (98%)	0.09	46 (3%) 44 43	11, 22, 48, 72	4 (0%)

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	660	ILE	4.7
1	A	634	PHE	4.3
1	A	636	ILE	4.1
1	A	663	ASN	4.0
1	E	634	PHE	3.8
1	A	659	ILE	3.8
1	E	598	LEU	3.6
1	A	651	TRP	3.4
1	A	625	TYR	3.2
1	A	635	GLN	3.2
1	A	670	PRO	3.1
1	A	662	CYS	3.1
1	A	266	ASN	3.0
1	E	212	ARG	3.0
1	A	217	SER	3.0
1	A	654	GLU	2.9
1	E	652	HIS	2.9
1	A	657	ASN	2.8
1	E	625	TYR	2.7
1	A	649	GLY	2.7
1	E	636	ILE	2.7
1	A	652	HIS	2.7
1	A	212	ARG	2.6
1	A	672	ILE	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	661	ALA	2.6
1	A	676	LEU	2.5
1	E	323	GLN	2.4
1	A	671	GLU	2.4
1	E	217	SER	2.3
1	E	289	GLY	2.3
1	A	650	LEU	2.3
1	E	650	LEU	2.3
1	E	266	ASN	2.3
1	A	261	TYR	2.2
1	A	264	GLY	2.2
1	E	651	TRP	2.2
1	E	663	ASN	2.2
1	A	289	GLY	2.2
1	E	670	PRO	2.2
1	E	635	GLN	2.2
1	A	637	VAL	2.2
1	E	320	LYS	2.2
1	A	673	PRO	2.1
1	E	77	LEU	2.1
1	A	485	TYR	2.1
1	A	263	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	MG	A	802	1/1	0.76	0.08	34,34,34,34	0

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	E4X	A	803	30/30	0.85	0.21	34,54,60,92	0
3	MG	E	801	1/1	0.87	0.06	33,33,33,33	0
4	E4X	E	802	30/30	0.87	0.25	37,48,72,106	0
5	ACT	A	805	4/4	0.88	0.14	28,31,31,32	0
6	SO4	E	805	5/5	0.93	0.13	36,44,48,49	0
2	TTP	A	801	29/29	0.94	0.12	20,28,31,44	0
2	TTP	E	803	29/29	0.95	0.11	21,27,35,39	0
5	ACT	A	804	4/4	0.96	0.22	19,22,22,22	0
5	ACT	E	804	4/4	0.97	0.13	17,18,19,20	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









**Electron density around E4X E 802:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around TTP A 801:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.