



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 16, 2023 – 05:54 AM JST

PDB ID : 6L4C
Title : Crystal structure of vicilin from *Corylus avellana* (Hazelnut)
Authors : Shikhi, M.; Salunke, D.M.
Deposited on : 2019-10-16
Resolution : 3.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	424	<div> <div></div> <div>71%13%15%</div> </div>
1	B	424	<div> <div>5%</div> <div>75%13%12%</div> </div>
1	C	424	<div> <div>6%</div> <div>63%20%17%</div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8625 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 48-kDa glycoprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	359	Total	C	N	O	S	0	0	0
			2847	1806	509	525	7			
1	B	373	Total	C	N	O	S	0	0	0
			2966	1882	530	547	7			
1	C	353	Total	C	N	O	S	0	0	0
			2809	1783	503	516	7			


- Molecule 2 is COPPER (II) ION (three-letter code: CU) (formula: Cu) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cu	0	0
			1	1		
2	B	1	Total	Cu	0	0
			1	1		
2	C	1	Total	Cu	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 48-kDa glycoprotein




• Molecule 1: 48-kDa glycoprotein



• Molecule 1: 48-kDa glycoprotein





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	65.00Å 91.14Å 266.87Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	43.12 – 3.19 49.19 – 3.19	Depositor EDS
% Data completeness (in resolution range)	98.0 (43.12-3.19) 98.1 (49.19-3.19)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.80 (at 3.19Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.227 , 0.283 0.226 , 0.283	Depositor DCC
R_{free} test set	1295 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	90.2	Xtriage
Anisotropy	0.477	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 36.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	8625	wwPDB-VP
Average B, all atoms (Å ²)	90.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.30	1/2912 (0.0%)	0.44	1/3928 (0.0%)
1	B	0.25	0/3039	0.43	0/4103
1	C	0.25	0/2872	0.45	0/3872
All	All	0.27	1/8823 (0.0%)	0.44	1/11903 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	138	ASP	C-N	9.01	1.51	1.34

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	376	PRO	N-CA-CB	6.54	111.15	103.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2847	0	2788	40	0
1	B	2966	0	2897	35	0
1	C	2809	0	2762	57	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
All	All	8625	0	8447	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:138:ASP:HB2	1:C:170:SER:HA	1.54	0.90
1:A:105:ILE:HB	1:A:181:LYS:HZ1	1.52	0.74
1:C:136:GLY:O	1:C:144:ARG:NH1	2.25	0.69
1:A:144:ARG:NH1	1:A:166:PHE:O	2.23	0.68
1:B:241:SER:HB2	1:B:321:CYS:HB2	1.77	0.67
1:C:249:SER:HA	1:C:374:PRO:HA	1.78	0.66
1:C:261:LYS:HB3	1:C:301:ALA:HB3	1.77	0.65
1:A:345:GLU:OE2	1:C:83:ARG:NH1	2.30	0.65
1:A:366:ASN:ND2	1:C:156:LYS:O	2.29	0.65
1:A:323:GLU:OE2	1:A:331:ARG:NH2	2.29	0.65
1:A:347:ASP:HB2	1:C:185:LEU:HD21	1.79	0.65
1:B:45:ALA:HB3	1:B:117:LYS:HB2	1.80	0.63
1:C:280:SER:HB3	1:C:287:GLN:HB3	1.82	0.62
1:C:49:ALA:HB1	1:C:53:THR:HG21	1.82	0.61
1:B:70:LYS:HB3	1:B:114:PHE:HB3	1.82	0.61
1:A:249:SER:HA	1:A:374:PRO:HA	1.82	0.60
1:C:95:ARG:NH2	1:C:235:ASP:OD2	2.34	0.60
1:C:250:MET:N	1:C:373:PHE:O	2.32	0.59
1:A:179:ARG:O	1:A:183:ARG:NH1	2.36	0.59
1:C:64:LEU:HB3	1:C:96:ILE:HB	1.85	0.58
1:B:49:ALA:HB1	1:B:53:THR:HG21	1.86	0.57
1:A:230:HIS:O	1:A:232:GLN:N	2.36	0.56
1:C:108:ASP:OD1	1:C:109:GLU:N	2.39	0.55
1:B:96:ILE:HD13	1:B:102:VAL:HG11	1.89	0.55
1:A:122:VAL:HG21	1:B:258:ARG:HB2	1.88	0.55
1:C:275:ALA:HB3	1:C:306:PRO:HG2	1.88	0.54
1:C:52:HIS:HE1	1:C:109:GLU:HG2	1.73	0.54
1:B:98:ALA:O	1:C:257:SER:OG	2.25	0.53
1:A:49:ALA:HB1	1:A:53:THR:HG21	1.91	0.53
1:A:260:THR:HG23	1:A:302:PRO:HA	1.90	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:ILE:HB	1:A:181:LYS:NZ	2.22	0.52
1:C:3:ASN:O	1:C:32:ARG:NH2	2.40	0.52
1:B:52:HIS:CD2	1:B:109:GLU:HA	2.45	0.52
1:C:226:HIS:ND1	1:C:228:ASP:OD2	2.41	0.52
1:A:261:LYS:NZ	1:A:263:SER:OG	2.37	0.51
1:C:135:GLY:O	1:C:141:SER:N	2.42	0.51
1:B:229:ASP:OD1	1:B:229:ASP:N	2.44	0.50
1:B:3:ASN:O	1:B:32:ARG:NH2	2.44	0.50
1:C:217:ASN:HD21	1:C:372:PHE:HB2	1.76	0.50
1:C:271:PHE:HA	1:C:293:LEU:HB2	1.94	0.50
1:B:30:THR:HG23	1:B:34:ARG:HD2	1.93	0.49
1:C:306:PRO:HB3	1:C:334:LEU:HD11	1.94	0.49
1:C:50:ASN:OD1	1:C:112:LYS:NZ	2.45	0.49
1:A:165:VAL:HG21	1:B:363:ILE:HD11	1.95	0.49
1:B:138:ASP:HB3	1:B:172:GLY:HA2	1.94	0.49
1:B:258:ARG:HD3	1:B:327:HIS:O	2.12	0.49
1:C:227:PRO:HD3	1:C:239:MET:HB2	1.96	0.48
1:B:260:THR:HG23	1:B:302:PRO:HA	1.96	0.48
1:C:6:VAL:O	1:C:32:ARG:NH1	2.35	0.47
1:A:93:ILE:HB	1:A:206:ILE:HB	1.96	0.47
1:C:293:LEU:HD21	1:C:299:PHE:CD1	2.50	0.47
1:C:370:ALA:O	1:C:372:PHE:N	2.46	0.46
1:B:66:LEU:H	1:B:66:LEU:HD23	1.81	0.46
1:A:88:VAL:HG11	1:A:94:ILE:HD11	1.96	0.46
1:A:95:ARG:NH1	1:A:232:GLN:O	2.49	0.46
1:C:148:TRP:CH2	1:C:163:GLU:HG2	2.50	0.46
1:C:105:ILE:HD13	1:C:185:LEU:HD12	1.98	0.46
1:B:272:PHE:HB3	1:B:293:LEU:HD11	1.97	0.46
1:A:347:ASP:OD1	1:A:347:ASP:N	2.50	0.45
1:C:20:GLU:HA	1:C:50:ASN:ND2	2.31	0.45
1:A:250:MET:N	1:A:373:PHE:O	2.45	0.45
1:A:145:ALA:HB2	1:B:286:TYR:HB3	1.99	0.44
1:C:79:ARG:NH2	1:C:84:GLU:OE2	2.51	0.44
1:A:280:SER:OG	1:A:285:SER:HB3	2.18	0.44
1:A:108:ASP:OD2	1:A:111:GLU:N	2.42	0.44
1:C:88:VAL:HG11	1:C:94:ILE:HD11	1.99	0.44
1:C:239:MET:HB3	1:C:323:GLU:HB2	2.00	0.44
1:A:78:VAL:HG11	1:B:343:GLU:HB2	2.00	0.44
1:B:35:LEU:CD2	1:B:279:LEU:HD23	2.48	0.44
1:C:69:ALA:O	1:C:90:HIS:ND1	2.50	0.44
1:A:226:HIS:NE2	1:A:326:ALA:O	2.51	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:3:ASN:HA	1:B:4:PRO:HD3	1.90	0.43
1:C:53:THR:OG1	1:C:175:VAL:O	2.25	0.43
1:C:67:PHE:CD2	1:C:320:LEU:HD22	2.53	0.43
1:A:105:ILE:HD12	1:A:181:LYS:HE3	2.00	0.43
1:A:245:ILE:HG12	1:A:372:PHE:HE1	1.82	0.43
1:B:55:ILE:HD13	1:B:104:MET:HG3	2.00	0.43
1:B:336:GLY:HA2	1:B:367:GLN:HB3	1.99	0.43
1:C:138:ASP:CG	1:C:139:PRO:HD3	2.39	0.43
1:A:54:PHE:HA	1:A:105:ILE:HG22	2.00	0.43
1:A:363:ILE:HA	1:C:157:VAL:HG21	2.01	0.43
1:B:82:LYS:HD3	1:B:82:LYS:HA	1.76	0.43
1:A:64:LEU:HB3	1:A:96:ILE:HB	2.00	0.43
1:B:124:ALA:HA	1:C:37:SER:HB3	2.00	0.43
1:C:138:ASP:HB2	1:C:170:SER:CA	2.36	0.43
1:A:257:SER:OG	1:C:98:ALA:O	2.36	0.43
1:A:53:THR:O	1:A:181:LYS:NZ	2.52	0.43
1:A:347:ASP:O	1:A:351:LEU:HD12	2.19	0.43
1:B:262:ILE:HB	1:B:322:PHE:HB2	2.01	0.43
1:A:227:PRO:HB3	1:A:234:GLN:HA	2.01	0.42
1:B:138:ASP:HA	1:B:139:PRO:HA	1.80	0.42
1:A:351:LEU:HD11	1:C:181:LYS:HD2	2.01	0.42
1:B:149:GLU:HG3	1:B:159:ARG:NH2	2.34	0.42
1:B:252:GLY:HA3	1:B:373:PHE:HE2	1.84	0.42
1:B:292:ARG:HD3	1:B:292:ARG:HA	1.91	0.42
1:C:16:VAL:HB	1:C:23:VAL:HB	2.01	0.42
1:C:8:GLN:HG3	1:C:10:GLU:HG2	2.01	0.42
1:A:179:ARG:HA	1:A:179:ARG:HD2	1.83	0.42
1:C:52:HIS:CE1	1:C:109:GLU:HA	2.55	0.42
1:A:344:PHE:CD1	1:A:344:PHE:N	2.89	0.41
1:A:219:PHE:CE1	1:A:374:PRO:HG3	2.56	0.41
1:C:293:LEU:HD23	1:C:293:LEU:HA	1.86	0.41
1:A:80:GLU:O	1:A:82:LYS:N	2.46	0.41
1:B:100:THR:HA	1:C:332:PHE:HE2	1.85	0.41
1:B:213:PRO:HB2	1:B:216:SER:HB2	2.03	0.41
1:C:241:SER:OG	1:C:321:CYS:HB2	2.21	0.41
1:C:82:LYS:HE2	1:C:84:GLU:HG2	2.03	0.41
1:C:48:GLU:HA	1:C:113:LEU:O	2.20	0.41
1:C:73:ALA:O	1:C:107:ARG:NH2	2.53	0.41
1:C:148:TRP:HB3	1:C:159:ARG:HD2	2.01	0.41
1:B:219:PHE:CE1	1:B:374:PRO:HG3	2.55	0.41
1:A:67:PHE:CZ	1:A:91:GLY:HA2	2.55	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:270:GLY:O	1:C:271:PHE:HB3	2.21	0.40
1:B:73:ALA:HB2	1:B:113:LEU:HD21	2.02	0.40
1:B:85:SER:H	1:B:190:GLU:HB2	1.85	0.40
1:C:87:ASN:HB3	1:C:107:ARG:HH22	1.86	0.40
1:C:159:ARG:O	1:C:163:GLU:HG3	2.21	0.40
1:C:213:PRO:HG3	1:C:223:TYR:CE2	2.56	0.40
1:C:6:VAL:HG21	1:C:291:ALA:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	355/424 (84%)	326 (92%)	27 (8%)	2 (1%)	25	64
1	B	371/424 (88%)	345 (93%)	26 (7%)	0	100	100
1	C	347/424 (82%)	323 (93%)	21 (6%)	3 (1%)	17	56
All	All	1073/1272 (84%)	994 (93%)	74 (7%)	5 (0%)	29	67

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	376	PRO
1	C	139	PRO
1	C	169	GLN
1	C	39	ILE
1	A	136	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	303/358 (85%)	302 (100%)	1 (0%)	92	96
1	B	316/358 (88%)	315 (100%)	1 (0%)	92	96
1	C	300/358 (84%)	297 (99%)	3 (1%)	76	90
All	All	919/1074 (86%)	914 (100%)	5 (0%)	88	95

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	347	ASP
1	B	92	ASP
1	C	104	MET
1	C	141	SER
1	C	244	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	52	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	359/424 (84%)	-0.02	3 (0%) 86 78	44, 73, 108, 127	0
1	B	373/424 (87%)	0.35	22 (5%) 22 13	46, 80, 149, 162	0
1	C	353/424 (83%)	0.51	24 (6%) 17 10	58, 103, 146, 171	0
All	All	1085/1272 (85%)	0.28	49 (4%) 33 21	44, 84, 141, 171	0

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	171	LYS	4.8
1	B	166	PHE	4.6
1	B	172	GLY	4.4
1	B	114	PHE	4.0
1	B	134	ALA	3.9
1	B	162	LEU	3.9
1	C	172	GLY	3.9
1	B	70	LYS	3.7
1	C	115	ILE	3.4
1	C	103	TYR	3.3
1	C	371	PHE	3.3
1	C	175	VAL	3.2
1	B	173	SER	3.2
1	B	164	LYS	3.1
1	C	353	PHE	3.0
1	B	133	GLY	2.9
1	C	171	LYS	2.9
1	C	54	PHE	2.9
1	C	3	ASN	2.8
1	B	175	VAL	2.8
1	C	365	LYS	2.8
1	B	139	PRO	2.8
1	C	174	ILE	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	133	GLY	2.7
1	C	364	PHE	2.7
1	C	344	PHE	2.6
1	C	362	ARG	2.6
1	A	362	ARG	2.5
1	C	21	GLY	2.5
1	B	71	GLY	2.4
1	B	163	GLU	2.4
1	B	57	PRO	2.4
1	C	373	PHE	2.4
1	C	105	ILE	2.4
1	A	363	ILE	2.3
1	C	360	VAL	2.3
1	C	282	SER	2.3
1	B	160	GLU	2.2
1	A	351	LEU	2.2
1	C	53	THR	2.2
1	B	110	ASN	2.2
1	B	151	LEU	2.2
1	B	165	VAL	2.1
1	B	155	LEU	2.1
1	C	45	ALA	2.1
1	B	144	ARG	2.0
1	C	49	ALA	2.0
1	B	7	PHE	2.0
1	C	44	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	CU	B	401	1/1	0.94	0.24	126,126,126,126	0
2	CU	A	401	1/1	0.98	0.11	57,57,57,57	0
2	CU	C	401	1/1	0.98	0.20	91,91,91,91	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around CU A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.