



# Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 04:15 am BST

PDB ID : 3LAD  
Title : REFINED CRYSTAL STRUCTURE OF LIPOAMIDE DEHYDROGENASE FROM AZOTOBACTER VINELANDII AT 2.2 ANGSTROMS RESOLUTION. A COMPARISON WITH THE STRUCTURE OF GLUTATHIONE REDUCTASE  
Authors : Mattevi, A.; Schierbeek, A.J.; Hol, W.G.J.  
Deposited on : 1991-12-11  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	476	
1	B	476	

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 7411 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DIHYDROLIPOAMIDE DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	472	Total 3427	2174	585	657	11	0	0	0
1	B	472	Total 3427	2174	585	657	11	0	0	0

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total 53	27	9	15	2	0	0
2	B	1	Total 53	27	9	15	2	0	0

- Molecule 3 is water.


<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
3	A	212	Total 212	O 212	0	0
3	B	239	Total 239	O 239	0	0

### 3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: DIHYDROLIPOAMIDE DEHYDROGENASE



- Molecule 1: DIHYDROLIPOAMIDE DEHYDROGENASE



C390	R391	A394	A395	R396	D407	D411	R412	V413	V416	H417	V418	I419	V427	Q428	Q429	D442	L443	M446	V447	L453	S454	E459	S465	G466	H467	V471	A472	ASN	ARG	LYS	LYS
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----

## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	64.13Å 83.86Å 191.96Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	(Not available) – 2.20	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.20)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	GROMOS, TNT, X-PLOR	Depositor
R, $R_{free}$	0.192 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	7411	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	17.0	wwPDB-VP

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.98	3/3478 (0.1%)	1.77	60/4717 (1.3%)
1	B	0.97	3/3478 (0.1%)	1.77	65/4717 (1.4%)
All	All	0.98	6/6956 (0.1%)	1.77	125/9434 (1.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
All	All	0	4

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	468	ALA	N-CA	13.46	1.73	1.46
1	A	418	VAL	CA-CB	6.65	1.68	1.54
1	A	84	ALA	N-CA	6.52	1.59	1.46
1	B	356	ILE	CA-CB	6.17	1.69	1.54
1	B	266	SER	CA-CB	-5.55	1.44	1.52
1	B	459	GLU	CD-OE2	-5.55	1.19	1.25

All (125) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	93	ARG	NE-CZ-NH2	-12.44	114.08	120.30
1	A	278	ARG	NE-CZ-NH2	-11.57	114.51	120.30
1	B	278	ARG	NE-CZ-NH1	11.39	125.99	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	321	ARG	NE-CZ-NH2	-11.01	114.80	120.30
1	B	321	ARG	NE-CZ-NH2	-10.93	114.83	120.30
1	A	93	ARG	NE-CZ-NH1	10.02	125.31	120.30
1	B	93	ARG	NE-CZ-NH1	9.87	125.23	120.30
1	B	93	ARG	NE-CZ-NH2	-9.83	115.38	120.30
1	B	267	GLN	CA-C-N	-9.79	95.65	117.20
1	B	290	SER	N-CA-C	-9.50	85.36	111.00
1	B	16	TYR	CB-CG-CD2	-9.48	115.31	121.00
1	B	201	ARG	NE-CZ-NH1	9.16	124.88	120.30
1	B	201	ARG	NE-CZ-NH2	-8.95	115.83	120.30
1	A	201	ARG	NE-CZ-NH1	8.89	124.75	120.30
1	B	321	ARG	NE-CZ-NH1	8.78	124.69	120.30
1	A	267	GLN	CA-C-N	-8.74	97.97	117.20
1	A	87	VAL	CG1-CB-CG2	-8.69	96.99	110.90
1	B	289	ASP	N-CA-C	8.69	134.46	111.00
1	A	320	VAL	CA-CB-CG2	-8.55	98.07	110.90
1	A	321	ARG	NE-CZ-NH1	8.45	124.53	120.30
1	A	285	LEU	CA-CB-CG	8.22	134.20	115.30
1	A	108	LEU	CA-CB-CG	7.89	133.46	115.30
1	B	199	TRP	CE2-CD2-CG	-7.76	101.09	107.30
1	B	199	TRP	CG-CD2-CE3	7.49	140.64	133.90
1	A	402	VAL	CG1-CB-CG2	-7.37	99.10	110.90
1	B	124	LEU	CA-CB-CG	7.35	132.21	115.30
1	A	391	ARG	NE-CZ-NH2	7.35	123.98	120.30
1	A	199	TRP	CD1-CG-CD2	7.31	112.15	106.30
1	A	190	VAL	CG1-CB-CG2	-7.30	99.22	110.90
1	B	335	VAL	CG1-CB-CG2	-7.29	99.23	110.90
1	B	295	ASP	CA-CB-CG	7.23	129.30	113.40
1	A	166	VAL	CG1-CB-CG2	-7.12	99.50	110.90
1	A	468	ALA	N-CA-CB	7.06	119.99	110.10
1	A	321	ARG	CA-CB-CG	6.94	128.66	113.40
1	B	199	TRP	CD1-CG-CD2	6.88	111.80	106.30
1	A	349	TYR	CB-CG-CD2	-6.82	116.91	121.00
1	A	286	LEU	CA-CB-CG	6.80	130.93	115.30
1	B	99	ARG	NE-CZ-NH2	-6.77	116.92	120.30
1	B	99	ARG	NE-CZ-NH1	6.76	123.68	120.30
1	A	199	TRP	CE2-CD2-CG	-6.75	101.90	107.30
1	A	243	ARG	NE-CZ-NH2	-6.67	116.97	120.30
1	B	413	VAL	CG1-CB-CG2	-6.58	100.37	110.90
1	A	105	VAL	CG1-CB-CG2	-6.57	100.39	110.90
1	A	347	MET	CA-CB-CG	6.44	124.24	113.30
1	B	287	ALA	CA-C-N	6.43	131.35	117.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	116	LEU	CA-CB-CG	6.40	130.01	115.30
1	B	155	VAL	CA-CB-CG2	-6.37	101.34	110.90
1	B	288	ALA	CA-C-N	-6.29	103.37	117.20
1	A	320	VAL	CA-CB-CG1	6.22	120.24	110.90
1	A	324	MET	CG-SD-CE	-6.20	90.28	100.20
1	A	339	ARG	CA-CB-CG	6.16	126.94	113.40
1	B	301	TYR	O-C-N	6.15	132.53	122.70
1	B	411	ASP	CB-CG-OD1	6.13	123.82	118.30
1	A	65	LYS	CA-CB-CG	6.10	126.82	113.40
1	B	278	ARG	NH1-CZ-NH2	-6.05	112.75	119.40
1	A	51	VAL	N-CA-CB	-6.01	98.27	111.50
1	B	292	VAL	CG1-CB-CG2	-6.01	101.29	110.90
1	B	411	ASP	N-CA-C	5.99	127.18	111.00
1	A	368	THR	N-CA-CB	-5.86	99.16	110.30
1	B	61	ASP	CB-CG-OD1	5.83	123.55	118.30
1	B	108	LEU	CA-CB-CG	5.83	128.71	115.30
1	B	51	VAL	CB-CA-C	5.79	122.40	111.40
1	B	411	ASP	CA-CB-CG	5.78	126.12	113.40
1	A	201	ARG	NE-CZ-NH2	-5.78	117.41	120.30
1	B	51	VAL	N-CA-CB	-5.77	98.80	111.50
1	B	301	TYR	CA-C-N	-5.76	104.52	117.20
1	A	335	VAL	CA-CB-CG2	-5.74	102.29	110.90
1	B	209	LEU	CA-CB-CG	5.70	128.41	115.30
1	A	2	GLN	N-CA-C	5.68	126.33	111.00
1	B	155	VAL	CA-CB-CG1	5.68	119.41	110.90
1	A	64	TYR	CB-CG-CD1	-5.67	117.60	121.00
1	A	278	ARG	NE-CZ-NH1	5.66	123.13	120.30
1	B	201	ARG	CB-CG-CD	5.64	126.27	111.60
1	A	99	ARG	NE-CZ-NH1	5.62	123.11	120.30
1	B	72	SER	N-CA-C	5.58	126.07	111.00
1	A	356	ILE	N-CA-C	-5.57	95.95	111.00
1	A	164	GLN	CA-CB-CG	5.57	125.64	113.40
1	B	287	ALA	O-C-N	-5.55	113.82	122.70
1	B	357	TYR	CB-CG-CD2	-5.51	117.69	121.00
1	B	17	VAL	CG1-CB-CG2	-5.50	102.10	110.90
1	A	18	ALA	CB-CA-C	-5.47	101.90	110.10
1	B	240	LEU	CA-C-N	5.44	127.08	116.20
1	A	267	GLN	O-C-N	5.43	131.38	122.70
1	A	243	ARG	NE-CZ-NH1	5.40	123.00	120.30
1	B	471	VAL	CA-CB-CG2	-5.39	102.81	110.90
1	A	467	HIS	C-N-CA	5.39	135.17	121.70
1	B	32	ILE	CG1-CB-CG2	-5.38	99.55	111.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	268	ALA	N-CA-CB	-5.37	102.58	110.10
1	B	51	VAL	CG1-CB-CG2	5.35	119.46	110.90
1	A	150	SER	O-C-N	-5.34	114.12	123.20
1	A	465	SER	N-CA-CB	-5.33	102.50	110.50
1	B	419	ILE	N-CA-C	-5.32	96.63	111.00
1	A	141	LEU	CA-CB-CG	5.31	127.52	115.30
1	A	370	GLN	CA-CB-CG	5.31	125.09	113.40
1	B	16	TYR	CG-CD2-CE2	-5.29	117.07	121.30
1	B	314	TYR	CB-CG-CD2	-5.27	117.84	121.00
1	B	35	TYR	CB-CG-CD2	-5.25	117.85	121.00
1	A	434	MET	CG-SD-CE	-5.25	91.81	100.20
1	B	313	VAL	CG1-CB-CG2	-5.24	102.52	110.90
1	B	279	ARG	NE-CZ-NH2	-5.24	117.68	120.30
1	B	111	ALA	CB-CA-C	-5.23	102.25	110.10
1	A	102	THR	N-CA-CB	-5.23	100.36	110.30
1	A	289	ASP	CA-C-N	-5.23	105.69	117.20
1	A	206	VAL	CG1-CB-CG2	-5.22	102.54	110.90
1	B	250	LYS	N-CA-C	-5.22	96.90	111.00
1	B	342	GLY	O-C-N	5.20	131.02	122.70
1	B	471	VAL	CA-CB-CG1	5.19	118.68	110.90
1	A	105	VAL	CA-CB-CG1	5.17	118.65	110.90
1	B	239	LEU	N-CA-C	-5.14	97.11	111.00
1	B	324	MET	CG-SD-CE	-5.11	92.03	100.20
1	B	262	GLU	CA-CB-CG	5.10	124.61	113.40
1	B	71	GLU	CA-CB-CG	5.08	124.58	113.40
1	B	168	VAL	N-CA-CB	-5.08	100.31	111.50
1	B	416	VAL	N-CA-C	-5.08	97.29	111.00
1	B	427	VAL	CA-CB-CG2	-5.08	103.28	110.90
1	B	67	HIS	ND1-CG-CD2	5.07	115.90	108.80
1	A	199	TRP	CG-CD1-NE1	-5.07	105.03	110.10
1	A	266	SER	CA-C-N	-5.06	106.06	117.20
1	B	167	ILE	CB-CG1-CD1	-5.04	99.79	113.90
1	A	18	ALA	N-CA-CB	5.03	117.15	110.10
1	A	273	ILE	CG1-CB-CG2	-5.02	100.36	111.40
1	B	236	LEU	CA-CB-CG	5.01	126.83	115.30
1	A	320	VAL	CG1-CB-CG2	5.01	118.92	110.90
1	A	105	VAL	CA-CB-CG2	-5.01	103.38	110.90
1	A	279	ARG	CA-CB-CG	5.01	124.42	113.40

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	359	HIS	Peptide
1	A	64	TYR	Sidechain
1	B	267	GLN	Mainchain
1	B	359	HIS	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3427	0	3501	127	0
1	B	3427	0	3501	81	0
2	A	53	0	31	3	0
2	B	53	0	30	1	0
3	A	212	0	0	14	0
3	B	239	0	0	4	0
All	All	7411	0	7063	201	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (201) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:468:ALA:CA	1:A:468:ALA:N	1.73	1.46
1:A:70:HIS:CD2	1:A:83:VAL:HG12	1.59	1.38
1:A:70:HIS:CD2	1:A:83:VAL:CG1	2.25	1.19
1:A:70:HIS:HD2	1:A:83:VAL:CG1	1.54	1.19
1:A:176:PHE:CE1	1:A:271:LYS:HE3	1.83	1.13
1:A:176:PHE:CD1	1:A:271:LYS:HE3	2.00	0.97
1:A:176:PHE:CE1	1:A:271:LYS:CE	2.56	0.88
1:B:465:SER:HB2	1:B:467:HIS:CE1	2.09	0.87
1:A:176:PHE:CZ	1:A:271:LYS:HG2	2.12	0.84
1:A:339:ARG:HA	1:A:343:HIS:HA	1.61	0.80
1:A:469:ILE:HB	1:A:470:HIS:ND1	1.98	0.78
1:A:71:GLU:O	1:A:71:GLU:HG2	1.83	0.77
1:B:290:SER:O	1:B:292:VAL:HG23	1.84	0.77
1:A:70:HIS:CD2	1:A:83:VAL:HG11	2.18	0.76

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:168:VAL:HG22	1:B:172:GLY:HA3	1.65	0.76
1:A:71:GLU:O	1:A:71:GLU:CG	2.33	0.74
1:A:81:GLY:HA2	3:A:627:HOH:O	1.86	0.74
1:A:146:VAL:HB	1:A:313:VAL:HG22	1.72	0.71
1:A:69:ALA:HB3	1:A:83:VAL:HG21	1.72	0.71
1:A:68:GLU:O	1:A:72:SER:HB2	1.90	0.71
1:A:438:THR:HG22	1:A:439:SER:O	1.91	0.69
1:B:36:LYS:HA	1:B:42:THR:HA	1.74	0.69
1:B:132:THR:HA	1:B:137:SER:O	1.93	0.68
1:A:469:ILE:HD12	1:B:20:ILE:HD11	1.76	0.68
1:B:254:VAL:O	1:B:268:ALA:HA	1.95	0.67
1:A:254:VAL:O	1:A:268:ALA:HA	1.96	0.65
1:A:82:GLU:HG3	3:A:649:HOH:O	1.97	0.65
1:B:271:LYS:HE2	3:B:612:HOH:O	1.98	0.64
1:B:124:LEU:HD23	1:B:128:LYS:HB2	1.80	0.64
1:A:471:VAL:CG2	1:A:472:ALA:N	2.61	0.63
1:A:183:LEU:HB3	1:A:206:VAL:HG12	1.82	0.62
1:A:471:VAL:HG23	1:A:472:ALA:CB	2.30	0.62
1:A:82:GLU:OE1	1:A:82:GLU:HA	1.98	0.62
1:B:407:ASP:O	1:B:411:ASP:HA	1.99	0.62
1:A:317:GLY:O	1:A:320:VAL:HG12	1.99	0.61
1:A:166:VAL:CG1	1:A:254:VAL:HG22	2.31	0.61
1:A:176:PHE:CZ	1:A:271:LYS:CG	2.85	0.60
1:A:82:GLU:CG	3:A:649:HOH:O	2.50	0.60
1:B:442:ASP:O	1:B:446:MET:HG3	2.02	0.60
1:A:80:THR:OG1	1:A:81:GLY:N	2.35	0.59
1:A:371:ALA:O	1:A:375:GLU:HG2	2.02	0.59
1:B:160:ALA:HB1	1:B:167:ILE:HD11	1.83	0.59
1:A:438:THR:HG23	1:A:442:ASP:HB2	1.85	0.59
1:A:22:SER:HB3	1:A:27:LEU:HD12	1.86	0.58
1:A:226:GLU:HG3	1:A:230:ILE:HD12	1.84	0.58
1:A:471:VAL:HG22	1:A:472:ALA:N	2.19	0.58
1:B:252:LYS:H	1:B:252:LYS:HE2	1.68	0.58
1:A:391:ARG:N	3:A:563:HOH:O	2.30	0.58
1:B:194:GLU:O	1:B:198:VAL:HG23	2.04	0.57
1:A:159:PRO:O	1:A:247:THR:HB	2.03	0.57
1:A:130:GLU:HA	1:A:139:GLN:O	2.05	0.56
1:A:470:HIS:HA	1:B:108:LEU:HD21	1.87	0.56
1:B:249:VAL:HB	1:B:254:VAL:HG13	1.86	0.56
1:A:191:ILE:HG23	2:A:480:FAD:HM73	1.88	0.56
1:B:226:GLU:O	1:B:230:ILE:HG13	2.05	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:53:CYS:O	1:A:57:LYS:HD2	2.05	0.56
1:B:176:PHE:CZ	1:B:271:LYS:HG2	2.39	0.56
1:A:21:LYS:O	1:A:25:LEU:HG	2.06	0.56
1:A:411:ASP:O	1:A:439:SER:HA	2.05	0.56
1:A:402:VAL:HG11	1:A:457:LEU:HA	1.87	0.56
1:A:186:ILE:HD11	1:A:272:LEU:HD21	1.88	0.55
1:A:469:ILE:HB	1:A:470:HIS:CE1	2.42	0.55
1:A:122:LYS:HD3	1:A:287:ALA:H	1.71	0.55
1:A:166:VAL:HG13	1:A:254:VAL:HG22	1.88	0.55
1:A:21:LYS:HD3	1:A:334:VAL:HG13	1.89	0.55
1:A:151:GLY:H	1:A:319:VAL:HG13	1.71	0.54
1:A:124:LEU:HA	1:A:287:ALA:HB2	1.90	0.54
1:A:69:ALA:HB3	1:A:83:VAL:CG2	2.38	0.54
1:B:183:LEU:HD13	1:B:271:LYS:HB3	1.89	0.54
1:A:4:PHE:O	1:A:143:THR:HA	2.07	0.53
1:B:173:ALA:HA	1:B:176:PHE:CE1	2.43	0.53
1:A:165:ASP:HB2	3:A:529:HOH:O	2.08	0.53
1:B:247:THR:HG22	1:B:256:VAL:HG22	1.90	0.53
1:B:168:VAL:CG2	1:B:172:GLY:HA3	2.38	0.53
1:B:305:TYR:HD1	1:B:339:ARG:NH2	2.07	0.53
1:B:167:ILE:HD12	1:B:272:LEU:HD23	1.91	0.53
1:A:257:LYS:HA	1:A:265:LYS:HB2	1.92	0.52
1:A:447:VAL:HG22	1:B:331:GLU:HG2	1.92	0.52
1:B:287:ALA:O	1:B:289:ASP:N	2.43	0.51
1:A:469:ILE:CG2	1:A:470:HIS:CE1	2.93	0.51
1:A:83:VAL:O	1:A:83:VAL:CG1	2.58	0.51
1:A:152:SER:OG	1:A:278:ARG:HB3	2.10	0.51
1:A:331:GLU:HG3	1:B:447:VAL:HG22	1.91	0.51
1:A:471:VAL:HG23	1:A:472:ALA:HB3	1.92	0.51
1:B:356:ILE:HG12	1:B:362:ILE:HD12	1.92	0.51
1:A:213:ASP:HA	1:A:240:LEU:HB3	1.92	0.51
1:A:1:SER:HB3	3:A:678:HOH:O	2.10	0.50
1:B:367:LYS:O	1:B:417:HIS:HE1	1.95	0.50
1:A:28:LYS:HB3	3:A:686:HOH:O	2.12	0.50
1:A:302:VAL:HB	1:A:306:CYS:HA	1.93	0.50
1:A:82:GLU:HG3	3:A:496:HOH:O	2.13	0.49
1:A:359:HIS:H	1:A:359:HIS:CD2	2.29	0.49
1:A:122:LYS:HD3	1:A:287:ALA:HA	1.95	0.49
2:A:480:FAD:O1A	2:A:480:FAD:O4'	2.24	0.49
1:A:469:ILE:HB	1:A:470:HIS:HD1	1.75	0.49
1:B:375:GLU:O	1:B:377:VAL:HG23	2.13	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:390:GLY:CA	3:A:563:HOH:O	2.60	0.48
1:A:98:VAL:O	1:A:102:THR:HB	2.14	0.48
1:B:20:ILE:HD12	1:B:21:LYS:N	2.28	0.48
1:B:389:SER:HA	3:B:620:HOH:O	2.13	0.48
1:A:382:GLY:N	1:A:464:VAL:HG22	2.28	0.48
1:A:152:SER:HA	1:A:279:ARG:O	2.14	0.47
1:B:155:VAL:HG21	3:B:625:HOH:O	2.14	0.47
1:A:469:ILE:HD12	1:B:20:ILE:CD1	2.42	0.47
1:A:66:PHE:CE1	1:A:83:VAL:HG13	2.50	0.47
1:B:166:VAL:HG22	1:B:254:VAL:HG22	1.97	0.47
1:B:332:GLU:O	1:B:336:VAL:HG23	2.14	0.47
1:B:391:ARG:NH1	1:B:394:ALA:HB3	2.30	0.47
1:A:207:THR:HA	1:A:237:LYS:O	2.14	0.47
1:A:339:ARG:HA	1:A:343:HIS:CA	2.37	0.47
1:A:384:PHE:CE1	1:A:471:VAL:CG1	2.98	0.47
1:A:355:VAL:HG22	1:A:363:ALA:HB2	1.96	0.47
1:B:176:PHE:CZ	1:B:271:LYS:CG	2.98	0.47
1:B:206:VAL:O	1:B:237:LYS:HD3	2.15	0.47
1:A:9:ILE:HD11	1:A:129:VAL:HG11	1.98	0.46
1:B:150:SER:OG	1:B:319:VAL:HG11	2.14	0.46
1:A:35:TYR:O	1:A:42:THR:HA	2.14	0.46
1:A:429:GLN:HG2	1:B:429:GLN:HG2	1.97	0.46
1:A:259:VAL:HA	1:A:263:GLY:HA2	1.98	0.46
1:A:372:LEU:O	1:A:377:VAL:HG13	2.15	0.46
1:B:250:LYS:O	1:B:252:LYS:HE2	2.16	0.46
1:B:74:LYS:HG3	1:B:75:LEU:HD22	1.96	0.46
1:A:258:PHE:HE1	1:A:266:SER:H	1.64	0.46
1:A:334:VAL:O	1:A:338:GLU:HG3	2.16	0.46
1:A:469:ILE:HG21	1:A:470:HIS:CE1	2.51	0.46
1:A:109:ILE:HB	1:A:114:VAL:HB	1.97	0.45
1:A:425:GLU:O	1:A:429:GLN:HG3	2.16	0.45
1:B:88:PRO:HG3	1:B:177:GLN:OE1	2.16	0.45
1:A:384:PHE:CE1	1:A:471:VAL:HG12	2.51	0.45
1:B:120:HIS:HE1	1:B:284:ASP:O	2.00	0.45
1:A:252:LYS:HG3	1:A:253:GLN:H	1.80	0.45
1:B:57:LYS:HE3	1:B:57:LYS:N	2.31	0.45
1:A:74:LYS:HD2	1:A:74:LYS:C	2.37	0.45
1:A:7:ILE:HG23	1:A:30:ALA:HB3	1.97	0.45
1:A:47:THR:O	1:A:52:GLY:N	2.50	0.45
1:B:183:LEU:CD1	1:B:271:LYS:HB3	2.47	0.45
1:A:1:SER:HA	3:A:545:HOH:O	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:450:HIS:ND1	1:A:451:PRO:HA	2.33	0.44
1:A:120:HIS:O	1:A:131:VAL:HA	2.16	0.44
1:A:432:ILE:HD12	1:B:429:GLN:HB3	1.99	0.44
1:B:302:VAL:HB	1:B:306:CYS:HA	1.99	0.44
1:A:68:GLU:O	1:A:72:SER:CB	2.63	0.44
1:B:153:LYS:HG2	1:B:281:VAL:CG2	2.48	0.44
1:B:167:ILE:CD1	1:B:272:LEU:HD23	2.48	0.44
1:B:335:VAL:HG12	1:B:339:ARG:NH1	2.32	0.44
1:A:166:VAL:HG11	1:A:249:VAL:HG13	1.99	0.44
1:A:176:PHE:CD1	1:A:271:LYS:CE	2.85	0.44
1:B:251:ASN:HB2	1:B:252:LYS:NZ	2.31	0.44
1:B:149:ALA:O	2:B:480:FAD:H52A	2.18	0.44
1:A:82:GLU:CD	3:A:649:HOH:O	2.55	0.43
1:B:7:ILE:HD13	1:B:141:LEU:HD12	1.99	0.43
1:B:108:LEU:O	1:B:112:ASN:HB2	2.19	0.43
1:B:354:ALA:O	1:B:363:ALA:HA	2.18	0.43
1:B:328:LYS:HE2	1:B:332:GLU:OE2	2.17	0.43
1:B:331:GLU:HA	1:B:334:VAL:HG22	2.00	0.43
1:B:123:LEU:HD11	1:B:313:VAL:HG11	2.00	0.43
1:B:9:ILE:HD12	1:B:148:LEU:HD23	1.99	0.43
1:A:70:HIS:HD2	1:A:83:VAL:HG11	1.55	0.43
1:B:152:SER:HB3	1:B:318:ASP:HB3	2.01	0.43
1:B:95:ASP:HA	1:B:98:VAL:HG22	1.99	0.43
1:A:3:LYS:HA	1:A:142:ASP:O	2.19	0.43
1:B:316:ILE:CG2	1:B:336:VAL:HG21	2.49	0.43
1:A:1:SER:HB2	1:A:140:VAL:O	2.19	0.43
1:A:88:PRO:O	1:A:91:ILE:HD13	2.18	0.43
1:A:222:GLN:HB2	1:A:403:LYS:HZ1	1.84	0.42
1:B:166:VAL:HG11	1:B:249:VAL:HG21	2.00	0.42
1:A:49:LEU:HD11	1:A:101:LEU:HB3	2.01	0.42
1:A:359:HIS:CD2	1:A:359:HIS:N	2.86	0.42
1:A:13:PRO:HD3	1:A:45:GLY:O	2.19	0.42
1:A:220:ASP:OD1	1:A:403:LYS:NZ	2.51	0.42
1:A:9:ILE:HG12	1:A:32:ILE:HD12	2.02	0.42
1:B:90:MET:HB3	1:B:90:MET:HE3	1.92	0.42
1:B:153:LYS:HG2	1:B:281:VAL:HG22	2.01	0.42
1:B:296:GLU:HB2	3:B:715:HOH:O	2.19	0.42
1:B:49:LEU:HD21	1:B:101:LEU:CB	2.48	0.42
1:B:7:ILE:HG12	1:B:30:ALA:HB3	2.01	0.42
1:A:67:HIS:CD2	1:A:201:ARG:HD2	2.55	0.42
1:A:301:TYR:O	1:A:308:THR:HG22	2.20	0.42

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:349:TYR:HB2	3:A:484:HOH:O	2.20	0.42
1:B:198:VAL:O	1:B:202:LEU:HG	2.20	0.42
1:A:222:GLN:HB2	1:A:403:LYS:NZ	2.34	0.42
1:A:429:GLN:HG2	1:B:429:GLN:CG	2.50	0.42
1:B:367:LYS:O	1:B:417:HIS:CE1	2.72	0.41
1:A:301:TYR:HD1	3:A:587:HOH:O	2.02	0.41
1:A:314:TYR:HE2	1:A:339:ARG:HH21	1.68	0.41
1:B:120:HIS:O	1:B:131:VAL:HA	2.21	0.41
1:B:133:ALA:HB3	1:B:137:SER:HB2	2.02	0.41
1:B:372:LEU:HA	1:B:372:LEU:HD12	1.85	0.41
1:A:122:LYS:HD3	1:A:287:ALA:N	2.34	0.41
1:A:42:THR:HG21	1:A:118:GLU:HG2	2.03	0.41
1:A:54:ILE:HA	1:A:54:ILE:HD13	1.88	0.41
1:A:383:VAL:HG22	1:A:403:LYS:HG3	2.02	0.41
1:B:54:ILE:HB	1:B:55:PRO:HD3	2.02	0.41
1:A:125:ALA:HB2	1:A:289:ASP:O	2.21	0.41
2:A:480:FAD:H9	2:A:480:FAD:H1'1	1.81	0.41
1:A:93:ARG:NH1	1:B:396:ASN:HB2	2.36	0.40
1:B:453:LEU:HD23	1:B:453:LEU:HA	1.87	0.40
1:A:369:GLU:N	3:A:676:HOH:O	2.54	0.40
1:B:49:LEU:HD21	1:B:101:LEU:HB3	2.04	0.40
1:B:109:ILE:HB	1:B:114:VAL:HB	2.04	0.40
1:A:6:VAL:HG23	1:A:27:LEU:HD13	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	470/476 (99%)	419 (89%)	37 (8%)	14 (3%)	<b>4</b> <b>2</b>
1	B	470/476 (99%)	425 (90%)	32 (7%)	13 (3%)	<b>5</b> <b>2</b>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	940/952 (99%)	844 (90%)	69 (7%)	27 (3%)	4 2

All (27) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2	GLN
1	A	3	LYS
1	A	190	VAL
1	B	251	ASN
1	B	289	ASP
1	B	291	GLY
1	B	343	HIS
1	B	344	LYS
1	B	376	GLY
1	B	411	ASP
1	B	471	VAL
1	A	39	GLU
1	A	127	LYS
1	A	251	ASN
1	A	268	ALA
1	A	287	ALA
1	B	134	ALA
1	B	268	ALA
1	A	72	SER
1	A	283	THR
1	A	342	GLY
1	A	82	GLU
1	A	83	VAL
1	A	343	HIS
1	B	321	ARG
1	B	288	ALA
1	B	454	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	352/359 (98%)	281 (80%)	71 (20%)	1	1
1	B	352/359 (98%)	298 (85%)	54 (15%)	2	2
All	All	704/718 (98%)	579 (82%)	125 (18%)	2	1

All (125) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	LYS
1	A	34	LYS
1	A	38	LYS
1	A	51	VAL
1	A	55	PRO
1	A	56	SER
1	A	57	LYS
1	A	71	GLU
1	A	72	SER
1	A	74	LYS
1	A	80	THR
1	A	82	GLU
1	A	83	VAL
1	A	85	ILE
1	A	91	ILE
1	A	94	LYS
1	A	99	ARG
1	A	101	LEU
1	A	102	THR
1	A	108	LEU
1	A	116	LEU
1	A	135	ASP
1	A	138	SER
1	A	139	GLN
1	A	141	LEU
1	A	144	GLU
1	A	164	GLN
1	A	175	ASP
1	A	178	ASN
1	A	195	LEU
1	A	202	LEU
1	A	209	LEU
1	A	213	ASP
1	A	214	LYS
1	A	222	GLN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	231	LEU
1	A	232	THR
1	A	238	ILE
1	A	244	VAL
1	A	247	THR
1	A	250	LYS
1	A	252	LYS
1	A	257	LYS
1	A	265	LYS
1	A	266	SER
1	A	267	GLN
1	A	271	LYS
1	A	279	ARG
1	A	282	THR
1	A	289	ASP
1	A	295	ASP
1	A	301	TYR
1	A	309	SER
1	A	311	PRO
1	A	320	VAL
1	A	321	ARG
1	A	335	VAL
1	A	339	ARG
1	A	358	THR
1	A	359	HIS
1	A	368	THR
1	A	377	VAL
1	A	389	SER
1	A	396	ASN
1	A	409	LYS
1	A	418	VAL
1	A	419	ILE
1	A	425	GLU
1	A	426	LEU
1	A	441	GLU
1	A	465	SER
1	B	2	GLN
1	B	3	LYS
1	B	16	TYR
1	B	21	LYS
1	B	28	LYS
1	B	32	ILE

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	B	49	LEU
1	B	51	VAL
1	B	55	PRO
1	B	57	LYS
1	B	70	HIS
1	B	74	LYS
1	B	83	VAL
1	B	85	ILE
1	B	90	MET
1	B	107	SER
1	B	109	ILE
1	B	123	LEU
1	B	124	LEU
1	B	168	VAL
1	B	170	SER
1	B	178	ASN
1	B	221	GLU
1	B	229	LYS
1	B	234	GLN
1	B	236	LEU
1	B	239	LEU
1	B	243	ARG
1	B	244	VAL
1	B	250	LYS
1	B	252	LYS
1	B	254	VAL
1	B	257	LYS
1	B	264	GLU
1	B	266	SER
1	B	271	LYS
1	B	279	ARG
1	B	290	SER
1	B	293	THR
1	B	294	LEU
1	B	309	SER
1	B	321	ARG
1	B	327	HIS
1	B	331	GLU
1	B	356	ILE
1	B	358	THR
1	B	372	LEU
1	B	373	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	418	VAL
1	B	427	VAL
1	B	443	LEU
1	B	465	SER
1	B	467	HIS
1	B	471	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	GLN
1	A	67	HIS
1	A	70	HIS
1	A	100	ASN
1	A	120	HIS
1	A	139	GLN
1	A	145	ASN
1	A	164	GLN
1	A	359	HIS
1	A	458	HIS
1	B	24	GLN
1	B	50	ASN
1	B	67	HIS
1	B	120	HIS
1	B	145	ASN
1	B	178	ASN
1	B	222	GLN
1	B	234	GLN
1	B	417	HIS
1	B	429	GLN
1	B	458	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	FAD	A	480	-	51,58,58	1.85	9 (17%)	60,89,89	1.79	15 (25%)
2	FAD	B	480	-	51,58,58	1.65	8 (15%)	60,89,89	2.39	14 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	480	-	-	3/30/50/50	0/6/6/6
2	FAD	B	480	-	-	5/30/50/50	0/6/6/6

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	480	FAD	C1'-N10	-8.71	1.39	1.48
2	B	480	FAD	C1'-N10	5.65	1.54	1.48
2	B	480	FAD	C4-N3	5.03	1.41	1.33
2	A	480	FAD	C4-N3	4.71	1.41	1.33
2	A	480	FAD	P-O5'	-4.49	1.41	1.59
2	B	480	FAD	O4B-C1B	3.11	1.45	1.41
2	B	480	FAD	C1'-C2'	-3.10	1.31	1.50
2	B	480	FAD	C2-N1	-2.85	1.32	1.38
2	A	480	FAD	C2-N1	-2.69	1.32	1.38
2	B	480	FAD	C6-C5X	-2.58	1.37	1.41

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	480	FAD	C4X-C10	2.42	1.41	1.38
2	A	480	FAD	O4B-C1B	2.41	1.44	1.41
2	A	480	FAD	C6-C5X	-2.26	1.38	1.41
2	A	480	FAD	C4X-N5	2.23	1.36	1.33
2	A	480	FAD	C9A-N10	2.09	1.41	1.38
2	B	480	FAD	C5'-C4'	2.00	1.54	1.51
2	A	480	FAD	C5A-N7A	-2.00	1.32	1.39

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	480	FAD	C1'-N10-C9A	10.05	126.20	118.29
2	B	480	FAD	O2'-C2'-C1'	7.59	127.87	109.59
2	A	480	FAD	C4-N3-C2	5.91	120.14	115.14
2	B	480	FAD	C4X-C4-N3	-4.50	117.28	123.43
2	B	480	FAD	C4-N3-C2	4.35	118.81	115.14
2	B	480	FAD	C4A-C5A-N7A	4.08	113.65	109.40
2	A	480	FAD	N3A-C2A-N1A	-3.91	122.56	128.68
2	A	480	FAD	C4X-C4-N3	-3.91	118.09	123.43
2	A	480	FAD	C4X-N5-C5X	3.87	120.64	116.77
2	B	480	FAD	C10-C4X-N5	-3.86	118.59	121.26
2	B	480	FAD	C4X-N5-C5X	3.77	120.54	116.77
2	B	480	FAD	C9A-N10-C10	-3.31	117.58	121.91
2	A	480	FAD	C1'-N10-C10	3.15	121.23	118.41
2	A	480	FAD	O4B-C1B-C2B	-2.91	102.67	106.93
2	B	480	FAD	N6A-C6A-N1A	2.89	124.57	118.57
2	B	480	FAD	N3A-C2A-N1A	-2.83	124.25	128.68
2	A	480	FAD	C4-C4X-C10	-2.75	118.13	119.95
2	A	480	FAD	C3B-C2B-C1B	2.70	105.04	100.98
2	B	480	FAD	C4-C4X-N5	2.61	121.58	118.60
2	A	480	FAD	C4-C4X-N5	2.57	121.53	118.60
2	B	480	FAD	C1'-N10-C10	-2.49	116.18	118.41
2	A	480	FAD	C9A-N10-C10	-2.47	118.67	121.91
2	A	480	FAD	C4A-C5A-N7A	2.45	111.95	109.40
2	A	480	FAD	O5'-P-O1P	-2.34	99.92	109.07
2	B	480	FAD	C5A-C6A-N1A	-2.32	115.09	120.35
2	A	480	FAD	O2P-P-O5'	2.14	117.70	107.75
2	A	480	FAD	O2'-C2'-C3'	2.14	114.30	109.10
2	B	480	FAD	C1B-N9A-C4A	-2.14	122.89	126.64
2	A	480	FAD	C5A-C6A-N1A	-2.12	115.55	120.35

There are no chirality outliers.



All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	480	FAD	C5'-O5'-P-O2P
2	B	480	FAD	PA-O3P-P-O5'
2	A	480	FAD	PA-O3P-P-O5'
2	A	480	FAD	O4B-C4B-C5B-O5B
2	B	480	FAD	O4'-C4'-C5'-O5'
2	A	480	FAD	C3B-C4B-C5B-O5B
2	B	480	FAD	C5'-O5'-P-O1P
2	B	480	FAD	O4B-C4B-C5B-O5B


There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	480	FAD	3	0
2	B	480	FAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.