

wwPDB X-ray Structure Validation Summary Report (i)

Feb 14, 2024 – 10:03 AM EST

PDB ID : 3LDW

Title : Crystal Structure of Plasmodium vivax geranylgeranylpyrophosphate synthase

PVX 092040 with zoledronate and IPP bound

Authors: Wernimont, A.K.; Lew, J.; Zhao, Y.; Kozieradzki, I.; Cossar, D.; Schapira, M.;

Bochkarev, A.; Arrowsmith, C.H.; Bountra, C.; Weigelt, J.; Edwards, A.M.;

Hui, R.; Artz, J.D.; Structural Genomics Consortium (SGC)

Deposited on : 2010-01-13

Resolution : 2.47 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

 $Mol Probity \quad : \quad 4.02b\text{--}467$

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.36

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

 $Refmac \quad : \quad 5.8.0158$

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

Validation Pipeline (wwPDB-VP) : 2.36




1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.47 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries},{\rm resolution\ range}(\mathring{\rm A})) \end{array}$
R_{free}	130704	5857 (2.50-2.46)
Clashscore	141614	6594 (2.50-2.46)
Ramachandran outliers	138981	6469 (2.50-2.46)
Sidechain outliers	138945	6471 (2.50-2.46)
RSRZ outliers	127900	5738 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	A	396	82%	8% • 10%
1	В	396	78%	11% • 11%
1	С	396	82%	6% • 10%
1	D	396	78%	11% 11%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard



residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	EDO	В	1106	-	-	-	X
6	GOL	В	1105	-	-	X	-



2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 12338 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Farnesyl pyrophosphate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Λ	358	Total	С	N	Ο	S	0	4	0
1	A	390	2917	1901	462	538	16	0	4	0
1	В	353	Total	С	N	О	S	0	3	0
1	Б	355	2899	1899	457	528	15	U	9	0
1	C	357	Total	С	N	О	S	0	5	0
1		397	2919	1908	463	533	15	0	9	0
1	D	259	Total	С	N	О	S	0	4	0
1		352	2883	1880	456	532	15	0	4	0

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP A5K4U6
A	2	GLY	-	expression tag	UNP A5K4U6
A	3	SER	-	expression tag	UNP A5K4U6
A	4	SER	-	expression tag	UNP A5K4U6
A	5	HIS	-	expression tag	UNP A5K4U6
A	6	HIS	-	expression tag	UNP A5K4U6
A	7	HIS	-	expression tag	UNP A5K4U6
A	8	HIS	-	expression tag	UNP A5K4U6
A	9	HIS	-	expression tag	UNP A5K4U6
A	10	HIS	-	expression tag	UNP A5K4U6
A	11	SER	-	expression tag	UNP A5K4U6
A	12	SER	-	expression tag	UNP A5K4U6
A	13	GLY	-	expression tag	UNP A5K4U6
A	14	ARG	-	expression tag	UNP A5K4U6
A	15	GLU	-	expression tag	UNP A5K4U6
A	16	ASN	-	expression tag	UNP A5K4U6
A	17	LEU	-	expression tag	UNP A5K4U6
A	18	TYR	-	expression tag	UNP A5K4U6
A	19	PHE	-	expression tag	UNP A5K4U6
A	20	GLN	-	expression tag	UNP A5K4U6
A	21	GLY	-	expression tag	UNP A5K4U6

Continued on next page...



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	134	MET	THR	SEE REMARK 999	UNP A5K4U6
A	227	ASP	ASN	SEE REMARK 999	UNP A5K4U6
В	1	MET	_	expression tag	UNP A5K4U6
В	2	GLY	-	expression tag	UNP A5K4U6
В	3	SER	-	expression tag	UNP A5K4U6
В	4	SER	-	expression tag	UNP A5K4U6
В	5	HIS	-	expression tag	UNP A5K4U6
В	6	HIS	-	expression tag	UNP A5K4U6
В	7	HIS	-	expression tag	UNP A5K4U6
В	8	HIS	-	expression tag	UNP A5K4U6
В	9	HIS	-	expression tag	UNP A5K4U6
В	10	HIS	-	expression tag	UNP A5K4U6
В	11	SER	-	expression tag	UNP A5K4U6
В	12	SER	_	expression tag	UNP A5K4U6
В	13	GLY	-	expression tag	UNP A5K4U6
В	14	ARG	-	expression tag	UNP A5K4U6
В	15	GLU	-	expression tag	UNP A5K4U6
В	16	ASN	_	expression tag	UNP A5K4U6
В	17	LEU	-	expression tag	UNP A5K4U6
В	18	TYR	-	expression tag	UNP A5K4U6
В	19	PHE	-	expression tag	UNP A5K4U6
В	20	GLN	-	expression tag	UNP A5K4U6
В	21	GLY	-	expression tag	UNP A5K4U6
В	134	MET	THR	SEE REMARK 999	UNP A5K4U6
В	227	ASP	ASN	SEE REMARK 999	UNP A5K4U6
С	1	MET	-	expression tag	UNP A5K4U6
С	2	GLY	-	expression tag	UNP A5K4U6
С	3	SER	-	expression tag	UNP A5K4U6
С	4	SER	-	expression tag	UNP A5K4U6
С	5	HIS	-	expression tag	UNP A5K4U6
С	6	HIS	-	expression tag	UNP A5K4U6
С	7	HIS	-	expression tag	UNP A5K4U6
С	8	HIS	-	expression tag	UNP A5K4U6
С	9	HIS	-	expression tag	UNP A5K4U6
С	10	HIS	-	expression tag	UNP A5K4U6
С	11	SER	-	expression tag	UNP A5K4U6
С	12	SER	-	expression tag	UNP A5K4U6
С	13	GLY	-	expression tag	UNP A5K4U6
С	14	ARG	-	expression tag	UNP A5K4U6
С	15	GLU	-	expression tag	UNP A5K4U6
С	16	ASN	-	expression tag	UNP A5K4U6
С	17	LEU	_	expression tag	UNP A5K4U6

Continued on next page...




 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled	Actual	Comment	Reference
С	18	TYR	-	expression tag	UNP A5K4U6
С	19	PHE	-	expression tag	UNP A5K4U6
С	20	GLN	-	expression tag	UNP A5K4U6
С	21	GLY	-	expression tag	UNP A5K4U6
С	134	MET	THR	SEE REMARK 999	UNP A5K4U6
С	227	ASP	ASN	SEE REMARK 999	UNP A5K4U6
D	1	MET	-	expression tag	UNP A5K4U6
D	2	GLY	-	expression tag	UNP A5K4U6
D	3	SER	-	expression tag	UNP A5K4U6
D	4	SER	-	expression tag	UNP A5K4U6
D	5	HIS	-	expression tag	UNP A5K4U6
D	6	HIS	-	expression tag	UNP A5K4U6
D	7	HIS	-	expression tag	UNP A5K4U6
D	8	HIS	-	expression tag	UNP A5K4U6
D	9	HIS	-	expression tag	UNP A5K4U6
D	10	HIS	-	expression tag	UNP A5K4U6
D	11	SER	-	expression tag	UNP A5K4U6
D	12	SER	-	expression tag	UNP A5K4U6
D	13	GLY	-	expression tag	UNP A5K4U6
D	14	ARG	-	expression tag	UNP A5K4U6
D	15	GLU	-	expression tag	UNP A5K4U6
D	16	ASN	-	expression tag	UNP A5K4U6
D	17	LEU	-	expression tag	UNP A5K4U6
D	18	TYR	-	expression tag	UNP A5K4U6
D	19	PHE	-	expression tag	UNP A5K4U6
D	20	GLN	-	expression tag	UNP A5K4U6
D	21	GLY	-	expression tag	UNP A5K4U6
D	134	MET	THR	SEE REMARK 999	UNP A5K4U6
D	227	ASP	ASN	SEE REMARK 999	UNP A5K4U6


 \bullet Molecule 2 is ZOLEDRONIC ACID (three-letter code: ZOL) (formula: $\mathrm{C}_5\mathrm{H}_{10}\mathrm{N}_2\mathrm{O}_7\mathrm{P}_2).$





Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf
2	Λ	1	Total	С	N	О	Р	0	0
2	A	1	16	5	2	7	2	0	0
2	R	1	Total	С	N	О	Р	0	0
2	Б	1	16	5	2	7	2		U
2	С	1	Total	С	N	О	Р	0	0
2		1	16	5	2	7	2	0	U
2	D	1	Total	С	N	О	Р	0	0
	ש		16	5	2	7	2		U

• Molecule 3 is 3-METHYLBUT-3-ENYL TRIHYDROGEN DIPHOSPHATE (three-letter code: IPE) (formula: $C_5H_{12}O_7P_2$).






Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O P 14 5 7 2	0	0
3	В	1	Total C O P 14 5 7 2	0	0
3	С	1	Total C O P 14 5 7 2	0	0
3	D	1	Total C O P 14 5 7 2	0	0

• Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	3	Total Mg 3 3	0	0
4	В	3	Total Mg 3 3	0	0
4	С	3	Total Mg 3 3	0	0
4	D	3	Total Mg 3 3	0	0


 \bullet Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $\mathrm{C_2H_6O_2}).$



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	В	1	Total C O 4 2 2	0	0



• Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 6 3 3	0	0
6	В	1	Total C O 6 3 3	0	0
6	D	1	Total C O 6 3 3	0	0

• Molecule 7 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	144	Total O 144 144	0	0
7	В	144	Total O 144 144	0	0
7	С	143	Total O 143 143	0	0
7	D	131	Total O 131 131	0	0



3 Residue-property plots (i)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Farnesyl pyrophosphate synthase



• Molecule 1: Farnesyl pyrophosphate synthase







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	111.26Å 139.54Å 109.71Å	Donogitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.24 - 2.47	Depositor
Resolution (A)	20.07 - 2.47	EDS
% Data completeness	(Not available) (20.24-2.47)	Depositor
(in resolution range)	98.5 (20.07-2.47)	EDS
R_{merge}	0.17	Depositor
R_{sym}	0.12	Depositor
$< I/\sigma(I) > 1$	2.06 (at 2.47Å)	Xtriage
Refinement program	BUSTER 2.8.0	Depositor
D.D.	0.239 , 0.286	Depositor
R, R_{free}	0.222 , 0.266	DCC
R_{free} test set	3026 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	31.3	Xtriage
Anisotropy	0.087	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.33, 54.0	EDS
L-test for twinning ²	$< L >=0.51, < L^2>=0.35$	Xtriage
Estimated twinning fraction	0.000 for l,-k,h	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12338	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 49.15 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.7723e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZOL, EDO, MG, GOL, IPE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
MIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	A	0.50	0/2986	0.68	0/4036	
1	В	0.50	0/2970	0.68	0/4013	
1	С	0.50	0/2994	0.67	0/4048	
1	D	0.50	0/2953	0.68	0/3990	
All	All	0.50	0/11903	0.68	0/16087	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	$\mathbf{H}(\mathbf{added})$	Clashes	Symm-Clashes
1	A	2917	0	2857	17	0
1	В	2899	0	2859	31	0
1	С	2919	0	2889	15	0
1	D	2883	0	2835	22	0
2	A	16	0	6	0	0
2	В	16	0	6	1	0
2	С	16	0	6	0	0
2	D	16	0	6	0	0
3	A	14	0	9	0	0

Continued on next page...



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	В	14	0	9	0	0
3	С	14	0	9	0	0
3	D	14	0	9	0	0
4	A	3	0	0	0	0
4	В	3	0	0	0	0
4	С	3	0	0	0	0
4	D	3	0	0	0	0
5	A	4	0	6	0	0
5	В	4	0	6	3	0
6	A	6	0	8	2	0
6	В	6	0	8	5	0
6	D	6	0	8	1	0
7	A	144	0	0	2	0
7	В	144	0	0	0	0
7	С	143	0	0	0	0
7	D	131	0	0	2	0
All	All	12338	0	11536	81	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 81 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	$\begin{array}{c} \text{Clash} \\ \text{overlap } (\text{\AA}) \end{array}$
1:D:292:ILE:HD11	7:D:1164:HOH:O	1.54	1.08
1:B:91:ILE:HD12	1:B:384:VAL:HG11	1.48	0.94
1:A:133:GLU:HG2	6:A:1106:GOL:H2	1.55	0.88
1:B:240:VAL:HG22	1:B:284:GLN:HG2	1.65	0.78
1:B:342:VAL:HG23	1:D:339:LEU:HD13	1.65	0.76

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.



The Analysed column shows	the number	of residues	for which	the ba	ackbone	conformation	was
analysed, and the total number	r of residue	es.					

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	356/396 (90%)	347 (98%)	9 (2%)	0	100	100
1	В	348/396 (88%)	341 (98%)	7 (2%)	0	100	100
1	\mathbf{C}	356/396 (90%)	348 (98%)	8 (2%)	0	100	100
1	D	348/396 (88%)	341 (98%)	7 (2%)	0	100	100
All	All	1408/1584 (89%)	1377 (98%)	31 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Chain Analysed Rotameric Outliers		Percentiles		
1	A	310/357 (87%)	301 (97%)	9 (3%)	42 66	
1	В	307/357~(86%)	294 (96%)	13 (4%)	30 51	
1	С	310/357 (87%)	293 (94%)	17 (6%)	21 39	
1	D	308/357 (86%)	295 (96%)	13 (4%)	30 51	
All	All	1235/1428~(86%)	1183 (96%)	52 (4%)	30 51	

5 of 52 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	С	185[B]	ARG
1	С	339	LEU
1	D	319	PHE
1	С	189[A]	LEU
1	С	307	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:



Mol	Chain	Res	Type
1	В	82	ASN
1	В	307	GLN
1	С	82	ASN
1	С	307	GLN
1	D	82	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 25 ligands modelled in this entry, 12 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Tuna	Chain	Res Link Bond lengths		Bond length		${ m ths}$	В	ond ang	les
MIOI	Type	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ZOL	С	397	4	14,16,16	3.42	8 (57%)	20,26,26	2.16	7 (35%)
2	ZOL	D	397	4	14,16,16	3.97	9 (64%)	20,26,26	2.09	6 (30%)
3	IPE	С	1101	-	11,13,13	2.27	2 (18%)	15,19,19	1.04	0
5	EDO	A	1105	-	3,3,3	0.54	0	2,2,2	0.12	0
6	GOL	A	1106	-	5,5,5	0.91	0	5,5,5	0.98	0
2	ZOL	A	397	4	14,16,16	3.30	8 (57%)	20,26,26	1.89	7 (35%)
6	GOL	D	1105	-	5,5,5	0.86	0	5,5,5	1.50	2 (40%)
2	ZOL	В	397	4	14,16,16	3.29	8 (57%)	20,26,26	2.05	8 (40%)



Mal	Mol Type Chain		$oxed{\operatorname{Res}}$ I	Link	Bond lengths			Bond angles		
MIOI	Type	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	IPE	A	1101	-	11,13,13	2.38	2 (18%)	15,19,19	0.95	1 (6%)
3	IPE	D	1101	-	11,13,13	2.38	2 (18%)	15,19,19	0.94	0
6	GOL	В	1105	-	5,5,5	0.41	0	5,5,5	1.31	0
5	EDO	В	1106	_	3,3,3	0.68	0	2,2,2	0.45	0
3	IPE	В	1101	-	11,13,13	2.33	2 (18%)	15,19,19	0.94	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ZOL	С	397	4	-	2/23/23/23	0/1/1/1
2	ZOL	D	397	4	-	2/23/23/23	0/1/1/1
3	IPE	С	1101	-	-	1/13/13/13	-
5	EDO	A	1105	-	-	0/1/1/1	-
6	GOL	A	1106	-	-	4/4/4/4	-
2	ZOL	A	397	4	-	2/23/23/23	0/1/1/1
6	GOL	D	1105	-	-	2/4/4/4	-
2	ZOL	В	397	4	-	2/23/23/23	0/1/1/1
3	IPE	A	1101	-	-	1/13/13/13	-
3	IPE	D	1101	-	-	0/13/13/13	-
6	GOL	В	1105	-	-	2/4/4/4	-
5	EDO	В	1106	-	-	1/1/1/1	-
3	IPE	В	1101	_	-	0/13/13/13	-

The worst 5 of 41 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	Observed(A)	Ideal(A)
2	D	397	ZOL	P14-O15	7.49	1.62	1.50
2	С	397	ZOL	P9-O12	7.13	1.61	1.50
2	В	397	ZOL	P9-O12	6.88	1.61	1.50
2	A	397	ZOL	P9-O12	6.60	1.60	1.50
3	D	1101	IPE	C4-C3	6.57	1.51	1.33

The worst 5 of 31 bond angle outliers are listed below:

\mathbf{Mol}	Chain	Res	Type	Atoms	\mathbf{Z}	$\mathbf{Observed}(^o)$	$ \mathbf{Ideal}(^o) $
2	D	397	ZOL	O16-P14-O15	-4.92	102.00	113.06
2	A	397	ZOL	O17-P14-C8	4.56	116.40	106.17

Continued on next page...



Continued from previous page...

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(^{o})$	$\operatorname{Ideal}({}^{o})$
2	С	397	ZOL	P9-C8-P14	-4.38	104.97	112.81
2	В	397	ZOL	O17-P14-C8	4.35	115.92	106.17
2	С	397	ZOL	O17-P14-C8	3.83	114.75	106.17

There are no chirality outliers.

5 of 19 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	В	397	ZOL	C8-C7-N15-C16
2	В	397	ZOL	C8-C7-N15-C19
2	С	397	ZOL	C8-C7-N15-C16
2	С	397	ZOL	C8-C7-N15-C19
2	D	397	ZOL	C8-C7-N15-C16


There are no ring outliers.

5 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1106	GOL	2	0
6	D	1105	GOL	1	0
2	В	397	ZOL	1	0
6	В	1105	GOL	5	0
5	В	1106	EDO	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



















5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\# \mathrm{RSRZ}{>}2$	$OWAB(A^2)$	Q<0.9
1	A	358/396 (90%)	0.10	13 (3%) 42 45	20, 34, 54, 76	12 (3%)
1	В	353/396 (89%)	0.10	12 (3%) 45 47	19, 32, 50, 72	10 (2%)
1	С	357/396 (90%)	0.07	9 (2%) 57 59	19, 33, 52, 83	8 (2%)
1	D	352/396 (88%)	0.11	11 (3%) 49 51	19, 33, 53, 76	4 (1%)
All	All	1420/1584 (89%)	0.10	45 (3%) 47 50	19, 33, 53, 83	34 (2%)

The worst 5 of 45 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	396	VAL	4.5
1	В	105[A]	TRP	4.3
1	D	267	LEU	3.9
1	A	315	LEU	3.8
1	D	102	SER	3.8

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B ext{-}factors}({f \AA}^2)$	Q<0.9
5	EDO	A	1105	4/4	0.37	0.32	72,72,73,76	0
5	EDO	В	1106	4/4	0.71	0.46	37,38,38,39	0
6	GOL	A	1106	6/6	0.74	0.33	60,63,64,66	0
6	GOL	D	1105	6/6	0.85	0.36	49,51,51,52	0
6	GOL	В	1105	6/6	0.92	0.24	45,47,48,48	0
4	MG	С	1103	1/1	0.95	0.05	27,27,27,27	0
4	MG	A	1103	1/1	0.96	0.05	22,22,22,22	0
4	MG	В	1102	1/1	0.96	0.06	21,21,21,21	0
4	MG	В	1104	1/1	0.97	0.08	15,15,15,15	0
4	MG	С	1102	1/1	0.97	0.07	23,23,23,23	0
3	IPE	С	1101	14/14	0.97	0.13	3,25,39,41	3
4	MG	A	1102	1/1	0.97	0.04	21,21,21,21	0
2	ZOL	С	397	16/16	0.98	0.09	7,23,38,45	0
4	MG	D	1102	1/1	0.98	0.03	17,17,17,17	0
4	MG	D	1104	1/1	0.98	0.06	16,16,16,16	0
3	IPE	A	1101	14/14	0.98	0.11	17,28,38,38	0
3	IPE	В	1101	14/14	0.98	0.11	11,28,47,59	0
4	MG	В	1103	1/1	0.98	0.11	16,16,16,16	0
2	ZOL	В	397	16/16	0.98	0.10	11,23,31,50	0
3	IPE	D	1101	14/14	0.98	0.09	15,27,53,57	0
4	MG	С	1104	1/1	0.99	0.10	27,27,27,27	0
4	MG	A	1104	1/1	0.99	0.08	23,23,23,23	0
2	ZOL	A	397	16/16	0.99	0.08	15,21,37,43	0
2	ZOL	D	397	16/16	0.99	0.08	10,24,29,31	0
4	MG	D	1103	1/1	1.00	0.07	18,18,18,18	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ZOL C 397: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)














6.5 Other polymers (i)

There are no such residues in this entry.

