



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 20, 2020 – 04:09 AM BST

PDB ID : 5LEY  
Title : Human 20S proteasome complex with Oprozomib at 1.9 Angstrom  
Authors : Schrader, J.; Henneberg, F.; Mata, R.; Tittmann, K.; Schneider, T.R.; Stark, H.; Bourenkov, G.; Chari, A.  
Deposited on : 2016-06-30  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.


























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	6207 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	234	
1	O	234	
2	B	261	
2	P	261	
3	C	248	
3	Q	248	
4	D	241	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	R	241	 2% 91% 5%
5	E	263	 4% 83% 6% 11%
5	S	263	 3% 86% 10%
6	F	255	 83% 9% 6%
6	T	255	 4% 84% 9% 6%
7	G	246	 2% 93% 5%
7	U	246	 6% 91% 6%
8	H	234	 2% 88% 5% 6%
8	V	234	 3% 88% 5% 6%
9	I	205	 94% 5%
9	W	205	 96%
10	J	201	 89% 7%
10	X	201	 90% 6%
11	K	204	 89% 8%
11	Y	204	 89% 8%
12	L	213	 94% 5%
12	Z	213	 96%
13	M	219	 94% 5%
13	a	219	 91% 7%
14	N	205	 93% 5%
14	b	205	 94% 5%
15	c	4	 50% 50%
15	d	4	 50% 50%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	6V1	U	47	X	-	-	-

## 2 Entry composition [i](#)

There are 20 unique types of molecules in this entry. The entry contains 51947 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	230	Total	C	N	O	S	0	3	0
			1788	1145	301	336	6			
1	O	230	Total	C	N	O	S	0	0	0
			1741	1111	293	331	6			

- Molecule 2 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	248	Total	C	N	O	S	0	2	0
			1922	1217	331	363	11			
2	P	247	Total	C	N	O	S	0	2	0
			1898	1200	321	366	11			

- Molecule 3 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	237	Total	C	N	O	S	0	2	0
			1798	1121	320	352	5			
3	Q	240	Total	C	N	O	S	0	0	0
			1825	1139	321	360	5			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	233	Total	C	N	O	S	0	1	0
			1762	1105	290	356	11			
4	R	233	Total	C	N	O	S	0	1	0
			1753	1103	293	346	11			

- Molecule 5 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	234	Total 1822	C 1144	N 325	O 342	S 11	0	1	0
5	S	236	Total 1853	C 1160	N 335	O 347	S 11	0	3	0

- Molecule 6 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	F	239	Total 1888	C 1198	N 325	O 353	S 12	0	4	0
6	T	240	Total 1856	C 1178	N 315	O 351	S 12	0	1	0

- Molecule 7 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	G	244	Total 1912	C 1214	N 321	O 364	S 13	0	2	0
7	U	238	Total 1815	C 1147	N 304	O 350	S 14	0	1	0

- Molecule 8 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	H	220	Total 1664	C 1047	N 284	O 320	S 13	0	2	0
8	V	220	Total 1622	C 1023	N 269	O 318	S 12	0	2	0

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	I	204	Total 1613	C 1028	N 270	O 295	S 20	0	3	0
9	W	204	Total 1599	C 1018	N 267	O 295	S 19	0	2	0

- Molecule 10 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	J	196	Total 1590	C 1021	N 271	O 288	S 10	0	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	X	196	1576	1012	267	287	10	0	2	0

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
11	K	200	1545	974	269	293	9	0	0	0
11	Y	199	1570	991	278	291	10	0	3	0

- Molecule 12 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
12	L	213	1636	1038	277	310	11	0	2	0
12	Z	213	1642	1041	280	310	11	0	1	0

- Molecule 13 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
13	M	216	1692	1067	291	322	12	0	1	0
13	a	216	1688	1064	291	321	12	0	2	0

- Molecule 14 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
14	N	202	1519	953	258	295	13	0	1	0
14	b	203	1524	956	259	296	13	0	1	0

- Molecule 15 is a protein called bound Oprozomib.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
15	c	4	37	25	4	7	1	0	0	0
15	d	4	37	25	4	7	1	0	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	P	1	Total Cl 1 1	0	0
16	K	4	Total Cl 4 4	0	0
16	B	2	Total Cl 2 2	0	0
16	W	1	Total Cl 1 1	0	0
16	N	3	Total Cl 3 3	0	0
16	S	3	Total Cl 3 3	0	0
16	E	3	Total Cl 3 3	0	0
16	b	4	Total Cl 4 4	0	0
16	V	2	Total Cl 2 2	0	0
16	A	4	Total Cl 4 4	0	0
16	R	2	Total Cl 2 2	0	0
16	M	4	Total Cl 4 4	0	0
16	D	2	Total Cl 2 2	0	0
16	I	1	Total Cl 1 1	0	0
16	a	3	Total Cl 3 3	0	0
16	U	1	Total Cl 1 1	0	0
16	G	2	Total Cl 2 2	0	0
16	Q	2	Total Cl 2 2	0	0
16	H	2	Total Cl 2 2	0	0
16	C	2	Total Cl 2 2	0	0
16	O	4	Total Cl 4 4	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	Y	5	Total Cl 5 5	0	0
16	F	1	Total Cl 1 1	0	0


- Molecule 17 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
17	G	1	Total K 1 1	0	0
17	b	1	Total K 1 1	0	0
17	Z	1	Total K 1 1	0	0
17	N	1	Total K 1 1	0	0
17	U	1	Total K 1 1	0	0
17	L	1	Total K 1 1	0	0

- Molecule 18 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
18	J	1	Total Mg 1 1	0	0
18	K	1	Total Mg 1 1	0	0
18	H	2	Total Mg 2 2	0	0
18	I	2	Total Mg 2 2	0	0
18	V	1	Total Mg 1 1	0	0
18	W	1	Total Mg 1 1	0	0
18	X	1	Total Mg 1 1	0	0
18	L	1	Total Mg 1 1	0	0

- Molecule 19 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: C<sub>10</sub>H<sub>22</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	H	1	Total	C O	0	0
			16	10 6		
19	H	1	Total	C O	0	0
			16	10 6		
19	I	1	Total	C O	0	0
			16	10 6		
19	I	1	Total	C O	0	0
			16	10 6		
19	L	1	Total	C O	0	0
			16	10 6		
19	M	1	Total	C O	0	0
			16	10 6		
19	V	1	Total	C O	0	0
			16	10 6		
19	W	1	Total	C O	0	0
			16	10 6		
19	Z	1	Total	C O	0	0
			16	10 6		

- Molecule 20 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	A	109	Total	O	0	0
			109	109		
20	B	120	Total	O	0	0
			120	120		
20	C	76	Total	O	0	0
			76	76		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
20	D	93	Total O 93 93	0	0
20	E	137	Total O 137 137	0	0
20	F	180	Total O 180 180	0	0
20	G	187	Total O 187 187	0	0
20	H	157	Total O 157 157	0	0
20	I	155	Total O 155 155	0	0
20	J	133	Total O 133 133	0	0
20	K	98	Total O 98 98	0	0
20	L	124	Total O 124 124	0	0
20	M	148	Total O 148 148	0	0
20	N	168	Total O 168 168	0	0
20	O	89	Total O 89 89	0	0
20	P	117	Total O 117 117	0	0
20	Q	74	Total O 74 74	0	0
20	R	122	Total O 122 122	0	0
20	S	118	Total O 118 118	0	0
20	T	92	Total O 92 92	0	0
20	U	102	Total O 102 102	0	0
20	V	112	Total O 112 112	0	0
20	W	111	Total O 111 111	0	0
20	X	124	Total O 124 124	0	0

*Continued on next page...*


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
20	Y	137	Total 137	O 137	0	0
20	Z	164	Total 164	O 164	0	0
20	a	167	Total 167	O 167	0	0
20	b	126	Total 126	O 126	0	0
20	c	1	Total 1	O 1	0	0
20	d	1	Total 1	O 1	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Proteasome subunit alpha type-2





- Molecule 1: Proteasome subunit alpha type-2




- Molecule 2: Proteasome subunit alpha type-4



- Molecule 2: Proteasome subunit alpha type-4




- Molecule 3: Proteasome subunit alpha type-7



LYS  
LYS  
GLN  
LYS  
LYS  
ALA  
SER


- Molecule 3: Proteasome subunit alpha type-7

Chain Q: 11% 87% 9% ..



- Molecule 4: Proteasome subunit alpha type-5

Chain D: 4% 90% 5% ..



- Molecule 4: Proteasome subunit alpha type-5

Chain R: 2% 91% 5% ..



- Molecule 5: Proteasome subunit alpha type-1

Chain E: 4% 83% 6% 11% .



PRO  
ALA  
GLU  
LYS  
GLU  
ASP  
PRO  
MET  
GLU  
HIS


- Molecule 5: Proteasome subunit alpha type-1

Chain S: 3% 86% 10% .





- Molecule 6: Proteasome subunit alpha type-3

Chain F: 83% 9% 6%





- Molecule 6: Proteasome subunit alpha type-3




- Molecule 7: Proteasome subunit alpha type-6





- Molecule 7: Proteasome subunit alpha type-6



- Molecule 8: Proteasome subunit beta type-7



- Molecule 8: Proteasome subunit beta type-7



- Molecule 9: Proteasome subunit beta type-3






- Molecule 9: Proteasome subunit beta type-3




- Molecule 10: Proteasome subunit beta type-2




- Molecule 10: Proteasome subunit beta type-2



- Molecule 11: Proteasome subunit beta type-5



- Molecule 11: Proteasome subunit beta type-5



- Molecule 12: Proteasome subunit beta type-1



- Molecule 12: Proteasome subunit beta type-1







- Molecule 13: Proteasome subunit beta type-4

Chain M: 94% 5%



- Molecule 13: Proteasome subunit beta type-4

Chain a: 91% 7%



- Molecule 14: Proteasome subunit beta type-6

Chain N: 93% 5%



- Molecule 14: Proteasome subunit beta type-6

Chain b: 94% 5%



- Molecule 15: bound Oprozomib

Chain c: 50% 50%



- Molecule 15: bound Oprozomib

Chain d: 50% 50%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	113.39Å 202.65Å 315.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	170.45 – 1.90 106.69 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.8 (170.45-1.90) 97.8 (106.69-1.90)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.26 (at 1.90Å)	Xtrriage
Refinement program	REFMAC 5.8.0103	Depositor
R, $R_{free}$	0.188 , 0.225 0.195 , 0.228	Depositor DCC
$R_{free}$ test set	27607 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	37.8	Xtrriage
Anisotropy	0.172	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 44.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	51947	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	50.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.81% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, 6V9, CL, K, 6V1, 1PE, OAS, YCM, 6VA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.92	2/1833 (0.1%)	0.94	5/2489 (0.2%)
1	O	0.81	1/1778 (0.1%)	0.92	7/2419 (0.3%)
2	B	0.99	4/1958 (0.2%)	1.01	6/2645 (0.2%)
2	P	0.89	2/1934 (0.1%)	0.96	7/2617 (0.3%)
3	C	0.95	2/1818 (0.1%)	1.05	8/2469 (0.3%)
3	Q	0.91	1/1839 (0.1%)	1.01	6/2497 (0.2%)
4	D	0.95	3/1789 (0.2%)	0.97	5/2424 (0.2%)
4	R	1.06	2/1780 (0.1%)	1.05	6/2408 (0.2%)
5	E	0.94	2/1842 (0.1%)	1.00	7/2493 (0.3%)
5	S	0.92	1/1878 (0.1%)	0.97	5/2541 (0.2%)
6	F	1.09	5/1935 (0.3%)	1.16	26/2605 (1.0%)
6	T	1.00	3/1894 (0.2%)	1.11	16/2556 (0.6%)
7	G	1.09	2/1909 (0.1%)	0.98	7/2579 (0.3%)
7	U	0.92	2/1804 (0.1%)	0.95	7/2441 (0.3%)
8	H	1.05	1/1697 (0.1%)	1.17	11/2299 (0.5%)
8	V	0.88	2/1655 (0.1%)	1.01	8/2251 (0.4%)
9	I	1.03	2/1648 (0.1%)	1.24	14/2219 (0.6%)
9	W	0.84	1/1630 (0.1%)	1.11	12/2197 (0.5%)
10	J	1.06	1/1613 (0.1%)	1.28	14/2180 (0.6%)
10	X	0.97	2/1599 (0.1%)	1.24	13/2163 (0.6%)
11	K	1.01	2/1576 (0.1%)	1.11	12/2131 (0.6%)
11	Y	1.10	4/1610 (0.2%)	1.20	14/2172 (0.6%)
12	L	0.93	3/1672 (0.2%)	1.05	6/2257 (0.3%)
12	Z	1.09	4/1675 (0.2%)	1.11	6/2257 (0.3%)
13	M	1.04	2/1728 (0.1%)	1.06	7/2339 (0.3%)
13	a	1.09	3/1724 (0.2%)	1.07	8/2336 (0.3%)
14	N	1.13	4/1548 (0.3%)	1.00	4/2095 (0.2%)
14	b	1.08	3/1554 (0.2%)	1.00	5/2104 (0.2%)
All	All	0.99	66/48920 (0.1%)	1.06	252/66183 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	P	0	5
3	C	0	1
3	Q	0	2
4	D	0	5
4	R	0	2
5	E	0	1
6	T	0	1
7	U	1	0
9	I	0	1
9	W	0	1
10	J	0	2
10	X	0	2
12	L	0	1
12	Z	0	1
13	a	0	1
All	All	1	26

All (66) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	G	108	GLU	CD-OE1	13.81	1.40	1.25
14	N	150	GLU	CG-CD	11.07	1.68	1.51
12	Z	3	SER	CB-OG	10.22	1.55	1.42
13	a	75	GLU	CD-OE1	10.04	1.36	1.25
14	b	150	GLU	CG-CD	9.59	1.66	1.51
7	U	108	GLU	CD-OE1	9.00	1.35	1.25
3	Q	13	ASP	CB-CG	7.92	1.68	1.51
14	N	92	GLU	CG-CD	7.27	1.62	1.51
4	R	216	GLU	CD-OE2	7.24	1.33	1.25
14	b	133	SER	CB-OG	7.20	1.51	1.42
4	D	126	GLU	CD-OE2	7.13	1.33	1.25
2	P	103	GLU	CD-OE2	7.04	1.33	1.25
12	Z	78	SER	CB-OG	-6.99	1.33	1.42
2	B	103	GLU	CD-OE2	6.91	1.33	1.25
11	K	40	TYR	CE1-CZ	6.80	1.47	1.38
7	G	108	GLU	CD-OE2	6.65	1.32	1.25
10	J	153	ARG	NE-CZ	-6.64	1.24	1.33
14	b	92	GLU	CD-OE2	6.54	1.32	1.25
2	B	103	GLU	CD-OE1	6.49	1.32	1.25
2	B	70	GLU	CD-OE1	6.34	1.32	1.25

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	R	100	TRP	CE3-CZ3	6.32	1.49	1.38
13	a	119	GLU	CG-CD	6.22	1.61	1.51
6	F	218	GLU	CD-OE2	6.21	1.32	1.25
3	C	182	GLU	CG-CD	6.16	1.61	1.51
9	I	69	ARG	CD-NE	-6.15	1.35	1.46
6	F	104	TYR	CG-CD1	6.04	1.47	1.39
6	T	7	TYR	N-CA	6.03	1.58	1.46
13	a	119	GLU	CD-OE2	5.99	1.32	1.25
5	E	7	ASP	CB-CG	-5.97	1.39	1.51
4	D	100	TRP	CE3-CZ3	5.90	1.48	1.38
14	N	24	SER	CB-OG	-5.90	1.34	1.42
13	M	119	GLU	CG-CD	5.85	1.60	1.51
6	F	104	TYR	CE2-CZ	5.84	1.46	1.38
12	L	78	SER	CB-OG	-5.79	1.34	1.42
2	B	168	SER	CB-OG	-5.78	1.34	1.42
12	Z	142	SER	CB-OG	-5.78	1.34	1.42
7	U	108	GLU	CD-OE2	5.76	1.31	1.25
8	H	6	VAL	CB-CG1	-5.73	1.40	1.52
12	L	140	SER	CB-OG	-5.70	1.34	1.42
11	K	40	TYR	CG-CD1	5.66	1.46	1.39
13	M	119	GLU	CD-OE2	5.56	1.31	1.25
10	X	153	ARG	CZ-NH1	-5.52	1.25	1.33
4	D	100	TRP	CE2-CZ2	5.46	1.49	1.39
11	Y	40	TYR	CE1-CZ	5.41	1.45	1.38
6	T	25	TYR	CG-CD1	5.40	1.46	1.39
6	F	6	GLY	C-O	5.36	1.32	1.23
11	Y	113	TYR	CE1-CZ	-5.36	1.31	1.38
5	S	114	SER	CB-OG	-5.36	1.35	1.42
8	V	104[A]	ASP	CB-CG	-5.36	1.40	1.51
8	V	104[B]	ASP	CB-CG	-5.36	1.40	1.51
6	T	104	TYR	CE2-CZ	5.32	1.45	1.38
1	A	17	LYS	CD-CE	5.31	1.64	1.51
3	C	182	GLU	CD-OE2	-5.29	1.19	1.25
2	P	168	SER	CB-OG	-5.28	1.35	1.42
1	A	82	TYR	CE1-CZ	5.28	1.45	1.38
1	O	123	SER	CB-OG	-5.19	1.35	1.42
14	N	88	TYR	CE1-CZ	5.19	1.45	1.38
10	X	154	GLU	CG-CD	5.19	1.59	1.51
11	Y	40	TYR	CG-CD1	5.19	1.45	1.39
6	F	31	GLU	CD-OE2	5.15	1.31	1.25
9	I	105	GLU	CD-OE2	5.12	1.31	1.25
11	Y	67	GLU	CD-OE2	5.08	1.31	1.25

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	Z	99	ARG	CD-NE	-5.07	1.37	1.46
12	L	2	PHE	CB-CG	-5.06	1.42	1.51
5	E	4	ASN	N-CA	5.06	1.56	1.46
9	W	84	TYR	CE1-CZ	5.03	1.45	1.38

All (252) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	X	86	ARG	NE-CZ-NH2	-21.50	109.55	120.30
10	J	86	ARG	NE-CZ-NH2	-21.33	109.63	120.30
10	J	86	ARG	NE-CZ-NH1	20.61	130.60	120.30
10	X	86	ARG	NE-CZ-NH1	18.78	129.69	120.30
9	I	69	ARG	NE-CZ-NH1	17.32	128.96	120.30
9	W	69	ARG	NE-CZ-NH1	16.30	128.45	120.30
12	Z	99	ARG	NE-CZ-NH2	-15.80	112.40	120.30
8	H	72	ARG	NE-CZ-NH2	-15.71	112.44	120.30
12	L	99	ARG	NE-CZ-NH2	-15.71	112.44	120.30
9	I	25[A]	ARG	NE-CZ-NH1	13.88	127.24	120.30
9	I	25[B]	ARG	NE-CZ-NH1	13.88	127.24	120.30
12	Z	99	ARG	NE-CZ-NH1	13.29	126.95	120.30
8	H	72	ARG	NE-CZ-NH1	13.23	126.91	120.30
9	W	69	ARG	NE-CZ-NH2	-11.86	114.37	120.30
9	I	69	ARG	NE-CZ-NH2	-11.70	114.45	120.30
12	L	99	ARG	NE-CZ-NH1	11.57	126.08	120.30
10	X	153	ARG	NE-CZ-NH1	-11.28	114.66	120.30
7	U	88	ARG	NE-CZ-NH1	10.37	125.48	120.30
7	G	117	ARG	NE-CZ-NH1	10.30	125.45	120.30
14	b	29	ARG	NE-CZ-NH1	10.08	125.34	120.30
4	R	120[A]	ALA	C-N-CA	9.99	146.69	121.70
4	R	120[B]	ALA	C-N-CA	9.99	146.69	121.70
2	P	96	ARG	NE-CZ-NH1	9.95	125.28	120.30
11	Y	157	ARG	NE-CZ-NH1	9.87	125.24	120.30
9	W	25[A]	ARG	NE-CZ-NH1	9.83	125.21	120.30
9	W	25[B]	ARG	NE-CZ-NH1	9.83	125.21	120.30
11	Y	157	ARG	NE-CZ-NH2	-9.61	115.50	120.30
2	B	4	ARG	NE-CZ-NH1	9.28	124.94	120.30
2	B	96	ARG	NE-CZ-NH1	9.17	124.89	120.30
7	U	117	ARG	NE-CZ-NH1	9.14	124.87	120.30
4	D	9	ASP	CB-CG-OD1	9.06	126.45	118.30
14	N	92	GLU	OE1-CD-OE2	-9.05	112.43	123.30
12	Z	172	MET	CG-SD-CE	-8.98	85.83	100.20
11	Y	141[A]	ARG	NE-CZ-NH1	8.82	124.71	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	Y	141[B]	ARG	NE-CZ-NH1	8.82	124.71	120.30
9	W	16[A]	LYS	C-N-CA	8.78	143.65	121.70
9	W	16[B]	LYS	C-N-CA	8.78	143.65	121.70
6	F	117	MET	CG-SD-CE	8.77	114.22	100.20
11	Y	158	ARG	NE-CZ-NH1	8.52	124.56	120.30
10	J	86	ARG	CD-NE-CZ	8.48	135.47	123.60
9	I	16[A]	LYS	C-N-CA	8.41	142.73	121.70
9	I	16[B]	LYS	C-N-CA	8.41	142.73	121.70
13	M	5	MET	CG-SD-CE	8.30	113.48	100.20
4	R	9	ASP	CB-CG-OD1	8.29	125.76	118.30
6	T	27	MET	CG-SD-CE	8.25	113.41	100.20
13	M	151	ARG	NE-CZ-NH1	8.21	124.41	120.30
6	F	114	ARG	NE-CZ-NH2	-8.09	116.26	120.30
6	T	117	MET	CG-SD-CE	8.06	113.10	100.20
12	L	172	MET	CG-SD-CE	-8.00	87.41	100.20
6	T	114	ARG	NE-CZ-NH2	-7.96	116.32	120.30
3	C	117	ARG	NE-CZ-NH1	7.92	124.26	120.30
2	B	4	ARG	NE-CZ-NH2	-7.88	116.36	120.30
11	K	141	ARG	NE-CZ-NH1	7.87	124.24	120.30
11	K	86	MET	CG-SD-CE	7.86	112.78	100.20
13	a	5	MET	CG-SD-CE	7.85	112.76	100.20
6	T	43	ASP	CB-CG-OD2	7.78	125.31	118.30
8	V	72	ARG	NE-CZ-NH2	-7.78	116.41	120.30
11	Y	115	ASP	CB-CG-OD2	7.78	125.30	118.30
9	I	25[A]	ARG	NE-CZ-NH2	-7.77	116.42	120.30
9	I	25[B]	ARG	NE-CZ-NH2	-7.77	116.42	120.30
7	U	88	ARG	NE-CZ-NH2	-7.76	116.42	120.30
6	F	190	VAL	CB-CA-C	-7.68	96.80	111.40
8	H	81	ARG	NE-CZ-NH2	-7.63	116.49	120.30
13	M	151	ARG	NE-CZ-NH2	-7.58	116.51	120.30
11	Y	120	ARG	NE-CZ-NH1	7.56	124.08	120.30
5	E	122	ARG	NE-CZ-NH2	-7.52	116.54	120.30
1	O	181	LEU	CA-CB-CG	7.49	132.52	115.30
7	G	120	ASP	CB-CG-OD1	7.47	125.02	118.30
6	F	206	ASP	CB-CG-OD1	-7.44	111.60	118.30
2	P	4	ARG	NE-CZ-NH1	7.36	123.98	120.30
1	A	219	ARG	NE-CZ-NH1	7.29	123.94	120.30
11	K	157	ARG	NE-CZ-NH2	-7.25	116.67	120.30
11	K	154	ASP	CB-CG-OD2	7.24	124.82	118.30
11	Y	158	ARG	NE-CZ-NH2	-7.24	116.68	120.30
8	H	198	ARG	NE-CZ-NH1	7.22	123.91	120.30
11	K	157	ARG	NE-CZ-NH1	7.21	123.90	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	Y	86	MET	CG-SD-CE	7.14	111.62	100.20
8	H	198	ARG	NE-CZ-NH2	-7.13	116.73	120.30
1	A	219	ARG	NE-CZ-NH2	-6.99	116.81	120.30
6	F	206	ASP	CB-CG-OD2	6.99	124.59	118.30
11	K	120	ARG	NE-CZ-NH1	6.94	123.77	120.30
10	X	90	ASP	CB-CG-OD1	6.93	124.53	118.30
5	S	122	ARG	NE-CZ-NH2	-6.90	116.85	120.30
10	X	86	ARG	CD-NE-CZ	6.88	133.22	123.60
6	T	6	GLY	C-N-CA	6.87	138.87	121.70
7	U	80[A]	MET	CG-SD-CE	6.82	111.12	100.20
7	U	80[B]	MET	CG-SD-CE	6.82	111.12	100.20
8	H	72	ARG	CD-NE-CZ	6.82	133.15	123.60
10	J	33	ASP	CB-CG-OD1	6.82	124.44	118.30
1	A	73	LEU	CA-CB-CG	6.81	130.97	115.30
6	T	17	ASP	CB-CG-OD1	-6.81	112.17	118.30
10	J	88	LEU	CB-CG-CD2	6.70	122.39	111.00
6	T	169	ARG	NE-CZ-NH1	6.70	123.65	120.30
2	B	96	ARG	NE-CZ-NH2	-6.66	116.97	120.30
10	X	93	ARG	NE-CZ-NH1	6.61	123.60	120.30
6	T	190	VAL	CB-CA-C	-6.59	98.88	111.40
8	H	86	MET	CG-SD-CE	-6.56	89.70	100.20
6	F	17	ASP	CB-CG-OD1	-6.54	112.41	118.30
9	I	58	ASP	CB-CG-OD2	6.50	124.15	118.30
6	T	113	ASP	CB-CG-OD2	-6.48	112.47	118.30
11	K	107	ARG	NE-CZ-NH1	6.46	123.53	120.30
2	P	96	ARG	NE-CZ-NH2	-6.42	117.09	120.30
3	Q	5	ARG	NE-CZ-NH1	6.40	123.50	120.30
7	G	117	ARG	NE-CZ-NH2	-6.39	117.10	120.30
10	J	93	ARG	NE-CZ-NH1	6.39	123.50	120.30
9	I	197	ARG	NE-CZ-NH1	6.39	123.49	120.30
3	Q	5	ARG	NE-CZ-NH2	-6.38	117.11	120.30
7	G	245	ARG	NE-CZ-NH1	6.38	123.49	120.30
13	a	166	ARG	NE-CZ-NH2	-6.36	117.12	120.30
6	F	43	ASP	CB-CG-OD1	6.34	124.00	118.30
5	E	94	ASP	CB-CG-OD2	6.32	123.99	118.30
13	M	166	ARG	NE-CZ-NH2	-6.30	117.15	120.30
6	F	87	LEU	CB-CG-CD1	6.27	121.67	111.00
12	Z	71	ARG	NE-CZ-NH2	6.26	123.43	120.30
12	Z	99	ARG	CD-NE-CZ	6.26	132.36	123.60
7	G	88	ARG	NE-CZ-NH2	-6.24	117.18	120.30
11	K	158	ARG	NE-CZ-NH2	-6.22	117.19	120.30
14	b	116	MET	CG-SD-CE	-6.21	90.27	100.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	F	232[A]	ARG	NE-CZ-NH2	-6.20	117.20	120.30
6	F	232[B]	ARG	NE-CZ-NH2	-6.20	117.20	120.30
8	V	72	ARG	NE-CZ-NH1	6.19	123.40	120.30
11	Y	107	ARG	NE-CZ-NH1	6.19	123.39	120.30
6	F	232[A]	ARG	NE-CZ-NH1	6.16	123.38	120.30
6	F	232[B]	ARG	NE-CZ-NH1	6.16	123.38	120.30
14	N	116	MET	CG-SD-CE	-6.12	90.41	100.20
7	U	11	ARG	NE-CZ-NH1	6.11	123.35	120.30
4	D	157	ASP	CB-CG-OD1	6.11	123.80	118.30
3	Q	13	ASP	CB-CA-C	6.10	122.60	110.40
11	K	158	ARG	NE-CZ-NH1	6.09	123.34	120.30
9	W	25[A]	ARG	NE-CZ-NH2	-6.08	117.26	120.30
9	W	25[B]	ARG	NE-CZ-NH2	-6.08	117.26	120.30
1	O	73	LEU	CA-CB-CG	6.07	129.26	115.30
1	O	88	ARG	NE-CZ-NH2	-6.07	117.27	120.30
9	I	134	ASP	CB-CG-OD1	6.04	123.74	118.30
9	W	134	ASP	CB-CG-OD1	6.04	123.74	118.30
5	E	122	ARG	NE-CZ-NH1	6.03	123.32	120.30
6	F	83	ASP	CB-CG-OD2	-6.03	112.88	118.30
14	N	45	ARG	NE-CZ-NH2	-6.02	117.29	120.30
9	W	197	ARG	NE-CZ-NH1	6.01	123.31	120.30
10	J	161	ARG	NE-CZ-NH2	-6.00	117.30	120.30
12	L	99	ARG	CD-NE-CZ	5.99	131.99	123.60
4	D	90	ASP	CB-CG-OD1	-5.99	112.91	118.30
5	E	126	ARG	NE-CZ-NH1	5.98	123.29	120.30
4	D	168	ARG	NE-CZ-NH2	-5.95	117.32	120.30
6	F	156	VAL	CG1-CB-CG2	-5.95	101.38	110.90
3	C	79	ASP	CB-CG-OD2	-5.94	112.95	118.30
13	a	151	ARG	NE-CZ-NH1	5.93	123.27	120.30
8	V	12	ILE	CG1-CB-CG2	-5.93	98.36	111.40
13	a	41	ARG	NE-CZ-NH1	5.93	123.26	120.30
11	Y	115	ASP	CB-CG-OD1	-5.92	112.97	118.30
6	F	70	ASP	CB-CG-OD1	5.88	123.59	118.30
8	H	12	ILE	CG1-CB-CG2	-5.86	98.51	111.40
14	N	45	ARG	NE-CZ-NH1	5.86	123.23	120.30
6	T	114	ARG	NE-CZ-NH1	5.85	123.22	120.30
4	D	168	ARG	NE-CZ-NH1	5.84	123.22	120.30
7	G	86	ASP	CB-CG-OD1	5.84	123.55	118.30
6	F	40	ARG	NE-CZ-NH1	5.80	123.20	120.30
8	V	81	ARG	NE-CZ-NH2	-5.79	117.40	120.30
13	M	99	ARG	NE-CZ-NH1	5.79	123.19	120.30
14	b	29	ARG	CB-CA-C	-5.78	98.84	110.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	T	7	TYR	N-CA-CB	5.77	120.98	110.60
7	G	183	VAL	CB-CA-C	-5.76	100.45	111.40
10	X	70	ARG	NE-CZ-NH2	-5.76	117.42	120.30
1	O	73	LEU	CB-CA-C	-5.76	99.26	110.20
9	I	25[A]	ARG	CD-NE-CZ	5.75	131.65	123.60
9	I	25[B]	ARG	CD-NE-CZ	5.75	131.65	123.60
3	C	5	ARG	NE-CZ-NH1	5.73	123.17	120.30
3	Q	220	LEU	CA-C-N	5.73	129.80	117.20
5	S	174	ARG	NE-CZ-NH1	5.72	123.16	120.30
14	b	29	ARG	NE-CZ-NH2	-5.72	117.44	120.30
3	Q	137	ASP	CB-CG-OD2	-5.72	113.15	118.30
1	O	219	ARG	NE-CZ-NH2	-5.71	117.45	120.30
2	B	116	ASP	CB-CG-OD1	5.71	123.44	118.30
5	E	174	ARG	NE-CZ-NH1	5.70	123.15	120.30
1	A	73	LEU	CB-CA-C	-5.69	99.39	110.20
6	F	114	ARG	NE-CZ-NH1	5.66	123.13	120.30
13	M	73	ASP	CB-CG-OD1	5.65	123.38	118.30
3	C	36	ARG	NE-CZ-NH1	5.64	123.12	120.30
10	J	70	ARG	NE-CZ-NH2	-5.63	117.48	120.30
10	J	85	ARG	NE-CZ-NH2	-5.61	117.50	120.30
6	F	169[A]	ARG	NE-CZ-NH2	-5.60	117.50	120.30
6	F	169[B]	ARG	NE-CZ-NH2	-5.60	117.50	120.30
2	P	116	ASP	CB-CG-OD1	5.58	123.32	118.30
10	X	33	ASP	CB-CG-OD1	5.56	123.30	118.30
5	S	122	ARG	NE-CZ-NH1	5.55	123.08	120.30
1	O	142	ARG	NE-CZ-NH1	5.53	123.06	120.30
8	H	77	VAL	CB-CA-C	-5.53	100.90	111.40
11	Y	71	LYS	CD-CE-NZ	5.50	124.36	111.70
1	A	142	ARG	NE-CZ-NH1	5.47	123.03	120.30
4	R	120[A]	ALA	N-CA-C	-5.47	96.24	111.00
4	R	120[B]	ALA	N-CA-C	-5.47	96.24	111.00
14	b	19	ARG	NE-CZ-NH2	-5.46	117.57	120.30
10	X	70	ARG	NE-CZ-NH1	5.45	123.03	120.30
10	X	161	ARG	NE-CZ-NH2	-5.45	117.58	120.30
8	V	86	MET	CG-SD-CE	-5.44	91.50	100.20
13	M	41	ARG	NE-CZ-NH1	5.43	123.01	120.30
6	T	70	ASP	CB-CG-OD1	5.39	123.16	118.30
10	J	161	ARG	NE-CZ-NH1	5.39	123.00	120.30
12	L	114	ASP	CB-CG-OD1	5.38	123.14	118.30
6	T	87	LEU	CB-CG-CD1	5.38	120.14	111.00
3	C	5	ARG	NE-CZ-NH2	-5.37	117.61	120.30
10	X	88	LEU	CB-CG-CD2	5.37	120.13	111.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	Y	120	ARG	NE-CZ-NH2	-5.37	117.62	120.30
5	S	7	ASP	CB-CG-OD1	-5.35	113.49	118.30
10	J	52	ASP	CB-CG-OD2	-5.29	113.54	118.30
3	C	85[A]	ASN	CB-CA-C	5.28	120.96	110.40
3	C	85[B]	ASN	CB-CA-C	5.28	120.96	110.40
12	L	100	ARG	NE-CZ-NH1	5.28	122.94	120.30
10	J	184	ASP	CB-CG-OD1	5.26	123.04	118.30
6	F	85	ARG	NE-CZ-NH1	5.25	122.93	120.30
2	P	4	ARG	NE-CZ-NH2	-5.25	117.67	120.30
5	E	122	ARG	CG-CD-NE	-5.24	100.80	111.80
2	B	2	SER	N-CA-CB	5.22	118.34	110.50
3	Q	220	LEU	C-N-CA	5.22	134.75	121.70
11	K	166	ARG	NE-CZ-NH1	5.20	122.90	120.30
8	V	51	ASP	CB-CG-OD2	-5.20	113.62	118.30
9	I	158	ASP	CB-CG-OD1	5.19	122.97	118.30
6	T	230	ASP	CB-CG-OD2	5.18	122.96	118.30
8	H	203	ARG	NE-CZ-NH1	5.18	122.89	120.30
11	Y	56	GLU	CA-CB-CG	-5.17	102.03	113.40
4	R	168	ARG	NE-CZ-NH2	-5.16	117.72	120.30
6	F	169[A]	ARG	NE-CZ-NH1	5.16	122.88	120.30
6	F	169[B]	ARG	NE-CZ-NH1	5.16	122.88	120.30
7	U	120	ASP	CB-CG-OD1	5.15	122.94	118.30
8	V	68	LEU	CB-CG-CD1	5.14	119.74	111.00
8	V	28	ASP	CB-CG-OD1	5.13	122.92	118.30
6	F	85	ARG	NE-CZ-NH2	-5.13	117.73	120.30
2	P	3	ARG	NE-CZ-NH2	-5.13	117.73	120.30
6	F	152	ASP	CB-CG-OD1	5.12	122.91	118.30
13	a	182	ARG	NE-CZ-NH1	5.12	122.86	120.30
10	J	153	ARG	NE-CZ-NH2	-5.11	117.74	120.30
11	K	45	MET	CG-SD-CE	5.11	108.38	100.20
13	a	67	LEU	CA-CB-CG	5.11	127.05	115.30
6	T	169	ARG	NE-CZ-NH2	-5.10	117.75	120.30
10	X	161	ARG	NE-CZ-NH1	5.08	122.84	120.30
10	J	90	ASP	CB-CG-OD1	5.08	122.87	118.30
1	O	219	ARG	NE-CZ-NH1	5.08	122.84	120.30
8	H	68	LEU	CB-CG-CD1	5.07	119.62	111.00
5	S	100	ASP	CB-CG-OD2	5.07	122.86	118.30
13	a	44	ARG	NE-CZ-NH1	5.05	122.83	120.30
5	E	193	ARG	NE-CZ-NH1	5.04	122.82	120.30
6	T	17	ASP	CB-CG-OD2	5.04	122.84	118.30
9	W	25[A]	ARG	CD-NE-CZ	5.03	130.65	123.60
9	W	25[B]	ARG	CD-NE-CZ	5.03	130.65	123.60

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	a	73	ASP	CB-CG-OD1	5.03	122.83	118.30
3	C	197	GLU	OE1-CD-OE2	5.02	129.33	123.30
6	F	40	ARG	NE-CZ-NH2	-5.02	117.79	120.30
2	P	190	LEU	CB-CG-CD1	5.02	119.54	111.00
12	Z	99	ARG	CG-CD-NE	-5.02	101.26	111.80
10	X	52	ASP	CB-CG-OD2	-5.02	113.78	118.30
11	K	120	ARG	NE-CZ-NH2	-5.02	117.79	120.30
6	F	99	ARG	NE-CZ-NH1	5.00	122.80	120.30

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	U	47	6V1	C1

All (26) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	C	237	GLU	Peptide
4	D	127	ASP	Peptide
4	D	175[A]	GLU	Peptide
4	D	175[B]	GLU	Mainchain,Peptide
4	D	223	GLY	Peptide
5	E	235	GLY	Peptide
9	I	78	GLY	Peptide
10	J	1[A]	MET	Peptide
10	J	1[B]	MET	Peptide
12	L	99	ARG	Sidechain
2	P	202	ASP	Peptide
2	P	203	VAL	Peptide
2	P	244	GLU	Peptide
2	P	245	ALA	Peptide
2	P	54	LYS	Peptide
3	Q	47	LYS	Peptide
3	Q	49	SER	Peptide
4	R	130	PRO	Peptide
4	R	223	GLY	Peptide
6	T	5	THR	Peptide
9	W	78	GLY	Peptide
10	X	1	MET	Peptide
10	X	86	ARG	Sidechain
12	Z	99	ARG	Sidechain
13	a	215	ILE	Peptide

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	231/234 (99%)	219 (95%)	7 (3%)	5 (2%)	6	1
1	O	228/234 (97%)	217 (95%)	5 (2%)	6 (3%)	5	1
2	B	248/261 (95%)	238 (96%)	8 (3%)	2 (1%)	19	9
2	P	247/261 (95%)	232 (94%)	12 (5%)	3 (1%)	13	4
3	C	236/248 (95%)	220 (93%)	9 (4%)	7 (3%)	4	0
3	Q	237/248 (96%)	221 (93%)	6 (2%)	10 (4%)	3	0
4	D	232/241 (96%)	223 (96%)	6 (3%)	3 (1%)	12	4
4	R	232/241 (96%)	221 (95%)	7 (3%)	4 (2%)	9	2
5	E	232/263 (88%)	225 (97%)	6 (3%)	1 (0%)	34	24
5	S	236/263 (90%)	228 (97%)	7 (3%)	1 (0%)	34	24
6	F	241/255 (94%)	239 (99%)	2 (1%)	0	100	100
6	T	239/255 (94%)	232 (97%)	4 (2%)	3 (1%)	12	4
7	G	241/246 (98%)	237 (98%)	4 (2%)	0	100	100
7	U	232/246 (94%)	227 (98%)	4 (2%)	1 (0%)	34	24
8	H	220/234 (94%)	217 (99%)	3 (1%)	0	100	100
8	V	220/234 (94%)	216 (98%)	3 (1%)	1 (0%)	29	18
9	I	205/205 (100%)	201 (98%)	4 (2%)	0	100	100
9	W	204/205 (100%)	198 (97%)	6 (3%)	0	100	100
10	J	195/201 (97%)	193 (99%)	2 (1%)	0	100	100
10	X	195/201 (97%)	193 (99%)	2 (1%)	0	100	100
11	K	198/204 (97%)	195 (98%)	3 (2%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
11	Y	200/204 (98%)	197 (98%)	3 (2%)	0	100	100
12	L	213/213 (100%)	211 (99%)	2 (1%)	0	100	100
12	Z	212/213 (100%)	210 (99%)	2 (1%)	0	100	100
13	M	215/219 (98%)	209 (97%)	6 (3%)	0	100	100
13	a	216/219 (99%)	208 (96%)	8 (4%)	0	100	100
14	N	201/205 (98%)	198 (98%)	2 (1%)	1 (0%)	29	18
14	b	202/205 (98%)	200 (99%)	1 (0%)	1 (0%)	29	18
All	All	6208/6458 (96%)	6025 (97%)	134 (2%)	49 (1%)	19	9

All (49) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	50	LYS
1	A	52	LYS
1	A	53	SER
3	C	50	VAL
3	C	216	SER
1	O	50	LYS
1	O	52	LYS
1	O	53	SER
1	O	231	ALA
2	P	204	SER
3	Q	47	LYS
3	Q	200	GLN
3	Q	206	ILE
3	Q	221	ASN
4	R	129	ASP
4	R	130	PRO
5	S	238	GLU
6	T	206	ASP
3	C	51	ALA
4	D	176	GLY
5	E	59	HIS
2	P	54	LYS
3	Q	50	VAL
3	Q	51	ALA
3	Q	201	SER
3	Q	216	SER
4	R	128	ALA
6	T	7	TYR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	176	ARG
3	C	200	GLN
14	N	198	ALA
1	O	176	ARG
3	Q	138	PHE
7	U	58	ASP
8	V	203	ARG
2	B	203	VAL
3	C	204	LYS
2	P	52	ILE
6	T	208	ALA
14	b	198	ALA
1	A	201	GLN
2	B	51	ASN
3	C	138	PHE
4	D	175[A]	GLU
4	D	175[B]	GLU
4	R	127	ASP
1	O	201	GLN
3	C	203	GLY
3	Q	203	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	185/191 (97%)	173 (94%)	12 (6%)	17 8
1	O	176/191 (92%)	164 (93%)	12 (7%)	16 7
2	B	199/221 (90%)	190 (96%)	9 (4%)	27 18
2	P	196/221 (89%)	183 (93%)	13 (7%)	16 8
3	C	179/210 (85%)	169 (94%)	10 (6%)	21 11
3	Q	184/210 (88%)	175 (95%)	9 (5%)	25 15
4	D	189/203 (93%)	182 (96%)	7 (4%)	34 25
4	R	187/203 (92%)	184 (98%)	3 (2%)	62 60

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	E	192/223 (86%)	183 (95%)	9 (5%)	26	16
5	S	195/223 (87%)	191 (98%)	4 (2%)	53	48
6	F	199/212 (94%)	188 (94%)	11 (6%)	21	12
6	T	192/212 (91%)	181 (94%)	11 (6%)	20	11
7	G	202/207 (98%)	196 (97%)	6 (3%)	41	33
7	U	186/207 (90%)	182 (98%)	4 (2%)	52	47
8	H	181/195 (93%)	174 (96%)	7 (4%)	32	23
8	V	172/195 (88%)	162 (94%)	10 (6%)	20	10
9	I	176/174 (101%)	174 (99%)	2 (1%)	73	73
9	W	173/174 (99%)	172 (99%)	1 (1%)	86	87
10	J	166/170 (98%)	158 (95%)	8 (5%)	25	16
10	X	165/170 (97%)	159 (96%)	6 (4%)	35	26
11	K	154/159 (97%)	143 (93%)	11 (7%)	14	6
11	Y	158/159 (99%)	150 (95%)	8 (5%)	24	14
12	L	175/178 (98%)	169 (97%)	6 (3%)	37	28
12	Z	175/178 (98%)	172 (98%)	3 (2%)	60	57
13	M	180/181 (99%)	177 (98%)	3 (2%)	60	57
13	a	178/181 (98%)	173 (97%)	5 (3%)	43	36
14	N	158/159 (99%)	154 (98%)	4 (2%)	47	41
14	b	158/159 (99%)	155 (98%)	3 (2%)	57	53
All	All	5030/5366 (94%)	4833 (96%)	197 (4%)	33	23

All (197) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	LYS
1	A	50	LYS
1	A	53	SER
1	A	61	VAL
1	A	142	ARG
1	A	176	ARG
1	A	180	ASP
1	A	189	THR
1	A	206	ASN
1	A	223	THR

Continued on next page...



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	226	LYS
1	A	227	ASP
2	B	4	ARG
2	B	33	THR
2	B	58	GLU
2	B	70	GLU
2	B	190	LEU
2	B	207	SER
2	B	229	LYS
2	B	238	LYS
2	B	249	ARG
3	C	2	SER
3	C	35	VAL
3	C	45	VAL
3	C	113	SER
3	C	148	ASP
3	C	201	SER
3	C	205	ASN
3	C	208	LEU
3	C	225	ILE
3	C	226	GLU
4	D	9	ASP
4	D	46	VAL
4	D	95	GLU
4	D	126	GLU
4	D	139	VAL
4	D	199	LEU
4	D	217	LEU
5	E	61	LYS
5	E	73	SER
5	E	101[A]	ARG
5	E	101[B]	ARG
5	E	122	ARG
5	E	180	MET
5	E	181	GLU
5	E	189	LYS
5	E	202	GLU
6	F	17	ASP
6	F	31	GLU
6	F	53	VAL
6	F	81	LEU
6	F	87	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
6	F	174	THR
6	F	187	ARG
6	F	190	VAL
6	F	215	TRP
6	F	240	LYS
6	F	244	LYS
7	G	42	VAL
7	G	78	CYS
7	G	88	ARG
7	G	183	VAL
7	G	190	THR
7	G	206	LEU
8	H	12	ILE
8	H	31	CYS
8	H	65	LEU
8	H	68	LEU
8	H	183	LEU
8	H	202	TYR
8	H	220	GLU
9	I	35	THR
9	I	115	THR
10	J	1[A]	MET
10	J	1[B]	MET
10	J	27[A]	GLN
10	J	27[B]	GLN
10	J	62	LYS
10	J	88	LEU
10	J	95	ARG
10	J	155	ARG
11	K	8	PHE
11	K	12	VAL
11	K	35	ILE
11	K	138	VAL
11	K	141	ARG
11	K	147	LEU
11	K	158	ARG
11	K	174	VAL
11	K	187	VAL
11	K	192	VAL
11	K	200	SER
12	L	3[A]	SER
12	L	3[B]	SER

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
12	L	102	PHE
12	L	163	HIS
12	L	174	LEU
12	L	207	THR
13	M	100	ARG
13	M	154	LEU
13	M	216	SER
14	N	35	THR
14	N	84	LYS
14	N	145	GLU
14	N	196	LYS
1	O	10	THR
1	O	53	SER
1	O	118	GLN
1	O	131	VAL
1	O	142	ARG
1	O	176	ARG
1	O	180	ASP
1	O	181	LEU
1	O	189	THR
1	O	206	ASN
1	O	223	THR
1	O	226	LYS
2	P	4	ARG
2	P	7[A]	SER
2	P	7[B]	SER
2	P	33	THR
2	P	53	HIS
2	P	70	GLU
2	P	183	GLU
2	P	190	LEU
2	P	204	SER
2	P	207	SER
2	P	235	GLN
2	P	236	LEU
2	P	246	LYS
3	Q	2	SER
3	Q	45	VAL
3	Q	56	GLU
3	Q	113	SER
3	Q	148	ASP
3	Q	170	GLU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
3	Q	206	ILE
3	Q	208	LEU
3	Q	227	LYS
4	R	46	VAL
4	R	139	VAL
4	R	217	LEU
5	S	45	VAL
5	S	101	ARG
5	S	122	ARG
5	S	180	MET
6	T	17	ASP
6	T	31	GLU
6	T	33	SER
6	T	53	VAL
6	T	81	LEU
6	T	87	LEU
6	T	174	THR
6	T	190	VAL
6	T	215	TRP
6	T	223	ARG
6	T	240	LYS
7	U	42	VAL
7	U	78	CYS
7	U	199	ILE
7	U	206	LEU
8	V	6	VAL
8	V	12	ILE
8	V	31	CYS
8	V	65	LEU
8	V	68	LEU
8	V	104[A]	ASP
8	V	104[B]	ASP
8	V	183	LEU
8	V	199	LEU
8	V	213	THR
9	W	35	THR
10	X	1	MET
10	X	62	LYS
10	X	88	LEU
10	X	95	ARG
10	X	158	GLU
10	X	174	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
11	Y	8	PHE
11	Y	12	VAL
11	Y	89	GLN
11	Y	138	VAL
11	Y	141[A]	ARG
11	Y	141[B]	ARG
11	Y	147	LEU
11	Y	192	VAL
12	Z	102	PHE
12	Z	174	LEU
12	Z	207	THR
13	a	92	LEU
13	a	100	ARG
13	a	154	LEU
13	a	198	GLU
13	a	216	SER
14	b	35	THR
14	b	84	LYS
14	b	196	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (43) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	GLN
1	A	108	GLN
1	A	206	ASN
2	B	40	ASN
2	B	102	GLN
2	B	109	GLN
3	C	54	GLN
4	D	227	HIS
5	E	65	HIS
6	F	143	ASN
8	H	116	HIS
8	H	153	ASN
8	H	193	ASN
9	I	161	HIS
10	J	87	ASN
10	J	101	ASN
11	K	162	GLN
12	L	157	ASN
13	M	47	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
13	M	162	GLN
14	N	193	GLN
1	O	62	HIS
1	O	118	GLN
1	O	206	ASN
2	P	40	ASN
2	P	109	GLN
3	Q	18	GLN
4	R	227	HIS
5	S	86	ASN
6	T	63	ASN
6	T	68	ASN
6	T	143	ASN
8	V	116	HIS
8	V	193	ASN
9	W	172	ASN
10	X	24	ASN
10	X	132	HIS
10	X	174	ASN
11	Y	162	GLN
12	Z	79	ASN
12	Z	157	ASN
13	a	89	HIS
14	b	193	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

18 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
15	6V9	d	1	15	6,8,9	0.65	0	3,10,12	4.60	2 (66%)
10	6V1	J	91	10	12,15,16	1.91	2 (16%)	9,20,22	5.07	6 (66%)
5	6V1	S	148	5	12,15,16	1.88	4 (33%)	9,20,22	2.68	3 (33%)
3	YCM	C	63	3	7,9,10	0.88	0	4,10,12	0.78	0
7	6V1	U	47	7	12,15,16	2.01	4 (33%)	9,20,22	2.17	3 (33%)
7	6V1	G	47	7	12,15,16	2.70	5 (41%)	9,20,22	2.29	1 (11%)
15	OAS	d	3	15	5,6,9	0.92	0	2,6,11	0.63	0
5	6V1	E	148	5	12,15,16	1.61	2 (16%)	9,20,22	3.20	3 (33%)
7	YCM	U	137	7	7,9,10	1.45	1 (14%)	4,10,12	2.06	2 (50%)
7	YCM	G	137	7	7,9,10	2.17	4 (57%)	4,10,12	2.46	1 (25%)
7	6V1	U	161	7	12,15,16	1.77	2 (16%)	9,20,22	3.25	5 (55%)
7	6V1	G	161	7	12,15,16	1.61	3 (25%)	9,20,22	2.31	4 (44%)
15	OAS	c	2	15	5,6,9	0.72	0	2,6,11	2.60	1 (50%)
3	YCM	Q	63	3	7,9,10	1.50	1 (14%)	4,10,12	3.68	3 (75%)
10	6V1	X	91	10	12,15,16	1.88	3 (25%)	9,20,22	5.23	6 (66%)
15	6V9	c	1	15	6,8,9	0.79	0	3,10,12	2.82	2 (66%)
15	OAS	d	2	15	5,6,9	1.35	1 (20%)	2,6,11	4.50	2 (100%)
15	OAS	c	3	15	5,6,9	0.85	0	2,6,11	0.37	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	6V9	d	1	15	-	0/0/2/4	0/1/1/1
10	6V1	J	91	10	-	2/6/25/27	0/1/1/1
5	6V1	S	148	5	-	2/6/25/27	0/1/1/1
3	YCM	C	63	3	-	1/6/8/10	-
7	6V1	U	47	7	1/1/5/6	0/6/25/27	0/1/1/1
7	6V1	G	47	7	-	0/6/25/27	0/1/1/1
15	OAS	d	3	15	-	0/3/5/9	-
5	6V1	E	148	5	-	2/6/25/27	0/1/1/1
7	YCM	U	137	7	-	3/6/8/10	-
7	YCM	G	137	7	-	2/6/8/10	-
7	6V1	U	161	7	-	1/6/25/27	0/1/1/1
7	6V1	G	161	7	-	1/6/25/27	0/1/1/1
15	OAS	c	2	15	-	3/3/5/9	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	YCM	Q	63	3	-	3/6/8/10	-
10	6V1	X	91	10	-	2/6/25/27	0/1/1/1
15	6V9	c	1	15	-	0/0/2/4	0/1/1/1
15	OAS	d	2	15	-	3/3/5/9	-
15	OAS	c	3	15	-	0/3/5/9	-

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	G	47	6V1	CB-SG	-6.08	1.75	1.82
10	J	91	6V1	C1-SG	-5.28	1.77	1.83
7	U	47	6V1	CB-SG	-4.91	1.76	1.82
7	U	161	6V1	CB-SG	-4.51	1.77	1.82
10	X	91	6V1	C1-SG	-4.46	1.78	1.83
5	E	148	6V1	CB-SG	-4.17	1.77	1.82
5	S	148	6V1	CB-SG	-4.02	1.77	1.82
7	G	47	6V1	C2-N3	-3.99	1.33	1.38
7	G	47	6V1	C1-SG	3.95	1.87	1.83
3	Q	63	YCM	CD-SG	-3.49	1.72	1.81
5	S	148	6V1	C2-N3	-3.20	1.34	1.38
7	G	47	6V1	C4-N3	-3.20	1.33	1.38
10	X	91	6V1	O7-C2	3.15	1.28	1.22
7	G	161	6V1	CB-SG	-3.07	1.78	1.82
7	G	137	YCM	CD-SG	2.99	1.89	1.81
7	G	161	6V1	C4-N3	-2.99	1.33	1.38
7	G	137	YCM	CE-NZ2	2.99	1.42	1.32
5	E	148	6V1	C2-N3	-2.80	1.34	1.38
5	S	148	6V1	C5-C4	2.79	1.54	1.50
7	U	47	6V1	C2-N3	-2.73	1.34	1.38
7	G	137	YCM	CB-SG	-2.71	1.70	1.80
7	U	137	YCM	CB-SG	-2.63	1.70	1.80
10	J	91	6V1	O7-C2	2.61	1.27	1.22
7	U	47	6V1	C4-N3	-2.57	1.34	1.38
7	G	47	6V1	C5-C4	2.43	1.54	1.50
7	G	161	6V1	C2-N3	-2.38	1.35	1.38
7	U	161	6V1	C2-N3	-2.35	1.35	1.38
5	S	148	6V1	C4-N3	-2.31	1.34	1.38
10	X	91	6V1	C4-N3	-2.26	1.35	1.38
7	U	47	6V1	C1-SG	-2.19	1.80	1.83
15	d	2	OAS	CA-N	-2.07	1.41	1.48
7	G	137	YCM	CB-CA	-2.02	1.48	1.53



All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	J	91	6V1	C5-C4-N3	9.81	113.91	108.13
10	X	91	6V1	C5-C4-N3	8.99	113.43	108.13
10	X	91	6V1	O7-C2-N3	8.39	134.40	124.14
10	J	91	6V1	O7-C2-N3	7.23	132.99	124.14
5	E	148	6V1	C2-N3-C4	-7.09	108.83	113.04
10	X	91	6V1	C6-N3-C2	6.47	131.56	123.36
7	G	47	6V1	C2-N3-C4	-6.18	109.37	113.04
10	J	91	6V1	C6-N3-C2	6.00	130.97	123.36
3	Q	63	YCM	CE-CD-SG	-5.93	96.12	113.59
7	U	161	6V1	C2-N3-C4	-5.81	109.59	113.04
5	S	148	6V1	C5-C4-N3	5.66	111.46	108.13
15	d	1	6V9	O1-C4-C3	-5.62	118.90	124.22
15	d	1	6V9	C2-C1-S	5.58	127.63	120.12
7	U	161	6V1	C5-C4-N3	5.34	111.28	108.13
5	E	148	6V1	C5-C4-N3	5.25	111.23	108.13
15	d	2	OAS	C1A-OG-CB	4.55	131.50	112.42
7	G	161	6V1	O8-C4-N3	4.47	128.87	123.92
15	d	2	OAS	OG-CB-CA	4.45	121.88	109.39
10	X	91	6V1	C2-N3-C4	-4.42	110.42	113.04
7	G	137	YCM	CE-CD-SG	4.37	126.45	113.59
5	S	148	6V1	C2-N3-C4	-4.37	110.45	113.04
7	U	47	6V1	C2-N3-C4	-4.33	110.47	113.04
10	J	91	6V1	C2-N3-C4	-4.27	110.50	113.04
10	X	91	6V1	C6-N3-C4	-4.20	117.11	122.59
10	J	91	6V1	C6-N3-C4	-4.05	117.31	122.59
15	c	1	6V9	O1-C4-C3	-3.69	120.73	124.22
7	U	161	6V1	O8-C4-C5	-3.68	121.89	127.24
10	X	91	6V1	O8-C4-C5	-3.60	122.00	127.24
3	Q	63	YCM	CA-CB-SG	-3.41	101.24	113.74
7	U	47	6V1	C5-C4-N3	3.40	110.14	108.13
15	c	2	OAS	OG-CB-CA	3.29	118.64	109.39
10	J	91	6V1	O8-C4-C5	-2.96	122.92	127.24
15	c	1	6V9	C2-C1-S	2.86	123.96	120.12
7	G	161	6V1	O7-C2-N3	2.80	127.56	124.14
7	G	161	6V1	O8-C4-C5	-2.74	123.25	127.24
7	U	137	YCM	CE-CD-SG	2.70	121.53	113.59
7	U	161	6V1	O8-C4-N3	2.63	126.83	123.92
7	U	161	6V1	C6-N3-C2	2.58	126.63	123.36
3	Q	63	YCM	CB-SG-CD	2.58	128.38	104.44
7	U	137	YCM	OZ1-CE-NZ2	-2.46	115.79	122.50
5	E	148	6V1	C6-N3-C4	2.29	125.58	122.59
5	S	148	6V1	C6-N3-C2	2.19	126.14	123.36

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	U	47	6V1	O8-C4-C5	-2.17	124.07	127.24
7	G	161	6V1	C2-N3-C4	-2.09	111.80	113.04

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	U	47	6V1	C1

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
10	J	91	6V1	C3-C6-N3-C2
10	J	91	6V1	C3-C6-N3-C4
5	E	148	6V1	C3-C6-N3-C2
5	E	148	6V1	C3-C6-N3-C4
7	U	137	YCM	CE-CD-SG-CB
7	G	137	YCM	CE-CD-SG-CB
7	G	137	YCM	SG-CD-CE-NZ2
15	c	2	OAS	N-CA-CB-OG
15	c	2	OAS	C-CA-CB-OG
15	c	2	OAS	CA-CB-OG-C1A
3	Q	63	YCM	CE-CD-SG-CB
3	Q	63	YCM	SG-CD-CE-OZ1
3	Q	63	YCM	SG-CD-CE-NZ2
10	X	91	6V1	C3-C6-N3-C2
10	X	91	6V1	C3-C6-N3-C4
15	d	2	OAS	N-CA-CB-OG
15	d	2	OAS	C-CA-CB-OG
5	S	148	6V1	C3-C6-N3-C2
5	S	148	6V1	C3-C6-N3-C4
15	d	2	OAS	CA-CB-OG-C1A
3	C	63	YCM	CE-CD-SG-CB
7	U	137	YCM	N-CA-CB-SG
7	U	137	YCM	SG-CD-CE-NZ2
7	U	161	6V1	N-CA-CB-SG
7	G	161	6V1	N-CA-CB-SG

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 83 ligands modelled in this entry, 74 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
19	1PE	W	303	-	15,15,15	0.66	0	14,14,14	0.46	0
19	1PE	I	304	-	15,15,15	0.55	0	14,14,14	0.91	1 (7%)
19	1PE	V	304	-	15,15,15	0.77	0	14,14,14	0.83	1 (7%)
19	1PE	Z	301	-	15,15,15	0.64	0	14,14,14	0.58	0
19	1PE	M	305	-	15,15,15	0.57	0	14,14,14	0.37	0
19	1PE	L	301	-	15,15,15	0.62	0	14,14,14	0.77	0
19	1PE	H	306	-	15,15,15	0.60	0	14,14,14	0.49	0
19	1PE	I	303	-	15,15,15	0.55	0	14,14,14	1.00	1 (7%)
19	1PE	H	305	-	15,15,15	0.59	0	14,14,14	0.66	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
19	1PE	W	303	-	-	8/13/13/13	-
19	1PE	I	304	-	-	5/13/13/13	-
19	1PE	V	304	-	-	7/13/13/13	-
19	1PE	Z	301	-	-	5/13/13/13	-
19	1PE	M	305	-	-	7/13/13/13	-
19	1PE	L	301	-	-	7/13/13/13	-
19	1PE	H	306	-	-	7/13/13/13	-
19	1PE	I	303	-	-	7/13/13/13	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
19	1PE	H	305	-	-	4/13/13/13	-

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
19	I	303	1PE	C25-OH5-C14	2.43	123.82	113.29
19	I	304	1PE	OH6-C15-C25	-2.26	100.20	110.39
19	V	304	1PE	OH5-C25-C15	2.00	119.42	110.39

There are no chirality outliers.

All (57) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
19	I	304	1PE	C24-C14-OH5-C25
19	I	303	1PE	C15-C25-OH5-C14
19	Z	301	1PE	C16-C26-OH6-C15
19	L	301	1PE	C16-C26-OH6-C15
19	W	303	1PE	OH6-C15-C25-OH5
19	H	306	1PE	OH4-C13-C23-OH3
19	V	304	1PE	OH4-C13-C23-OH3
19	I	304	1PE	OH4-C13-C23-OH3
19	M	305	1PE	OH5-C14-C24-OH4
19	Z	301	1PE	OH6-C15-C25-OH5
19	H	306	1PE	OH5-C14-C24-OH4
19	V	304	1PE	OH6-C15-C25-OH5
19	H	305	1PE	OH4-C13-C23-OH3
19	I	304	1PE	OH5-C14-C24-OH4
19	I	303	1PE	OH6-C15-C25-OH5
19	L	301	1PE	OH6-C15-C25-OH5
19	I	304	1PE	OH2-C12-C22-OH3
19	H	306	1PE	OH7-C16-C26-OH6
19	V	304	1PE	C24-C14-OH5-C25
19	H	305	1PE	OH2-C12-C22-OH3
19	V	304	1PE	OH2-C12-C22-OH3
19	L	301	1PE	OH5-C14-C24-OH4
19	Z	301	1PE	OH2-C12-C22-OH3
19	M	305	1PE	OH4-C13-C23-OH3
19	M	305	1PE	OH6-C15-C25-OH5
19	L	301	1PE	C25-C15-OH6-C26
19	I	303	1PE	OH2-C12-C22-OH3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
19	M	305	1PE	OH2-C12-C22-OH3
19	L	301	1PE	OH2-C12-C22-OH3
19	H	305	1PE	OH7-C16-C26-OH6
19	I	303	1PE	C24-C14-OH5-C25
19	L	301	1PE	C13-C23-OH3-C22
19	W	303	1PE	C23-C13-OH4-C24
19	W	303	1PE	C24-C14-OH5-C25
19	Z	301	1PE	C12-C22-OH3-C23
19	M	305	1PE	C23-C13-OH4-C24
19	M	305	1PE	OH7-C16-C26-OH6
19	W	303	1PE	C13-C23-OH3-C22
19	H	306	1PE	C13-C23-OH3-C22
19	H	306	1PE	C23-C13-OH4-C24
19	W	303	1PE	C12-C22-OH3-C23
19	V	304	1PE	C12-C22-OH3-C23
19	H	306	1PE	C25-C15-OH6-C26
19	I	304	1PE	OH6-C15-C25-OH5
19	H	306	1PE	OH2-C12-C22-OH3
19	H	305	1PE	C12-C22-OH3-C23
19	W	303	1PE	OH5-C14-C24-OH4
19	I	303	1PE	C14-C24-OH4-C13
19	M	305	1PE	C14-C24-OH4-C13
19	Z	301	1PE	OH4-C13-C23-OH3
19	L	301	1PE	C23-C13-OH4-C24
19	V	304	1PE	C25-C15-OH6-C26
19	I	303	1PE	C25-C15-OH6-C26
19	W	303	1PE	OH2-C12-C22-OH3
19	V	304	1PE	OH5-C14-C24-OH4
19	I	303	1PE	OH5-C14-C24-OH4
19	W	303	1PE	C14-C24-OH4-C13

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	230/234 (98%)	-0.01	4 (1%) 70 72	30, 47, 80, 96	0
1	O	230/234 (98%)	0.40	16 (6%) 16 18	40, 62, 100, 123	0
2	B	248/261 (95%)	0.07	8 (3%) 47 50	34, 49, 89, 136	0
2	P	247/261 (94%)	0.30	17 (6%) 16 19	39, 58, 99, 134	0
3	C	236/248 (95%)	0.42	14 (5%) 22 25	34, 59, 102, 140	0
3	Q	239/248 (96%)	0.68	28 (11%) 4 5	35, 63, 118, 149	0
4	D	233/241 (96%)	0.30	10 (4%) 35 38	36, 56, 86, 121	0
4	R	233/241 (96%)	-0.00	5 (2%) 63 66	33, 44, 67, 92	0
5	E	233/263 (88%)	0.17	11 (4%) 31 34	29, 42, 87, 105	0
5	S	235/263 (89%)	0.10	7 (2%) 50 53	34, 48, 81, 106	0
6	F	239/255 (93%)	-0.01	0 100 100	26, 36, 57, 75	0
6	T	240/255 (94%)	0.27	9 (3%) 40 43	35, 51, 85, 110	0
7	G	241/246 (97%)	0.06	4 (1%) 70 72	27, 40, 74, 106	0
7	U	235/246 (95%)	0.38	14 (5%) 21 24	41, 59, 93, 129	0
8	H	220/234 (94%)	0.07	4 (1%) 68 71	28, 37, 68, 100	0
8	V	220/234 (94%)	0.05	7 (3%) 47 50	38, 49, 81, 103	0
9	I	204/205 (99%)	-0.07	0 100 100	29, 37, 58, 73	0
9	W	204/205 (99%)	-0.06	0 100 100	37, 49, 71, 78	0
10	J	195/201 (97%)	-0.11	1 (0%) 91 92	29, 40, 57, 70	0
10	X	195/201 (97%)	-0.13	0 100 100	33, 42, 56, 69	0
11	K	200/204 (98%)	-0.03	1 (0%) 91 92	33, 44, 68, 83	0
11	Y	199/204 (97%)	-0.08	1 (0%) 91 92	27, 36, 58, 69	0
12	L	213/213 (100%)	0.00	0 100 100	33, 48, 70, 85	0
12	Z	213/213 (100%)	-0.05	0 100 100	28, 38, 60, 74	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
13	M	216/219 (98%)	0.02	1 (0%) 91 92	27, 39, 61, 89	0
13	a	216/219 (98%)	-0.05	1 (0%) 91 92	29, 40, 61, 81	0
14	N	202/205 (98%)	-0.02	2 (0%) 82 84	27, 35, 55, 87	0
14	b	203/205 (99%)	-0.06	1 (0%) 91 92	32, 40, 66, 96	0
15	c	0/4	-	-	-	-
15	d	0/4	-	-	-	-
All	All	6219/6466 (96%)	0.10	166 (2%) 54 57	26, 45, 84, 149	0

All (166) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	P	204	SER	15.3
1	O	232	ILE	10.9
4	D	241	ILE	10.1
3	Q	232	ILE	8.3
5	E	54	SER	8.2
3	Q	234	LYS	8.0
2	P	203	VAL	7.5
3	C	49	SER	7.4
8	V	203	ARG	6.8
5	E	52	ALA	6.7
13	a	216	SER	6.6
7	U	2	SER	6.4
3	Q	202	GLY	6.4
7	G	187	PHE	6.3
3	Q	229	VAL	6.1
3	Q	200	GLN	6.0
2	B	61	PHE	5.9
3	Q	238	GLU	5.9
3	Q	233	GLU	5.6
2	P	61	PHE	5.6
3	Q	240	GLU	5.6
3	Q	48	LYS	5.6
11	K	40	TYR	5.5
3	Q	236	LYS	5.4
2	B	203	VAL	5.3
3	C	225	ILE	5.3
3	C	138	PHE	5.2
5	E	53	GLN	5.2
11	Y	40	TYR	5.1
4	R	241	ILE	5.1

Continued on next page...

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
5	E	56	LEU	5.0
1	O	177	TYR	4.9
3	Q	201	SER	4.9
3	Q	225	ILE	4.7
8	H	204	CYS	4.7
3	C	202	GLY	4.6
2	P	247	ALA	4.6
4	D	237	VAL	4.6
3	Q	47	LYS	4.6
3	Q	230	ALA	4.6
2	P	205	LYS	4.5
7	G	189	TRP	4.5
8	V	198	ARG	4.4
7	U	3	ARG	4.4
3	Q	223	GLU	4.3
3	Q	203	GLY	4.3
1	O	201	GLN	4.3
7	G	188	ASP	4.3
5	S	57	ALA	4.3
8	H	203	ARG	4.2
8	V	199	LEU	4.2
6	T	54	LEU	4.1
7	U	242	LEU	4.1
4	R	127	ASP	4.0
3	C	236	LYS	4.0
7	U	208	ILE	3.9
3	C	200	GLN	3.9
7	U	243	ALA	3.9
6	T	205	LYS	3.9
3	Q	239	ASN	3.8
6	T	206	ASP	3.8
7	U	206	LEU	3.7
5	S	54	SER	3.7
2	P	234	GLU	3.7
7	U	58	ASP	3.7
2	P	202	ASP	3.6
1	O	157	TRP	3.6
8	V	202	TYR	3.6
6	T	208	ALA	3.5
2	B	247	ALA	3.5
5	E	201	ALA	3.4
2	P	51	ASN	3.4

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
4	D	240	ASP	3.4
1	O	3	ARG	3.4
10	J	1[A]	MET	3.4
3	Q	192	ILE	3.4
5	E	58	ALA	3.4
5	S	56	LEU	3.4
2	P	230	GLN	3.4
3	C	48	LYS	3.3
3	Q	237	GLU	3.3
1	O	181	LEU	3.3
7	U	212	PRO	3.3
4	R	130	PRO	3.2
3	C	98	VAL	3.2
8	H	201	ARG	3.2
7	U	199	ILE	3.2
4	R	128	ALA	3.1
1	O	184	GLU	3.0
3	Q	226	GLU	3.0
3	Q	49	SER	3.0
7	U	57	PRO	3.0
1	O	59	ARG	3.0
3	Q	205	ASN	3.0
6	T	209	PHE	2.9
5	E	59	HIS	2.9
2	P	220	ASN	2.9
3	C	233	GLU	2.9
3	Q	219	ILE	2.9
2	P	58	GLU	2.9
5	S	53	GLN	2.8
1	A	231	ALA	2.8
5	E	237	GLU	2.8
1	O	176	ARG	2.8
2	P	233	VAL	2.8
3	C	201	SER	2.7
8	H	202	TYR	2.7
6	T	5	THR	2.7
7	G	3	ARG	2.7
3	Q	204	LYS	2.7
5	E	235	GLY	2.7
3	C	229	VAL	2.7
13	M	215	ILE	2.7
1	O	175	LYS	2.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
3	Q	138	PHE	2.6
4	D	223	GLY	2.6
2	B	248	GLU	2.6
5	E	60	GLN	2.6
5	S	239	ARG	2.6
2	B	202	ASP	2.6
5	S	174	ARG	2.5
6	T	207	LYS	2.5
2	B	249	ARG	2.5
7	U	56	VAL	2.5
4	D	130	PRO	2.4
3	C	232	ILE	2.4
3	Q	220	LEU	2.4
5	S	51	ARG	2.4
2	B	205	LYS	2.4
7	U	240	VAL	2.4
7	U	196	GLU	2.4
2	B	204	SER	2.4
1	O	50	LYS	2.4
2	P	53	HIS	2.4
4	R	131	GLY	2.3
1	A	232	ILE	2.3
3	C	171	PHE	2.3
1	A	230	ALA	2.3
4	D	239	LYS	2.3
6	T	6	GLY	2.2
4	D	183	GLU	2.2
14	N	201	THR	2.2
1	O	225	VAL	2.2
1	O	199	GLU	2.2
1	O	182	GLU	2.2
4	D	128	ALA	2.2
3	C	203	GLY	2.2
1	O	191	ILE	2.2
6	T	180	GLN	2.2
8	V	201	ARG	2.2
4	D	127	ASP	2.2
2	P	52	ILE	2.2
3	Q	56	GLU	2.1
4	D	131	GLY	2.1
8	V	204	CYS	2.1
14	b	199	VAL	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	P	246	LYS	2.1
1	A	3	ARG	2.1
1	O	56	TYR	2.1
8	V	196	GLY	2.1
2	P	201	MET	2.1
14	N	199	VAL	2.1
3	Q	199	VAL	2.1
2	P	244	GLU	2.1
5	E	202	GLU	2.0
7	U	177	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
7	6V1	U	47	15/16	0.83	0.28	73,107,113,116	0
7	YCM	U	137	10/11	0.85	0.24	51,60,74,76	0
3	YCM	C	63	10/11	0.90	0.10	52,53,61,61	0
10	6V1	X	91	15/16	0.91	0.20	35,54,58,65	0
3	YCM	Q	63	10/11	0.92	0.10	52,54,64,65	0
7	YCM	G	137	10/11	0.92	0.10	31,40,53,56	0
7	6V1	U	161	15/16	0.93	0.13	53,71,79,80	0
10	6V1	J	91	15/16	0.93	0.19	33,51,56,57	0
5	6V1	E	148	15/16	0.93	0.14	33,49,59,60	0
5	6V1	S	148	15/16	0.94	0.16	37,61,67,67	0
7	6V1	G	47	15/16	0.95	0.16	38,57,61,61	0
7	6V1	G	161	15/16	0.96	0.12	33,51,58,61	0
15	OAS	c	2	7/10	0.96	0.12	34,37,41,44	0
15	OAS	d	2	7/10	0.97	0.13	27,30,37,40	0
15	6V9	c	1	8/9	0.98	0.08	38,39,41,42	0
15	OAS	d	3	7/10	0.98	0.10	27,28,29,30	0
15	OAS	c	3	7/10	0.98	0.12	35,35,38,38	0
15	6V9	d	1	8/9	0.99	0.09	33,33,35,36	0

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands i

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
19	1PE	M	305	16/16	0.78	0.24	70,73,87,90	0
19	1PE	I	304	16/16	0.82	0.22	53,62,77,81	0
16	CL	O	303	1/1	0.83	0.18	85,85,85,85	0
19	1PE	L	301	16/16	0.84	0.13	53,64,70,71	0
19	1PE	W	303	16/16	0.87	0.12	52,61,70,71	0
19	1PE	H	306	16/16	0.87	0.24	55,66,88,88	0
16	CL	V	302	1/1	0.88	0.08	56,56,56,56	0
16	CL	A	302	1/1	0.88	0.09	65,65,65,65	0
19	1PE	Z	301	16/16	0.89	0.12	53,61,66,66	0
19	1PE	I	303	16/16	0.89	0.14	50,55,61,67	0
16	CL	V	303	1/1	0.90	0.07	59,59,59,59	0
19	1PE	V	304	16/16	0.90	0.12	44,54,78,83	0
16	CL	H	303	1/1	0.91	0.07	53,53,53,53	0
16	CL	K	305	1/1	0.91	0.14	59,59,59,59	0
16	CL	C	301	1/1	0.92	0.12	60,60,60,60	0
19	1PE	H	305	16/16	0.92	0.13	39,53,62,62	0
16	CL	D	301	1/1	0.92	0.15	66,66,66,66	0
16	CL	R	301	1/1	0.93	0.10	57,57,57,57	0
18	MG	W	301	1/1	0.93	0.07	38,38,38,38	0
16	CL	Q	301	1/1	0.93	0.19	67,67,67,67	0
16	CL	Q	302	1/1	0.93	0.14	63,63,63,63	0
16	CL	a	303	1/1	0.94	0.09	56,56,56,56	0
16	CL	M	302	1/1	0.94	0.11	61,61,61,61	0
16	CL	O	302	1/1	0.94	0.06	59,59,59,59	0
16	CL	O	304	1/1	0.94	0.11	62,62,62,62	0
16	CL	K	304	1/1	0.95	0.18	60,60,60,60	0
16	CL	Y	305	1/1	0.95	0.17	59,59,59,59	0
16	CL	Y	304	1/1	0.95	0.06	56,56,56,56	0
16	CL	D	302	1/1	0.95	0.14	61,61,61,61	0
18	MG	V	301	1/1	0.95	0.07	53,53,53,53	0
16	CL	O	301	1/1	0.95	0.07	55,55,55,55	0
16	CL	Y	303	1/1	0.95	0.04	67,67,67,67	0
16	CL	b	301	1/1	0.95	0.07	48,48,48,48	0
16	CL	P	301	1/1	0.96	0.06	52,52,52,52	0
18	MG	H	301	1/1	0.96	0.04	45,45,45,45	0
16	CL	N	303	1/1	0.96	0.06	47,47,47,47	0
16	CL	C	302	1/1	0.96	0.12	62,62,62,62	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
16	CL	b	302	1/1	0.96	0.14	62,62,62,62	0
16	CL	S	301	1/1	0.96	0.29	65,65,65,65	0
16	CL	S	302	1/1	0.96	0.08	62,62,62,62	0
16	CL	M	301	1/1	0.96	0.21	57,57,57,57	0
16	CL	B	301	1/1	0.96	0.08	41,41,41,41	0
16	CL	a	301	1/1	0.96	0.12	60,60,60,60	0
18	MG	I	301	1/1	0.96	0.10	34,34,34,34	0
17	K	b	305	1/1	0.96	0.06	46,46,46,46	0
18	MG	J	301	1/1	0.96	0.04	51,51,51,51	0
16	CL	K	303	1/1	0.97	0.04	69,69,69,69	0
17	K	L	302	1/1	0.97	0.05	50,50,50,50	0
16	CL	A	301	1/1	0.97	0.07	48,48,48,48	0
16	CL	K	302	1/1	0.97	0.08	38,38,38,38	0
16	CL	b	303	1/1	0.97	0.09	51,51,51,51	0
16	CL	E	302	1/1	0.97	0.07	51,51,51,51	0
18	MG	I	305	1/1	0.97	0.07	30,30,30,30	0
18	MG	L	303	1/1	0.97	0.07	39,39,39,39	0
16	CL	B	302	1/1	0.97	0.10	57,57,57,57	0
18	MG	X	301	1/1	0.97	0.03	53,53,53,53	0
16	CL	W	302	1/1	0.97	0.06	50,50,50,50	0
17	K	U	302	1/1	0.97	0.04	42,42,42,42	0
16	CL	b	304	1/1	0.97	0.08	51,51,51,51	0
16	CL	N	301	1/1	0.97	0.10	43,43,43,43	0
16	CL	I	302	1/1	0.97	0.08	44,44,44,44	0
16	CL	a	302	1/1	0.97	0.08	47,47,47,47	0
16	CL	R	302	1/1	0.97	0.12	53,53,53,53	0
18	MG	K	301	1/1	0.98	0.05	35,35,35,35	0
16	CL	A	304	1/1	0.98	0.09	56,56,56,56	0
16	CL	A	303	1/1	0.98	0.06	49,49,49,49	0
16	CL	M	304	1/1	0.98	0.10	54,54,54,54	0
16	CL	E	303	1/1	0.98	0.07	57,57,57,57	0
16	CL	U	301	1/1	0.98	0.11	54,54,54,54	0
16	CL	G	301	1/1	0.98	0.10	46,46,46,46	0
16	CL	F	301	1/1	0.98	0.06	51,51,51,51	0
16	CL	G	302	1/1	0.98	0.05	61,61,61,61	0
16	CL	H	304	1/1	0.98	0.05	49,49,49,49	0
16	CL	Y	302	1/1	0.98	0.12	59,59,59,59	0
16	CL	N	302	1/1	0.98	0.07	47,47,47,47	0
16	CL	S	303	1/1	0.98	0.05	53,53,53,53	0
17	K	N	304	1/1	0.99	0.06	41,41,41,41	0
17	K	Z	302	1/1	0.99	0.06	42,42,42,42	0
18	MG	H	302	1/1	0.99	0.11	34,34,34,34	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
16	CL	E	301	1/1	0.99	0.11	57,57,57,57	0
16	CL	M	303	1/1	0.99	0.05	44,44,44,44	0
17	K	G	303	1/1	0.99	0.06	35,35,35,35	0
16	CL	Y	301	1/1	0.99	0.13	35,35,35,35	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.