



# Full wwPDB NMR Structure Validation Report ⓘ

Apr 21, 2024 – 08:25 AM EDT

PDB ID : 2LH0  
BMRB ID : 17832  
Title : NMR structure of the histone-interacting N-terminal homodimeric region of Rtt106  
Authors : Hu, Q.; Cui, G.; Mer, G.  
Deposited on : 2011-08-04

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
wwPDB-RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
wwPDB-ShiftChecker : v1.2  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 46%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	70	
1	B	70	

## 2 Ensemble composition and analysis

This entry contains 20 models. Model 18 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:11-A:39, B:83-B:109 (56)	0.60	18

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters and 1 single-model cluster was found.

Cluster number	Models
1	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19
2	1, 20
Single-model clusters	2

### 3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2284 atoms, of which 1144 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Histone chaperone RTT106.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	70	1142	356	572	97	115	2	0
1	B	70	1142	356	572	97	115	2	0

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP P40161
A	-1	HIS	-	expression tag	UNP P40161
A	0	MET	-	expression tag	UNP P40161
A	48	GLU	GLY	variant	UNP P40161
A	49	HIS	ARG	variant	UNP P40161
A	57	ASP	VAL	variant	UNP P40161
B	68	GLY	-	expression tag	UNP P40161
B	69	HIS	-	expression tag	UNP P40161
B	70	MET	-	expression tag	UNP P40161
B	118	GLU	GLY	variant	UNP P40161
B	119	HIS	ARG	variant	UNP P40161
B	127	ASP	VAL	variant	UNP P40161

## 4 Residue-property plots [i](#)


### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Histone chaperone RTT106



- Molecule 1: Histone chaperone RTT106




### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


#### 4.2.1 Score per residue for model 1

- Molecule 1: Histone chaperone RTT106





- Molecule 1: Histone chaperone RTT106



#### 4.2.2 Score per residue for model 2

- Molecule 1: Histone chaperone RTT106




- Molecule 1: Histone chaperone RTT106




#### 4.2.3 Score per residue for model 3

- Molecule 1: Histone chaperone RTT106




- Molecule 1: Histone chaperone RTT106




#### 4.2.4 Score per residue for model 4

- Molecule 1: Histone chaperone RTT106




- Molecule 1: Histone chaperone RTT106




#### 4.2.5 Score per residue for model 5

- Molecule 1: Histone chaperone RTT106



- Molecule 1: Histone chaperone RTT106



E136  
I137

## 4.2.6 Score per residue for model 6

- Molecule 1: Histone chaperone RTT106

Chain A: 17% 20% . 59%

K63  
T64  
D65  
E66  
I67

- Molecule 1: Histone chaperone RTT106

Chain B: 14% 19% 6% 61%

D130  
L131  
L132  
K133  
T134  
D135  
E136  
I137

## 4.2.7 Score per residue for model 7


- Molecule 1: Histone chaperone RTT106

Chain A: 23% 16% . 59%

D65  
E66  
I67

- Molecule 1: Histone chaperone RTT106


Chain B: 17% 20% . 61%

K133  
I134  
D135  
E136  
I137




### 4.2.8 Score per residue for model 8

- Molecule 1: Histone chaperone RTT106




- Molecule 1: Histone chaperone RTT106



### 4.2.9 Score per residue for model 9

- Molecule 1: Histone chaperone RTT106




- Molecule 1: Histone chaperone RTT106



### 4.2.10 Score per residue for model 10


- Molecule 1: Histone chaperone RTT106





- Molecule 1: Histone chaperone RTT106


Chain B: 13% 21% . 61%



#### 4.2.11 Score per residue for model 11


- Molecule 1: Histone chaperone RTT106

Chain A: 20% 19% . 59%



- Molecule 1: Histone chaperone RTT106


Chain B: 14% 20% . 61%




#### 4.2.12 Score per residue for model 12

- Molecule 1: Histone chaperone RTT106

Chain A: 16% 23% . 59%




- Molecule 1: Histone chaperone RTT106




#### 4.2.13 Score per residue for model 13

- Molecule 1: Histone chaperone RTT106




- Molecule 1: Histone chaperone RTT106




#### 4.2.14 Score per residue for model 14

- Molecule 1: Histone chaperone RTT106




- Molecule 1: Histone chaperone RTT106






#### 4.2.15 Score per residue for model 15

- Molecule 1: Histone chaperone RTT106




- Molecule 1: Histone chaperone RTT106




#### 4.2.16 Score per residue for model 16

- Molecule 1: Histone chaperone RTT106




- Molecule 1: Histone chaperone RTT106




## 4.2.17 Score per residue for model 17

- Molecule 1: Histone chaperone RTT106




- Molecule 1: Histone chaperone RTT106




## 4.2.18 Score per residue for model 18 (medoid)

- Molecule 1: Histone chaperone RTT106




- Molecule 1: Histone chaperone RTT106




## 4.2.19 Score per residue for model 19

- Molecule 1: Histone chaperone RTT106






- Molecule 1: Histone chaperone RTT106




#### 4.2.20 Score per residue for model 20

- Molecule 1: Histone chaperone RTT106



- Molecule 1: Histone chaperone RTT106



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 200 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	structure solution	1.2
CNS	refinement	1.2

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	803
Number of shifts mapped to atoms	803
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	46%

## 6 Model quality

### 6.1 Standard geometry

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	235	249	249	14±4
1	B	220	238	238	13±2
All	All	9100	9740	9740	443

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:24:LEU:HD13	1:B:94:LEU:HD13	1.03	1.31	8	4
1:A:24:LEU:HD23	1:B:94:LEU:HD13	0.95	1.38	11	4
1:B:91:VAL:HG11	1:B:98:LEU:HD12	0.94	1.37	12	3
1:A:21:VAL:HG11	1:A:28:LEU:HD12	0.90	1.41	19	3
1:A:17:ILE:O	1:A:21:VAL:HG23	0.84	1.72	9	20
1:B:98:LEU:HD13	1:B:99:GLU:N	0.83	1.88	2	1
1:B:91:VAL:CG1	1:B:98:LEU:HD12	0.83	2.03	12	3
1:B:94:LEU:HD23	1:B:97:SER:CB	0.82	2.04	19	9
1:B:87:ILE:O	1:B:91:VAL:HG23	0.82	1.74	20	20
1:A:28:LEU:HD13	1:A:29:GLU:N	0.82	1.89	1	1
1:A:21:VAL:CG1	1:A:28:LEU:HD12	0.80	2.06	19	3
1:B:94:LEU:HD12	1:B:97:SER:CB	0.80	2.05	14	2
1:B:86:LYS:O	1:B:89:THR:HG22	0.79	1.77	6	15

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:24:LEU:HD12	1:A:27:SER:CB	0.78	2.08	14	1
1:A:34:LEU:HD22	1:A:34:LEU:O	0.78	1.77	15	3
1:A:23:VAL:HG12	1:B:94:LEU:HD11	0.77	1.54	5	1
1:B:94:LEU:HD13	1:B:97:SER:CB	0.77	2.10	16	2
1:A:23:VAL:CG1	1:B:94:LEU:HD11	0.77	2.10	5	2
1:B:94:LEU:HD12	1:B:97:SER:HB2	0.76	1.56	15	7
1:A:21:VAL:HG22	1:A:28:LEU:CD1	0.76	2.11	4	2
1:B:104:LEU:O	1:B:104:LEU:HD22	0.75	1.80	13	1
1:A:24:LEU:HD13	1:A:27:SER:CB	0.75	2.12	7	5
1:A:24:LEU:HD23	1:A:27:SER:CB	0.72	2.15	13	7
1:B:104:LEU:HD12	1:B:105:TYR:N	0.71	2.00	17	2
1:A:24:LEU:HD12	1:A:27:SER:OG	0.71	1.86	12	1
1:B:98:LEU:O	1:B:98:LEU:HD12	0.70	1.87	17	5
1:A:24:LEU:HD13	1:B:94:LEU:CD1	0.69	2.18	17	3
1:A:13:LEU:HD22	1:A:17:ILE:HD11	0.69	1.65	14	3
1:A:16:LYS:O	1:A:19:THR:HG22	0.68	1.88	17	11
1:A:23:VAL:HG12	1:B:94:LEU:HD21	0.68	1.64	4	2
1:A:24:LEU:HD12	1:A:27:SER:HB2	0.68	1.64	2	6
1:B:104:LEU:HD13	1:B:105:TYR:N	0.67	2.05	13	1
1:B:91:VAL:HG13	1:B:98:LEU:HD12	0.67	1.64	15	1
1:B:86:LYS:O	1:B:90:VAL:HG23	0.67	1.89	20	6
1:A:24:LEU:HD23	1:B:94:LEU:CD1	0.67	2.17	11	2
1:A:34:LEU:HD13	1:A:35:TYR:N	0.67	2.05	15	3
1:A:28:LEU:HD12	1:A:28:LEU:O	0.66	1.89	20	5
1:A:24:LEU:HB2	1:B:94:LEU:HD22	0.64	1.69	8	5
1:B:94:LEU:HD12	1:B:97:SER:HB3	0.64	1.69	14	1
1:A:24:LEU:CD2	1:B:94:LEU:HD13	0.64	2.20	11	4
1:B:84:SER:HA	1:B:87:ILE:HD12	0.64	1.69	14	4
1:A:24:LEU:HD12	1:A:27:SER:HB3	0.63	1.71	14	2
1:A:16:LYS:O	1:A:20:VAL:HG23	0.62	1.94	4	4
1:A:21:VAL:HG11	1:A:28:LEU:HD22	0.62	1.71	17	1
1:A:21:VAL:HG13	1:A:28:LEU:HD22	0.62	1.70	2	2
1:A:24:LEU:HD12	1:B:94:LEU:HB2	0.62	1.72	4	4
1:B:87:ILE:HG22	1:B:91:VAL:CG2	0.62	2.25	15	8
1:A:21:VAL:HG13	1:A:28:LEU:HD13	0.62	1.71	6	2
1:A:39:LEU:HD11	1:B:108:ALA:HB1	0.62	1.70	8	3
1:A:24:LEU:HD13	1:B:94:LEU:HD23	0.61	1.73	15	1
1:A:24:LEU:CD1	1:B:94:LEU:HD13	0.60	2.26	18	3
1:A:24:LEU:HD13	1:B:94:LEU:CD2	0.60	2.26	15	2
1:B:94:LEU:HD23	1:B:97:SER:HB3	0.59	1.72	2	3
1:A:14:SER:HA	1:A:17:ILE:HD12	0.59	1.73	10	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:B:93:VAL:O	1:B:94:LEU:HD22	0.58	1.99	9	3
1:A:24:LEU:HD23	1:A:27:SER:HB2	0.58	1.75	13	3
1:A:35:TYR:O	1:A:39:LEU:HD12	0.58	1.98	10	2
1:A:24:LEU:HD13	1:A:27:SER:HB3	0.58	1.73	9	2
1:A:31:PHE:CZ	1:B:91:VAL:HG22	0.57	2.34	12	1
1:A:24:LEU:HD13	1:A:27:SER:HB2	0.57	1.74	5	2
1:A:24:LEU:HD22	1:B:94:LEU:HB2	0.57	1.76	18	3
1:A:21:VAL:CG1	1:A:28:LEU:HD22	0.57	2.29	3	2
1:A:23:VAL:O	1:A:24:LEU:HD12	0.57	1.99	10	3
1:B:104:LEU:HD22	1:B:104:LEU:C	0.57	2.20	13	1
1:A:24:LEU:HD22	1:A:27:SER:HB2	0.56	1.76	20	3
1:A:34:LEU:HD12	1:A:35:TYR:N	0.56	2.16	2	1
1:A:23:VAL:O	1:A:24:LEU:HD22	0.56	2.01	12	3
1:A:20:VAL:HG21	1:B:97:SER:OG	0.55	2.02	6	4
1:A:23:VAL:CG1	1:B:94:LEU:HD21	0.54	2.32	9	2
1:B:94:LEU:HD23	1:B:97:SER:HB2	0.54	1.79	19	2
1:B:94:LEU:HD22	1:B:97:SER:HB2	0.54	1.78	10	2
1:A:34:LEU:HD22	1:A:34:LEU:C	0.54	2.22	15	3
1:B:94:LEU:HD13	1:B:97:SER:HB2	0.53	1.79	10	1
1:B:93:VAL:HG12	1:B:94:LEU:CD2	0.53	2.34	7	2
1:A:28:LEU:HD22	1:A:28:LEU:C	0.53	2.23	1	1
1:B:94:LEU:HD13	1:B:97:SER:HB3	0.53	1.81	16	1
1:A:34:LEU:HD13	1:A:34:LEU:C	0.53	2.24	15	2
1:B:91:VAL:HG22	1:B:98:LEU:CD1	0.53	2.33	10	1
1:A:27:SER:HA	1:A:30:ILE:HD12	0.53	1.79	19	3
1:B:98:LEU:C	1:B:98:LEU:HD22	0.52	2.24	2	1
1:A:20:VAL:HG11	1:B:97:SER:CB	0.52	2.34	11	2
1:A:24:LEU:HD12	1:B:94:LEU:HD13	0.52	1.79	20	1
1:A:23:VAL:HG12	1:A:24:LEU:CD2	0.52	2.34	11	4
1:A:21:VAL:HG11	1:A:28:LEU:CD2	0.51	2.34	17	1
1:B:98:LEU:HD22	1:B:98:LEU:O	0.51	2.05	2	1
1:A:39:LEU:HD23	1:B:109:LEU:HG	0.51	1.81	20	1
1:A:24:LEU:HD22	1:A:27:SER:CB	0.51	2.35	7	3
1:A:28:LEU:HD22	1:A:28:LEU:O	0.51	2.05	1	1
1:A:24:LEU:HD23	1:A:27:SER:HB3	0.51	1.81	8	3
1:A:21:VAL:HG13	1:A:28:LEU:CD2	0.51	2.36	3	2
1:A:20:VAL:HG11	1:B:97:SER:OG	0.51	2.06	11	5
1:A:31:PHE:CD2	1:B:101:PHE:CD2	0.50	3.00	4	6
1:B:97:SER:HA	1:B:100:ILE:HD12	0.50	1.83	3	3
1:A:39:LEU:HD21	1:B:108:ALA:O	0.50	2.06	8	1
1:A:24:LEU:HB2	1:B:94:LEU:HD12	0.50	1.82	10	1

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:39:LEU:HD21	1:B:108:ALA:HB1	0.50	1.84	17	1
1:A:13:LEU:HD23	1:A:16:LYS:HE2	0.49	1.82	7	1
1:B:106:LYS:HA	1:B:109:LEU:HD12	0.49	1.83	2	1
1:B:104:LEU:C	1:B:104:LEU:HD23	0.49	2.28	8	1
1:B:93:VAL:O	1:B:94:LEU:HD12	0.49	2.08	5	2
1:B:91:VAL:HG22	1:B:98:LEU:HD13	0.49	1.84	10	1
1:A:34:LEU:O	1:A:34:LEU:HD23	0.48	2.08	7	3
1:B:91:VAL:HG11	1:B:98:LEU:HD22	0.48	1.84	8	1
1:B:83:LEU:C	1:B:83:LEU:HD12	0.48	2.28	19	2
1:A:24:LEU:HD22	1:A:27:SER:HB3	0.48	1.85	7	1
1:A:23:VAL:C	1:A:24:LEU:HD22	0.48	2.29	12	2
1:A:27:SER:OG	1:B:90:VAL:HG11	0.48	2.09	1	4
1:B:104:LEU:HD13	1:B:104:LEU:C	0.48	2.29	13	1
1:A:31:PHE:CD2	1:B:101:PHE:CE2	0.47	3.03	17	2
1:A:34:LEU:C	1:A:34:LEU:HD13	0.47	2.30	19	1
1:A:17:ILE:HG22	1:A:21:VAL:CG2	0.47	2.40	18	1
1:A:25:PRO:HA	1:A:28:LEU:HD23	0.46	1.86	15	1
1:A:39:LEU:HD11	1:B:108:ALA:CB	0.46	2.40	8	1
1:A:17:ILE:O	1:A:20:VAL:HG12	0.46	2.11	6	2
1:A:27:SER:OG	1:B:90:VAL:HG21	0.46	2.10	2	2
1:B:105:TYR:O	1:B:109:LEU:HD12	0.46	2.11	6	1
1:B:93:VAL:C	1:B:94:LEU:HD22	0.46	2.31	7	2
1:B:97:SER:O	1:B:100:ILE:HD12	0.46	2.11	6	1
1:A:24:LEU:CD1	1:B:94:LEU:HD23	0.46	2.39	15	1
1:B:98:LEU:HD13	1:B:98:LEU:C	0.46	2.31	2	1
1:B:105:TYR:CD1	1:B:106:LYS:N	0.45	2.84	18	2
1:A:31:PHE:CZ	1:B:98:LEU:CD1	0.45	3.00	10	1
1:A:28:LEU:HD12	1:A:28:LEU:C	0.45	2.32	15	1
1:B:104:LEU:HD23	1:B:104:LEU:O	0.45	2.12	16	2
1:B:105:TYR:CE1	1:B:106:LYS:CG	0.45	3.00	6	1
1:B:94:LEU:HD22	1:B:97:SER:CB	0.45	2.42	16	1
1:B:94:LEU:HD11	1:B:97:SER:HB2	0.44	1.89	6	1
1:B:105:TYR:C	1:B:105:TYR:CD1	0.44	2.90	6	2
1:A:23:VAL:HG12	1:A:24:LEU:HD23	0.44	1.90	11	1
1:B:105:TYR:CG	1:B:106:LYS:N	0.44	2.85	18	1
1:B:105:TYR:CZ	1:B:106:LYS:CG	0.44	3.00	20	1
1:B:102:GLU:O	1:B:105:TYR:CD2	0.44	2.71	15	14
1:A:20:VAL:HG11	1:B:97:SER:HB2	0.44	1.89	11	1
1:A:20:VAL:HG21	1:B:97:SER:CB	0.44	2.43	15	2
1:A:35:TYR:CD1	1:A:35:TYR:C	0.44	2.91	12	7
1:A:31:PHE:CE1	1:B:98:LEU:HD13	0.44	2.48	20	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:28:LEU:HD13	1:A:28:LEU:C	0.44	2.33	1	1
1:B:105:TYR:CD1	1:B:105:TYR:C	0.44	2.90	2	7
1:A:34:LEU:CD1	1:B:87:ILE:HD13	0.44	2.43	12	1
1:A:32:GLU:O	1:A:35:TYR:CD2	0.43	2.71	7	12
1:A:23:VAL:HG12	1:A:24:LEU:HD22	0.43	1.90	6	1
1:B:83:LEU:HD23	1:B:86:LYS:HD2	0.43	1.89	17	1
1:A:24:LEU:HD23	1:B:94:LEU:HD21	0.43	1.89	1	2
1:B:91:VAL:HG22	1:B:98:LEU:HD12	0.43	1.89	4	1
1:A:39:LEU:HG	1:B:109:LEU:HD23	0.43	1.90	10	1
1:A:31:PHE:CE1	1:B:91:VAL:HG22	0.43	2.48	12	1
1:A:21:VAL:HG13	1:A:28:LEU:HD23	0.43	1.89	15	1
1:A:28:LEU:HD13	1:A:29:GLU:H	0.43	1.71	1	1
1:B:102:GLU:O	1:B:105:TYR:CE2	0.42	2.72	4	2
1:A:24:LEU:CD2	1:B:94:LEU:CD2	0.42	2.98	14	2
1:B:102:GLU:O	1:B:105:TYR:CD1	0.42	2.73	10	1
1:B:87:ILE:HG22	1:B:91:VAL:HG23	0.42	1.91	6	3
1:A:21:VAL:HG22	1:A:28:LEU:HD12	0.42	1.90	5	1
1:A:31:PHE:CE1	1:B:98:LEU:HD11	0.42	2.49	6	1
1:A:38:ALA:O	1:B:109:LEU:HD21	0.41	2.15	15	1
1:A:32:GLU:O	1:A:35:TYR:CE2	0.41	2.74	12	3
1:A:32:GLU:O	1:A:35:TYR:CD1	0.41	2.74	17	1
1:A:24:LEU:HD21	1:B:93:VAL:CG1	0.41	2.46	11	1
1:A:31:PHE:HZ	1:B:91:VAL:HG22	0.41	1.75	12	1
1:A:20:VAL:HG13	1:A:21:VAL:N	0.41	2.30	2	2
1:A:24:LEU:CD2	1:A:27:SER:CB	0.41	2.98	3	1
1:A:20:VAL:HG21	1:B:97:SER:HB2	0.41	1.91	8	1
1:A:24:LEU:HD21	1:B:93:VAL:HG12	0.41	1.92	11	1
1:B:105:TYR:CZ	1:B:106:LYS:HG3	0.41	2.51	20	1
1:A:36:LYS:HA	1:A:39:LEU:HD12	0.40	1.93	20	1
1:A:17:ILE:HG12	1:B:100:ILE:HG21	0.40	1.92	4	1
1:A:27:SER:HB2	1:B:90:VAL:HG21	0.40	1.94	8	1
1:B:90:VAL:HG13	1:B:91:VAL:N	0.40	2.31	12	1
1:A:21:VAL:CG1	1:A:28:LEU:CD2	0.40	2.99	17	1

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation

was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	29/70 (41%)	29±0 (99±1%)	0±0 (1±1%)	0±0 (0±0%)	100	100
1	B	27/70 (39%)	27±0 (99±1%)	0±0 (0±1%)	0±0 (0±1%)	50	82
All	All	1120/2800 (40%)	1114 (99%)	5 (0%)	1 (0%)	54	85

All 1 unique Ramachandran outliers are listed below.

Mol	Chain	Res	Type	Models (Total)
1	B	95	PRO	1

### 6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	27/67 (40%)	19±2 (71±6%)	8±2 (29±6%)	2	18
1	B	25/67 (37%)	19±2 (75±7%)	6±2 (25±7%)	2	25
All	All	1040/2680 (39%)	762 (73%)	278 (27%)	2	22

All 34 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	28	LEU	18
1	B	98	LEU	18
1	A	22	ARG	12
1	B	86	LYS	12
1	B	106	LYS	12
1	B	105	TYR	12
1	A	15	ARG	11
1	A	35	TYR	11
1	A	11	GLU	10
1	A	16	LYS	10
1	B	103	GLU	10
1	B	83	LEU	10
1	A	39	LEU	9
1	B	92	ARG	9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	B	85	ARG	9
1	A	36	LYS	9
1	A	34	LEU	9
1	B	99	GLU	8
1	A	12	SER	8
1	A	13	LEU	7
1	A	33	GLU	7
1	A	14	SER	7
1	A	19	THR	7
1	A	26	SER	6
1	A	32	GLU	6
1	A	29	GLU	6
1	B	104	LEU	5
1	B	96	SER	4
1	B	84	SER	4
1	B	89	THR	4
1	B	102	GLU	3
1	B	109	LEU	2
1	B	94	LEU	2
1	A	27	SER	1

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 46% for the well-defined parts and 41% for the entire structure.

### 7.1 Chemical shift list 1

File name: working\_cs.cif

Chemical shift list name: *assigned\_chem\_shift\_list\_1*

#### 7.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	803
Number of shifts mapped to atoms	803
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

#### 7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	68	$2.30 \pm 0.16$	Should be checked
$^{13}\text{C}_\beta$	67	$2.90 \pm 0.10$	Should be checked
$^{13}\text{C}'$	66	$2.46 \pm 0.16$	Should be applied
$^{15}\text{N}$	63	$0.08 \pm 0.46$	None needed ( $< 0.5$ ppm)

#### 7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 46%, i.e. 384 atoms were assigned a chemical shift out of a possible 826. 0 out of 16 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	144/278 (52%)	58/112 (52%)	58/112 (52%)	28/54 (52%)
Sidechain	227/492 (46%)	155/324 (48%)	72/152 (47%)	0/16 (0%)

*Continued on next page...*



Continued from previous page...

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Aromatic	13/56 (23%)	13/26 (50%)	0/30 (0%)	0/0 (—%)
Overall	384/826 (46%)	226/462 (49%)	130/294 (44%)	28/70 (40%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 41%, i.e. 802 atoms were assigned a chemical shift out of a possible 1964. 0 out of 26 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	325/692 (47%)	128/278 (46%)	134/280 (48%)	63/134 (47%)
Sidechain	460/1148 (40%)	305/740 (41%)	152/366 (42%)	3/42 (7%)
Aromatic	17/124 (14%)	17/60 (28%)	0/52 (0%)	0/12 (0%)
Overall	802/1964 (41%)	450/1078 (42%)	286/698 (41%)	66/188 (35%)

#### 7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

#### 7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:

