

Full wwPDB X-ray Structure Validation Report (i)

Jun 15, 2024 – 07:30 PM EDT

PDB ID	:	4LJ2
Title	:	Crystal structure of chorismate synthase from Acinetobacter baumannii at
		3.15A resolution
Authors	:	Chaudhary, A.; Singh, N.; Kaushik, S.; Tyagi, T.K.; Sinha, M.; Kaur, P.;
		Sharma, S.; Singh, T.P.
Deposited on	:	2013-07-04
Resolution	:	3.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$		
R _{free}	130704	1665 (3.20-3.12)		
Clashscore	141614	1804 (3.20-3.12)		
Ramachandran outliers	138981	1770 (3.20-3.12)		
Sidechain outliers	138945	1769 (3.20-3.12)		
RSRZ outliers	127900	1616 (3.20-3.12)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length		Quality of chain				
			14%					
1	А	363		49%	32%	7%	11%	
			16%					
1	В	363		50%	35%	•	11%	



4LJ2

2 Entry composition (i)

There is only 1 type of molecule in this entry. The entry contains 4840 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Chorismate synthase.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	1 Δ 399		Total	С	Ν	Ο	\mathbf{S}	0	0	0
	022	2413	1510	437	455	11	0	0	0	
1	Р	204	Total	С	Ν	0	S	0	0	0
ГБ	324	2427	1518	439	459	11		0	0	



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Chorismate synthase





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants	108.77Å 72.61Å 89.96Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	46.54 - 3.15	Depositor
Resolution (A)	46.54 - 3.15	EDS
% Data completeness	99.7 (46.54-3.15)	Depositor
(in resolution range)	$99.8 \ (46.54 - 3.15)$	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.56 (at 3.12 \text{\AA})$	Xtriage
Refinement program	CNS 1.1	Depositor
P. P.	0.225 , 0.252	Depositor
n, n_{free}	0.223 , 0.239	DCC
R_{free} test set	654 reflections $(5.12%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	40.7	Xtriage
Anisotropy	0.558	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34 , 53.8	EDS
L-test for $twinning^2$	$ < L >=0.50, < L^2>=0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	4840	wwPDB-VP
Average B, all atoms $(Å^2)$	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.87% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bo	nd lengths	Bond angles		
		RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.85	1/2455~(0.0%)	0.95	8/3316~(0.2%)	
1	В	0.79	1/2469~(0.0%)	0.87	1/3336~(0.0%)	
All	All	0.82	2/4924~(0.0%)	0.91	9/6652~(0.1%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	3
1	В	0	1
All	All	0	4

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms		Observed(Å)	Ideal(Å)
1	А	218	TRP	NE1-CE2	-5.82	1.29	1.37
1	В	220	GLU	CD-OE1	-5.74	1.19	1.25

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	355	VAL	C-N-CD	-8.55	101.78	120.60
1	А	355	VAL	C-N-CD	-6.60	106.08	120.60
1	А	270	ALA	N-CA-C	-5.73	95.53	111.00
1	А	10	PHE	N-CA-C	-5.43	96.33	111.00
1	А	362	GLU	C-N-CD	-5.42	108.67	120.60
1	А	3	GLY	N-CA-C	-5.30	99.86	113.10
1	А	319	ARG	N-CA-C	-5.09	97.26	111.00
1	А	26	ILE	N-CA-C	-5.04	97.39	111.00
1	А	61	GLU	C-N-CD	-5.01	109.58	120.60



There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	256	GLY	Peptide
1	А	269	LEU	Peptide
1	А	321	ASP	Peptide
1	В	59	ARG	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2413	0	2422	145	0
1	В	2427	0	2436	135	0
All	All	4840	0	4858	257	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (257) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic	Clash
2100III-1	1100111-2	distance $(Å)$	overlap (Å)
1:A:355:VAL:HB	1:A:356:PRO:HD2	1.25	1.13
1:B:173:VAL:HG22	1:B:174:PRO:HD3	1.37	1.04
1:A:358:PHE:CE2	1:A:361:ILE:HD11	1.94	1.02
1:A:331:ILE:HG13	1:A:331:ILE:O	1.60	1.01
1:A:251:VAL:HG11	1:B:293:LYS:HB3	1.44	0.99
1:A:359:ALA:HB1	1:A:360:PRO:HD2	1.41	0.99
1:A:355:VAL:HB	1:A:356:PRO:CD	1.95	0.96
1:A:18:SER:HB2	1:A:125:ARG:HB3	1.51	0.92
1:A:355:VAL:CB	1:A:356:PRO:HD2	1.99	0.91
1:A:18:SER:HB2	1:A:125:ARG:CB	2.03	0.88
1:B:195:SER:O	1:B:198:GLU:HB2	1.74	0.88
1:B:321:ASP:HB3	1:B:324:VAL:HG13	1.55	0.86
1:B:68:ILE:O	1:B:68:ILE:HG22	1.77	0.84
1:A:251:VAL:CG1	1:B:293:LYS:HB3	2.09	0.83
1:A:327:ARG:O	1:A:330:PRO:HD2	1.78	0.83



	lo uo pugom	Interatomic Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:359:ALA:N	1:B:360:PRO:CD	2.43	0.81	
1:B:248:GLY:O	1:B:251:VAL:HB	1.82	0.80	
1:A:54:LYS:HE3	1:A:177:PRO:HB3	1.63	0.80	
1:A:358:PHE:CE2	1:A:361:ILE:CD1	2.65	0.79	
1:B:359:ALA:N	1:B:360:PRO:HD3	1.97	0.79	
1:A:331:ILE:O	1:A:331:ILE:CG1	2.29	0.79	
1:B:57:THR:O	1:B:57:THR:CG2	2.30	0.79	
1:A:293:LYS:HA	1:B:251:VAL:HG13	1.65	0.79	
1:A:232:HIS:HB2	1:B:232:HIS:HB2	1.65	0.78	
1:A:221:PRO:O	1:B:2:ALA:HA	1.84	0.78	
1:B:58:GLN:HG3	1:B:59:ARG:N	1.99	0.78	
1:B:173:VAL:HG22	1:B:174:PRO:CD	2.14	0.77	
1:B:334:ALA:O	1:B:338:ILE:HG12	1.84	0.77	
1:A:269:LEU:HD13	1:A:284:GLN:NE2	2.01	0.75	
1:A:251:VAL:CG1	1:B:293:LYS:CB	2.64	0.75	
1:A:271:ASN:HD21	1:A:284:GLN:CD	1.91	0.75	
1:B:89:ASP:OD1	1:B:129:ARG:NH2	2.20	0.74	
1:A:201:THR:HG22	1:A:202:SER:H	1.51	0.74	
1:B:70:GLY:HA3	1:B:81:ILE:HD13	1.70	0.74	
1:A:127:SER:HB2	1:A:130:GLU:HG2	1.71	0.73	
1:A:92:SER:O	1:A:93:LYS:HB2	1.88	0.73	
1:A:1:MET:O	1:A:2:ALA:HB2	1.89	0.73	
1:A:268:PHE:N	1:A:268:PHE:CD1	2.54	0.72	
1:A:324:VAL:HG13	1:A:324:VAL:O	1.90	0.72	
1:B:57:THR:O	1:B:57:THR:HG22	1.89	0.71	
1:A:127:SER:HA	1:A:129:ARG:HG3	1.74	0.70	
1:A:362:GLU:O	1:A:362:GLU:HG2	1.92	0.70	
1:B:230:ILE:HD12	1:B:336:LEU:HD12	1.72	0.70	
1:B:126:SER:OG	1:B:129:ARG:HG3	1.92	0.70	
1:A:131:THR:O	1:A:131:THR:HG22	1.92	0.70	
1:A:196:LEU:HD22	1:A:201:THR:HB	1.74	0.70	
1:A:251:VAL:CG1	1:B:293:LYS:HA	2.23	0.69	
1:B:359:ALA:H	1:B:360:PRO:HD3	1.56	0.69	
1:A:251:VAL:HG11	1:B:293:LYS:CB	2.21	0.68	
1:A:92:SER:O	1:A:93:LYS:CB	2.43	0.67	
1:A:251:VAL:CG1	1:B:293:LYS:CA	2.73	0.66	
1:B:53:SER:O	1:B:54:LYS:HB2	1.93	0.66	
1:B:68:ILE:O	1:B:68:ILE:CG2	2.43	0.66	
1:A:359:ALA:HB1	1:A:360:PRO:CD	2.24	0.66	
1:B:170:TRP:O	1:B:173:VAL:HG13	1.96	0.66	
1:B:183:VAL:HG13	1:B:184:ASP:N	2.11	0.65	



	lo do pagom	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:269:LEU:CD1	1:A:284:GLN:NE2	2.61	0.64	
1:A:182:ASP:OD1	1:A:182:ASP:C	2.30	0.64	
1:A:355:VAL:CB	1:A:356:PRO:CD	2.66	0.64	
1:A:328:ALA:O	1:A:331:ILE:HG23	1.97	0.64	
1:A:227:ASP:OD1	1:A:227:ASP:N	2.29	0.64	
1:B:173:VAL:CG2	1:B:174:PRO:HD3	2.23	0.64	
1:A:268:PHE:N	1:A:268:PHE:HD1	1.95	0.64	
1:A:131:THR:HG23	1:A:331:ILE:CD1	2.28	0.63	
1:A:251:VAL:HG12	1:B:293:LYS:HA	1.81	0.63	
1:A:152:LEU:O	1:A:153:ILE:HD13	1.98	0.63	
1:A:269:LEU:HG	1:A:269:LEU:O	1.99	0.63	
1:B:152:LEU:HD13	1:B:154:ARG:HD2	1.82	0.61	
1:A:131:THR:HG23	1:A:331:ILE:HD12	1.81	0.61	
1:B:67:ILE:HG21	1:B:71:VAL:HG22	1.83	0.61	
1:A:329:THR:O	1:A:333:GLU:HG3	1.99	0.60	
1:B:324:VAL:HG12	1:B:327:ARG:HH12	1.67	0.60	
1:B:7:GLY:O	1:B:11:ARG:HG3	2.01	0.60	
1:A:42:GLN:OE1	1:A:65:VAL:HG12	2.02	0.59	
1:A:19:HIS:HB3	1:A:124:GLY:HA2	1.83	0.59	
1:A:212:GLU:HA	1:A:285:THR:HG22	1.84	0.59	
1:A:131:THR:HG22	1:A:135:VAL:HG23	1.84	0.58	
1:A:274:GLY:O	1:A:286:ILE:HA	2.04	0.58	
1:B:350:GLN:C	1:B:351:ASN:HD22	2.06	0.58	
1:B:61:GLU:CD	1:B:61:GLU:H	2.04	0.58	
1:B:274:GLY:O	1:B:286:ILE:HA	2.04	0.58	
1:A:207:LEU:HD13	1:A:292:LEU:CD1	2.34	0.58	
1:A:211:ALA:HB3	1:A:286:ILE:HB	1.85	0.57	
1:B:239:ALA:O	1:B:292:LEU:HA	2.03	0.57	
1:B:192:LEU:O	1:B:196:LEU:HG	2.04	0.57	
1:A:152:LEU:HD13	1:A:154:ARG:CZ	2.36	0.56	
1:B:138:GLY:HA2	1:B:338:ILE:HD13	1.88	0.56	
1:B:361:ILE:HD12	1:B:361:ILE:O	2.06	0.56	
1:A:220:GLU:O	1:A:224:ASP:C	2.45	0.55	
1:A:359:ALA:CB	1:A:360:PRO:HD2	2.26	0.55	
1:A:51:GLY:HA3	1:A:54:LYS:HB2	1.89	0.55	
1:A:269:LEU:HD13	1:A:284:GLN:HE21	1.72	0.55	
1:B:153:ILE:HD12	1:B:153:ILE:N	2.22	0.55	
1:B:141:ALA:HB1	1:B:341:MET:HB2	1.87	0.55	
1:B:18:SER:HA	1:B:129:ARG:HD2	1.90	0.54	
1:A:251:VAL:HG13	1:B:293:LYS:CB	2.37	0.54	
1:A:54:LYS:CE	1:A:177:PRO:HB3	2.34	0.54	



	1 · · · · ·	Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:A:68:ILE:HD13	1:A:84:LEU:HB3	1.89	0.54		
1:A:136:ALA:O	1:A:140:ILE:HD12	2.07	0.54		
1:A:320:HIS:O	1:A:322:PRO:HD3	2.07	0.54		
1:A:350:GLN:HG2	1:B:1:MET:SD	2.48	0.54		
1:B:230:ILE:HD12	1:B:336:LEU:CD1	2.38	0.54		
1:A:127:SER:C	1:A:129:ARG:H	2.07	0.53		
1:A:12:VAL:HG22	1:A:27:VAL:HG13	1.89	0.53		
1:A:182:ASP:OD1	1:A:184:ASP:N	2.41	0.53		
1:B:230:ILE:CD1	1:B:336:LEU:HD12	2.37	0.53		
1:B:70:GLY:CA	1:B:81:ILE:HD13	2.39	0.53		
1:B:261:ASP:HB3	1:B:263:LEU:HG	1.91	0.53		
1:B:276:ILE:N	1:B:276:ILE:HD12	2.24	0.53		
1:A:18:SER:HB2	1:A:125:ARG:HB2	1.85	0.52		
1:B:295:THR:HG21	1:B:324:VAL:HG21	1.90	0.52		
1:B:321:ASP:HB2	1:B:322:PRO:CA	2.39	0.52		
1:A:207:LEU:HD13	1:A:292:LEU:HD13	1.91	0.52		
1:B:61:GLU:HG2	1:B:61:GLU:O	2.09	0.52		
1:A:43:LYS:O	1:A:47:ARG:HG3	2.09	0.52		
1:A:81:ILE:HD12	1:A:81:ILE:N	2.24	0.52		
1:B:186:VAL:HB	1:B:187:PRO:CD	2.39	0.52		
1:B:245:ILE:CD1	1:B:288:VAL:HB	2.40	0.52		
1:A:209:ILE:HD12	1:A:209:ILE:N	2.24	0.52		
1:B:170:TRP:HA	1:B:173:VAL:CG1	2.38	0.52		
1:A:160:ILE:HD11	1:A:189:PHE:CD2	2.44	0.52		
1:A:19:HIS:H	1:A:19:HIS:CD2	2.27	0.52		
1:B:56:ALA:O	1:B:57:THR:HB	2.09	0.52		
1:A:18:SER:CB	1:A:125:ARG:HB2	2.40	0.51		
1:B:183:VAL:CG1	1:B:184:ASP:N	2.73	0.51		
1:A:127:SER:C	1:A:129:ARG:N	2.57	0.51		
1:A:238:ASN:HA	1:B:225:ARG:HH12	1.76	0.51		
1:B:67:ILE:HG21	1:B:71:VAL:CG2	2.41	0.51		
1:A:291:ALA:HB2	1:B:249:PHE:CD1	2.46	0.51		
1:A:293:LYS:HA	1:B:251:VAL:CG1	2.39	0.51		
1:A:216:VAL:HG23	1:A:281:SER:O	2.11	0.50		
1:B:324:VAL:HG12	1:B:327:ARG:NH1	2.25	0.50		
1:A:131:THR:O	1:A:131:THR:CG2	2.58	0.50		
1:A:241:LYS:HE3	1:B:245:ILE:O	2.11	0.50		
1:A:61:GLU:HB2	1:A:62:PRO:O	2.11	0.50		
1:B:218:TRP:CH2	1:B:344:PHE:HB2	2.46	0.50		
1:B:259:THR:HG21	1:B:263:LEU:HB2	1.94	0.50		
1:B:351:ASN:HD22	1:B:351:ASN:N	2.09	0.50		



	,	Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:A:11:ARG:HG2	1:A:28:ASP:HB2	1.93	0.50		
1:A:183:VAL:HG13	1:A:184:ASP:N	2.25	0.50		
1:A:321:ASP:HB3	1:A:324:VAL:HB	1.93	0.50		
1:B:10:PHE:HA	1:B:28:ASP:O	2.12	0.50		
1:B:354:VAL:HG12	1:B:355:VAL:O	2.12	0.50		
1:A:238:ASN:O	1:A:239:ALA:HB3	2.12	0.49		
1:B:154:ARG:NH1	1:B:212:GLU:OE2	2.45	0.49		
1:B:148:LYS:HG2	1:B:149:PHE:CE2	2.47	0.49		
1:B:295:THR:HG21	1:B:324:VAL:CG2	2.41	0.49		
1:B:59:ARG:HG3	1:B:59:ARG:O	2.11	0.49		
1:B:120:TYR:HD1	1:B:121:ARG:HG3	1.77	0.49		
1:A:1:MET:O	1:A:2:ALA:CB	2.54	0.49		
1:B:353:ASP:OD2	1:B:353:ASP:N	2.44	0.49		
1:A:153:ILE:HD13	1:A:211:ALA:HA	1.92	0.49		
1:B:173:VAL:CG2	1:B:174:PRO:CD	2.86	0.49		
1:B:276:ILE:HD11	1:B:286:ILE:HG23	1.94	0.49		
1:B:234:MET:O	1:B:237:ILE:HD12	2.13	0.49		
1:B:160:ILE:HD12	1:B:189:PHE:CD2	2.48	0.49		
1:A:328:ALA:O	1:A:331:ILE:CG2	2.61	0.48		
1:A:4:ASN:HB2	1:A:14:THR:O	2.12	0.48		
1:A:71:VAL:HG12	1:A:76:THR:HA	1.95	0.48		
1:A:222:VAL:HG11	1:B:134:ARG:CZ	2.43	0.48		
1:A:248:GLY:O	1:A:251:VAL:HG23	2.12	0.48		
1:B:153:ILE:HG23	1:B:336:LEU:HD23	1.95	0.48		
1:B:277:LEU:O	1:B:280:ILE:HG13	2.14	0.48		
1:A:173:VAL:HG22	1:A:174:PRO:HD3	1.95	0.48		
1:A:221:PRO:HA	1:A:222:VAL:C	2.34	0.48		
1:A:49:LYS:HD3	1:A:55:PHE:HZ	1.79	0.47		
1:B:57:THR:O	1:B:57:THR:HG23	2.12	0.47		
1:B:54:LYS:HA	1:B:54:LYS:HD3	1.65	0.47		
1:B:155:GLY:HA2	1:B:209:ILE:HA	1.96	0.47		
1:A:62:PRO:HB2	1:A:63:ASP:H	1.39	0.47		
1:A:131:THR:HG22	1:A:135:VAL:CG2	2.45	0.47		
1:A:152:LEU:HD22	1:A:154:ARG:CD	2.45	0.47		
1:A:161:GLY:O	1:B:253:GLY:HA2	2.14	0.47		
1:A:223:PHE:HB2	1:B:3:GLY:O	2.15	0.47		
1:B:149:PHE:HB2	1:B:151:VAL:HG23	1.97	0.47		
1:A:23:LEU:HD11	1:A:129:ARG:HB3	1.97	0.47		
1:B:169:ASP:O	1:B:172:GLU:HB3	2.15	0.47		
1:B:167:LYS:HE2	1:B:182:ASP:OD1	2.15	0.47		
1:A:176:ASN:HB2	1:A:177:PRO:HD2	1.96	0.46		



	loue page	Interatomic	Clash
Atom-1	Atom-1 Atom-2		overlap (Å)
1:A:9:LEU:HD12	1:A:346:ARG:HA	1.98	0.46
1:A:38:GLU:OE1	1:A:38:GLU:N	2.48	0.46
1:A:152:LEU:HD22	1:A:154:ARG:HD2	1.97	0.46
1:B:170:TRP:HA	1:B:173:VAL:HG13	1.96	0.46
1:A:173:VAL:HG12	1:A:181:GLY:HA2	1.98	0.46
1:A:256:GLY:O	1:A:257:HIS:CG	2.68	0.46
1:B:172:GLU:O	1:B:176:ASN:ND2	2.48	0.46
1:B:292:LEU:HD22	1:B:325:GLY:HA2	1.98	0.46
1:A:230:ILE:HA	1:A:339:VAL:HG21	1.99	0.45
1:B:37:THR:O	1:B:40:ASP:HB2	2.17	0.45
1:A:131:THR:HG23	1:A:331:ILE:HD13	1.98	0.45
1:B:257:HIS:O	1:B:257:HIS:ND1	2.40	0.45
1:B:5:SER:OG	1:B:6:ILE:N	2.48	0.45
1:A:153:ILE:CD1	1:A:211:ALA:HA	2.46	0.45
1:B:138:GLY:HA2	1:B:338:ILE:CD1	2.46	0.45
1:A:355:VAL:O	1:A:356:PRO:O	2.35	0.44
1:B:156:HIS:CE1	1:B:168:LEU:HD13	2.52	0.44
1:B:321:ASP:CB	1:B:324:VAL:HG13	2.38	0.44
1:A:355:VAL:O	1:A:356:PRO:C	2.55	0.44
1:B:170:TRP:C	1:B:173:VAL:HG13	2.37	0.44
1:A:244:GLU:HA	1:B:242:GLY:HA2	2.00	0.44
1:B:222:VAL:H	1:B:222:VAL:HG23	1.36	0.44
1:A:50:PRO:O	1:A:54:LYS:HE2	2.18	0.44
1:A:61:GLU:N	1:A:62:PRO:HA	2.32	0.44
1:A:271:ASN:ND2	1:A:284:GLN:CD	2.67	0.44
1:B:258:GLU:OE1	1:B:260:ARG:CZ	2.65	0.44
1:A:320:HIS:O	1:A:322:PRO:CD	2.66	0.44
1:B:212:GLU:O	1:B:213:LYS:HB2	2.17	0.44
1:B:354:VAL:O	1:B:356:PRO:HD3	2.17	0.44
1:A:24:MET:HA	1:A:83:LEU:O	2.18	0.44
1:A:134:ARG:HD2	1:A:335:MET:CE	2.48	0.44
1:A:173:VAL:HG12	1:A:181:GLY:CA	2.48	0.44
1:B:157:VAL:HG21	1:B:326:VAL:HG12	2.00	0.43
1:B:321:ASP:HB2	1:B:322:PRO:HA	1.99	0.43
1:A:358:PHE:CZ	1:A:361:ILE:HD12	2.53	0.43
1:B:329:THR:HB	1:B:330:PRO:HD3	2.00	0.43
1:A:48:ARG:O	1:A:50:PRO:HD3	2.18	0.43
1:B:65:VAL:HA	1:B:85:ILE:HG13	2.01	0.43
1:A:362:GLU:O	1:A:362:GLU:CG	2.63	0.43
1:A:341:MET:O	1:A:344:PHE:HB3	2.18	0.43
1:A:68:ILE:CD1	1:A:84:LEU:HB3	2.49	0.43



	lo ao pagom	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:149:PHE:HB2	1:A:151:VAL:HG23	2.01	0.43	
1:B:176:ASN:C	1:B:177:PRO:O	2.57	0.43	
1:B:42:GLN:OE1	1:B:64:GLN:HA	2.19	0.43	
1:B:173:VAL:CG2	1:B:174:PRO:N	2.81	0.42	
1:B:266:HIS:HD2	1:B:266:HIS:O	2.02	0.42	
1:B:275:GLY:C	1:B:276:ILE:HD12	2.40	0.42	
1:B:292:LEU:CD2	1:B:325:GLY:HA2	2.50	0.42	
1:A:137:ALA:HA	1:A:140:ILE:CD1	2.49	0.42	
1:A:194:THR:O	1:A:198:GLU:HG2	2.19	0.42	
1:B:202:SER:HA	1:B:322:PRO:O	2.20	0.42	
1:A:18:SER:CB	1:A:125:ARG:CB	2.86	0.42	
1:A:136:ALA:O	1:A:139:ALA:HB3	2.20	0.42	
1:B:331:ILE:HD12	1:B:331:ILE:N	2.34	0.42	
1:B:120:TYR:HA	1:B:121:ARG:HA	1.73	0.42	
1:B:258:GLU:HB2	1:B:260:ARG:HG3	2.02	0.42	
1:B:290:ILE:HD12	1:B:292:LEU:HD11	2.01	0.42	
1:B:173:VAL:N	1:B:174:PRO:CD	2.83	0.41	
1:B:53:SER:HB3	1:B:54:LYS:H	1.68	0.41	
1:A:79:THR:HB	1:A:80:PRO:HD2	2.02	0.41	
1:B:52:THR:O	1:B:53:SER:HB2	2.20	0.41	
1:B:70:GLY:C	1:B:81:ILE:HD13	2.40	0.41	
1:A:182:ASP:O	1:A:186:VAL:HG23	2.21	0.41	
1:A:228:ALA:HA	1:B:235:MET:HB3	2.01	0.41	
1:B:280:ILE:C	1:B:280:ILE:HD12	2.40	0.41	
1:A:238:ASN:HA	1:B:225:ARG:NH1	2.34	0.41	
1:A:247:ASP:OD1	1:A:254:GLN:NE2	2.49	0.41	
1:A:256:GLY:O	1:A:257:HIS:ND1	2.53	0.41	
1:A:249:PHE:CD1	1:B:291:ALA:HB2	2.55	0.41	
1:A:137:ALA:HA	1:A:140:ILE:HD13	2.01	0.41	
1:B:241:LYS:HA	1:B:241:LYS:HD2	1.77	0.41	
1:A:284:GLN:H	1:A:284:GLN:HG2	1.56	0.41	
1:B:230:ILE:CD1	1:B:339:VAL:HB	2.51	0.41	
1:A:164:VAL:O	1:A:188:ARG:NH2	2.54	0.40	
1:B:286:ILE:HD12	1:B:286:ILE:N	2.36	0.40	
1:A:358:PHE:CZ	1:A:361:ILE:CD1	3.03	0.40	
1:A:134:ARG:HD2	1:A:335:MET:HE3	2.04	0.40	
1:B:324:VAL:O	1:B:325:GLY:C	2.58	0.40	

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	316/363~(87%)	288 (91%)	22~(7%)	6(2%)	8 36
1	В	318/363~(88%)	283~(89%)	29~(9%)	6~(2%)	8 36
All	All	634/726~(87%)	571 (90%)	51 (8%)	12 (2%)	8 36

All (12) Ramachandran outliers are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	62	PRO
1	А	221	PRO
1	В	357	PRO
1	В	360	PRO
1	А	123	GLY
1	А	356	PRO
1	В	123	GLY
1	В	179	PHE
1	А	357	PRO
1	В	356	PRO
1	А	360	PRO
1	В	359	ALA

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	251/286~(88%)	227~(90%)	24 (10%)	8 29



Continueu from previous page								
Mol	Chain	Analysed	Rotameric	Outliers	P	erce	entile	\mathbf{s}
1	В	253/286~(88%)	233~(92%)	20~(8%)		12	40	
All	All	504/572~(88%)	460 (91%)	44 (9%)		10	34	

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	1	MET
1	А	37	THR
1	А	44	ASP
1	А	63	ASP
1	А	125	ARG
1	А	127	SER
1	А	130	GLU
1	А	152	LEU
1	А	154	ARG
1	А	169	ASP
1	А	197	ARG
1	A	201	THR
1	А	220	GLU
1	А	227	ASP
1	А	235	MET
1	А	268	PHE
1	А	271	ASN
1	А	284	GLN
1	А	293	LYS
1	А	327	ARG
1	А	331	ILE
1	А	344	PHE
1	А	350	GLN
1	А	362	GLU
1	В	5	SER
1	В	8	GLN
1	В	11	ARG
1	В	121	ARG
1	В	173	VAL
1	В	176	ASN
1	В	194	THR
1	В	199	GLN
1	В	201	THR
1	В	209	ILE
1	В	212	GLU
1	В	221	PRO



COULU	Continued from prettous page						
Mol	Chain	Res	Type				
1	В	236	SER				
1	В	251	VAL				
1	В	257	HIS				
1	В	261	ASP				
1	В	264	THR				
1	В	266	HIS				
1	В	284	GLN				
1	В	297	SER				

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	19	HIS
1	А	175	ASN
1	А	271	ASN
1	А	284	GLN
1	В	175	ASN
1	В	176	ASN
1	В	266	HIS
1	В	351	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2		$OWAB(Å^2)$	Q<0.9	
1	А	322/363~(88%)	0.45	52~(16%)	1	1	2, 15, 100, 100	0
1	В	324/363~(89%)	0.56	58 (17%)	1	1	3, 21, 100, 100	0
All	All	646/726~(88%)	0.51	110 (17%)	1	1	2, 17, 100, 100	0

All (110) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	361	ILE	11.7
1	В	92	SER	11.0
1	В	93	LYS	9.9
1	В	261	ASP	9.3
1	А	92	SER	8.7
1	В	52	THR	8.2
1	В	264	THR	7.6
1	А	262	GLU	7.5
1	А	60	LYS	7.4
1	В	262	GLU	7.2
1	А	58	GLN	6.9
1	А	261	ASP	6.8
1	А	354	VAL	6.6
1	А	57	THR	6.5
1	А	55	PHE	6.5
1	В	58	GLN	6.5
1	В	90	GLN	6.3
1	А	126	SER	6.3
1	В	57	THR	6.3
1	В	53	SER	6.0
1	A	260	ARG	5.9
1	А	259	THR	5.8
1	В	122	GLY	5.8
1	А	59	ARG	5.6



1

0.1	
5.1	
5.1	
5.1	
5.0	
5.0	
4.9	
4.0	

Continued from previous page...MolChainResTypeRSRZ

А

359

ALA

5.6

1	А	363	PRO	5.5
1	А	56	ALA	5.2
1	В	56	ALA	5.2
1	В	300	THR	5.1
1	А	360	PRO	5.1
1	А	362	GLU	5.1
1	В	299	THR	5.1
1	В	91	LYS	5.0
1	В	360	PRO	5.0
1	В	123	GLY	4.9
1	А	265	SER	4.9
1	В	265	SER	4.9
1	В	357	PRO	4.9
1	В	356	PRO	4.8
1	В	353	ASP	4.8
1	В	297	SER	4.8
1	В	260	ARG	4.6
1	А	355	VAL	4.6
1	В	266	HIS	4.5
1	В	355	VAL	4.5
1	А	263	LEU	4.5
1	А	122	GLY	4.5
1	В	118	ARG	4.5
1	А	125	ARG	4.4
1	В	121	ARG	4.4
1	В	263	LEU	4.4
1	А	264	THR	4.3
1	В	361	ILE	4.3
1	А	119	ASP	4.3
1	А	123	GLY	4.3
1	А	297	SER	4.3
1	А	317	LYS	4.0
1	В	316	THR	4.0
1	В	126	SER	4.0
1	А	298	ILE	3.9
1	А	91	LYS	3.9
1	А	266	HIS	3.9
1	В	51	GLY	3.8
1	А	318	GLY	3.8
1	В	55	PHE	3.8
1	В	363	PRO	3.8
	<u> </u>		1	



4L,	J2
-----	----

Mol	Chain	Res	Type	RSRZ
1	А	90	GLN	3.7
1	В	60	LYS	3.7
1	В	120	TYR	3.7
1	А	353	ASP	3.6
1	А	319	ARG	3.5
1	В	119	ASP	3.5
1	В	296	ALA	3.4
1	В	59	ARG	3.4
1	В	359	ALA	3.4
1	А	120	TYR	3.3
1	А	118	ARG	3.3
1	В	354	VAL	3.3
1	В	127	SER	3.3
1	A	356	PRO	3.2
1	А	93	LYS	3.2
1	В	320	HIS	3.2
1	В	258	GLU	3.1
1	В	319	ARG	3.1
1	В	318	GLY	3.1
1	А	49	LYS	3.1
1	В	269	LEU	3.1
1	В	257	HIS	3.0
1	В	259	THR	3.0
1	В	124	GLY	3.0
1	А	51	GLY	2.9
1	А	258	GLU	2.9
1	А	124	GLY	2.9
1	В	268	PHE	2.8
1	A	53	SER	2.8
1	В	54	LYS	2.6
1	B	298	ILE	2.6
1	В	358	PHE	2.5
1	A	89	ASP	2.5
1	В	317	LYS	2.4
1	A	352	ALA	2.3
1	A	299	THR	2.3
1	В	362	GLU	2.3
1	А	358	PHE	2.2
1	A	52	THR	2.2
1	A	61	GLU	2.1
1	А	256	GLY	2.1
1	А	121	ARG	2.1



Continued from previous page...

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	В	195	SER	2.1
1	В	125	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

