



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 7, 2023 – 12:56 AM EDT

PDB ID : 1LM8
Title : Structure of a HIF-1a-pVHL-ElonginB-ElonginC Complex
Authors : Min, J.-H.; Yang, H.; Ivan, M.; Gertler, F.; Kaelin JR., W.G.; Pavletich, N.P.
Deposited on : 2002-04-30
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	2625 (1.86-1.86)
Ramachandran outliers	138981	2592 (1.86-1.86)
Sidechain outliers	138945	2592 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	B	118	
2	C	96	
3	V	160	
4	H	20	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3406 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ELONGIN B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	B	106	831	526	140	161	4	0	0	0

- Molecule 2 is a protein called ELONGIN C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	88	698	450	112	130	6	0	0	0

- Molecule 3 is a protein called Von Hippel-Lindau disease tumor suppressor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	V	150	1226	778	226	220	2	0	0	0

- Molecule 4 is a protein called Hypoxia-inducible factor 1 alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	H	15	128	82	19	25	2	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
H	564	HYP	PRO	modified residue	UNP Q16665

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	169	Total	O	0	0
			169	169		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	127	Total 127	O 127	0	0
5	V	201	Total 201	O 201	0	0
5	H	26	Total 26	O 26	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: ELONGIN B




- Molecule 2: ELONGIN C



- Molecule 3: Von Hippel-Lindau disease tumor suppressor



- Molecule 4: Hypoxia-inducible factor 1 alpha



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	59.50Å 59.50Å 245.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 1.85	Depositor
% Data completeness (in resolution range)	87.3 (15.00-1.85)	Depositor
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.196 , 0.236	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	3406	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HYP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	B	0.39	0/848	0.71	1/1148 (0.1%)
2	C	0.42	0/713	0.60	0/962
3	V	0.34	0/1258	0.65	0/1717
4	H	0.39	0/121	0.49	0/159
All	All	0.38	0/2940	0.65	1/3986 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	46	LYS	N-CA-C	-5.36	96.54	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	831	0	826	28	0
2	C	698	0	698	17	0
3	V	1226	0	1221	47	1
4	H	128	0	120	0	0
5	B	169	0	0	5	0
5	C	127	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	H	26	0	0	0	0
5	V	201	0	0	7	0
All	All	3406	0	2865	85	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:V:208:HIS:HB3	5:V:369:HOH:O	1.71	0.91
5:C:221:HOH:O	3:V:181:VAL:HB	1.72	0.89
3:V:200:ARG:HD2	5:V:387:HOH:O	1.77	0.81
1:B:8:ARG:HG2	1:B:13:THR:HB	1.64	0.78
2:C:104:LEU:CD1	3:V:184:LEU:HD13	2.15	0.77
1:B:9:ARG:HH11	1:B:9:ARG:HG3	1.50	0.76
2:C:61:ASN:HD22	2:C:63:ARG:HD2	1.50	0.76
3:V:200:ARG:HH11	3:V:200:ARG:HB3	1.53	0.73
3:V:69:ARG:HB2	3:V:69:ARG:NH1	2.04	0.71
3:V:73:GLN:HE22	3:V:110:HIS:CD2	2.10	0.70
3:V:181:VAL:HG12	3:V:184:LEU:HD12	1.74	0.69
1:B:80:ARG:HG2	5:B:267:HOH:O	1.94	0.68
3:V:90:ASN:ND2	3:V:92:ASP:H	1.93	0.65
1:B:86:GLU:O	1:B:87:ALA:HB3	1.97	0.64
3:V:90:ASN:C	3:V:90:ASN:HD22	2.01	0.63
3:V:69:ARG:HB2	3:V:69:ARG:HH11	1.63	0.63
2:C:104:LEU:HD11	3:V:184:LEU:HD13	1.80	0.63
1:B:70:GLN:NE2	1:B:70:GLN:H	1.97	0.62
2:C:61:ASN:ND2	2:C:63:ARG:HD2	2.14	0.62
3:V:79:ARG:HH11	3:V:79:ARG:HG3	1.64	0.62
3:V:90:ASN:ND2	3:V:94:GLU:H	1.97	0.62
3:V:160:GLU:HG2	5:V:367:HOH:O	2.00	0.61
3:V:176:ARG:HH21	3:V:182:ARG:HH12	1.49	0.60
3:V:175:TYR:O	3:V:178:LEU:HD13	2.02	0.59
3:V:148:PHE:HE2	5:V:411:HOH:O	1.88	0.56
3:V:125:HIS:HD2	5:V:254:HOH:O	1.86	0.56
1:B:9:ARG:HG3	1:B:9:ARG:NH1	2.20	0.56
1:B:37:ARG:HD2	5:B:197:HOH:O	2.05	0.56
1:B:99:LEU:HD12	1:B:104:LYS:HG2	1.88	0.55
3:V:174:ASN:ND2	3:V:177:ARG:HE	2.03	0.55
1:B:56:THR:OG1	1:B:59:GLU:HG3	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:V:181:VAL:HG12	3:V:184:LEU:CD1	2.36	0.55
3:V:185:TYR:O	3:V:189:GLU:HG3	2.06	0.55
3:V:200:ARG:HB3	3:V:200:ARG:NH1	2.22	0.54
3:V:134:GLU:HG2	3:V:201:LEU:HD11	1.91	0.53
3:V:176:ARG:NH2	3:V:182:ARG:HH12	2.07	0.53
5:B:119:HOH:O	2:C:78:THR:HG21	2.10	0.52
2:C:80:LYS:C	2:C:80:LYS:HD3	2.31	0.51
1:B:23:THR:OG1	1:B:26:GLU:HG3	2.11	0.51
2:C:17:MET:HG3	2:C:18:TYR:CD1	2.47	0.50
3:V:79:ARG:HG3	3:V:79:ARG:NH1	2.27	0.50
1:B:70:GLN:H	1:B:70:GLN:HE21	1.58	0.50
2:C:104:LEU:HD11	3:V:184:LEU:HD22	1.92	0.50
3:V:79:ARG:NH1	3:V:150:ASN:OD1	2.45	0.49
2:C:104:LEU:C	2:C:104:LEU:HD13	2.32	0.49
2:C:61:ASN:HD22	2:C:63:ARG:CD	2.24	0.49
3:V:176:ARG:HH21	3:V:182:ARG:NH1	2.11	0.48
1:B:104:LYS:HB3	5:B:266:HOH:O	2.15	0.47
1:B:104:LYS:O	1:B:106:GLN:N	2.48	0.47
3:V:61:PRO:HA	3:V:64:ARG:HD2	1.97	0.47
3:V:96:GLN:HG3	5:V:380:HOH:O	2.16	0.46
3:V:90:ASN:ND2	3:V:90:ASN:C	2.69	0.46
1:B:1:MET:O	1:B:20:GLU:HG3	2.16	0.46
1:B:103:MET:HG2	3:V:170:VAL:CG2	2.46	0.46
2:C:86:SER:OG	2:C:88:THR:HG23	2.15	0.46
5:C:234:HOH:O	3:V:79:ARG:HD3	2.16	0.46
1:B:99:LEU:HD11	1:B:103:MET:HB2	1.98	0.45
3:V:68:SER:O	3:V:69:ARG:HB2	2.16	0.45
1:B:99:LEU:HD22	1:B:100:PRO:HD2	1.98	0.45
2:C:74:CYS:O	2:C:78:THR:HG23	2.17	0.45
2:C:17:MET:HG3	2:C:18:TYR:HD1	1.81	0.44
3:V:69:ARG:HH11	3:V:69:ARG:CB	2.29	0.44
1:B:81:ALA:CB	1:B:84:THR:HG23	2.47	0.44
1:B:99:LEU:CD1	1:B:103:MET:HB2	2.47	0.44
2:C:34:GLU:HG2	2:C:35:HIS:ND1	2.33	0.44
1:B:9:ARG:NH1	1:B:9:ARG:CG	2.81	0.43
1:B:46:LYS:O	1:B:47:ASP:HB2	2.19	0.43
3:V:170:VAL:HG12	3:V:171:LYS:O	2.18	0.43
1:B:102:VAL:CG1	3:V:174:ASN:HB3	2.49	0.42
3:V:115:HIS:O	3:V:138:PRO:HD2	2.19	0.42
1:B:102:VAL:CG1	3:V:170:VAL:HG13	2.50	0.42
2:C:25:ASP:OD1	2:C:25:ASP:N	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:V:74:VAL:HG12	3:V:75:ILE:N	2.34	0.42
1:B:99:LEU:HD12	1:B:104:LYS:CG	2.48	0.42
1:B:63:THR:HG22	5:B:170:HOH:O	2.18	0.42
3:V:61:PRO:HD3	5:V:381:HOH:O	2.19	0.42
3:V:90:ASN:HD21	3:V:94:GLU:H	1.64	0.42
3:V:81:PRO:HD2	3:V:153:LEU:HG	2.02	0.41
1:B:99:LEU:HD11	1:B:103:MET:CB	2.49	0.41
2:C:37:LEU:HD22	2:C:43:LYS:HA	2.03	0.41
2:C:84:THR:O	2:C:85:ASN:HB2	2.21	0.41
1:B:86:GLU:O	1:B:87:ALA:CB	2.62	0.41
1:B:102:VAL:HG11	3:V:174:ASN:HB3	2.03	0.40
3:V:176:ARG:NH2	3:V:182:ARG:NH1	2.68	0.40
3:V:124:THR:O	3:V:125:HIS:HB2	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:V:182:ARG:NH2	3:V:182:ARG:NH2[7_ 646]	1.86	0.34

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	104/118 (88%)	100 (96%)	2 (2%)	2 (2%)	8 1
2	C	84/96 (88%)	83 (99%)	1 (1%)	0	100 100
3	V	148/160 (92%)	137 (93%)	9 (6%)	2 (1%)	11 3
4	H	12/20 (60%)	11 (92%)	1 (8%)	0	100 100
All	All	348/394 (88%)	331 (95%)	13 (4%)	4 (1%)	14 4

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	V	207	ALA
3	V	208	HIS
1	B	105	PRO
1	B	87	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	92/103 (89%)	86 (94%)	6 (6%)	17	4
2	C	79/85 (93%)	73 (92%)	6 (8%)	13	3
3	V	139/147 (95%)	138 (99%)	1 (1%)	84	79
4	H	13/18 (72%)	13 (100%)	0	100	100
All	All	323/353 (92%)	310 (96%)	13 (4%)	31	14

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	9	ARG
1	B	13	THR
1	B	27	LEU
1	B	50	LEU
1	B	70	GLN
1	B	80	ARG
2	C	34	GLU
2	C	35	HIS
2	C	70	LEU
2	C	80	LYS
2	C	82	ARG
2	C	103	LEU
3	V	90	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	10	HIS
1	B	65	GLN
1	B	70	GLN
2	C	61	ASN
2	C	85	ASN
3	V	73	GLN
3	V	90	ASN
3	V	125	HIS
3	V	174	ASN
3	V	195	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	HYP	H	564	4	6,8,9	1.06	1 (16%)	5,10,12	0.66	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HYP	H	564	4	-	0/0/11/13	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	H	564	HYP	CB-CG	-2.38	1.48	1.52

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.