



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 13, 2024 – 06:40 AM EST

PDB ID : 4LMO
Title : Structure of a vertebrate RNA binding domain of telomerase (TRBD)
Authors : Harkisheimer, M.; Mason, M.; Shuvaeva, E.; Skordalakes, E.
Deposited on : 2013-07-10
Resolution : 2.37 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtrriage (Phenix) : 1.20.1
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	6699 (2.40-2.36)
Clashscore	180529	7414 (2.40-2.36)
Ramachandran outliers	177936	7337 (2.40-2.36)
Sidechain outliers	177891	7338 (2.40-2.36)
RSRZ outliers	164620	6699 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	254	
1	B	254	
1	C	254	
1	D	254	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8456 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Telomerase reverse transcriptase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	251	2078	1348	383	336	11	0	0	0
1	B	251	2078	1348	383	336	11	0	0	0
1	C	251	2078	1348	383	336	11	0	0	0
1	D	251	2078	1348	383	336	11	0	0	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	291	SER	-	expression tag	UNP Q4KTA7
A	292	ASN	-	expression tag	UNP Q4KTA7
A	293	ALA	-	expression tag	UNP Q4KTA7
B	291	SER	-	expression tag	UNP Q4KTA7
B	292	ASN	-	expression tag	UNP Q4KTA7
B	293	ALA	-	expression tag	UNP Q4KTA7
C	291	SER	-	expression tag	UNP Q4KTA7
C	292	ASN	-	expression tag	UNP Q4KTA7
C	293	ALA	-	expression tag	UNP Q4KTA7
D	291	SER	-	expression tag	UNP Q4KTA7
D	292	ASN	-	expression tag	UNP Q4KTA7
D	293	ALA	-	expression tag	UNP Q4KTA7

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	30	Total	O	0	0
			30	30		
2	B	37	Total	O	0	0
			37	37		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	C	38	Total	O	0	0
			38	38		
2	D	39	Total	O	0	0
			39	39		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Telomerase reverse transcriptase




- Molecule 1: Telomerase reverse transcriptase





- Molecule 1: Telomerase reverse transcriptase



- Molecule 1: Telomerase reverse transcriptase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	48.63Å 84.51Å 137.17Å 90.00° 94.31° 90.00°	Depositor
Resolution (Å)	20.00 – 2.37 20.00 – 2.37	Depositor EDS
% Data completeness (in resolution range)	98.6 (20.00-2.37) 98.5 (20.00-2.37)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.21 (at 2.00Å)	Xtrriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.220 , 0.259 0.220 , 0.259	Depositor DCC
R_{free} test set	2159 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	33.0	Xtrriage
Anisotropy	0.574	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 32.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8456	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	1/2129 (0.0%)	0.50	0/2858
1	B	0.46	1/2129 (0.0%)	0.51	0/2858
1	C	0.46	0/2129	0.53	0/2858
1	D	0.46	1/2129 (0.0%)	0.50	0/2858
All	All	0.46	3/8516 (0.0%)	0.51	0/11432

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	461	TRP	CD2-CE2	5.06	1.47	1.41
1	D	461	TRP	CD2-CE2	5.03	1.47	1.41
1	B	461	TRP	CD2-CE2	5.01	1.47	1.41

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2078	0	2140	21	0
1	B	2078	0	2140	28	0
1	C	2078	0	2140	32	0
1	D	2078	0	2140	19	0
2	A	30	0	0	0	0
2	B	37	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	38	0	0	0	0
2	D	39	0	0	0	0
All	All	8456	0	8560	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:516:SER:CB	1:A:517:MET:HA	1.70	1.18
1:C:448:SER:HB3	1:C:452:GLU:HG3	1.27	1.15
1:B:394:ALA:CB	1:B:395:GLY:HA2	1.71	1.14
1:A:516:SER:HB3	1:A:517:MET:HA	1.18	1.10
1:C:394:ALA:H	1:C:395:GLY:HA2	0.89	1.03
1:B:394:ALA:HB1	1:B:395:GLY:CA	1.90	1.01
1:C:394:ALA:N	1:C:395:GLY:HA2	1.73	1.01
1:C:394:ALA:H	1:C:395:GLY:CA	1.76	0.98
1:B:394:ALA:HB1	1:B:395:GLY:HA2	0.95	0.95
1:B:447:ARG:C	1:B:449:GLY:HA2	1.97	0.84
1:A:516:SER:HB3	1:A:517:MET:CA	2.05	0.82
1:C:448:SER:HB3	1:C:452:GLU:CG	2.09	0.79
1:C:434:ASN:HD21	1:C:464:LYS:H	1.30	0.79
1:B:394:ALA:CB	1:B:395:GLY:CA	2.55	0.73
1:C:448:SER:CB	1:C:452:GLU:HG3	2.15	0.73
1:D:434:ASN:HD21	1:D:464:LYS:H	1.35	0.73
1:A:516:SER:HB2	1:A:517:MET:HA	1.67	0.72
1:C:357:ARG:HH12	1:C:473:ILE:HG23	1.55	0.70
1:A:516:SER:CB	1:A:517:MET:CA	2.58	0.69
1:A:434:ASN:HD21	1:A:464:LYS:H	1.42	0.68
1:C:448:SER:C	1:C:450:LYS:HA	2.18	0.64
1:B:432:GLU:CD	1:B:435:ARG:HH12	2.01	0.63
1:B:448:SER:N	1:B:449:GLY:HA2	2.13	0.62
1:A:300:THR:HG21	1:D:449:GLY:O	2.01	0.61
1:B:444:PHE:O	1:B:447:ARG:HB2	2.01	0.61
1:C:389:VAL:H	1:C:405:GLN:HE22	1.47	0.61
1:B:389:VAL:H	1:B:405:GLN:NE2	1.98	0.60
1:D:390:GLY:HA2	1:D:393:ASP:HB3	1.84	0.60
1:A:365:LEU:HD21	1:A:427:GLU:HG3	1.82	0.60
1:C:389:VAL:H	1:C:405:GLN:NE2	2.00	0.59
1:A:381:LEU:HD23	1:A:384:LYS:HD3	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:395:GLY:HA3	1:C:397:ALA:H	1.68	0.59
1:B:445:PHE:CD2	1:B:446:LEU:HD13	2.39	0.57
1:B:445:PHE:HD2	1:B:446:LEU:HD13	1.69	0.57
1:B:318:LYS:HE2	1:B:327:LYS:HE3	1.87	0.56
1:D:377:PRO:HB2	1:D:380:ARG:HB2	1.86	0.55
1:A:432:GLU:CD	1:A:435:ARG:HH12	2.09	0.55
1:C:336:ILE:O	1:C:341:GLY:HA2	2.06	0.55
1:C:515:GLU:O	1:C:517:MET:N	2.40	0.54
1:B:508:ARG:HH21	1:C:508:ARG:NH1	2.04	0.54
1:B:447:ARG:O	1:B:448:SER:HB2	2.08	0.54
1:A:517:MET:HB2	1:A:518:GLY:HA3	1.90	0.54
1:D:455:SER:HB3	1:D:458:GLU:HB2	1.90	0.53
1:B:331:ARG:HH12	1:B:354:LYS:HA	1.72	0.53
1:B:331:ARG:NH1	1:B:353:LYS:O	2.41	0.53
1:B:447:ARG:O	1:B:448:SER:CB	2.56	0.53
1:B:447:ARG:O	1:B:449:GLY:HA2	2.10	0.52
1:C:391:ILE:HD11	1:C:530:VAL:HG22	1.91	0.51
1:B:543:ILE:HD11	1:C:403:LEU:HD12	1.92	0.51
1:D:425:PRO:HD2	1:D:428:LEU:HD12	1.93	0.50
1:A:437:LEU:O	1:A:441:ARG:HG2	2.11	0.50
1:C:449:GLY:N	1:C:450:LYS:HA	2.26	0.50
1:A:425:PRO:HD2	1:A:428:LEU:HD12	1.94	0.49
1:D:539:PHE:O	1:D:543:ILE:HG22	2.12	0.49
1:D:454:LEU:HD22	1:D:499:LEU:HD23	1.95	0.48
1:A:429:TRP:CE2	1:A:435:ARG:HG3	2.49	0.48
1:D:365:LEU:HD21	1:D:427:GLU:CG	2.44	0.48
1:D:368:GLN:HE21	1:D:372:GLN:NE2	2.12	0.48
1:C:388:LEU:HB3	1:C:391:ILE:HD13	1.95	0.48
1:A:450:LYS:HD3	1:A:453:ARG:HD2	1.97	0.47
1:C:394:ALA:N	1:C:395:GLY:CA	2.52	0.47
1:D:394:ALA:HA	1:D:395:GLY:HA3	1.77	0.46
1:A:365:LEU:HD21	1:A:427:GLU:CG	2.45	0.46
1:A:403:LEU:HD13	1:D:543:ILE:HD12	1.97	0.46
1:C:516:SER:O	1:C:517:MET:HB2	2.15	0.46
1:D:437:LEU:O	1:D:441:ARG:HG2	2.16	0.46
1:B:429:TRP:CD2	1:B:435:ARG:HG3	2.50	0.45
1:B:335:ARG:HD3	1:B:340:GLU:OE1	2.15	0.45
1:A:517:MET:H	1:A:518:GLY:HA3	1.81	0.45
1:B:389:VAL:H	1:B:405:GLN:HE22	1.62	0.45
1:C:450:LYS:HB2	1:C:451:PHE:CD2	2.51	0.45
1:C:448:SER:O	1:C:450:LYS:HA	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:410:HIS:H	1:A:410:HIS:CD2	2.35	0.44
1:B:429:TRP:CE2	1:B:435:ARG:HG3	2.53	0.44
1:C:365:LEU:HD21	1:C:427:GLU:CG	2.48	0.43
1:D:438:TYR:OH	1:D:498:LEU:HB3	2.18	0.43
1:C:434:ASN:ND2	1:C:464:LYS:H	2.06	0.43
1:A:520:LYS:HA	1:A:521:ASN:HA	1.59	0.43
1:B:450:LYS:O	1:B:451:PHE:C	2.57	0.43
1:C:518:GLY:C	1:C:520:LYS:H	2.22	0.43
1:B:382:LEU:HG	1:B:415:PHE:CE1	2.53	0.43
1:D:335:ARG:HD3	1:D:340:GLU:OE1	2.19	0.43
1:C:543:ILE:HG22	1:C:543:ILE:O	2.18	0.42
1:C:491:LEU:O	1:C:495:LEU:HB2	2.19	0.42
1:C:543:ILE:HA	1:C:544:SER:HA	1.69	0.42
1:C:315:LEU:HD22	1:C:370:LEU:HD11	2.02	0.42
1:A:325:PHE:CE1	1:D:453:ARG:HG2	2.55	0.42
1:C:331:ARG:HG3	1:C:355:LEU:HD11	2.02	0.41
1:D:406:HIS:CD2	1:D:524:ARG:HD3	2.56	0.41
1:D:363:VAL:HB	1:D:364:PRO:HD3	2.01	0.41
1:C:331:ARG:O	1:C:335:ARG:HG2	2.20	0.41
1:B:445:PHE:CD2	1:B:446:LEU:CD1	3.04	0.40
1:B:448:SER:HB2	1:B:450:LYS:HG3	2.04	0.40
1:B:466:ASN:ND2	1:B:487:ARG:HH21	2.19	0.40
1:D:434:ASN:ND2	1:D:464:LYS:H	2.11	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	249/254 (98%)	237 (95%)	12 (5%)	0	100 100
1	B	249/254 (98%)	233 (94%)	14 (6%)	2 (1%)	16 23

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	249/254 (98%)	231 (93%)	13 (5%)	5 (2%)	6	7
1	D	249/254 (98%)	239 (96%)	8 (3%)	2 (1%)	16	23
All	All	996/1016 (98%)	940 (94%)	47 (5%)	9 (1%)	14	20

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	448	SER
1	C	516	SER
1	C	520	LYS
1	B	518	GLY
1	C	518	GLY
1	C	453	ARG
1	D	520	LYS
1	D	396	GLN
1	C	519	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	221/223 (99%)	218 (99%)	3 (1%)	62	78
1	B	221/223 (99%)	216 (98%)	5 (2%)	45	64
1	C	221/223 (99%)	215 (97%)	6 (3%)	40	58
1	D	221/223 (99%)	218 (99%)	3 (1%)	62	78
All	All	884/892 (99%)	867 (98%)	17 (2%)	52	70

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	299	ARG
1	A	528	GLN
1	A	533	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	298	MET
1	B	436	LEU
1	B	446	LEU
1	B	447	ARG
1	B	506	LEU
1	C	370	LEU
1	C	382	LEU
1	C	414	LEU
1	C	418	GLU
1	C	447	ARG
1	C	495	LEU
1	D	447	ARG
1	D	506	LEU
1	D	528	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	361	ASN
1	A	368	GLN
1	A	372	GLN
1	A	405	GLN
1	A	410	HIS
1	A	433	HIS
1	A	434	ASN
1	A	467	ASN
1	B	361	ASN
1	B	368	GLN
1	B	372	GLN
1	B	405	GLN
1	B	466	ASN
1	B	542	HIS
1	C	361	ASN
1	C	368	GLN
1	C	372	GLN
1	C	405	GLN
1	C	433	HIS
1	C	434	ASN
1	C	466	ASN
1	C	542	HIS
1	D	346	ASN
1	D	361	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	372	GLN
1	D	406	HIS
1	D	433	HIS
1	D	434	ASN
1	D	466	ASN
1	D	467	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	251/254 (98%)	0.11	13 (5%) 34 34	25, 40, 87, 107	0
1	B	251/254 (98%)	0.06	15 (5%) 29 29	27, 39, 90, 119	0
1	C	251/254 (98%)	0.16	10 (3%) 43 43	27, 43, 93, 112	0
1	D	251/254 (98%)	0.20	17 (6%) 25 25	25, 42, 87, 111	0
All	All	1004/1016 (98%)	0.13	55 (5%) 32 32	25, 41, 90, 119	0

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	543	ILE	5.8
1	B	543	ILE	5.7
1	B	544	SER	3.9
1	D	543	ILE	3.9
1	B	518	GLY	3.8
1	D	518	GLY	3.8
1	C	542	HIS	3.8
1	D	544	SER	3.6
1	C	297	PHE	3.6
1	D	297	PHE	3.6
1	A	543	ILE	3.5
1	B	449	GLY	3.3
1	C	449	GLY	3.2
1	C	544	SER	3.2
1	A	515	GLU	3.2
1	A	544	SER	3.2
1	D	449	GLY	3.0
1	B	294	SER	2.9
1	B	517	MET	2.9
1	A	297	PHE	2.9
1	B	297	PHE	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	394	ALA	2.7
1	D	397	ALA	2.7
1	C	541	SER	2.7
1	B	448	SER	2.6
1	B	397	ALA	2.6
1	B	298	MET	2.6
1	D	294	SER	2.6
1	D	395	GLY	2.5
1	A	397	ALA	2.5
1	A	517	MET	2.5
1	B	542	HIS	2.5
1	D	516	SER	2.5
1	D	517	MET	2.5
1	D	519	GLN	2.4
1	A	542	HIS	2.4
1	C	397	ALA	2.4
1	A	298	MET	2.4
1	C	517	MET	2.4
1	D	451	PHE	2.3
1	A	541	SER	2.3
1	A	391	ILE	2.2
1	C	357	ARG	2.2
1	D	324	GLY	2.1
1	D	452	GLU	2.1
1	A	322	ALA	2.1
1	B	516	SER	2.1
1	A	396	GLN	2.1
1	D	298	MET	2.1
1	C	394	ALA	2.1
1	B	323	GLU	2.0
1	A	520	LYS	2.0
1	D	476	THR	2.0
1	D	542	HIS	2.0
1	B	519	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.