



wwPDB NMR Structure Validation Summary Report ⓘ

Jun 6, 2023 – 01:25 pm BST

PDB ID : 5LME
BMRB ID : 34028
Title : Specific-DNA binding activity of the cross-brace zinc finger motif of the piggyBac transposase
Authors : Morellet, N.; Taylor, J.A.; Wieninger, S.; Moriau, S.; Li, X.; Lescop, E.; Mathy, N.; Bischerour, J.; Betermier, M.; Bardiaux, B.; Nilges, M.; Craig, N.L.; Hickman, A.B.; Dyda, F.; Guittet, E.
Deposited on : 2016-07-30

This is a wwPDB NMR Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
BMRB Restraints Analysis : v1.2
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.33


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 50%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	43	

2 Ensemble composition and analysis

This entry contains 24 models. Model 1 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:5-A:41 (37)	0.59	1

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters. No single-model clusters were found.

Cluster number	Models
1	2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24
2	1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23

3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 716 atoms, of which 365 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called piggyBac transposase.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	43	714	214	365	68	58	9	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	
2	A	2	Total	Zn
			2	2

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


- Molecule 1: piggyBac transposase



4.2 Residue scores for the representative (medoid) model from the NMR ensemble

The representative model is number 1. Colouring as in section 4.1 above.

- Molecule 1: piggyBac transposase



5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 4000 calculated structures, 24 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
ARIA	structure calculation	2.3

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	303
Number of shifts mapped to atoms	303
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	50%

6 Model quality [i](#)

6.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:
ZN

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	298	306	306	2±1
All	All	7200	7344	7344	37

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

5 of 24 unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:11:CYS:SG	1:A:17:ARG:HD2	0.61	2.34	19	3
1:A:32:ARG:HA	1:A:35:ASN:OD1	0.60	1.97	16	6
1:A:23:CYS:HA	1:A:37:ASP:O	0.52	2.04	5	1
1:A:39:CYS:SG	1:A:41:SER:HB3	0.51	2.46	20	2
1:A:32:ARG:HA	1:A:35:ASN:O	0.50	2.05	11	3

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	37/43 (86%)	34±1 (92±3%)	3±1 (8±3%)	0±1 (1±1%)	21	69
All	All	888/1032 (86%)	813 (92%)	67 (8%)	8 (1%)	21	69

All 5 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	37	ASP	4
1	A	16	ARG	1
1	A	38	MET	1
1	A	36	ILE	1
1	A	25	LYS	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	35/41 (85%)	33±1 (95±3%)	2±1 (5±3%)	29	78
All	All	840/984 (85%)	799 (95%)	41 (5%)	29	78

5 of 9 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	39	CYS	12
1	A	35	ASN	9
1	A	18	LYS	7
1	A	34	HIS	5
1	A	20	ASN	3

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 50% for the well-defined parts and 50% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *datanu.str*

7.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	303
Number of shifts mapped to atoms	303
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.1.2 Chemical shift referencing [i](#)

No chemical shift referencing corrections were calculated (not enough data).

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 50%, i.e. 259 atoms were assigned a chemical shift out of a possible 517. 0 out of 1 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	72/183 (39%)	72/73 (99%)	0/74 (0%)	0/36 (0%)
Sidechain	177/309 (57%)	177/197 (90%)	0/91 (0%)	0/21 (0%)
Aromatic	10/25 (40%)	10/12 (83%)	0/12 (0%)	0/1 (0%)
Overall	259/517 (50%)	259/282 (92%)	0/177 (0%)	0/58 (0%)


7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:



8 NMR restraints analysis

8.1 Conformationally restricting restraints

The following table provides the summary of experimentally observed NMR restraints in different categories. Restraints are classified into different categories based on the sequence separation of the atoms involved.

Description	Value
Total distance restraints	1392
Intra-residue ($ i-j =0$)	549
Sequential ($ i-j =1$)	313
Medium range ($ i-j >1$ and $ i-j <5$)	145
Long range ($ i-j \geq 5$)	385
Inter-chain	0
Hydrogen bond restraints	0
Disulfide bond restraints	0
Total dihedral-angle restraints	0
Number of unmapped restraints	0
Number of restraints per residue	32.4
Number of long range restraints per residue ¹	9.0

¹Long range hydrogen bonds and disulfide bonds are counted as long range restraints while calculating the number of long range restraints per residue

8.2 Residual restraint violations

This section provides the overview of the restraint violations analysis. The violations are binned as small, medium and large violations based on its absolute value. Average number of violations per model is calculated by dividing the total number of violations in each bin by the size of the ensemble.

8.2.1 Average number of distance violations per model

Distance violations less than 0.1 Å are not included in the calculation.

Bins (Å)	Average number of violations per model	Max (Å)
0.1-0.2 (Small)	168.0	0.2
0.2-0.5 (Medium)	436.4	0.5
>0.5 (Large)	591.8	11.69

8.2.2 Average number of dihedral-angle violations per model

Dihedral-angle violations less than 1° are not included in the calculation. There are no dihedral-angle violations

9 Distance violation analysis i


9.1 Summary of distance violations i

The following table shows the summary of distance violations in different restraint categories based on the sequence separation of the atoms involved. Each category is further sub-divided into three sub-categories based on the atoms involved. Violations less than 0.1 Å are not included in the statistics.

Restrains type	Count	% ¹	Violated ³			Consistently Violated ⁴		
			Count	% ²	% ¹	Count	% ²	% ¹
Intra-residue ($i-j =0$)	549	39.4	515	93.8	37.0	308	56.1	22.1
Backbone-Backbone	75	5.4	61	81.3	4.4	45	60.0	3.2
Backbone-Sidechain	315	22.6	310	98.4	22.3	159	50.5	11.4
Sidechain-Sidechain	159	11.4	144	90.6	10.3	104	65.4	7.5
Sequential ($i-j =1$)	313	22.5	313	100.0	22.5	163	52.1	11.7
Backbone-Backbone	145	10.4	145	100.0	10.4	79	54.5	5.7
Backbone-Sidechain	149	10.7	149	100.0	10.7	74	49.7	5.3
Sidechain-Sidechain	19	1.4	19	100.0	1.4	10	52.6	0.7
Medium range ($i-j >1$ & $i-j <5$)	145	10.4	145	100.0	10.4	78	53.8	5.6
Backbone-Backbone	57	4.1	57	100.0	4.1	31	54.4	2.2
Backbone-Sidechain	61	4.4	61	100.0	4.4	34	55.7	2.4
Sidechain-Sidechain	27	1.9	27	100.0	1.9	13	48.1	0.9
Long range ($i-j \geq 5$)	385	27.7	385	100.0	27.7	179	46.5	12.9
Backbone-Backbone	67	4.8	67	100.0	4.8	25	37.3	1.8
Backbone-Sidechain	188	13.5	188	100.0	13.5	95	50.5	6.8
Sidechain-Sidechain	130	9.3	130	100.0	9.3	59	45.4	4.2
Inter-chain	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Backbone	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Hydrogen bond	0	0.0	0	0.0	0.0	0	0.0	0.0
Disulfide bond	0	0.0	0	0.0	0.0	0	0.0	0.0
Total	1392	100.0	1358	97.6	97.6	728	52.3	52.3
Backbone-Backbone	344	24.7	330	95.9	23.7	180	52.3	12.9
Backbone-Sidechain	713	51.2	708	99.3	50.9	362	50.8	26.0
Sidechain-Sidechain	335	24.1	320	95.5	23.0	186	55.5	13.4

¹ percentage calculated with respect to the total number of distance restraints, ² percentage calculated with respect to the number of restraints in a particular restraint category, ³ violated in at least one model, ⁴ violated in all the models

9.1.1 Bar chart : Distribution of distance restraints and violations [i](#)



Violated and consistently violated restraints are shown using different hatch patterns in their respective categories. The hydrogen bonds and disulfid bonds are counted in their appropriate category on the x-axis

9.2 Distance violation statistics for each model [i](#)

The following table provides the distance violation statistics for each model in the ensemble. Violations less than 0.1 Å are not included in the statistics.

Model ID	Number of violations						Mean (Å)	Max (Å)	SD ⁶ (Å)	Median (Å)
	IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total				
1	445	276	128	351	0	1200	0.66	9.76	0.7	0.51
2	447	275	130	339	0	1191	0.66	8.48	0.65	0.51
3	443	281	135	350	0	1209	0.66	8.63	0.65	0.51
4	434	291	131	341	0	1197	0.64	8.96	0.64	0.49
5	434	283	132	333	0	1182	0.66	6.45	0.6	0.54
6	444	280	133	341	0	1198	0.65	7.84	0.61	0.49
7	454	281	131	337	0	1203	0.68	10.47	0.8	0.49
8	438	287	127	345	0	1197	0.65	8.62	0.65	0.49
9	443	272	130	341	0	1186	0.66	8.63	0.63	0.51
10	448	275	134	332	0	1189	0.69	10.47	0.82	0.52
11	446	292	131	347	0	1216	0.65	9.39	0.66	0.51

Continued on next page...


Continued from previous page...

Model ID	Number of violations						Mean (Å)	Max (Å)	SD ⁶ (Å)	Median (Å)
	IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total				
12	421	283	135	354	0	1193	0.66	7.73	0.62	0.5
13	438	280	124	343	0	1185	0.64	6.38	0.56	0.49
14	432	276	132	339	0	1179	0.65	7.35	0.57	0.49
15	455	275	137	326	0	1193	0.68	11.69	0.86	0.49
16	445	271	122	350	0	1188	0.65	8.43	0.64	0.51
17	444	275	123	345	0	1187	0.66	8.76	0.71	0.5
18	439	275	127	361	0	1202	0.65	9.01	0.64	0.49
19	448	272	132	345	0	1197	0.65	9.12	0.64	0.49
20	438	277	125	349	0	1189	0.65	8.85	0.65	0.48
21	438	291	130	359	0	1218	0.64	8.52	0.66	0.5
22	432	293	130	353	0	1208	0.64	8.36	0.63	0.48
23	443	284	131	344	0	1202	0.66	10.1	0.73	0.5
24	439	277	133	351	0	1200	0.65	7.37	0.56	0.52

¹Intra-residue restraints, ²Sequential restraints, ³Medium range restraints, ⁴Long range restraints,

⁵Inter-chain restraints, ⁶Standard deviation

9.2.1 Bar graph : Distance Violation statistics for each model [i](#)



The mean(dot),median(x) and the standard deviation are shown in blue with respect to the y axis on the right

9.3 Distance violation statistics for the ensemble [i](#)

Violation analysis may find that some restraints are violated in few models and some are violated in most of models. The following table provides this information as number of violated restraints for a given fraction of the ensemble. In total, 34(IR:34, SQ:0, MR:0, LR:0, IC:0) restraints are not violated in the ensemble.

Number of violated restraints						Fraction of the ensemble	
IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total	Count ⁶	%
8	0	0	0	0	8	1	4.2
8	1	0	0	0	9	2	8.3
5	0	0	0	0	5	3	12.5
6	0	0	0	0	6	4	16.7
8	4	0	0	0	12	5	20.8
2	0	2	0	0	4	6	25.0


Continued on next page...

Continued from previous page...

Number of violated restraints						Fraction of the ensemble	
IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total	Count ⁶	%
2	4	2	0	0	8	7	29.2
6	2	0	0	0	8	8	33.3
6	3	2	4	0	15	9	37.5
8	0	0	0	0	8	10	41.7
2	2	0	4	0	8	11	45.8
7	4	0	4	0	15	12	50.0
8	3	4	2	0	17	13	54.2
6	2	2	8	0	18	14	58.3
4	10	0	10	0	24	15	62.5
9	4	4	12	0	29	16	66.7
9	5	4	8	0	26	17	70.8
7	3	5	16	0	31	18	75.0
10	17	2	16	0	45	19	79.2
4	5	6	32	0	47	20	83.3
16	19	11	19	0	65	21	87.5
16	21	13	28	0	78	22	91.7
50	41	10	43	0	144	23	95.8
308	163	78	179	0	728	24	100.0

¹Intra-residue restraints, ²Sequential restraints, ³Medium range restraints, ⁴Long range restraints, ⁵Inter-chain restraints, ⁶ Number of models with violations


9.3.1 Bar graph : Distance violation statistics for the ensemble [i](#)



9.4 Most violated distance restraints in the ensemble [i](#)

9.4.1 Histogram : Distribution of mean distance violations [i](#)

The following histogram shows the distribution of the average value of the violation. The average is calculated for each restraint that is violated in more than one model over all the violated models in the ensemble



9.4.2 Table: Most violated distance restraints [i](#)

The following table provides the mean and the standard deviation of the violations for the 10 worst performing restraints, sorted by number of violated models and the mean violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.

Key	Atom-1	Atom-2	Models ¹	Mean (Å)	SD ¹ (Å)	Median (Å)
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD11	24	5.21	3.87	4.11
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD12	24	5.21	3.87	4.11
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD13	24	5.21	3.87	4.11
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD11	24	5.21	3.87	4.11
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD12	24	5.21	3.87	4.11
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD13	24	5.21	3.87	4.11
(3,37)	1:A:43:PHE:H	1:A:36:ILE:HG21	24	5.04	1.96	3.92
(3,37)	1:A:43:PHE:H	1:A:36:ILE:HG22	24	5.04	1.96	3.92
(3,37)	1:A:43:PHE:H	1:A:36:ILE:HG23	24	5.04	1.96	3.92
(3,37)	1:A:43:PHE:H	1:A:36:ILE:HG21	24	5.04	1.96	3.92
(3,37)	1:A:43:PHE:H	1:A:36:ILE:HG22	24	5.04	1.96	3.92
(3,37)	1:A:43:PHE:H	1:A:36:ILE:HG23	24	5.04	1.96	3.92
(3,1)	1:A:25:LYS:HA	1:A:43:PHE:HE1	24	4.85	3.67	4.68
(3,1)	1:A:25:LYS:HA	1:A:43:PHE:HE2	24	4.85	3.67	4.68
(3,1)	1:A:25:LYS:HA	1:A:43:PHE:HE1	24	4.85	3.67	4.68
(3,1)	1:A:25:LYS:HA	1:A:43:PHE:HE2	24	4.85	3.67	4.68

Continued on next page...

Continued from previous page...


Key	Atom-1	Atom-2	Models ¹	Mean (Å)	SD ¹ (Å)	Median (Å)
(3,95)	1:A:25:LYS:HA	1:A:43:PHE:HD1	24	4.11	2.35	3.96
(3,95)	1:A:25:LYS:HA	1:A:43:PHE:HD2	24	4.11	2.35	3.96
(3,95)	1:A:25:LYS:HA	1:A:43:PHE:HD1	24	4.11	2.35	3.96
(3,95)	1:A:25:LYS:HA	1:A:43:PHE:HD2	24	4.11	2.35	3.96
(3,67)	1:A:25:LYS:HB3	1:A:43:PHE:HE1	24	3.11	2.4	2.84
(3,67)	1:A:25:LYS:HB3	1:A:43:PHE:HE2	24	3.11	2.4	2.84
(3,67)	1:A:25:LYS:HB2	1:A:43:PHE:HE1	24	3.11	2.4	2.84
(3,67)	1:A:25:LYS:HB2	1:A:43:PHE:HE2	24	3.11	2.4	2.84
(3,67)	1:A:25:LYS:HB3	1:A:43:PHE:HE1	24	3.11	2.4	2.84
(3,67)	1:A:25:LYS:HB3	1:A:43:PHE:HE2	24	3.11	2.4	2.84
(3,67)	1:A:25:LYS:HB2	1:A:43:PHE:HE1	24	3.11	2.4	2.84
(3,67)	1:A:25:LYS:HB2	1:A:43:PHE:HE2	24	3.11	2.4	2.84
(3,84)	1:A:26:CYS:H	1:A:43:PHE:H	24	3.05	0.89	3.09
(3,84)	1:A:26:CYS:H	1:A:43:PHE:H	24	3.05	0.89	3.09
(3,82)	1:A:40:GLN:H	1:A:36:ILE:HG21	24	2.46	1.31	1.96
(3,82)	1:A:40:GLN:H	1:A:36:ILE:HG22	24	2.46	1.31	1.96
(3,82)	1:A:40:GLN:H	1:A:36:ILE:HG23	24	2.46	1.31	1.96
(3,82)	1:A:40:GLN:H	1:A:36:ILE:HG21	24	2.46	1.31	1.96
(3,82)	1:A:40:GLN:H	1:A:36:ILE:HG22	24	2.46	1.31	1.96
(3,82)	1:A:40:GLN:H	1:A:36:ILE:HG23	24	2.46	1.31	1.96
(3,38)	1:A:43:PHE:H	1:A:25:LYS:HG3	24	2.34	1.27	2.26
(3,38)	1:A:43:PHE:H	1:A:25:LYS:HG2	24	2.34	1.27	2.26
(3,38)	1:A:43:PHE:H	1:A:25:LYS:HG3	24	2.34	1.27	2.26
(3,38)	1:A:43:PHE:H	1:A:25:LYS:HG2	24	2.34	1.27	2.26
(3,59)	1:A:39:CYS:H	1:A:36:ILE:HG21	24	2.25	0.55	2.17
(3,59)	1:A:39:CYS:H	1:A:36:ILE:HG22	24	2.25	0.55	2.17
(3,59)	1:A:39:CYS:H	1:A:36:ILE:HG23	24	2.25	0.55	2.17
(3,59)	1:A:39:CYS:H	1:A:36:ILE:HG21	24	2.25	0.55	2.17
(3,59)	1:A:39:CYS:H	1:A:36:ILE:HG22	24	2.25	0.55	2.17
(3,59)	1:A:39:CYS:H	1:A:36:ILE:HG23	24	2.25	0.55	2.17
(3,88)	1:A:38:MET:HA	1:A:36:ILE:HD11	24	2.15	1.23	2.0

¹Number of violated models, ²Standard deviation

9.5 All violated distance restraints [i](#)

9.5.1 Histogram : Distribution of distance violations [i](#)

The following histogram shows the distribution of the absolute value of the violation for all violated restraints in the ensemble.



9.5.2 Table : All distance violations [i](#)

The following table provides the 10 worst performing restraints, sorted by the violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(3,90)	1:A:36:ILE:HD11	1:A:43:PHE:HB3	15	11.69
(3,90)	1:A:36:ILE:HD11	1:A:43:PHE:HB2	15	11.69
(3,90)	1:A:36:ILE:HD12	1:A:43:PHE:HB3	15	11.69
(3,90)	1:A:36:ILE:HD12	1:A:43:PHE:HB2	15	11.69
(3,90)	1:A:36:ILE:HD13	1:A:43:PHE:HB3	15	11.69
(3,90)	1:A:36:ILE:HD13	1:A:43:PHE:HB2	15	11.69
(3,90)	1:A:36:ILE:HD11	1:A:43:PHE:HB3	15	11.69
(3,90)	1:A:36:ILE:HD11	1:A:43:PHE:HB2	15	11.69
(3,90)	1:A:36:ILE:HD12	1:A:43:PHE:HB3	15	11.69
(3,90)	1:A:36:ILE:HD12	1:A:43:PHE:HB2	15	11.69
(3,90)	1:A:36:ILE:HD13	1:A:43:PHE:HB3	15	11.69
(3,90)	1:A:36:ILE:HD13	1:A:43:PHE:HB2	15	11.69
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD11	15	11.53
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD12	15	11.53
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD13	15	11.53
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD11	15	11.53
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD12	15	11.53

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD13	15	11.53
(3,70)	1:A:36:ILE:HD11	1:A:43:PHE:HD1	15	11.11
(3,70)	1:A:36:ILE:HD11	1:A:43:PHE:HD2	15	11.11
(3,70)	1:A:36:ILE:HD12	1:A:43:PHE:HD1	15	11.11
(3,70)	1:A:36:ILE:HD12	1:A:43:PHE:HD2	15	11.11
(3,70)	1:A:36:ILE:HD13	1:A:43:PHE:HD1	15	11.11
(3,70)	1:A:36:ILE:HD13	1:A:43:PHE:HD2	15	11.11
(3,70)	1:A:36:ILE:HD11	1:A:43:PHE:HD1	15	11.11
(3,70)	1:A:36:ILE:HD11	1:A:43:PHE:HD2	15	11.11
(3,70)	1:A:36:ILE:HD12	1:A:43:PHE:HD1	15	11.11
(3,70)	1:A:36:ILE:HD12	1:A:43:PHE:HD2	15	11.11
(3,70)	1:A:36:ILE:HD13	1:A:43:PHE:HD1	15	11.11
(3,70)	1:A:36:ILE:HD13	1:A:43:PHE:HD2	15	11.11
(3,70)	1:A:36:ILE:HD11	1:A:43:PHE:HD1	7	10.47
(3,70)	1:A:36:ILE:HD11	1:A:43:PHE:HD2	7	10.47
(3,70)	1:A:36:ILE:HD12	1:A:43:PHE:HD1	7	10.47
(3,70)	1:A:36:ILE:HD12	1:A:43:PHE:HD2	7	10.47
(3,70)	1:A:36:ILE:HD13	1:A:43:PHE:HD1	7	10.47
(3,70)	1:A:36:ILE:HD13	1:A:43:PHE:HD2	7	10.47
(3,70)	1:A:36:ILE:HD11	1:A:43:PHE:HD1	7	10.47
(3,70)	1:A:36:ILE:HD11	1:A:43:PHE:HD2	7	10.47
(3,70)	1:A:36:ILE:HD12	1:A:43:PHE:HD1	7	10.47
(3,70)	1:A:36:ILE:HD12	1:A:43:PHE:HD2	7	10.47
(3,70)	1:A:36:ILE:HD13	1:A:43:PHE:HD1	7	10.47
(3,70)	1:A:36:ILE:HD13	1:A:43:PHE:HD2	7	10.47
(3,1)	1:A:25:LYS:HA	1:A:43:PHE:HE1	10	10.47
(3,1)	1:A:25:LYS:HA	1:A:43:PHE:HE2	10	10.47
(3,1)	1:A:25:LYS:HA	1:A:43:PHE:HE1	10	10.47
(3,1)	1:A:25:LYS:HA	1:A:43:PHE:HE2	10	10.47
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD11	7	10.42
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD12	7	10.42
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD13	7	10.42
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD11	7	10.42
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD12	7	10.42
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD13	7	10.42
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD11	23	10.1
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD12	23	10.1
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD13	23	10.1
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD11	23	10.1
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD12	23	10.1
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD13	23	10.1
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD11	1	9.76

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD12	1	9.76
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD13	1	9.76
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD11	1	9.76
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD12	1	9.76
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD13	1	9.76
(3,90)	1:A:36:ILE:HD11	1:A:43:PHE:HB3	7	9.67
(3,90)	1:A:36:ILE:HD11	1:A:43:PHE:HB2	7	9.67
(3,90)	1:A:36:ILE:HD12	1:A:43:PHE:HB3	7	9.67
(3,90)	1:A:36:ILE:HD12	1:A:43:PHE:HB2	7	9.67
(3,90)	1:A:36:ILE:HD13	1:A:43:PHE:HB3	7	9.67
(3,90)	1:A:36:ILE:HD13	1:A:43:PHE:HB2	7	9.67
(3,90)	1:A:36:ILE:HD11	1:A:43:PHE:HB3	7	9.67
(3,90)	1:A:36:ILE:HD11	1:A:43:PHE:HB2	7	9.67
(3,90)	1:A:36:ILE:HD12	1:A:43:PHE:HB3	7	9.67
(3,90)	1:A:36:ILE:HD12	1:A:43:PHE:HB2	7	9.67
(3,90)	1:A:36:ILE:HD13	1:A:43:PHE:HB3	7	9.67
(3,90)	1:A:36:ILE:HD13	1:A:43:PHE:HB2	7	9.67
(3,36)	1:A:43:PHE:H	1:A:36:ILE:HD11	11	9.39

10 Dihedral-angle violation analysis

No dihedral-angle restraints found