



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 2, 2021 – 08:20 PM EDT

PDB ID : 3LRM  
Title : Structure of alfa-galactosidase from *Saccharomyces cerevisiae* with raffinose  
Authors : Fernandez-Leiro, R.; Pereira-Rodriguez, A.; Cerdan, M.E.; Becerra, M.; Sanz-Aparicio, J.  
Deposited on : 2010-02-11  
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.23.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.












Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	479	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 80%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">82%      12%      6%</p>
1	B	479	<div style="display: flex; align-items: center;"> <div style="width: 8%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 73%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 13%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">8%      81%      13%      6%</p>
1	C	479	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 78%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 13%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">3%      81%      13%      6%</p>
1	D	479	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 80%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">2%      82%      11%      6%</p>
2	E	2	<div style="width: 100%; height: 10px; background-color: yellow;"></div> <p style="text-align: center;">100%</p>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	G	2	 100%
2	I	2	 100%
3	F	2	 50% 50%
3	H	2	 100%
3	J	2	 100%
4	K	3	 33% 67%
4	L	3	 33% 67%
4	M	3	 33% 67%
4	N	3	 67% 33%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	E	1	X	-	-	-
2	NAG	G	1	X	-	-	-
2	NAG	I	1	X	-	-	-
3	NAG	H	2	-	-	-	X
4	FRU	N	2	-	-	-	X

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 15512 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-galactosidase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	452	3515	2203	596	695	21	0	0	0
1	B	452	3515	2203	596	695	21	0	0	0
1	C	452	3515	2203	596	695	21	0	0	0
1	D	452	3515	2203	596	695	21	0	0	0

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	149	ALA	ASP	engineered mutation	UNP P04824
A	181	VAL	ILE	engineered mutation	UNP P04824
A	472	ASP	-	expression tag	UNP P04824
A	473	TYR	-	expression tag	UNP P04824
A	474	LYS	-	expression tag	UNP P04824
A	475	ASP	-	expression tag	UNP P04824
A	476	ASP	-	expression tag	UNP P04824
A	477	ASP	-	expression tag	UNP P04824
A	478	ASP	-	expression tag	UNP P04824
A	479	LYS	-	expression tag	UNP P04824
B	149	ALA	ASP	engineered mutation	UNP P04824
B	181	VAL	ILE	engineered mutation	UNP P04824
B	472	ASP	-	expression tag	UNP P04824
B	473	TYR	-	expression tag	UNP P04824
B	474	LYS	-	expression tag	UNP P04824
B	475	ASP	-	expression tag	UNP P04824
B	476	ASP	-	expression tag	UNP P04824
B	477	ASP	-	expression tag	UNP P04824
B	478	ASP	-	expression tag	UNP P04824
B	479	LYS	-	expression tag	UNP P04824
C	149	ALA	ASP	engineered mutation	UNP P04824

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	181	VAL	ILE	engineered mutation	UNP P04824
C	472	ASP	-	expression tag	UNP P04824
C	473	TYR	-	expression tag	UNP P04824
C	474	LYS	-	expression tag	UNP P04824
C	475	ASP	-	expression tag	UNP P04824
C	476	ASP	-	expression tag	UNP P04824
C	477	ASP	-	expression tag	UNP P04824
C	478	ASP	-	expression tag	UNP P04824
C	479	LYS	-	expression tag	UNP P04824
D	149	ALA	ASP	engineered mutation	UNP P04824
D	181	VAL	ILE	engineered mutation	UNP P04824
D	472	ASP	-	expression tag	UNP P04824
D	473	TYR	-	expression tag	UNP P04824
D	474	LYS	-	expression tag	UNP P04824
D	475	ASP	-	expression tag	UNP P04824
D	476	ASP	-	expression tag	UNP P04824
D	477	ASP	-	expression tag	UNP P04824
D	478	ASP	-	expression tag	UNP P04824
D	479	LYS	-	expression tag	UNP P04824

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	E	2	28	16	2	10	0	0	0
2	G	2	28	16	2	10	0	0	0
2	I	2	28	16	2	10	0	0	0

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	F	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	H	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	J	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is an oligosaccharide called beta-D-fructofuranose-(2-1)-[alpha-D-galactopyranoside-(1-6)]alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
4	K	3	Total	C	O	0	0	0
			34	18	16			
4	L	3	Total	C	O	0	0	0
			34	18	16			
4	M	3	Total	C	O	0	0	0
			34	18	16			
4	N	3	Total	C	O	0	0	0
			34	18	16			

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	D	1	Total	C	N	O	0	0
			14	8	1	5		
5	D	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	286	Total	O	0	0
			286	286		
6	B	235	Total	O	0	0
			235	235		
6	C	264	Total	O	0	0
			264	264		
6	D	237	Total	O	0	0
			237	237		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Alpha-galactosidase 1




- Molecule 1: Alpha-galactosidase 1





- Molecule 1: Alpha-galactosidase 1








- Molecule 1: Alpha-galactosidase 1




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose




MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1  
MAG2


- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%



MAG1  
MAG2


- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%



MAG1  
MAG2


- Molecule 4: beta-D-fructofuranose-(2-1)-[alpha-D-galactopyranose-(1-6)]alpha-D-glucopyranose

Chain K:  33% 67%



GLC1  
FRU2  
GLA3


- Molecule 4: beta-D-fructofuranose-(2-1)-[alpha-D-galactopyranose-(1-6)]alpha-D-glucopyranose

Chain L:  33% 67%



GLC1  
FRU2  
GLA3

- Molecule 4: beta-D-fructofuranose-(2-1)-[alpha-D-galactopyranose-(1-6)]alpha-D-glucopyranose

Chain M:  33% 67%



GLC1  
FRU2  
GLA3

- Molecule 4: beta-D-fructofuranose-(2-1)-[alpha-D-galactopyranose-(1-6)]alpha-D-glucopyranose

Chain N:  67% 33%



GLC1  
FRU2  
GLA3

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	111.17Å 129.53Å 136.78Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	94.05 – 2.70 71.80 – 2.70	Depositor EDS
% Data completeness (in resolution range)	100.0 (94.05-2.70) 100.0 (71.80-2.70)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	0.08	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.91 (at 2.69Å)	Xtrriage
Refinement program	REFMAC 5.5.0072	Depositor
R, $R_{free}$	0.241 , 0.284 0.237 , 0.273	Depositor DCC
$R_{free}$ test set	2781 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	44.0	Xtrriage
Anisotropy	0.058	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 48.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	15512	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	40.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.40% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FRU, GLA, GLC, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.36	0/3602	0.52	1/4891 (0.0%)
1	B	0.37	0/3602	0.52	1/4891 (0.0%)
1	C	0.37	0/3602	0.51	0/4891
1	D	0.37	0/3602	0.51	1/4891 (0.0%)
All	All	0.37	0/14408	0.51	3/19564 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	436	ASP	CB-CG-OD2	5.22	123.00	118.30
1	A	261	LEU	CA-CB-CG	5.15	127.15	115.30
1	D	261	LEU	CA-CB-CG	5.05	126.91	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3515	0	3283	44	2
1	B	3515	0	3283	46	2
1	C	3515	0	3283	42	0
1	D	3515	0	3284	42	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	28	0	25	0	0
2	G	28	0	25	0	0
2	I	28	0	25	0	0
3	F	28	0	25	0	0
3	H	28	0	25	0	0
3	J	28	0	25	0	0
4	K	34	0	30	1	0
4	L	34	0	30	0	0
4	M	34	0	30	2	0
4	N	34	0	30	0	0
5	A	28	0	26	0	0
5	B	28	0	26	0	0
5	C	42	0	39	1	0
5	D	28	0	26	0	0
6	A	286	0	0	13	0
6	B	235	0	0	21	0
6	C	264	0	0	10	0
6	D	237	0	0	8	0
All	All	15512	0	13520	171	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (171) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:79:ARG:HA	6:A:1534:HOH:O	1.31	1.26
1:B:435:ASN:HB2	6:B:537:HOH:O	1.47	1.12
1:C:42:CYS:HB3	6:C:1121:HOH:O	1.58	1.01
1:A:438:ARG:CZ	6:A:1610:HOH:O	2.20	0.88
1:A:85:LEU:HA	6:A:1534:HOH:O	1.72	0.87
1:D:421:TYR:HA	1:D:438:ARG:HH21	1.40	0.84
1:B:421:TYR:CD1	1:B:438:ARG:NH2	2.48	0.81
1:B:79:ARG:HB3	6:B:1368:HOH:O	1.80	0.81
1:B:425:GLU:HG2	6:B:1162:HOH:O	1.81	0.79
1:C:436:ASP:OD1	1:C:438:ARG:HG2	1.85	0.75
1:B:118:GLU:HG3	6:B:1470:HOH:O	1.90	0.70
1:D:421:TYR:HA	1:D:438:ARG:NH2	2.09	0.68
1:B:95:GLY:HA3	6:B:534:HOH:O	1.96	0.66
1:C:40:PHE:HA	6:C:1555:HOH:O	1.94	0.66
1:C:436:ASP:OD1	1:C:438:ARG:CG	2.44	0.65

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:436:ASP:OD1	1:D:438:ARG:HG3	1.97	0.64
1:D:48:LEU:HA	6:D:518:HOH:O	1.97	0.63
1:D:436:ASP:OD1	1:D:438:ARG:CG	2.48	0.61
1:B:74:CYS:HB3	6:B:1037:HOH:O	2.01	0.61
1:B:326:ARG:HD2	6:B:1321:HOH:O	2.01	0.60
1:A:436:ASP:OD1	1:A:438:ARG:HG3	2.00	0.60
1:A:36:ASN:HD21	1:A:72:ASP:H	1.49	0.60
1:B:49:LEU:HD23	1:B:99:VAL:HG11	1.84	0.60
1:C:93:PRO:HG2	6:C:1010:HOH:O	2.01	0.60
1:B:435:ASN:CB	6:B:537:HOH:O	2.26	0.58
1:B:36:ASN:HD21	1:B:72:ASP:H	1.50	0.58
1:A:49:LEU:HD23	1:A:99:VAL:HG11	1.86	0.58
1:B:97:GLY:H	1:B:141:ASN:HD22	1.50	0.57
1:C:49:LEU:HD23	1:C:99:VAL:HG11	1.85	0.57
1:A:80:ASP:HB3	1:A:86:VAL:CG2	2.35	0.57
1:C:97:GLY:H	1:C:141:ASN:HD22	1.51	0.57
1:A:413:ASN:ND2	6:A:1292:HOH:O	2.38	0.57
1:B:80:ASP:HB3	1:B:86:VAL:CG2	2.34	0.57
1:C:36:ASN:HD21	1:C:72:ASP:H	1.52	0.56
1:D:49:LEU:HD23	1:D:99:VAL:HG11	1.85	0.56
1:C:80:ASP:HB3	1:C:86:VAL:CG2	2.35	0.56
1:B:415:THR:HB	6:B:1079:HOH:O	2.06	0.56
1:D:80:ASP:HB3	1:D:86:VAL:CG2	2.36	0.56
1:C:209:ASP:HB2	1:C:235:PHE:HB2	1.87	0.55
1:D:36:ASN:HD21	1:D:72:ASP:H	1.53	0.55
1:D:436:ASP:OD2	1:D:438:ARG:HD3	2.05	0.55
1:D:393:ILE:HD13	1:D:453:LEU:HD13	1.89	0.55
1:D:436:ASP:CG	1:D:438:ARG:HB2	2.27	0.55
1:B:42:CYS:HB3	6:B:1037:HOH:O	2.05	0.55
1:A:426:GLN:NE2	1:A:434:LYS:HD2	2.21	0.55
1:D:426:GLN:NE2	1:D:434:LYS:HD2	2.22	0.55
1:D:345:MET:HE1	1:D:347:SER:HB2	1.89	0.54
1:A:436:ASP:OD1	1:A:438:ARG:HB2	2.07	0.54
1:B:105:ASN:ND2	6:B:555:HOH:O	2.39	0.54
1:B:421:TYR:CE1	1:B:438:ARG:NH2	2.67	0.54
1:A:97:GLY:H	1:A:141:ASN:HD22	1.56	0.54
1:B:150:ASN:HB2	1:B:187:ASN:HA	1.90	0.54
1:D:97:GLY:H	1:D:141:ASN:HD22	1.55	0.54
1:A:436:ASP:OD1	1:A:438:ARG:CG	2.56	0.54
1:C:437:THR:HG23	6:C:1086:HOH:O	2.06	0.53
1:D:209:ASP:HB2	1:D:235:PHE:HB2	1.90	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:436:ASP:OD1	1:D:438:ARG:HB2	2.09	0.53
1:A:209:ASP:HB2	1:A:235:PHE:HB2	1.89	0.53
6:A:1587:HOH:O	1:D:156:GLN:HG2	2.09	0.53
1:D:436:ASP:OD1	1:D:438:ARG:CB	2.56	0.53
1:D:419:ILE:HA	6:D:1508:HOH:O	2.07	0.53
1:B:429:LYS:CD	6:B:1286:HOH:O	2.57	0.52
1:C:393:ILE:HD13	1:C:453:LEU:HD13	1.91	0.52
1:B:209:ASP:HB2	1:B:235:PHE:HB2	1.91	0.52
1:A:150:ASN:HB2	1:A:187:ASN:HA	1.91	0.52
1:A:436:ASP:CG	1:A:438:ARG:HB2	2.30	0.52
1:C:150:ASN:HB2	1:C:187:ASN:HA	1.92	0.52
1:C:426:GLN:NE2	1:C:434:LYS:HD2	2.24	0.52
1:A:436:ASP:OD1	1:A:438:ARG:CB	2.58	0.51
5:C:4001:NAG:H3	6:C:1156:HOH:O	2.09	0.51
1:B:285:MET:HE1	1:B:346:TRP:CB	2.41	0.51
1:D:150:ASN:HB2	1:D:187:ASN:HA	1.92	0.51
1:D:415:THR:HG22	6:D:1244:HOH:O	2.10	0.51
1:B:176:LYS:HD2	6:B:1499:HOH:O	2.10	0.51
1:C:436:ASP:OD1	1:C:438:ARG:CB	2.58	0.51
1:A:393:ILE:HD13	1:A:453:LEU:HD13	1.93	0.51
1:A:149:ALA:HA	1:A:186:CYS:HB3	1.93	0.51
1:C:37:TRP:HZ2	4:M:2:FRU:H3	1.77	0.50
1:C:404:SER:HB3	6:C:1032:HOH:O	2.10	0.50
1:D:149:ALA:HA	1:D:186:CYS:HB3	1.93	0.50
1:B:426:GLN:NE2	1:B:434:LYS:HD2	2.27	0.50
1:C:149:ALA:HA	1:C:186:CYS:HB3	1.92	0.50
1:B:328:TRP:CE2	1:B:345:MET:HB2	2.47	0.49
1:A:345:MET:HE1	1:A:347:SER:HB2	1.93	0.49
1:C:328:TRP:CE2	1:C:345:MET:HB2	2.48	0.49
1:A:85:LEU:CA	6:A:1534:HOH:O	2.46	0.49
1:B:83:GLY:C	6:B:1368:HOH:O	2.51	0.49
1:B:285:MET:HE1	1:B:346:TRP:HB2	1.95	0.48
1:B:149:ALA:HA	1:B:186:CYS:HB3	1.94	0.48
1:A:426:GLN:HE22	1:A:434:LYS:HD2	1.78	0.48
1:B:393:ILE:HD13	1:B:453:LEU:HD13	1.94	0.48
1:C:436:ASP:CG	1:C:438:ARG:HB2	2.33	0.48
1:C:345:MET:HE1	1:C:347:SER:HB2	1.96	0.47
1:B:429:LYS:HD3	6:B:1286:HOH:O	2.13	0.47
1:A:438:ARG:NH2	6:A:1610:HOH:O	2.38	0.47
1:C:326:ARG:HD3	1:C:329:ARG:HB2	1.96	0.47
1:C:436:ASP:OD1	1:C:438:ARG:HB2	2.14	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:37:TRP:CE3	1:D:41:ALA:HA	2.50	0.47
1:B:80:ASP:N	6:B:1368:HOH:O	2.48	0.47
1:A:326:ARG:HD3	1:A:329:ARG:HB2	1.95	0.47
1:B:326:ARG:HD3	1:B:329:ARG:HB2	1.96	0.46
1:C:37:TRP:CE3	1:C:41:ALA:HA	2.51	0.46
1:A:438:ARG:NE	6:A:1610:HOH:O	2.40	0.46
1:A:243:LEU:HD21	1:A:282:MET:HE2	1.98	0.46
1:A:285:MET:HE2	1:A:285:MET:HB3	1.77	0.46
1:C:419:ILE:O	1:C:438:ARG:NH2	2.49	0.46
1:A:328:TRP:CE2	1:A:345:MET:HB2	2.51	0.45
1:A:86:VAL:N	6:A:1534:HOH:O	2.48	0.45
1:A:260:ASP:HA	1:A:289:PRO:HD2	1.99	0.45
1:C:234:GLY:HA2	1:D:251:GLN:HE22	1.82	0.45
1:C:328:TRP:CZ2	1:C:345:MET:HB2	2.52	0.45
1:D:326:ARG:HD3	1:D:329:ARG:HB2	1.99	0.45
1:C:260:ASP:HA	1:C:289:PRO:HD2	1.99	0.45
1:B:328:TRP:CZ2	1:B:345:MET:HB2	2.52	0.45
1:B:345:MET:HE1	1:B:347:SER:HB2	1.99	0.45
1:D:260:ASP:HA	1:D:289:PRO:HD2	1.98	0.45
1:D:412:ARG:HB2	6:D:1104:HOH:O	2.17	0.45
1:C:285:MET:HE1	1:C:346:TRP:CB	2.46	0.44
1:C:105:ASN:ND2	6:C:1308:HOH:O	2.50	0.44
1:A:37:TRP:HZ2	4:K:2:FRU:H3	1.82	0.44
1:A:350:LEU:HD13	1:A:466:ARG:CZ	2.48	0.44
1:C:285:MET:HE1	1:C:346:TRP:HB2	1.99	0.44
1:B:37:TRP:CE3	1:B:41:ALA:HA	2.52	0.44
1:B:374:GLU:HB2	6:B:1223:HOH:O	2.17	0.44
1:B:234:GLY:HA2	1:C:251:GLN:HE22	1.81	0.44
1:C:243:LEU:HD21	1:C:282:MET:HE2	1.98	0.44
1:D:19:VAL:N	4:M:2:FRU:HO6	2.16	0.44
1:A:206:MET:SD	1:A:261:LEU:HD22	2.58	0.44
1:C:118:GLU:HG3	6:C:1256:HOH:O	2.18	0.44
1:C:55:ARG:HD3	6:C:1173:HOH:O	2.17	0.44
1:B:206:MET:SD	1:B:261:LEU:HD22	2.58	0.43
1:C:350:LEU:HD13	1:C:466:ARG:CZ	2.47	0.43
1:D:243:LEU:HD21	1:D:282:MET:HE2	2.01	0.43
1:A:37:TRP:CE3	1:A:41:ALA:HA	2.53	0.43
1:B:363:GLY:HA3	6:B:1080:HOH:O	2.17	0.43
1:B:260:ASP:HA	1:B:289:PRO:HD2	2.00	0.43
1:C:426:GLN:HE22	1:C:434:LYS:HD2	1.83	0.43
1:D:224:ASP:HB2	6:D:495:HOH:O	2.19	0.43

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:426:GLN:HE22	1:B:434:LYS:HD2	1.83	0.42
1:D:83:GLY:HA3	6:D:1671:HOH:O	2.18	0.42
1:A:25:GLY:HA2	6:A:1083:HOH:O	2.18	0.42
1:D:216:ARG:NH2	6:D:496:HOH:O	2.52	0.42
1:C:80:ASP:HB3	1:C:86:VAL:HG21	2.02	0.42
1:B:429:LYS:HD2	6:B:1286:HOH:O	2.19	0.42
1:C:427:SER:HB2	6:C:1140:HOH:O	2.20	0.42
1:B:433:SER:HB3	6:B:1193:HOH:O	2.19	0.42
1:D:426:GLN:HE22	1:D:434:LYS:HD2	1.82	0.42
1:A:438:ARG:CZ	6:A:1167:HOH:O	2.67	0.41
1:A:285:MET:HE1	1:A:346:TRP:HB2	2.01	0.41
1:A:328:TRP:CZ2	1:A:345:MET:HB2	2.55	0.41
1:D:285:MET:HB3	1:D:285:MET:HE2	1.74	0.41
1:A:285:MET:HE1	1:A:346:TRP:CB	2.50	0.41
1:B:350:LEU:HD13	1:B:466:ARG:CZ	2.50	0.41
1:A:116:ALA:HB2	1:A:148:TYR:CE2	2.56	0.41
1:A:234:GLY:HA2	1:B:251:GLN:HE22	1.85	0.41
1:B:48:LEU:HA	6:B:1051:HOH:O	2.21	0.41
1:D:52:THR:HG23	1:D:296:VAL:HG22	2.02	0.41
1:B:52:THR:HG23	1:B:296:VAL:CG2	2.51	0.41
1:C:36:ASN:HD21	1:C:71:LEU:HA	1.86	0.41
1:C:457:VAL:HA	1:C:458:PRO:HD3	1.96	0.41
1:D:52:THR:HG23	1:D:296:VAL:CG2	2.51	0.41
1:D:328:TRP:CE2	1:D:345:MET:HB2	2.55	0.41
1:C:124:TYR:HB3	1:C:125:PRO:HD2	2.03	0.41
1:D:80:ASP:HB3	1:D:86:VAL:HG21	2.03	0.41
1:A:86:VAL:HA	6:A:1215:HOH:O	2.20	0.40
1:A:228:TYR:CE1	1:D:232:TYR:HB2	2.57	0.40
1:A:113:TYR:HE1	1:A:120:THR:HB	1.86	0.40
6:A:1587:HOH:O	1:D:162:ILE:HD11	2.20	0.40
1:D:36:ASN:HD21	1:D:71:LEU:HA	1.86	0.40
1:D:412:ARG:CB	6:D:1104:HOH:O	2.68	0.40
1:A:457:VAL:HA	1:A:458:PRO:HD3	1.98	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:434:LYS:CG	1:B:438:ARG:NH1[2_454]	1.84	0.36
1:A:433:SER:CB	1:B:436:ASP:OD1[2_454]	2.11	0.09

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	450/479 (94%)	430 (96%)	20 (4%)	0	100	100
1	B	450/479 (94%)	430 (96%)	20 (4%)	0	100	100
1	C	450/479 (94%)	429 (95%)	21 (5%)	0	100	100
1	D	450/479 (94%)	429 (95%)	21 (5%)	0	100	100
All	All	1800/1916 (94%)	1718 (95%)	82 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	375/398 (94%)	362 (96%)	13 (4%)	36	65
1	B	375/398 (94%)	361 (96%)	14 (4%)	34	63
1	C	375/398 (94%)	362 (96%)	13 (4%)	36	65
1	D	375/398 (94%)	362 (96%)	13 (4%)	36	65
All	All	1500/1592 (94%)	1447 (96%)	53 (4%)	36	65

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	VAL
1	A	74	CYS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	102	HIS
1	A	188	TRP
1	A	232	TYR
1	A	235	PHE
1	A	261	LEU
1	A	283	TRP
1	A	311	SER
1	A	356	VAL
1	A	400	ARG
1	A	447	LEU
1	A	455	THR
1	B	19	VAL
1	B	74	CYS
1	B	102	HIS
1	B	188	TRP
1	B	232	TYR
1	B	235	PHE
1	B	261	LEU
1	B	283	TRP
1	B	311	SER
1	B	356	VAL
1	B	400	ARG
1	B	438	ARG
1	B	447	LEU
1	B	455	THR
1	C	19	VAL
1	C	74	CYS
1	C	102	HIS
1	C	188	TRP
1	C	232	TYR
1	C	235	PHE
1	C	261	LEU
1	C	283	TRP
1	C	311	SER
1	C	356	VAL
1	C	400	ARG
1	C	447	LEU
1	C	455	THR
1	D	19	VAL
1	D	74	CYS
1	D	102	HIS
1	D	188	TRP

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	D	232	TYR
1	D	235	PHE
1	D	261	LEU
1	D	283	TRP
1	D	311	SER
1	D	356	VAL
1	D	400	ARG
1	D	447	LEU
1	D	455	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	36	ASN
1	A	141	ASN
1	A	251	GLN
1	A	263	ASN
1	A	355	GLN
1	A	413	ASN
1	A	426	GLN
1	B	36	ASN
1	B	105	ASN
1	B	141	ASN
1	B	251	GLN
1	B	355	GLN
1	B	413	ASN
1	B	426	GLN
1	B	450	ASN
1	C	36	ASN
1	C	141	ASN
1	C	251	GLN
1	C	355	GLN
1	C	370	ASN
1	C	426	GLN
1	D	36	ASN
1	D	141	ASN
1	D	251	GLN
1	D	355	GLN
1	D	381	ASN
1	D	426	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

24 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	E	1	2,1	14,14,15	0.83	0	17,19,21	1.14	2 (11%)
2	NAG	E	2	2	14,14,15	0.49	0	17,19,21	1.01	1 (5%)
3	NAG	F	1	1,3	14,14,15	0.44	0	17,19,21	1.27	2 (11%)
3	NAG	F	2	3	14,14,15	0.58	0	17,19,21	0.92	0
2	NAG	G	1	2,1	14,14,15	0.84	0	17,19,21	1.48	4 (23%)
2	NAG	G	2	2	14,14,15	0.53	0	17,19,21	1.15	2 (11%)
3	NAG	H	1	1,3	14,14,15	0.47	0	17,19,21	1.49	4 (23%)
3	NAG	H	2	3	14,14,15	0.54	0	17,19,21	1.29	2 (11%)
2	NAG	I	1	2,1	14,14,15	0.68	0	17,19,21	0.94	1 (5%)
2	NAG	I	2	2	14,14,15	0.46	0	17,19,21	1.11	1 (5%)
3	NAG	J	1	1,3	14,14,15	0.46	0	17,19,21	1.36	3 (17%)
3	NAG	J	2	3	14,14,15	0.52	0	17,19,21	1.38	1 (5%)
4	GLC	K	1	4	11,11,12	0.60	0	15,15,17	1.25	1 (6%)
4	FRU	K	2	4	11,12,12	0.74	0	10,18,18	0.90	0
4	GLA	K	3	4	11,11,12	0.45	0	15,15,17	0.68	0
4	GLC	L	1	4	11,11,12	0.55	0	15,15,17	1.40	1 (6%)
4	FRU	L	2	4	11,12,12	0.70	0	10,18,18	0.99	0
4	GLA	L	3	4	11,11,12	0.55	0	15,15,17	0.95	1 (6%)
4	GLC	M	1	4	11,11,12	0.64	0	15,15,17	1.06	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	FRU	M	2	4	11,12,12	0.73	0	10,18,18	0.80	0
4	GLA	M	3	4	11,11,12	0.39	0	15,15,17	0.78	0
4	GLC	N	1	4	11,11,12	0.59	0	15,15,17	1.32	1 (6%)
4	FRU	N	2	4	11,12,12	0.72	0	10,18,18	0.84	0
4	GLA	N	3	4	11,11,12	0.42	0	15,15,17	0.69	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	2,1	1/1/5/7	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
3	NAG	F	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	F	2	3	-	0/6/23/26	0/1/1/1
2	NAG	G	1	2,1	1/1/5/7	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	2/6/23/26	0/1/1/1
3	NAG	H	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	H	2	3	-	2/6/23/26	0/1/1/1
2	NAG	I	1	2,1	1/1/5/7	2/6/23/26	0/1/1/1
2	NAG	I	2	2	-	2/6/23/26	0/1/1/1
3	NAG	J	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	J	2	3	-	0/6/23/26	0/1/1/1
4	GLC	K	1	4	-	0/2/19/22	0/1/1/1
4	FRU	K	2	4	-	2/5/24/24	0/1/1/1
4	GLA	K	3	4	-	1/2/19/22	0/1/1/1
4	GLC	L	1	4	-	0/2/19/22	0/1/1/1
4	FRU	L	2	4	-	1/5/24/24	0/1/1/1
4	GLA	L	3	4	-	2/2/19/22	0/1/1/1
4	GLC	M	1	4	-	2/2/19/22	0/1/1/1
4	FRU	M	2	4	-	0/5/24/24	0/1/1/1
4	GLA	M	3	4	-	2/2/19/22	0/1/1/1
4	GLC	N	1	4	-	2/2/19/22	0/1/1/1
4	FRU	N	2	4	-	2/5/24/24	0/1/1/1
4	GLA	N	3	4	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	J	2	NAG	C1-O5-C5	4.59	118.42	112.19
4	L	1	GLC	C1-O5-C5	4.29	118.00	112.19
4	K	1	GLC	C1-O5-C5	3.55	117.00	112.19
2	G	2	NAG	C1-O5-C5	3.19	116.51	112.19
3	H	2	NAG	C4-C3-C2	3.11	115.58	111.02
4	N	1	GLC	C1-O5-C5	3.08	116.36	112.19
3	H	1	NAG	C4-C3-C2	3.02	115.44	111.02
2	G	1	NAG	C1-O5-C5	-2.99	108.14	112.19
3	J	1	NAG	O5-C1-C2	-2.95	106.64	111.29
3	J	1	NAG	C4-C3-C2	2.93	115.31	111.02
2	I	2	NAG	C1-O5-C5	2.82	116.02	112.19
2	G	1	NAG	O5-C5-C4	-2.72	104.20	110.83
2	E	1	NAG	C4-C3-C2	2.59	114.82	111.02
3	H	1	NAG	C3-C4-C5	2.45	114.62	110.24
3	F	1	NAG	C4-C3-C2	2.45	114.61	111.02
2	E	2	NAG	C1-O5-C5	2.45	115.51	112.19
3	F	1	NAG	C1-O5-C5	2.39	115.43	112.19
2	G	1	NAG	C6-C5-C4	2.35	118.50	113.00
3	H	1	NAG	O5-C5-C6	2.35	110.88	107.20
2	G	1	NAG	O5-C1-C2	-2.33	107.61	111.29
4	M	1	GLC	C1-C2-C3	2.32	112.51	109.67
4	L	3	GLA	C1-O5-C5	2.26	115.25	112.19
3	J	1	NAG	C1-O5-C5	2.23	115.21	112.19
2	E	1	NAG	C1-C2-N2	2.11	114.09	110.49
2	G	2	NAG	O5-C5-C6	2.08	110.47	107.20
2	I	1	NAG	C4-C3-C2	2.06	114.04	111.02
3	H	1	NAG	O5-C1-C2	-2.01	108.11	111.29
3	H	2	NAG	O5-C5-C6	2.01	110.35	107.20

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	E	1	NAG	C1
2	G	1	NAG	C1
2	I	1	NAG	C1

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	N	2	FRU	O5-C5-C6-O6
4	K	2	FRU	C4-C5-C6-O6
4	N	2	FRU	C4-C5-C6-O6
4	K	2	FRU	O5-C5-C6-O6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	G	2	NAG	O5-C5-C6-O6
2	I	2	NAG	O5-C5-C6-O6
2	G	2	NAG	C4-C5-C6-O6
2	I	2	NAG	C4-C5-C6-O6
4	L	3	GLA	C4-C5-C6-O6
4	M	3	GLA	C4-C5-C6-O6
4	N	1	GLC	O5-C5-C6-O6
4	M	1	GLC	O5-C5-C6-O6
4	L	3	GLA	O5-C5-C6-O6
4	M	3	GLA	O5-C5-C6-O6
2	I	1	NAG	C4-C5-C6-O6
3	J	1	NAG	C4-C5-C6-O6
2	I	1	NAG	O5-C5-C6-O6
4	K	3	GLA	C4-C5-C6-O6
4	N	1	GLC	C4-C5-C6-O6
4	M	1	GLC	C4-C5-C6-O6
3	H	2	NAG	C4-C5-C6-O6
3	H	2	NAG	O5-C5-C6-O6
3	H	1	NAG	O5-C5-C6-O6
3	J	1	NAG	O5-C5-C6-O6
4	L	2	FRU	O1-C1-C2-C3


There are no ring outliers.


2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	M	2	FRU	2	0
4	K	2	FRU	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.































## 5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	NAG	D	2001	1	14,14,15	0.60	0	17,19,21	1.13	1 (5%)
5	NAG	A	4001	1	14,14,15	0.57	0	17,19,21	1.22	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	NAG	C	2001	1	14,14,15	0.45	0	17,19,21	1.25	1 (5%)
5	NAG	A	2001	1	14,14,15	0.46	0	17,19,21	0.74	0
5	NAG	B	2001	1	14,14,15	0.44	0	17,19,21	2.20	3 (17%)
5	NAG	D	4001	1	14,14,15	0.48	0	17,19,21	0.78	1 (5%)
5	NAG	B	4001	1	14,14,15	0.53	0	17,19,21	1.11	1 (5%)
5	NAG	C	5001	1	14,14,15	0.44	0	17,19,21	0.99	1 (5%)
5	NAG	C	4001	1	14,14,15	0.47	0	17,19,21	0.69	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	D	2001	1	-	2/6/23/26	0/1/1/1
5	NAG	A	4001	1	-	2/6/23/26	0/1/1/1
5	NAG	C	2001	1	-	0/6/23/26	0/1/1/1
5	NAG	A	2001	1	-	1/6/23/26	0/1/1/1
5	NAG	B	2001	1	-	2/6/23/26	0/1/1/1
5	NAG	D	4001	1	-	0/6/23/26	0/1/1/1
5	NAG	B	4001	1	-	2/6/23/26	0/1/1/1
5	NAG	C	5001	1	-	2/6/23/26	0/1/1/1
5	NAG	C	4001	1	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	2001	NAG	C1-O5-C5	6.83	121.44	112.19
5	C	2001	NAG	C1-O5-C5	3.63	117.11	112.19
5	B	2001	NAG	C3-C4-C5	3.35	116.21	110.24
5	B	4001	NAG	C1-O5-C5	2.86	116.07	112.19
5	A	4001	NAG	C1-O5-C5	2.75	115.92	112.19
5	D	2001	NAG	C2-N2-C7	2.28	126.16	122.90
5	C	5001	NAG	C1-O5-C5	2.18	115.14	112.19
5	B	2001	NAG	O5-C5-C4	2.13	116.00	110.83
5	D	4001	NAG	C1-O5-C5	2.08	115.01	112.19

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	2001	NAG	O5-C5-C6-O6
5	A	4001	NAG	O5-C5-C6-O6
5	A	4001	NAG	C4-C5-C6-O6
5	C	5001	NAG	O5-C5-C6-O6
5	B	2001	NAG	C4-C5-C6-O6
5	D	2001	NAG	O5-C5-C6-O6
5	D	2001	NAG	C4-C5-C6-O6
5	B	4001	NAG	C4-C5-C6-O6
5	A	2001	NAG	O5-C5-C6-O6
5	B	4001	NAG	O5-C5-C6-O6
5	C	5001	NAG	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	4001	NAG	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	452/479 (94%)	0.18	6 (1%) 77 78	33, 40, 45, 48	0
1	B	452/479 (94%)	0.51	38 (8%) 11 9	32, 40, 45, 48	0
1	C	452/479 (94%)	0.24	13 (2%) 51 52	33, 40, 45, 48	0
1	D	452/479 (94%)	0.26	10 (2%) 62 63	33, 40, 45, 48	0
All	All	1808/1916 (94%)	0.30	67 (3%) 41 41	32, 40, 45, 48	0

All (67) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	19	VAL	4.7
1	D	41	ALA	4.0
1	B	412	ARG	3.9
1	B	39	THR	3.9
1	B	37	TRP	3.6
1	B	95	GLY	3.5
1	B	42	CYS	3.5
1	A	382	LEU	3.4
1	B	437	THR	3.3
1	B	399	ASN	3.3
1	B	38	ASN	3.3
1	C	19	VAL	3.3
1	B	434	LYS	3.3
1	B	442	GLN	3.3
1	B	419	ILE	3.1
1	B	56	ILE	3.1
1	B	432	LEU	3.0
1	C	42	CYS	3.0
1	D	37	TRP	3.0
1	B	94	ASN	2.9
1	C	41	ALA	2.9

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	412	ARG	2.9
1	B	52	THR	2.8
1	B	41	ALA	2.8
1	B	292	ILE	2.8
1	B	103	LEU	2.8
1	A	437	THR	2.8
1	B	51	ASP	2.7
1	A	37	TRP	2.6
1	D	44	VAL	2.6
1	A	434	LYS	2.6
1	B	49	LEU	2.6
1	A	383	GLY	2.6
1	C	90	GLN	2.6
1	A	102	HIS	2.6
1	B	90	GLN	2.5
1	B	43	ASP	2.5
1	B	59	LEU	2.5
1	C	48	LEU	2.5
1	D	304	TYR	2.5
1	D	181	VAL	2.4
1	C	92	PHE	2.4
1	C	44	VAL	2.4
1	B	364	SER	2.4
1	D	45	SER	2.4
1	B	93	PRO	2.4
1	D	416	ALA	2.4
1	B	413	ASN	2.4
1	C	437	THR	2.3
1	B	99	VAL	2.3
1	B	88	ASP	2.3
1	C	39	THR	2.2
1	C	83	GLY	2.2
1	B	19	VAL	2.2
1	B	411	GLY	2.2
1	C	414	LYS	2.2
1	B	47	GLN	2.2
1	B	450	ASN	2.2
1	B	122	ALA	2.2
1	B	81	SER	2.1
1	B	410	LEU	2.1
1	D	67	LYS	2.1
1	B	44	VAL	2.1

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	67	LYS	2.0
1	C	470	SER	2.0
1	C	137	PHE	2.0
1	B	102	HIS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	NAG	H	2	14/15	0.68	0.40	70,73,74,74	0
4	FRU	M	2	12/12	0.69	0.39	87,88,89,89	0
4	FRU	N	2	12/12	0.72	0.51	100,101,102,102	0
4	GLA	L	3	11/12	0.73	0.32	81,82,82,83	0
4	GLC	M	1	11/12	0.77	0.30	83,85,86,86	0
4	GLA	N	3	11/12	0.79	0.21	96,97,97,97	0
2	NAG	G	2	14/15	0.81	0.24	60,61,64,64	0
4	FRU	L	2	12/12	0.82	0.36	82,83,83,83	0
4	FRU	K	2	12/12	0.82	0.35	76,77,78,78	0
4	GLC	K	1	11/12	0.83	0.24	75,75,76,76	0
4	GLA	K	3	11/12	0.83	0.31	74,75,75,75	0
3	NAG	F	2	14/15	0.86	0.22	68,70,71,71	0
4	GLC	N	1	11/12	0.86	0.23	97,98,99,99	0
3	NAG	J	2	14/15	0.87	0.20	63,64,67,67	0
2	NAG	E	2	14/15	0.88	0.19	56,57,59,61	0
2	NAG	G	1	14/15	0.88	0.21	50,53,57,57	0
4	GLC	L	1	11/12	0.89	0.34	82,82,82,82	0
3	NAG	J	1	14/15	0.89	0.17	55,58,60,61	0
3	NAG	H	1	14/15	0.90	0.17	54,57,61,66	0
2	NAG	I	1	14/15	0.90	0.20	50,53,57,58	0
4	GLA	M	3	11/12	0.90	0.20	79,80,80,81	0
2	NAG	I	2	14/15	0.91	0.15	57,57,58,58	0
2	NAG	E	1	14/15	0.91	0.23	48,51,53,53	0
3	NAG	F	1	14/15	0.93	0.17	55,57,61,64	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.








**Electron density around Chain G:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain I:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain F:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain H:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain J:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain K:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around Chain L:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain M:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	NAG	C	4001	14/15	0.86	0.27	53,55,56,57	0
5	NAG	B	4001	14/15	0.88	0.26	52,55,57,57	0
5	NAG	A	4001	14/15	0.88	0.20	50,52,52,53	0
5	NAG	D	4001	14/15	0.89	0.22	53,56,57,57	0
5	NAG	C	5001	14/15	0.90	0.19	51,53,54,55	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	NAG	D	2001	14/15	0.91	0.19	47,49,51,51	0
5	NAG	B	2001	14/15	0.92	0.22	49,51,52,53	0
5	NAG	C	2001	14/15	0.92	0.19	45,47,48,48	0
5	NAG	A	2001	14/15	0.93	0.15	46,48,49,49	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.