



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2018 – 08:36 pm GMT

PDB ID : 3LRS
Title : Structure of PG16, an antibody with broad and potent neutralization of HIV-1
Authors : Pancera, M.; Kwong, P.D.
Deposited on : 2010-02-11
Resolution : 2.37 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	4850 (2.40-2.36)
Clashscore	122126	5405 (2.40-2.36)
Ramachandran outliers	120053	5324 (2.40-2.36)
Sidechain outliers	120020	5326 (2.40-2.36)
RSRZ outliers	108989	4741 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	238	
1	C	238	
1	E	238	
1	H	238	
2	B	211	
2	D	211	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	211	 91% 9%
2	L	211	 % 74% 24%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	D	741	X	-	-	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 13424 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PG-16 Heavy Chain Fab.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	H	220	Total 1669	C 1057	N 284	O 319	S 9	0	0	0
1	A	221	Total 1675	C 1060	N 285	O 321	S 9	0	0	0
1	C	228	Total 1725	C 1089	N 294	O 333	S 9	0	0	0
1	E	221	Total 1680	C 1063	N 285	O 323	S 9	0	0	0

- Molecule 2 is a protein called PG-16 Light Chain Fab.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	L	211	Total 1558	C 969	N 264	O 320	S 5	0	0	0
2	B	211	Total 1558	C 969	N 264	O 320	S 5	0	0	0
2	D	211	Total 1557	C 969	N 264	O 319	S 5	0	0	0
2	F	211	Total 1557	C 969	N 264	O 319	S 5	0	0	0

- Molecule 3 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	L	1	14	8	1	5	0	0
3	B	1	14	8	1	5	0	0
3	D	1	14	8	1	5	0	0
3	F	1	14	8	1	5	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
4	H	52	52	52	0	0
4	L	46	46	46	0	0
4	A	44	44	44	0	0
4	B	38	38	38	0	0
4	C	22	22	22	0	0
4	D	73	73	73	0	0
4	E	38	38	38	0	0
4	F	76	76	76	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: PG-16 Heavy Chain Fab




- Molecule 1: PG-16 Heavy Chain Fab




- Molecule 1: PG-16 Heavy Chain Fab





- Molecule 1: PG-16 Heavy Chain Fab









● Molecule 2: PG-16 Light Chain Fab



● Molecule 2: PG-16 Light Chain Fab



● Molecule 2: PG-16 Light Chain Fab



● Molecule 2: PG-16 Light Chain Fab



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	81.32Å 165.09Å 81.36Å 90.00° 91.55° 90.00°	Depositor
Resolution (Å)	30.59 – 2.37 30.59 – 2.37	Depositor EDS
% Data completeness (in resolution range)	82.0 (30.59-2.37) 81.9 (30.59-2.37)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.68 (at 2.36Å)	Xtrriage
Refinement program	PHENIX 1.5_2	Depositor
R, R_{free}	0.211 , 0.260 0.201 , 0.247	Depositor DCC
R_{free} test set	3600 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	46.6	Xtrriage
Anisotropy	0.200	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 31.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.067 for l,k,-h 0.069 for h,-k,-l 0.430 for l,-k,h	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13424	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/1718	0.56	0/2332
1	C	0.39	0/1769	0.58	0/2402
1	E	0.38	0/1723	0.56	0/2341
1	H	0.40	0/1712	0.57	0/2324
2	B	0.39	0/1595	0.55	0/2171
2	D	0.40	0/1594	0.58	0/2171
2	F	0.41	0/1594	0.57	0/2171
2	L	0.39	0/1595	0.56	0/2171
All	All	0.39	0/13300	0.57	0/18083

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1675	0	1627	31	0
1	C	1725	0	1677	44	0
1	E	1680	0	1627	35	0
1	H	1669	0	1622	41	0
2	B	1558	0	1507	33	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	1557	0	1507	29	0
2	F	1557	0	1507	15	0
2	L	1558	0	1507	48	0
3	B	14	0	13	0	0
3	D	14	0	13	0	0
3	F	14	0	13	0	0
3	L	14	0	13	0	0
4	A	44	0	0	0	0
4	B	38	0	0	4	0
4	C	22	0	0	1	0
4	D	73	0	0	1	0
4	E	38	0	0	0	0
4	F	76	0	0	1	0
4	H	52	0	0	5	0
4	L	46	0	0	2	0
All	All	13424	0	12633	247	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (247) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:166:LYS:HE2	2:D:92:ASP:O	1.77	0.85
1:C:135:THR:CG2	1:C:183:THR:HG23	2.07	0.84
2:F:18:ILE:HD12	2:F:77:LEU:HD11	1.59	0.82
1:C:129:LYS:HB2	1:C:130:SER:C	2.03	0.79
1:E:99:PRO:O	1:E:100:ILE:HB	1.85	0.74
1:H:116:THR:HG22	1:H:203:SER:HB3	1.71	0.72
1:C:70:SER:O	1:C:78:LEU:HD12	1.90	0.71
2:D:18:ILE:CG2	2:D:74:ILE:HB	2.19	0.71
1:E:52:SER:HB3	1:E:56:ARG:HB3	1.74	0.68
1:E:70:SER:O	1:E:78:LEU:HD12	1.94	0.68
1:H:101:ASP:HA	2:L:45:VAL:HG21	1.76	0.67
1:C:181:VAL:HG11	2:D:135:LEU:CD1	2.24	0.67
2:L:104:THR:HG23	4:L:214:HOH:O	1.96	0.66
1:C:129:LYS:HB3	1:C:131:THR:OG1	1.95	0.66
1:H:89:MET:HE2	1:H:108:THR:HG22	1.77	0.65
1:C:129:LYS:HB2	1:C:130:SER:CA	2.27	0.64
2:L:10:VAL:HG13	2:L:101:THR:HG21	1.79	0.64
1:C:186:SER:HA	1:C:189:LEU:HD23	1.80	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:129:LYS:HB3	1:C:131:THR:HG23	1.80	0.64
1:H:115:SER:HA	4:H:244:HOH:O	1.98	0.63
1:H:100(T):MET:O	2:L:45:VAL:HG22	2.00	0.62
2:L:120:PRO:HD3	2:L:132:LEU:CD2	2.27	0.62
1:E:116:THR:HG21	1:E:202:PRO:O	2.00	0.62
2:L:11:SER:C	2:L:18:ILE:HD11	2.19	0.61
2:B:209:THR:HA	4:B:227:HOH:O	1.98	0.61
1:A:178:LEU:HD12	1:A:178:LEU:C	2.20	0.61
1:C:129:LYS:HB3	1:C:131:THR:CG2	2.30	0.61
1:H:12:VAL:HG23	1:H:111:VAL:HG22	1.84	0.60
1:A:162:GLY:O	1:A:182:VAL:HA	2.02	0.60
2:D:18:ILE:HG22	2:D:74:ILE:O	2.02	0.60
2:B:120:PRO:HD3	2:B:132:LEU:CD2	2.33	0.59
1:C:199:ASN:ND2	1:C:206:LYS:HE2	2.18	0.59
2:B:104:THR:HG21	2:B:141:PRO:HB3	1.85	0.59
2:D:41:LYS:HD3	2:D:42:ALA:H	1.68	0.58
1:A:13:GLN:OE1	1:A:113:SER:HA	2.03	0.58
1:C:135:THR:HG21	1:C:183:THR:HG23	1.83	0.58
2:L:78:HIS:HB3	2:L:80:GLU:OE2	2.04	0.58
2:B:11:SER:C	2:B:18:ILE:HD11	2.23	0.58
2:L:185:TRP:CZ2	2:L:208:PRO:HA	2.39	0.58
2:B:11:SER:O	2:B:18:ILE:HD11	2.03	0.58
2:L:60:ARG:HD2	2:L:75:SER:O	2.04	0.58
2:L:46:MET:HA	2:L:57:ILE:HD13	1.85	0.58
1:A:178:LEU:HD12	1:A:179:SER:N	2.18	0.57
1:H:159:LEU:HD12	4:H:250:HOH:O	2.04	0.57
1:A:101:ASP:HA	2:B:45:VAL:HG21	1.87	0.56
1:H:129:LYS:HE2	1:H:136:ALA:HA	1.86	0.56
2:L:23:ASN:ND2	2:L:69:THR:HG21	2.20	0.56
1:C:6:GLU:OE1	1:C:105:LYS:O	2.24	0.56
1:E:199:ASN:ND2	1:E:206:LYS:HE2	2.21	0.56
1:H:23:LEU:C	1:H:23:LEU:HD23	2.27	0.55
1:E:35:HIS:CE1	1:E:50:LEU:HD13	2.41	0.55
2:L:10:VAL:HG13	2:L:101:THR:CG2	2.36	0.55
1:E:181:VAL:HG11	2:F:135:LEU:HD13	1.89	0.55
1:H:144:ASP:OD2	2:L:129:LYS:NZ	2.40	0.55
2:D:10:VAL:HG13	2:D:101:THR:HG21	1.89	0.55
1:A:145:TYR:CE1	1:A:150:VAL:HG23	2.42	0.54
2:B:115:VAL:HG13	2:B:202:VAL:HG11	1.89	0.54
1:A:169:VAL:HG21	2:B:160:GLU:HB3	1.89	0.54
1:A:100(T):MET:O	2:B:45:VAL:HG22	2.08	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:5:VAL:HG23	1:A:5:VAL:O	2.07	0.54
1:H:178:LEU:C	1:H:178:LEU:HD12	2.28	0.54
1:E:32:TYR:CG	1:E:94:ARG:HD2	2.42	0.53
1:H:183:THR:HG22	1:H:183:THR:O	2.08	0.53
1:C:135:THR:HG23	1:C:183:THR:HG23	1.88	0.53
1:E:100(T):MET:O	2:F:45:VAL:HG22	2.08	0.53
1:H:123:PRO:HG3	1:H:209:LYS:HD2	1.91	0.53
1:E:82:PHE:HB3	1:E:82(C):LEU:HD11	1.91	0.53
1:E:169:VAL:HB	2:F:162:THR:HG22	1.89	0.53
1:C:34:MET:HB3	1:C:78:LEU:HD22	1.91	0.52
1:H:169:VAL:HG11	2:L:160:GLU:HB3	1.91	0.52
2:F:120:PRO:HD3	2:F:132:LEU:HD23	1.90	0.52
1:E:181:VAL:HG11	2:F:135:LEU:CD1	2.39	0.52
2:L:102:LYS:HE2	2:L:104:THR:HG22	1.90	0.52
2:L:23:ASN:HA	2:L:69:THR:HG22	1.91	0.52
1:A:199:ASN:ND2	1:A:206:LYS:HE2	2.24	0.52
2:B:110:LYS:HD3	2:B:198:GLU:HG3	1.91	0.52
2:B:38:SER:HB3	2:B:39:PRO:HD2	1.90	0.52
1:E:52:SER:HB3	1:E:56:ARG:HE	1.74	0.52
1:A:29:PHE:CD2	1:A:76:ASN:HA	2.44	0.52
2:D:115:VAL:HG23	2:D:204:LYS:HG3	1.91	0.52
2:D:17:THR:HG22	2:D:18:ILE:N	2.24	0.52
2:L:53:ARG:HD3	2:L:61:PHE:O	2.10	0.52
2:F:203:GLU:O	2:F:204:LYS:HD3	2.08	0.51
1:H:81:GLN:HG3	1:H:82:PHE:N	2.26	0.51
1:A:181:VAL:HG11	2:B:135:LEU:CD1	2.40	0.51
2:B:38:SER:HB2	2:B:41:LYS:HD2	1.91	0.51
1:H:34:MET:HB3	1:H:78:LEU:HD22	1.93	0.51
2:B:125:LEU:HD23	2:B:129:LYS:O	2.10	0.51
2:B:46:MET:HA	2:B:57:ILE:HD13	1.93	0.50
1:H:162:GLY:O	1:H:182:VAL:HA	2.12	0.50
1:E:82:PHE:CB	1:E:82(C):LEU:HD11	2.42	0.49
1:H:116:THR:HG22	1:H:203:SER:CB	2.42	0.49
1:E:100(T):MET:O	2:F:45:VAL:CG2	2.59	0.49
1:A:6:GLU:CD	1:A:106:GLY:HA2	2.32	0.49
2:F:3:ALA:N	4:F:339:HOH:O	2.44	0.49
1:H:100(S):TYR:CE1	1:H:101:ASP:HB3	2.48	0.49
1:A:126:PRO:HG3	1:A:138:LEU:HB3	1.94	0.49
1:H:201:LYS:HB2	1:H:202:PRO:HD3	1.95	0.49
1:C:6:GLU:OE1	1:C:6:GLU:N	2.46	0.48
2:L:146:VAL:HG22	2:L:195:VAL:HG12	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:23:ASN:HA	2:B:69:THR:HG22	1.96	0.48
1:C:186:SER:HA	1:C:189:LEU:CD2	2.42	0.48
1:E:105:LYS:HD2	1:E:106:GLY:H	1.78	0.48
1:H:101:ASP:HA	2:L:45:VAL:CG2	2.42	0.48
1:A:34:MET:HB3	1:A:78:LEU:HD22	1.95	0.48
1:E:126:PRO:O	1:E:127:SER:HB2	2.14	0.48
1:H:178:LEU:HD12	1:H:179:SER:N	2.29	0.47
1:A:116:THR:HG22	1:A:203:SER:HB3	1.96	0.47
1:E:116:THR:HG22	1:E:203:SER:HB3	1.96	0.47
2:F:12:GLY:N	2:F:18:ILE:HD11	2.29	0.47
2:L:10:VAL:CG1	2:L:101:THR:HG21	2.43	0.47
2:L:38:SER:HB2	2:L:41:LYS:HD2	1.97	0.47
2:B:53:ARG:HD3	2:B:61:PHE:O	2.15	0.47
1:C:28:THR:CG2	1:C:30:HIS:CE1	2.98	0.47
2:L:27(C):GLY:HA3	2:L:68:ASN:OD1	2.15	0.47
1:C:201:LYS:N	1:C:202:PRO:CD	2.78	0.47
1:E:34:MET:HB3	1:E:78:LEU:HD22	1.96	0.47
2:L:117:LEU:HD13	2:L:134:CYS:HB2	1.96	0.47
1:E:6:GLU:OE1	1:E:105:LYS:O	2.33	0.47
2:L:12:GLY:N	2:L:18:ILE:HD11	2.29	0.47
1:C:107:THR:HG23	1:C:107:THR:O	2.15	0.46
2:D:17:THR:HG22	2:D:18:ILE:H	1.80	0.46
1:A:105:LYS:O	1:A:106:GLY:O	2.32	0.46
1:C:129:LYS:HB2	1:C:130:SER:HA	1.97	0.46
1:H:5:VAL:O	1:H:5:VAL:HG23	2.15	0.46
1:C:135:THR:HG21	1:C:183:THR:CG2	2.45	0.46
2:L:23:ASN:ND2	2:L:69:THR:CG2	2.78	0.46
2:B:102:LYS:HE3	4:B:334:HOH:O	2.16	0.46
2:B:18:ILE:HD12	2:B:77:LEU:HD11	1.98	0.46
2:B:115:VAL:HG22	2:B:204:LYS:HG2	1.98	0.46
2:L:106:LEU:HD21	2:L:141:PRO:HG3	1.97	0.46
2:D:10:VAL:HG13	2:D:101:THR:CG2	2.44	0.46
1:C:166:PHE:HB3	4:D:311:HOH:O	2.15	0.46
2:D:18:ILE:HG23	2:D:18:ILE:O	2.16	0.46
1:H:115:SER:C	4:H:218:HOH:O	2.54	0.46
2:B:60:ARG:NH2	2:B:81:ASP:OD2	2.46	0.46
2:L:60:ARG:HB2	2:L:75:SER:O	2.16	0.46
2:D:149:LYS:HE3	2:D:152:SER:O	2.15	0.45
1:E:201:LYS:N	1:E:202:PRO:CD	2.79	0.45
2:F:155:VAL:O	2:F:155:VAL:HG12	2.14	0.45
2:L:38:SER:HB3	2:L:39:PRO:HD2	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:78:HIS:HB3	2:B:80:GLU:OE2	2.15	0.45
1:C:82:PHE:HZ	1:C:90:PHE:CZ	2.33	0.45
1:C:32:TYR:CG	1:C:94:ARG:HD2	2.51	0.45
2:B:78:HIS:HB2	2:B:80:GLU:HG2	1.98	0.45
1:C:129:LYS:HB3	1:C:131:THR:CB	2.47	0.45
2:D:115:VAL:CG2	2:D:204:LYS:HG3	2.46	0.45
2:L:104:THR:HG21	4:L:229:HOH:O	2.16	0.45
1:A:100(S):TYR:CE1	1:A:101:ASP:HB3	2.52	0.45
1:H:169:VAL:HG21	2:L:177:TYR:CD2	2.51	0.45
1:C:129:LYS:CB	1:C:130:SER:C	2.81	0.45
1:C:127:SER:HA	1:C:128:SER:C	2.34	0.45
2:L:126:GLN:C	2:L:128:ASN:H	2.20	0.45
1:C:51:ILE:HG12	1:C:54:GLY:HA2	1.99	0.45
1:A:35:HIS:HE2	1:A:95:GLU:HB2	1.83	0.44
2:B:148:TRP:O	2:B:149:LYS:HG3	2.17	0.44
1:E:6:GLU:OE1	1:E:6:GLU:N	2.50	0.44
2:L:113:PRO:HB3	2:L:139:PHE:CD2	2.53	0.44
1:C:171:GLN:HG2	2:D:160:GLU:HG3	2.00	0.44
2:D:167:GLN:OE1	2:D:173:ALA:HB2	2.18	0.44
2:L:58:SER:OG	2:L:60:ARG:HG2	2.17	0.44
2:B:153:SER:HA	2:B:154:PRO:HD3	1.88	0.44
1:C:100(T):MET:O	2:D:45:VAL:CG2	2.66	0.44
2:F:120:PRO:HD3	2:F:132:LEU:CD2	2.48	0.44
2:L:195:VAL:O	2:L:195:VAL:HG23	2.18	0.44
1:E:82:PHE:HB3	1:E:82(C):LEU:CD1	2.48	0.44
1:C:139:GLY:HA2	1:C:154:TRP:CH2	2.53	0.43
2:F:140:TYR:CD1	2:F:140:TYR:C	2.91	0.43
2:D:153:SER:HA	2:D:154:PRO:HD3	1.93	0.43
1:H:4:LEU:HB3	1:H:22:CYS:SG	2.58	0.43
1:H:184:VAL:HG11	1:H:194:TYR:CE1	2.53	0.43
1:A:119:PRO:HD2	1:A:205:THR:HG21	1.99	0.43
1:A:30:HIS:O	1:A:52(A):ASP:HB2	2.18	0.43
2:D:167:GLN:O	2:D:169:ASN:O	2.36	0.43
2:B:120:PRO:HD3	2:B:132:LEU:HD21	1.99	0.43
2:L:79:ILE:HD13	2:D:93:ARG:CZ	2.48	0.43
1:H:116:THR:N	4:H:218:HOH:O	2.50	0.43
2:L:106:LEU:CD2	2:L:141:PRO:HG3	2.49	0.43
2:D:93:ARG:O	2:D:94:SER:HB2	2.19	0.42
2:B:62:SER:HB3	4:B:238:HOH:O	2.19	0.42
1:C:210:ARG:HG2	4:C:221:HOH:O	2.18	0.42
1:C:22:CYS:HB3	1:C:78:LEU:HB3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:151:ASP:OD1	2:D:189:LYS:HB3	2.19	0.42
1:H:29:PHE:CD2	1:H:76:ASN:HA	2.54	0.42
1:C:100:ILE:HD12	1:C:100:ILE:HA	1.95	0.42
1:C:136:ALA:HB3	1:C:189:LEU:HD21	2.00	0.42
1:C:184:VAL:HG11	1:C:194:TYR:CE1	2.55	0.42
1:H:115:SER:N	4:H:218:HOH:O	2.53	0.42
1:A:145:TYR:CZ	1:A:150:VAL:HG23	2.54	0.42
1:A:123:PRO:HG3	1:A:209:LYS:HD2	2.02	0.42
2:L:79:ILE:CD1	2:D:93:ARG:CZ	2.97	0.42
1:E:209:LYS:HD2	1:E:209:LYS:HA	1.91	0.42
1:H:89:MET:CE	1:H:108:THR:HG22	2.45	0.42
1:C:100(T):MET:O	2:D:45:VAL:HG22	2.20	0.42
1:C:82:PHE:HZ	1:C:90:PHE:CE1	2.38	0.42
1:E:31:LYS:HD3	1:E:100(N):TYR:CZ	2.54	0.42
1:C:122:PHE:CE1	2:D:124:GLU:HA	2.55	0.42
1:E:82:PHE:HZ	1:E:90:PHE:CE1	2.38	0.42
1:E:99:PRO:O	1:E:100:ILE:CB	2.59	0.42
1:C:181:VAL:HG11	2:D:135:LEU:HD13	2.00	0.42
2:D:140:TYR:C	2:D:140:TYR:CD1	2.93	0.42
2:L:120:PRO:HD3	2:L:132:LEU:HD21	2.00	0.42
2:L:93:ARG:HG2	2:L:93:ARG:HH11	1.85	0.41
1:A:15:GLY:HA2	1:A:82(B):SER:HA	2.02	0.41
1:A:36:TRP:O	1:A:48:VAL:HB	2.20	0.41
2:B:45:VAL:O	2:B:57:ILE:CD1	2.68	0.41
2:B:150:ALA:O	2:B:151:ASP:HB2	2.20	0.41
2:D:17:THR:CG2	2:D:18:ILE:N	2.83	0.41
2:D:17:THR:CG2	2:D:18:ILE:H	2.33	0.41
1:E:105:LYS:HD2	1:E:106:GLY:N	2.35	0.41
1:H:82(A):SER:O	1:H:82(B):SER:C	2.57	0.41
1:H:169:VAL:HG21	2:L:177:TYR:CE2	2.56	0.41
1:A:101:ASP:HA	2:B:45:VAL:CG2	2.48	0.41
1:C:105:LYS:HD2	1:C:105:LYS:HA	1.74	0.41
1:C:148:GLU:HG3	1:C:149:PRO:HA	2.03	0.41
1:E:170:LEU:HD11	1:E:174:GLY:O	2.21	0.41
2:L:12:GLY:HA3	2:L:18:ILE:HD12	2.01	0.41
1:A:82(A):SER:O	1:A:82(B):SER:C	2.59	0.41
1:E:67:VAL:HB	1:E:80:LEU:HD11	2.03	0.41
1:C:99:PRO:O	1:C:100:ILE:HB	2.21	0.41
1:H:13:GLN:OE1	1:H:113:SER:HA	2.20	0.41
1:H:199:ASN:ND2	1:H:206:LYS:HE2	2.35	0.41
1:E:51:ILE:HG23	1:E:51:ILE:O	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:19:ARG:NH1	1:H:79:TYR:CE1	2.89	0.41
1:A:201:LYS:N	1:A:202:PRO:CD	2.84	0.41
2:B:13:SER:HB3	4:B:379:HOH:O	2.20	0.41
2:D:34:TRP:CE2	2:D:72:LEU:HB2	2.56	0.41
1:C:6:GLU:CD	1:C:105:LYS:O	2.60	0.41
2:L:150:ALA:O	2:L:151:ASP:HB2	2.21	0.41
1:H:169:VAL:CG1	2:L:160:GLU:HB3	2.50	0.41
1:E:100(L):ASP:N	1:E:100(L):ASP:OD1	2.54	0.40
2:F:17:THR:HG22	2:F:18:ILE:N	2.36	0.40
1:H:58:TYR:N	1:H:58:TYR:CD2	2.88	0.40
2:L:181:THR:OG1	2:L:184:GLN:HG3	2.21	0.40
1:E:51:ILE:HG12	1:E:54:GLY:HA2	2.02	0.40
1:A:100(T):MET:O	2:B:45:VAL:CG2	2.69	0.40
1:E:14:PRO:HG2	1:E:113:SER:HB2	2.03	0.40
1:E:101:ASP:HA	2:F:45:VAL:HG21	2.01	0.40
1:H:164:HIS:HB2	1:H:181:VAL:HG23	2.04	0.40
2:L:45:VAL:O	2:L:57:ILE:HD11	2.21	0.40
2:L:4:LEU:O	2:L:98:GLY:HA2	2.22	0.40
1:A:147:PRO:HD2	1:A:202:PRO:CB	2.52	0.40
1:A:5:VAL:CG2	1:A:5:VAL:O	2.70	0.40
1:H:30:HIS:O	1:H:52(A):ASP:HB2	2.21	0.40
2:B:166:LYS:HB3	2:B:166:LYS:HE2	1.92	0.40
1:H:142:VAL:HG11	1:H:150:VAL:HG11	2.03	0.40
2:L:124:GLU:HG2	2:L:129:LYS:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	215/238 (90%)	204 (95%)	10 (5%)	1 (0%)	31 42

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	224/238 (94%)	206 (92%)	17 (8%)	1 (0%)	36	49
1	E	215/238 (90%)	198 (92%)	16 (7%)	1 (0%)	31	42
1	H	214/238 (90%)	201 (94%)	13 (6%)	0	100	100
2	B	209/211 (99%)	201 (96%)	8 (4%)	0	100	100
2	D	209/211 (99%)	197 (94%)	12 (6%)	0	100	100
2	F	209/211 (99%)	202 (97%)	7 (3%)	0	100	100
2	L	209/211 (99%)	197 (94%)	12 (6%)	0	100	100
All	All	1704/1796 (95%)	1606 (94%)	95 (6%)	3 (0%)	49	64

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	106	GLY
1	E	127	SER
1	C	213	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	186/202 (92%)	180 (97%)	6 (3%)	42	60
1	C	192/202 (95%)	185 (96%)	7 (4%)	38	55
1	E	187/202 (93%)	182 (97%)	5 (3%)	48	66
1	H	185/202 (92%)	179 (97%)	6 (3%)	42	60
2	B	178/178 (100%)	168 (94%)	10 (6%)	23	34
2	D	178/178 (100%)	174 (98%)	4 (2%)	55	72
2	F	178/178 (100%)	172 (97%)	6 (3%)	40	57
2	L	178/178 (100%)	172 (97%)	6 (3%)	40	57
All	All	1462/1520 (96%)	1412 (97%)	50 (3%)	40	57

All (50) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	100(T)	MET
1	H	178	LEU
1	H	181	VAL
1	H	183	THR
1	H	191	THR
1	H	197	ASN
2	L	13	SER
2	L	18	ILE
2	L	19	THR
2	L	27(A)	ASP
2	L	45	VAL
2	L	78	HIS
1	A	17	SER
1	A	28	THR
1	A	105	LYS
1	A	178	LEU
1	A	183	THR
1	A	191	THR
2	B	10	VAL
2	B	18	ILE
2	B	27(A)	ASP
2	B	45	VAL
2	B	62	SER
2	B	69	THR
2	B	71	SER
2	B	79	ILE
2	B	123	GLU
2	B	195	VAL
1	C	5	VAL
1	C	23	LEU
1	C	52(A)	ASP
1	C	148	GLU
1	C	151	THR
1	C	183	THR
1	C	191	THR
2	D	27(A)	ASP
2	D	82	GLU
2	D	115	VAL
2	D	153	SER
1	E	5	VAL
1	E	82(B)	SER
1	E	116	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	159	LEU
1	E	183	THR
2	F	9	SER
2	F	10	VAL
2	F	18	ILE
2	F	27(A)	ASP
2	F	115	VAL
2	F	122	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	30	HIS
1	C	30	HIS
2	F	188	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	B	741	2	14,14,15	0.55	0	17,19,21	1.96	3 (17%)
3	NAG	D	741	2	14,14,15	0.46	0	17,19,21	1.20	2 (11%)
3	NAG	F	741	2	14,14,15	0.54	0	17,19,21	1.04	2 (11%)
3	NAG	L	741	2	14,14,15	0.50	0	17,19,21	2.13	5 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	B	741	2	-	0/6/23/26	0/1/1/1
3	NAG	D	741	2	1/1/5/7	0/6/23/26	0/1/1/1
3	NAG	F	741	2	-	0/6/23/26	0/1/1/1
3	NAG	L	741	2	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	L	741	NAG	O5-C1-C2	-5.84	103.46	111.52
3	F	741	NAG	O5-C1-C2	-2.59	107.95	111.52
3	D	741	NAG	O5-C1-C2	-2.31	108.33	111.52
3	F	741	NAG	C2-N2-C7	-2.19	119.75	122.94
3	B	741	NAG	C4-C3-C2	-2.10	107.94	111.02
3	L	741	NAG	O5-C5-C6	2.03	110.36	107.15
3	D	741	NAG	C1-O5-C5	2.17	115.17	112.19
3	B	741	NAG	O5-C1-C2	2.30	114.70	111.52
3	L	741	NAG	C3-C4-C5	2.84	115.31	110.24
3	L	741	NAG	C1-O5-C5	2.93	116.22	112.19
3	L	741	NAG	C1-C2-N2	3.19	115.94	110.49
3	B	741	NAG	C1-O5-C5	6.90	121.67	112.19

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	D	741	NAG	C1

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	221/238 (92%)	0.02	4 (1%) 68 69	40, 64, 101, 144	0
1	C	228/238 (95%)	0.34	13 (5%) 24 26	36, 66, 119, 186	0
1	E	221/238 (92%)	0.29	16 (7%) 15 16	39, 65, 108, 170	0
1	H	220/238 (92%)	0.13	4 (1%) 68 69	39, 63, 100, 127	0
2	B	211/211 (100%)	0.06	3 (1%) 75 77	37, 58, 105, 130	0
2	D	211/211 (100%)	-0.09	1 (0%) 90 91	36, 53, 91, 124	0
2	F	211/211 (100%)	-0.02	1 (0%) 90 91	35, 53, 94, 109	0
2	L	211/211 (100%)	0.01	3 (1%) 75 77	38, 59, 106, 135	0
All	All	1734/1796 (96%)	0.09	45 (2%) 56 57	35, 60, 106, 186	0

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	100(L)	ASP	5.9
1	H	100(O)	TYR	4.8
2	B	155	VAL	4.5
1	H	1	GLN	4.4
1	E	115	SER	3.5
1	E	117	LYS	3.2
1	C	100(K)	ASN	3.2
1	C	100(N)	TYR	3.1
1	C	100(O)	TYR	3.0
1	E	175	LEU	2.9
1	E	174	GLY	2.8
1	E	13	GLN	2.8
2	L	191	TYR	2.8
1	E	100(K)	ASN	2.7
1	H	83	LYS	2.7
1	E	20	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	82	PHE	2.6
2	F	189	LYS	2.6
1	C	1	GLN	2.6
1	C	18	LEU	2.6
2	B	191	TYR	2.5
2	L	130	ALA	2.5
1	C	132	SER	2.5
1	C	114	ALA	2.5
1	E	1	GLN	2.5
1	E	82(C)	LEU	2.5
1	H	172	SER	2.5
1	A	118	GLY	2.4
1	A	82	PHE	2.4
1	C	146	PHE	2.4
1	A	129	LYS	2.3
1	C	55	MET	2.3
1	E	100(L)	ASP	2.3
1	E	198	VAL	2.2
1	C	116	THR	2.2
2	B	156	LYS	2.2
1	C	141	LEU	2.2
1	A	83	LYS	2.2
1	E	202	PRO	2.2
1	E	18	LEU	2.1
1	E	100(O)	TYR	2.1
2	L	146	VAL	2.1
1	E	170	LEU	2.1
1	C	12	VAL	2.0
2	D	61	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	L	741	14/15	0.70	0.23	84,102,108,109	0
3	NAG	D	741	14/15	0.83	0.18	90,96,102,105	0
3	NAG	F	741	14/15	0.88	0.12	73,83,89,90	0
3	NAG	B	741	14/15	0.89	0.23	86,91,97,99	0

6.5 Other polymers [i](#)

There are no such residues in this entry.