



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 19, 2023 – 06:03 PM JST

PDB ID : 6LST
Title : Crystal structure of Uso1-1
Authors : Heo, Y.Y.; Lee, H.H.
Deposited on : 2020-01-20
Resolution : 2.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtrriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2969 (2.98-2.90)
Clashscore	141614	3218 (2.98-2.90)
Ramachandran outliers	138981	3122 (2.98-2.90)
Sidechain outliers	138945	3124 (2.98-2.90)
RSRZ outliers	127900	2902 (2.98-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	731	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5333 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Intracellular protein transport protein USO1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	647	5222	3368	858	979	17	0	0	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	expression tag	UNP P25386
A	-3	ALA	-	expression tag	UNP P25386
A	-2	MET	-	expression tag	UNP P25386
A	-1	GLY	-	expression tag	UNP P25386
A	0	SER	-	expression tag	UNP P25386

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	111	Total	O	0	0
			111	111		

4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	114.37Å 114.37Å 193.44Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.22 – 2.94 49.22 – 2.94	Depositor EDS
% Data completeness (in resolution range)	96.2 (49.22-2.94) 96.2 (49.22-2.94)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	19.27 (at 2.96Å)	Xtrriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.192 , 0.252 0.192 , 0.249	Depositor DCC
R_{free} test set	1550 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	74.1	Xtrriage
Anisotropy	0.104	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 55.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.36$	Xtrriage
Estimated twinning fraction	0.007 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5333	wwPDB-VP
Average B, all atoms (Å ²)	79.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.82	0/5327	1.04	10/7227 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	98	ARG	NE-CZ-NH1	7.71	124.15	120.30
1	A	98	ARG	NE-CZ-NH2	-6.51	117.04	120.30
1	A	69	ASP	CB-CG-OD1	-5.74	113.13	118.30
1	A	713	THR	CA-CB-OG1	-5.72	96.99	109.00
1	A	538	ARG	NE-CZ-NH1	5.56	123.08	120.30
1	A	185	THR	CA-CB-OG1	-5.45	97.55	109.00
1	A	127	GLN	CB-CA-C	-5.21	99.99	110.40
1	A	538	ARG	NE-CZ-NH2	-5.21	117.70	120.30
1	A	713	THR	CA-CB-CG2	5.04	119.45	112.40
1	A	52	GLU	CB-CA-C	5.02	120.45	110.40

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	244	GLY	Mainchain
1	A	540	VAL	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5222	0	5256	141	0
2	A	111	0	0	6	0
All	All	5333	0	5256	141	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:GLN:HE21	1:A:124:GLN:HA	1.06	1.15
1:A:538:ARG:HG2	1:A:538:ARG:HH11	1.31	0.94
1:A:434:PHE:CE2	1:A:529:TYR:HB2	2.09	0.88
1:A:124:GLN:HA	1:A:124:GLN:NE2	1.86	0.85
1:A:27:VAL:O	1:A:36:ARG:HG2	1.78	0.83
1:A:32:LEU:HD23	1:A:32:LEU:H	1.42	0.82
1:A:434:PHE:HE2	1:A:529:TYR:HB2	1.48	0.77
1:A:48:ARG:HH11	1:A:48:ARG:HG2	1.50	0.75
1:A:506:ASN:HD22	1:A:506:ASN:H	1.32	0.74
1:A:156:HIS:ND1	2:A:802:HOH:O	2.20	0.74
1:A:272:THR:O	1:A:272:THR:HG22	1.91	0.70
1:A:712:ARG:HD3	2:A:835:HOH:O	1.92	0.69
1:A:212:VAL:HG12	1:A:219:VAL:HG11	1.74	0.68
1:A:166:GLU:OE1	1:A:204:GLU:OE2	2.11	0.68
1:A:446:GLN:O	1:A:450:ASN:HB3	1.94	0.68
1:A:541:THR:HG22	1:A:541:THR:O	1.94	0.67
1:A:657:ASN:O	1:A:661:ARG:HG2	1.95	0.67
1:A:578:LEU:O	1:A:582:ILE:HG13	1.95	0.66
1:A:538:ARG:HG2	1:A:538:ARG:NH1	2.00	0.65
1:A:498:LEU:HG	1:A:558:ILE:HD11	1.80	0.64
1:A:645:TYR:CZ	1:A:649:ILE:HD11	2.33	0.64
1:A:364:ASN:HB3	1:A:367:ALA:HB3	1.80	0.63
1:A:713:THR:CG2	1:A:713:THR:O	2.47	0.62
1:A:48:ARG:NH1	1:A:95:ASP:OD2	2.32	0.62
1:A:620:LYS:O	1:A:624:THR:HG23	2.00	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:36:ARG:NH1	1:A:69:ASP:OD1	2.32	0.62
1:A:24:CYS:SG	1:A:57:SER:OG	2.58	0.61
1:A:506:ASN:H	1:A:506:ASN:ND2	1.98	0.61
1:A:572:ARG:HH21	1:A:691:LEU:HD23	1.65	0.61
1:A:371:PHE:O	1:A:374:ILE:HG23	2.00	0.60
1:A:48:ARG:HH11	1:A:48:ARG:CG	2.13	0.60
1:A:414:HIS:HB2	2:A:841:HOH:O	2.01	0.60
1:A:314:GLU:O	1:A:320:THR:OG1	2.16	0.60
1:A:220:GLN:HB3	1:A:265:ASN:ND2	2.17	0.59
1:A:687:ASP:OD1	1:A:689:THR:N	2.34	0.58
1:A:55:ILE:O	1:A:59:LEU:HB2	2.04	0.58
1:A:394:ILE:O	1:A:394:ILE:HG23	2.04	0.58
1:A:571:ILE:HG13	1:A:571:ILE:O	2.02	0.58
1:A:572:ARG:NH2	1:A:691:LEU:HB3	2.18	0.58
1:A:433:ASN:OD1	1:A:436:LEU:HD12	2.04	0.58
1:A:558:ILE:HG22	1:A:581:LEU:HD11	1.86	0.57
1:A:263:THR:HG21	1:A:317:ASN:HD21	1.69	0.56
1:A:606:LEU:HD23	1:A:648:PHE:CE2	2.41	0.56
1:A:165:LEU:O	1:A:169:MET:HB2	2.06	0.55
1:A:183:LEU:HD23	1:A:184:PRO:HD2	1.88	0.55
1:A:48:ARG:H	1:A:48:ARG:HD2	1.72	0.55
1:A:272:THR:O	1:A:272:THR:CG2	2.53	0.54
1:A:407:MET:HE2	1:A:423:SER:HB2	1.88	0.54
1:A:433:ASN:C	1:A:433:ASN:HD22	2.11	0.54
1:A:88:ILE:CG1	1:A:97:THR:HG21	2.38	0.54
1:A:320:THR:O	1:A:324:GLN:HG3	2.07	0.54
1:A:495:PHE:CE1	1:A:537:THR:HG23	2.44	0.53
1:A:620:LYS:HB2	1:A:620:LYS:NZ	2.23	0.53
1:A:183:LEU:HD23	1:A:184:PRO:CD	2.38	0.53
1:A:124:GLN:HE21	1:A:124:GLN:CA	1.97	0.52
1:A:524:GLN:O	1:A:530:SER:HB3	2.10	0.52
1:A:620:LYS:O	1:A:624:THR:CG2	2.57	0.52
1:A:140:GLU:HB2	2:A:812:HOH:O	2.09	0.52
1:A:124:GLN:N	2:A:816:HOH:O	2.43	0.51
1:A:602:ILE:HD13	1:A:602:ILE:N	2.24	0.51
1:A:518:ILE:O	1:A:521:PHE:HB3	2.10	0.51
1:A:434:PHE:HE2	1:A:529:TYR:O	1.94	0.51
1:A:27:VAL:O	1:A:65:THR:HG21	2.11	0.50
1:A:713:THR:O	1:A:713:THR:HG23	2.12	0.50
1:A:168:VAL:HG12	1:A:176:ALA:HB2	1.94	0.50
1:A:260:LYS:HE2	1:A:261:TYR:CE2	2.47	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:212:VAL:CG1	1:A:219:VAL:HG11	2.42	0.49
1:A:572:ARG:HH21	1:A:691:LEU:CD2	2.26	0.49
1:A:538:ARG:HH21	1:A:590:LYS:HD2	1.78	0.48
1:A:94:ASP:OD2	1:A:98:ARG:HB2	2.13	0.48
1:A:204:GLU:O	1:A:207:LEU:HB2	2.14	0.48
1:A:380:ASP:OD1	1:A:382:SER:OG	2.29	0.48
1:A:683:THR:N	1:A:684:PRO:HD3	2.28	0.48
1:A:288:GLN:HG3	1:A:290:GLU:O	2.14	0.48
1:A:495:PHE:HE1	1:A:537:THR:HG23	1.77	0.48
1:A:134:ASP:OD1	1:A:172:ARG:NH1	2.45	0.48
1:A:611:GLN:HA	1:A:611:GLN:OE1	2.13	0.48
1:A:60:LYS:N	1:A:61:PRO:HD2	2.29	0.47
1:A:606:LEU:CD2	1:A:648:PHE:CE2	2.97	0.47
1:A:562:LEU:CD2	1:A:562:LEU:C	2.82	0.47
1:A:260:LYS:HA	1:A:311:LEU:HD22	1.96	0.47
1:A:599:LYS:HA	1:A:602:ILE:HG12	1.97	0.47
1:A:541:THR:O	1:A:541:THR:CG2	2.58	0.47
1:A:524:GLN:O	1:A:527:HIS:HB2	2.15	0.47
1:A:554:ALA:HA	1:A:557:THR:HG23	1.97	0.46
1:A:174:LEU:HD23	1:A:174:LEU:HA	1.84	0.46
1:A:567:THR:OG1	1:A:568:ALA:N	2.47	0.46
1:A:159:LEU:O	1:A:163:GLN:HG3	2.16	0.46
1:A:263:THR:CG2	1:A:317:ASN:HD21	2.29	0.46
1:A:687:ASP:OD1	1:A:689:THR:HB	2.17	0.45
1:A:54:VAL:O	1:A:58:GLY:N	2.47	0.45
1:A:199:GLU:N	1:A:200:PRO:CD	2.78	0.45
1:A:687:ASP:HA	1:A:693:LYS:HE2	1.98	0.45
1:A:620:LYS:HB2	1:A:620:LYS:HZ3	1.81	0.45
1:A:32:LEU:HD23	1:A:32:LEU:N	2.21	0.45
1:A:42:GLY:O	1:A:46:PHE:HD1	2.00	0.45
1:A:562:LEU:HD11	1:A:578:LEU:HD13	1.99	0.45
1:A:295:ASN:OD1	1:A:298:ARG:HG3	2.16	0.45
1:A:559:SER:O	1:A:563:THR:HG23	2.16	0.44
1:A:32:LEU:H	1:A:32:LEU:CD2	2.22	0.44
1:A:439:ASP:O	1:A:443:LYS:HG2	2.18	0.44
1:A:162:ILE:HG21	1:A:204:GLU:HB3	1.99	0.44
1:A:199:GLU:N	1:A:200:PRO:HD2	2.32	0.43
1:A:134:ASP:OD2	1:A:172:ARG:NH1	2.51	0.43
1:A:127:GLN:HE21	1:A:127:GLN:HB2	1.40	0.43
1:A:155:PHE:CE1	1:A:198:HIS:HB3	2.54	0.43
1:A:177:ARG:O	1:A:181:ILE:HG23	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:331:SER:O	1:A:335:VAL:HG12	2.19	0.43
1:A:533:LEU:HA	1:A:536:ILE:HD12	2.00	0.43
1:A:238:GLU:O	1:A:238:GLU:HG2	2.18	0.42
1:A:294:TRP:CD2	1:A:346:PRO:HG2	2.53	0.42
1:A:399:VAL:HA	1:A:402:ILE:HG22	2.01	0.42
1:A:112:TYR:HB2	1:A:300:VAL:HG13	2.00	0.42
1:A:446:GLN:O	1:A:450:ASN:N	2.52	0.42
1:A:434:PHE:CE2	1:A:529:TYR:HD2	2.37	0.42
1:A:142:LEU:HD23	1:A:142:LEU:HA	1.96	0.42
1:A:602:ILE:HD13	1:A:602:ILE:H	1.83	0.42
1:A:520:MET:HG2	1:A:583:TYR:CD2	2.54	0.42
1:A:63:LEU:HD23	1:A:63:LEU:HA	1.79	0.42
1:A:571:ILE:O	1:A:575:ILE:HG13	2.20	0.42
1:A:24:CYS:O	1:A:27:VAL:HB	2.20	0.42
1:A:27:VAL:HG12	1:A:65:THR:CG2	2.49	0.42
1:A:632:GLU:OE1	1:A:714:ALA:HA	2.19	0.42
1:A:288:GLN:HB2	1:A:290:GLU:O	2.20	0.41
1:A:411:ASN:ND2	1:A:508:ASN:HB2	2.36	0.41
1:A:259:LEU:HD11	1:A:269:PHE:HB2	2.03	0.41
1:A:645:TYR:CE1	1:A:649:ILE:HD11	2.55	0.41
1:A:204:GLU:HG2	2:A:819:HOH:O	2.21	0.41
1:A:43:LEU:HD23	1:A:43:LEU:HA	1.87	0.41
1:A:60:LYS:N	1:A:61:PRO:CD	2.83	0.41
1:A:103:GLN:NE2	1:A:103:GLN:HA	2.35	0.41
1:A:112:TYR:N	1:A:113:PRO:HD3	2.35	0.41
1:A:111:LYS:HG3	1:A:304:THR:HG23	2.02	0.41
1:A:251:CYS:O	1:A:255:ILE:HG13	2.20	0.41
1:A:534:ARG:NH1	1:A:588:ASP:HB2	2.36	0.41
1:A:573:ILE:HB	1:A:574:PRO:HD3	2.02	0.41
1:A:494:LEU:HD13	1:A:518:ILE:HG21	2.03	0.40
1:A:626:LEU:O	1:A:626:LEU:HD12	2.21	0.40
1:A:213:VAL:O	1:A:213:VAL:HG12	2.21	0.40
1:A:578:LEU:HG	1:A:622:LEU:HB3	2.04	0.40
1:A:60:LYS:HB3	1:A:61:PRO:HD3	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	637/731 (87%)	598 (94%)	37 (6%)	2 (0%)	41 69

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	568	ALA
1	A	635	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	595/668 (89%)	518 (87%)	77 (13%)	4 12

All (77) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	ASP
1	A	34	SER
1	A	48	ARG
1	A	59	LEU
1	A	62	LEU
1	A	65	THR
1	A	67	LYS
1	A	75	SER
1	A	111	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	114	SER
1	A	124	GLN
1	A	139	SER
1	A	144	HIS
1	A	181	ILE
1	A	185	THR
1	A	188	SER
1	A	189	THR
1	A	207	LEU
1	A	208	LEU
1	A	227	ASN
1	A	234	SER
1	A	237	GLU
1	A	249	ASN
1	A	252	LEU
1	A	256	ASN
1	A	259	LEU
1	A	263	THR
1	A	264	SER
1	A	275	LEU
1	A	288	GLN
1	A	289	ASP
1	A	327	LEU
1	A	335	VAL
1	A	339	LEU
1	A	345	ILE
1	A	347	LYS
1	A	366	HIS
1	A	374	ILE
1	A	397	ILE
1	A	399	VAL
1	A	415	THR
1	A	433	ASN
1	A	439	ASP
1	A	442	LEU
1	A	447	LEU
1	A	450	ASN
1	A	452	THR
1	A	491	LYS
1	A	506	ASN
1	A	527	HIS
1	A	529	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	530	SER
1	A	533	LEU
1	A	538	ARG
1	A	541	THR
1	A	542	THR
1	A	557	THR
1	A	562	LEU
1	A	565	SER
1	A	571	ILE
1	A	578	LEU
1	A	604	SER
1	A	606	LEU
1	A	612	ILE
1	A	613	GLN
1	A	618	THR
1	A	620	LYS
1	A	624	THR
1	A	635	SER
1	A	638	SER
1	A	640	PHE
1	A	666	LYS
1	A	667	LYS
1	A	674	VAL
1	A	697	SER
1	A	712	ARG
1	A	713	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	124	GLN
1	A	127	GLN
1	A	156	HIS
1	A	405	ASN
1	A	433	ASN
1	A	453	ASN
1	A	506	ASN
1	A	539	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	647/731 (88%)	0.03	25 (3%) 39 39	46, 74, 121, 195	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	454	ASN	9.2
1	A	453	ASN	7.1
1	A	451	SER	7.1
1	A	455	VAL	6.9
1	A	452	THR	6.3
1	A	392	GLY	5.0
1	A	393	PRO	4.9
1	A	384	PRO	4.2
1	A	616	ASP	3.8
1	A	543	GLY	3.7
1	A	717	HIS	3.6
1	A	615	GLU	3.4
1	A	614	ASP	3.3
1	A	450	ASN	3.3
1	A	718	ASP	3.1
1	A	690	GLY	2.7
1	A	688	GLU	2.6
1	A	569	ALA	2.5
1	A	551	PRO	2.2
1	A	394	ILE	2.2
1	A	715	LEU	2.1
1	A	570	ASP	2.1
1	A	15	SER	2.0
1	A	396	LEU	2.0
1	A	449	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.