

Full wwPDB X-ray Structure Validation Report (i)

Jun 16, 2024 – 07:04 PM EDT

PDB ID	:	5LT2
Title	:	nucleotide-free kinesin-1 motor domain, P1 crystal form
Authors	:	Cao, L.; Gigant, B.
Deposited on	:	2016-09-06
Resolution	:	2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\#Entries)$	Similar resolution (#Entries, resolution range(Å))	
Rfree	130704	3163 (2.60-2.60)	
Clashscore	141614	3518 (2.60-2.60)	
Ramachandran outliers	138981	3455 (2.60-2.60)	
Sidechain outliers	138945	3455 (2.60-2.60)	
RSRZ outliers	127900	3104 (2.60-2.60)	

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
			% ■		
1	А	325	83%	13%	••
	_		6%		
1	В	325	81%	13%	• 6%
			2%		
1	С	325	80%	14%	• 5%
			% •		
1	D	325	76%	20%	••
			2%		
1	E	325	81%	12%	• 6%



Mol	Chain	Length	Quality of chain		
1	K	205	2%		
	IX.	525	76%	17%	• 6%



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 14214 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Λ	314	Total	С	Ν	0	S	0	0 0	0
	A	514	2362	1473	405	475	9	0	0	0
1	В	307	Total	С	Ν	0	S	0	0	0
1	D	307	2260	1418	387	446	9	0	0	U
1	С	308	Total	С	Ν	0	S	0	0	0
			2335	1460	402	464	9	0	0	0
1	Л	313	Total	С	Ν	0	S	0	0	0
	D		2339	1463	403	464	9			
1	F	207	Total	С	Ν	0	S	0	0	0
1		307	2256	1411	384	452	9	0	0	0
1	1 K	307	Total	С	Ν	0	S	0	0	0
			2288	1435	392	452	9	0	0	

• Molecule 1 is a protein called Kinesin-like protein.

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	7	SER	CYS	engineered mutation	UNP Q6P164
А	65	ALA	CYS	engineered mutation	UNP Q6P164
А	168	ALA	CYS	engineered mutation	UNP Q6P164
А	174	SER	CYS	engineered mutation	UNP Q6P164
А	294	ALA	CYS	engineered mutation	UNP Q6P164
В	7	SER	CYS	engineered mutation	UNP Q6P164
В	65	ALA	CYS	engineered mutation	UNP Q6P164
В	168	ALA	CYS	engineered mutation	UNP Q6P164
В	174	SER	CYS	engineered mutation	UNP Q6P164
В	294	ALA	CYS	engineered mutation	UNP Q6P164
С	7	SER	CYS	engineered mutation	UNP Q6P164
С	65	ALA	CYS	engineered mutation	UNP Q6P164
С	168	ALA	CYS	engineered mutation	UNP Q6P164
С	174	SER	CYS	engineered mutation	UNP Q6P164
С	294	ALA	CYS	engineered mutation	UNP Q6P164
D	7	SER	CYS	engineered mutation	UNP Q6P164
D	65	ALA	CYS	engineered mutation	UNP Q6P164



Chain	Residue	Modelled	Actual	Comment	Reference
D	168	ALA	CYS	engineered mutation	UNP Q6P164
D	174	SER	CYS	engineered mutation	UNP Q6P164
D	294	ALA	CYS	engineered mutation	UNP Q6P164
E	7	SER	CYS	engineered mutation	UNP Q6P164
E	65	ALA	CYS	engineered mutation	UNP Q6P164
E	168	ALA	CYS	engineered mutation	UNP Q6P164
Е	174	SER	CYS	engineered mutation	UNP Q6P164
E	294	ALA	CYS	engineered mutation	UNP Q6P164
K	7	SER	CYS	engineered mutation	UNP Q6P164
K	65	ALA	CYS	engineered mutation	UNP Q6P164
K	168	ALA	CYS	engineered mutation	UNP Q6P164
K	174	SER	CYS	engineered mutation	UNP Q6P164
K	294	ALA	CYS	engineered mutation	UNP Q6P164



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

Continued on next page...

WIDE

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	Ε	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	Κ	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	Κ	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	77	Total O 77 77	0	0
3	В	21	TotalO2121	0	0
3	С	74	Total O 74 74	0	0
3	D	57	$\begin{array}{cc} \text{Total} & \text{O} \\ 57 & 57 \end{array}$	0	0
3	Ε	47	$\begin{array}{cc} \text{Total} & \text{O} \\ 47 & 47 \end{array}$	0	0
3	К	43	Total O 43 43	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Kinesin-like protein

• Molecule 1: Kinesin-like protein







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	56.74Å 101.45Å 101.59Å	Deperitor
a, b, c, α , β , γ	119.24° 91.96° 91.93°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	38.40 - 2.60	Depositor
Resolution (A)	49.00 - 2.60	EDS
% Data completeness	98.0 (38.40-2.60)	Depositor
(in resolution range)	92.4 (49.00-2.60)	EDS
R _{merge}	(Not available)	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.80 (at 2.61 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.9_1692, BUSTER	Depositor
D D	0.193 , 0.249	Depositor
Λ, Λ_{free}	0.195 , 0.249	DCC
R_{free} test set	2016 reflections $(3.39%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	39.3	Xtriage
Anisotropy	0.743	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34 , 60.7	EDS
L-test for twinning ²	$< L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	0.011 for -h,-l,-k	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	14214	wwPDB-VP
Average B, all atoms $(Å^2)$	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.27% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
INIOI	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.49	0/2398	0.71	1/3247~(0.0%)
1	В	0.49	1/2295~(0.0%)	0.63	0/3114
1	С	0.50	0/2370	0.69	2/3204~(0.1%)
1	D	0.49	0/2373	0.68	1/3212~(0.0%)
1	Е	0.47	0/2289	0.67	1/3107~(0.0%)
1	Κ	0.48	0/2322	0.70	1/3144~(0.0%)
All	All	0.49	1/14047~(0.0%)	0.68	6/19028~(0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	Κ	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	В	154	SER	CB-OG	7.64	1.52	1.42

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	D	50	ARG	NE-CZ-NH2	6.79	123.70	120.30
1	С	18	LEU	N-CA-C	-6.22	94.20	111.00
1	Е	104	GLY	N-CA-C	-5.43	99.53	113.10
1	А	158	ASP	CB-CG-OD1	5.24	123.02	118.30
1	С	158	ASP	CB-CG-OD1	5.18	122.96	118.30
1	Κ	223	LEU	CA-CB-CG	5.09	127.02	115.30



There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	Κ	308	ASN	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2362	0	2229	29	0
1	В	2260	0	2080	27	0
1	С	2335	0	2225	34	0
1	D	2339	0	2215	51	0
1	Е	2256	0	2065	31	0
1	Κ	2288	0	2156	40	0
2	А	5	0	0	1	0
2	В	5	0	0	0	0
2	С	15	0	0	0	0
2	D	15	0	0	1	0
2	Е	5	0	0	0	0
2	Κ	10	0	0	0	0
3	А	77	0	0	4	0
3	В	21	0	0	0	0
3	С	74	0	0	5	2
3	D	57	0	0	6	0
3	Е	47	0	0	3	1
3	Κ	43	0	0	5	1
All	All	14214	0	12970	208	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (208) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:86:GLN:NE2	3:K:501:HOH:O	1.94	0.98
1:C:30:ILE:HD11	1:C:306:SER:HA	1.56	0.87



	lo uo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:86:GLN:HG3	1:D:311:GLU:HG2	1.56	0.85
1:D:323:LYS:HD2	1:D:324:THR:H	1.41	0.85
1:D:323:LYS:HD2	1:D:324:THR:N	1.92	0.85
1:A:218:GLN:OE1	3:A:501:HOH:O	1.96	0.82
1:K:14:ARG:HG3	1:K:52:PHE:HB2	1.63	0.81
1:D:12:MET:HG2	1:D:50:ARG:HB3	1.63	0.77
1:A:159:LYS:HG3	1:A:160:ASN:OD1	1.86	0.75
1:D:50:ARG:HD3	1:D:52:PHE:CE1	2.22	0.75
1:A:125:ASN:H	1:A:125:ASN:ND2	1.85	0.74
1:C:193:ALA:O	1:C:195:THR:N	2.20	0.74
1:K:301:CYS:O	3:K:501:HOH:O	2.05	0.73
1:D:203:ARG:HH12	1:D:247:VAL:HG23	1.55	0.72
1:K:86:GLN:HG3	1:K:311:GLU:HB3	1.71	0.71
1:K:86:GLN:OE1	1:K:86:GLN:N	2.25	0.69
2:D:403:SO4:O3	3:D:501:HOH:O	2.14	0.65
1:D:60:GLN:NE2	1:D:64:ASP:OD2	2.28	0.65
1:A:122:MET:O	1:A:125:ASN:ND2	2.31	0.64
1:K:58:GLN:HG3	1:K:104:GLY:HA2	1.79	0.64
1:K:72:ASP:OD2	1:K:295:ARG:HD2	1.97	0.63
1:E:71:LYS:NZ	1:E:75:GLU:OE2	2.30	0.63
1:A:16:ARG:HG2	1:A:17:PRO:O	1.99	0.62
1:A:203:ARG:HD3	1:A:250:GLU:OE1	1.98	0.62
1:B:16:ARG:HH12	1:B:18:LEU:HA	1.64	0.62
1:D:113:GLN:HG2	3:D:557:HOH:O	1.99	0.62
1:C:213:LYS:NZ	3:C:504:HOH:O	2.32	0.61
1:K:138:TYR:OH	1:K:250:GLU:OE2	2.06	0.60
1:A:103:GLU:N	1:A:104:GLY:HA3	2.17	0.60
1:K:86:GLN:H	1:K:86:GLN:CD	2.04	0.59
1:C:219:THR:HG23	1:C:221:GLN:HG2	1.83	0.59
1:E:73:VAL:HG21	1:E:227:LEU:HB2	1.84	0.59
1:C:152:ASN:O	3:C:501:HOH:O	2.16	0.59
1:E:102:PRO:O	1:E:103:GLU:HG2	2.02	0.59
1:B:278:ARG:HA	1:B:284:ARG:HD2	1.84	0.59
1:E:219:THR:CG2	1:E:221:GLN:HG2	2.34	0.58
1:B:138:TYR:OH	1:B:250:GLU:OE1	2.16	0.57
1:K:219:THR:CG2	1:K:221:GLN:HG2	2.35	0.57
1:A:303:SER:O	1:A:312:THR:HG21	2.05	0.57
1:D:72:ASP:OD2	1:D:295:ARG:HD2	2.04	0.57
1:D:203:ARG:NH1	1:D:247:VAL:HG23	2.20	0.57
1:B:154:SER:H	1:B:166:LYS:HE3	1.69	0.56
1:B:155:VAL:HG21	1:B:285:ILE:HG13	1.86	0.56



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:E:105:MET:HB3	1:E:110:ARG:NH1	2.21	0.56
1:B:137:ILE:HD13	1:B:142:ILE:HG12	1.88	0.56
1:E:171:ARG:NH1	1:E:185:GLU:OE1	2.31	0.55
1:E:16:ARG:NH1	1:E:18:LEU:HA	2.22	0.55
1:D:44:LYS:HD2	1:D:45:PRO:HD2	1.87	0.55
1:E:18:LEU:HB3	1:E:304:PRO:HG2	1.89	0.55
1:E:105:MET:O	1:E:110:ARG:NH1	2.38	0.55
1:C:310:SER:O	1:C:313:LYS:HG2	2.07	0.54
1:D:16:ARG:HG2	1:D:17:PRO:N	2.22	0.54
1:A:80:THR:OG1	1:A:289:SER:O	2.23	0.54
1:D:50:ARG:NH1	1:D:64:ASP:OD2	2.39	0.54
1:A:29:TYR:O	1:A:31:ALA:N	2.40	0.54
1:D:19:ASN:O	1:D:21:SER:HA	2.07	0.54
1:E:114:ASP:OD1	3:E:501:HOH:O	2.19	0.54
1:C:303:SER:O	1:C:312:THR:HG21	2.07	0.54
1:E:203:ARG:HD3	1:E:250:GLU:OE1	2.08	0.54
1:B:153:LEU:HD22	1:B:166:LYS:O	2.07	0.53
1:C:292:GLY:HA3	3:C:552:HOH:O	2.07	0.53
1:A:103:GLU:H	1:A:104:GLY:HA3	1.73	0.53
1:A:147:ASP:HB2	1:C:152:ASN:HD21	1.73	0.53
1:B:154:SER:N	1:B:166:LYS:HE3	2.23	0.53
1:B:105:MET:HB2	1:B:109:PRO:HG2	1.91	0.53
1:K:14:ARG:HD2	1:K:61:VAL:HG21	1.90	0.53
1:B:158:ASP:HB3	1:B:164:TYR:HE2	1.73	0.52
1:D:91:LYS:NZ	3:D:504:HOH:O	2.41	0.52
1:D:44:LYS:HG3	1:D:46:TYR:CZ	2.44	0.52
1:C:41:ILE:HD12	1:C:316:LEU:HD11	1.91	0.52
1:C:219:THR:HG22	1:C:221:GLN:H	1.75	0.52
1:D:150:LYS:HB3	1:D:153:LEU:HD21	1.92	0.51
1:C:119:ILE:HG12	1:C:128:PHE:CG	2.46	0.51
1:A:101:ASP:O	1:A:105:MET:N	2.33	0.51
1:K:29:TYR:O	1:K:31:ALA:N	2.44	0.51
1:C:30:ILE:HD12	1:C:309:GLU:HB2	1.93	0.50
1:E:141:LYS:HE3	1:E:152:ASN:ND2	2.26	0.50
1:A:166:LYS:HE2	1:D:178:GLU:OE2	2.11	0.50
1:K:156:HIS:CE1	1:K:166:LYS:HD2	2.46	0.50
1:D:138:TYR:OH	1:D:250:GLU:OE2	2.16	0.50
1:A:125:ASN:ND2	1:A:125:ASN:N	2.56	0.50
1:C:219:THR:CG2	1:C:221:GLN:HG2	2.43	0.49
1:C:90:GLY:HA2	3:C:532:HOH:O	2.12	0.49
1:K:209:LEU:HD13	1:K:228:TYR:CZ	2.47	0.49



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:303:SER:O	1:B:312:THR:HG21	2.12	0.49
1:E:16:ARG:HH12	1:E:18:LEU:HA	1.76	0.49
1:D:14:ARG:HA	1:D:52:PHE:HB2	1.95	0.49
1:E:219:THR:HG22	1:E:221:GLN:H	1.78	0.49
1:B:103:GLU:N	1:B:104:GLY:HA3	2.28	0.49
1:K:56:THR:HB	3:K:504:HOH:O	2.13	0.49
1:D:209:LEU:HD13	1:D:228:TYR:CE1	2.48	0.48
1:C:30:ILE:CD1	1:C:309:GLU:HB2	2.43	0.48
1:C:216:ASN:OD1	1:C:219:THR:HB	2.14	0.48
1:K:277:TYR:CG	1:K:287:GLN:HG3	2.47	0.48
1:E:147:ASP:OD1	1:E:149:SER:HB3	2.12	0.48
1:C:60:GLN:HG2	1:C:60:GLN:O	2.13	0.48
1:D:119:ILE:HD11	1:D:130:ILE:HD11	1.96	0.48
1:E:265:ILE:HG21	3:E:547:HOH:O	2.13	0.48
1:K:310:SER:OG	3:K:502:HOH:O	2.20	0.47
1:B:18:LEU:HD12	1:B:19:ASN:H	1.78	0.47
1:D:16:ARG:HG2	1:D:17:PRO:O	2.15	0.47
1:C:103:GLU:H	1:C:104:GLY:HA3	1.80	0.47
1:C:153:LEU:HD22	1:C:166:LYS:O	2.15	0.47
1:E:13:CYS:HA	1:E:300:ILE:HG13	1.96	0.47
1:D:203:ARG:HA	1:D:254:ILE:HD11	1.96	0.47
1:E:60:GLN:OE1	1:E:63:ASN:HB2	2.15	0.47
1:B:11:VAL:HG21	1:B:322:ALA:HB3	1.97	0.47
1:B:76:GLY:HA3	1:B:223:LEU:HD22	1.96	0.47
1:D:17:PRO:HG3	1:D:54:SER:HB3	1.96	0.47
1:K:156:HIS:HE1	1:K:166:LYS:HD2	1.78	0.47
1:K:308:ASN:HB3	1:K:312:THR:HG23	1.96	0.47
1:A:160:ASN:OD1	1:A:160:ASN:N	2.47	0.46
1:C:119:ILE:HG12	1:C:128:PHE:CD1	2.50	0.46
1:E:119:ILE:HG12	1:E:128:PHE:CG	2.51	0.46
1:B:116:PHE:HA	1:B:119:ILE:HD12	1.98	0.46
1:E:60:GLN:OE1	1:E:60:GLN:HA	2.16	0.46
1:K:209:LEU:HD13	1:K:228:TYR:CE1	2.51	0.46
1:K:134:TYR:CD2	1:K:186:GLY:HA3	2.51	0.46
1:A:164:TYR:OH	1:D:178:GLU:OE1	2.30	0.46
1:D:122:MET:HB3	1:D:126:LEU:HD12	1.98	0.46
1:B:16:ARG:NH1	1:B:18:LEU:HA	2.29	0.46
1:B:58:GLN:HG3	1:B:104:GLY:H	1.81	0.46
1:K:13:CYS:HA	1:K:300:ILE:HG13	1.98	0.46
1:K:308:ASN:O	1:K:310:SER:N	2.49	0.46
1:B:308:ASN:N	1:B:308:ASN:OD1	2.49	0.46



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:173:VAL:HG21	1:C:179:VAL:HG22	1.98	0.46
1:E:125:ASN:OD1	1:E:125:ASN:N	2.44	0.46
1:K:47:ALA:O	1:K:320:GLN:NE2	2.49	0.46
1:D:86:GLN:CG	1:D:311:GLU:HG2	2.37	0.45
1:D:52:PHE:CD1	1:D:56:THR:HG21	2.51	0.45
1:D:261:LEU:O	1:D:265:ILE:HG12	2.16	0.45
1:D:11:VAL:HG21	1:D:322:ALA:HB3	1.98	0.45
1:D:128:PHE:CE2	1:D:214:GLN:HG2	2.51	0.45
1:E:105:MET:HG2	1:E:110:ARG:HG3	1.97	0.45
1:A:147:ASP:HB2	1:C:152:ASN:ND2	2.32	0.45
1:C:126:LEU:HD23	1:C:216:ASN:HA	1.98	0.45
1:C:128:PHE:CE2	1:C:214:GLN:HG2	2.51	0.45
1:D:41:ILE:O	1:D:44:LYS:HB3	2.17	0.45
1:D:207:ILE:HD11	1:D:282:MET:HE2	1.99	0.45
1:K:105:MET:HB2	1:K:109:PRO:HG2	1.98	0.45
1:D:280:SER:O	1:D:284:ARG:HG3	2.16	0.45
1:K:128:PHE:CE2	1:K:214:GLN:HG2	2.52	0.44
1:A:119:ILE:HG12	1:A:128:PHE:CD1	2.53	0.44
1:C:86:GLN:HG3	1:C:311:GLU:HB3	2.00	0.44
1:C:141:LYS:HG3	3:C:540:HOH:O	2.17	0.44
1:D:11:VAL:CG2	1:D:322:ALA:HB3	2.48	0.44
1:A:91:LYS:N	2:A:401:SO4:O1	2.48	0.44
1:B:52:PHE:CD1	1:B:56:THR:HG21	2.52	0.44
1:K:119:ILE:HG12	1:K:128:PHE:CG	2.53	0.44
1:K:302:CYS:HA	3:K:501:HOH:O	2.16	0.44
1:C:106:GLY:O	1:C:110:ARG:HG3	2.18	0.44
1:K:192:VAL:HG12	1:K:193:ALA:H	1.83	0.44
1:D:16:ARG:NH2	1:D:303:SER:HB2	2.33	0.44
1:E:323:LYS:HG2	1:E:324:THR:H	1.83	0.43
1:C:105:MET:HB2	1:C:109:PRO:HG2	1.99	0.43
1:A:199:GLU:O	1:A:200:HIS:C	2.56	0.43
1:B:278:ARG:HA	1:B:284:ARG:CD	2.49	0.43
1:D:132:VAL:HA	1:D:209:LEU:O	2.19	0.43
1:E:219:THR:HG23	1:E:221:GLN:HG2	2.00	0.43
1:K:14:ARG:HG3	1:K:52:PHE:CB	2.42	0.43
1:K:81:ILE:HB	1:K:229:LEU:HD23	1.99	0.43
1:E:98:LYS:H	1:E:105:MET:H	1.65	0.43
1:E:123:ASP:OD1	1:E:124:GLU:N	2.49	0.43
1:B:174:SER:N	1:B:178:GLU:OE1	2.50	0.43
1:K:14:ARG:CG	1:K:52:PHE:HB2	2.43	0.43
1:A:213:LYS:NZ	3:A:502:HOH:O	2.22	0.42



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:D:50:ARG:NH1	1:D:64:ASP:CG	2.73	0.42
1:C:103:GLU:N	1:C:104:GLY:HA3	2.34	0.42
1:A:119:ILE:HG12	1:A:128:PHE:CG	2.54	0.42
1:E:324:THR:HG23	3:E:536:HOH:O	2.20	0.42
1:K:139:LEU:HD12	1:K:253:ASN:OD1	2.19	0.42
1:K:230:VAL:HG21	1:K:286:LEU:HD11	2.02	0.42
1:B:190:ARG:O	1:B:192:VAL:HG23	2.19	0.42
1:D:16:ARG:HH21	1:D:303:SER:HA	1.84	0.42
1:A:105:MET:HB2	1:A:109:PRO:HG2	2.00	0.42
1:E:132:VAL:HA	1:E:209:LEU:O	2.20	0.42
1:D:76:GLY:HA3	1:D:223:LEU:HD22	2.01	0.42
1:D:143:ARG:NE	3:D:513:HOH:O	2.53	0.42
1:K:73:VAL:HG21	1:K:227:LEU:HB2	2.02	0.41
1:A:136:GLU:OE2	1:A:143:ARG:HD3	2.20	0.41
1:B:219:THR:O	1:B:221:GLN:NE2	2.33	0.41
1:D:279:ASP:HB2	3:D:516:HOH:O	2.19	0.41
1:K:122:MET:O	1:K:123:ASP:C	2.59	0.41
1:A:312:THR:HG22	3:A:568:HOH:O	2.20	0.41
1:E:14:ARG:HG3	1:E:52:PHE:HB2	2.01	0.41
1:K:245:GLY:O	1:K:248:LEU:HB3	2.20	0.41
1:C:13:CYS:HA	1:C:300:ILE:HG13	2.03	0.41
1:C:87:THR:O	1:C:88:SER:OG	2.35	0.41
1:K:219:THR:HG23	1:K:221:GLN:HG2	2.02	0.41
1:A:44:LYS:HA	1:A:45:PRO:HD3	1.96	0.41
1:B:124:GLU:HA	1:B:126:LEU:N	2.35	0.41
1:C:323:LYS:HB3	1:C:323:LYS:HE2	1.83	0.41
1:D:303:SER:O	1:D:312:THR:HG21	2.21	0.41
1:D:173:VAL:HG21	1:D:179:VAL:HG22	2.02	0.41
1:D:71:LYS:HG3	3:D:546:HOH:O	2.21	0.41
1:A:91:LYS:NZ	3:A:503:HOH:O	2.54	0.40
1:D:16:ARG:HE	1:D:16:ARG:HB3	1.52	0.40
1:D:277:TYR:CG	1:D:287:GLN:HG3	2.56	0.40
1:A:141:LYS:HD3	1:D:147:ASP:OD1	2.22	0.40
1:D:68:LYS:HG2	1:D:295:ARG:NH1	2.36	0.40
1:D:99:LEU:C	1:D:101:ASP:H	2.25	0.40
1:E:265:ILE:CG2	1:E:322:ALA:HB2	2.51	0.40
1:K:265:ILE:HG21	1:K:322:ALA:HB2	2.02	0.40
1:C:223:LEU:HD23	1:C:223:LEU:HA	1.97	0.40
1:E:219:THR:HG22	1:E:221:GLN:HG2	2.03	0.40
1:B:84:TYR:O	1:B:85:GLY:O	2.40	0.40
1:B:312:THR:O	1:B:316:LEU:HG	2.22	0.40



Atom-1	Atom-1 Atom-2		Clash overlap (Å)	
1:K:206:SER:OG	1:K:231:ASP:HB3	2.22	0.40	

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)	
3:C:551:HOH:O	3:K:528:HOH:O[1_665]	2.19	0.01	
3:C:573:HOH:O	3:E:512:HOH:O[1_655]	2.19	0.01	

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	308/325~(95%)	289 (94%)	12 (4%)	7 (2%)	6	11
1	В	299/325~(92%)	286 (96%)	11 (4%)	2(1%)	22	43
1	С	300/325~(92%)	287 (96%)	10 (3%)	3(1%)	15	32
1	D	305/325~(94%)	290 (95%)	13 (4%)	2(1%)	22	43
1	Е	299/325~(92%)	288 (96%)	8 (3%)	3(1%)	15	32
1	K	299/325~(92%)	289~(97%)	6 (2%)	4 (1%)	12	24
All	All	1810/1950~(93%)	1729 (96%)	60 (3%)	21 (1%)	13	27

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	19	ASN
1	А	30	ILE
1	А	99	LEU
1	В	85	GLY
1	В	123	ASP
1	С	18	LEU



Mol	Chain	Res	Type
1	С	194	VAL
1	D	30	ILE
1	K	30	ILE
1	К	123	ASP
1	А	18	LEU
1	А	198	ASN
1	А	200	HIS
1	Е	238	VAL
1	К	18	LEU
1	С	123	ASP
1	А	123	ASP
1	Е	105	MET
1	K	104	GLY
1	Е	28	LYS
1	D	26	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	250/286~(87%)	245~(98%)	5 (2%)	55	78
1	В	226/286~(79%)	223~(99%)	3 (1%)	69	86
1	С	247/286~(86%)	244 (99%)	3 (1%)	71	87
1	D	245/286~(86%)	243~(99%)	2(1%)	81	92
1	Е	226/286~(79%)	220 (97%)	6 (3%)	44	71
1	Κ	236/286~(82%)	232 (98%)	4 (2%)	60	81
All	All	1430/1716~(83%)	1407 (98%)	23 (2%)	62	82

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	37	ASP
1	А	125	ASN
1	А	134	TYR



Mol	Chain	Res	Type
1	А	160	ASN
1	А	320	GLN
1	В	99	LEU
1	В	166	LYS
1	В	308	ASN
1	С	50	ARG
1	С	215	GLU
1	С	219	THR
1	D	16	ARG
1	D	218	GLN
1	Е	60	GLN
1	Е	125	ASN
1	Е	134	TYR
1	Е	149	SER
1	Е	171	ARG
1	Е	219	THR
1	Κ	139	LEU
1	Κ	219	THR
1	K	247	VAL
1	К	323	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	125	ASN
1	Κ	320	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	True	Chain	Dec	Tinle	B	ond leng	lengths Bond a		Bond ang	angles	
WIOI	туре	Unain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2	
2	SO4	E	401	-	4,4,4	0.13	0	$6,\!6,\!6$	0.23	0	
2	SO4	А	401	-	4,4,4	0.18	0	6,6,6	0.58	0	
2	SO4	С	403	-	4,4,4	0.15	0	6,6,6	0.11	0	
2	SO4	K	401	-	4,4,4	0.19	0	6,6,6	0.19	0	
2	SO4	D	403	-	4,4,4	0.26	0	$6,\!6,\!6$	0.43	0	
2	SO4	С	402	-	4,4,4	0.24	0	6,6,6	0.30	0	
2	SO4	В	401	-	4,4,4	0.14	0	6,6,6	0.11	0	
2	SO4	D	402	-	4,4,4	0.27	0	6,6,6	0.18	0	
2	SO4	С	401	-	4,4,4	0.21	0	6,6,6	0.31	0	
2	SO4	K	402	-	4,4,4	0.33	0	6,6,6	0.24	0	
2	SO4	D	401	-	4,4,4	0.14	0	6,6,6	0.40	0	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	А	401	SO4	1	0
2	D	403	SO4	1	0

5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	#RSRZ>2		$\mathbf{OWAB}(\mathrm{\AA}^2)$	Q < 0.9	
1	А	314/325~(96%)	-0.03	4 (1%)	77	73	23, 44, 84, 103	0
1	В	307/325~(94%)	0.43	21 (6%)	17	12	39, 71, 110, 149	0
1	С	308/325~(94%)	-0.06	5 (1%)	72	68	25, 46, 83, 115	0
1	D	313/325~(96%)	-0.03	2(0%)	89	88	27, 49, 82, 116	0
1	Ε	307/325~(94%)	0.02	5 (1%)	72	68	27, 51, 86, 113	0
1	K	307/325~(94%)	0.13	6 (1%)	65	60	28, 56, 93, 125	0
All	All	1856/1950~(95%)	0.08	43 (2%)	60	54	23, 52, 94, 149	0

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ	
1	В	26	GLY	4.3	
1	В	156	HIS	3.8	
1	В	15	PHE	3.8	
1	В	193	ALA	3.7	
1	В	40	VAL	3.6	
1	В	192	VAL	3.5	
1	В	151	THR	3.4	
1	В	308	ASN	3.4	
1	В	194	VAL	3.2	
1	А	307	TYR	3.2	
1	Е	240	LYS	3.1	
1	Κ	29	TYR	3.0	
1	В	246	ALA	3.0	
1	D	244	GLU	2.9	
1	В	29	TYR	2.9	
1	В	155	VAL	2.8	
1	С	41	ILE	2.7	
1	В	189	ASN	2.6	
1	В	20	GLU	2.6	



3L1Z

Mol	Chain	Res	Type	RSRZ	
1	С	29	TYR	2.6	
1	Е	239	SER	2.6	
1	В	184	ASP	2.5	
1	В	21	SER	2.5	
1	Κ	30	ILE	2.5	
1	А	43	SER	2.5	
1	Κ	193	ALA	2.4	
1	А	103	GLU	2.4	
1	С	30	ILE	2.4	
1	В	304	PRO	2.3	
1	В	145	LEU	2.2	
1	В	24	ASN	2.2	
1	Ε	103	GLU	2.2	
1	А	37	ASP	2.2	
1	Κ	26	GLY	2.2	
1	Κ	246	ALA	2.2	
1	D	99	LEU	2.1	
1	В	303	SER	2.1	
1	В	166	LYS	2.1	
1	Е	53	GLN	2.1	
1	С	194	VAL	2.1	
1	Е	29	TYR	2.0	
1	С	193	ALA	2.0	
1	Κ	24	ASN	2.0	

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
2	SO4	Κ	402	5/5	0.78	0.24	75,76,77,78	0
2	SO4	D	402	5/5	0.81	0.42	76,77,79,81	0
2	SO4	В	401	5/5	0.85	0.17	81,91,92,95	0
2	SO4	D	403	5/5	0.87	0.27	75, 76, 77, 78	0
2	SO4	С	403	5/5	0.88	0.20	76,77,77,79	0
2	SO4	K	401	5/5	0.92	0.11	73,75,78,79	0
2	SO4	С	402	5/5	0.92	0.27	61,66,69,70	0
2	SO4	D	401	5/5	0.93	0.15	54,64,66,68	0
2	SO4	Е	401	5/5	0.94	0.16	$60,\!69,\!73,\!78$	0
2	SO4	С	401	5/5	0.95	0.11	54,57,69,76	0
2	SO4	А	401	5/5	0.97	0.10	55,57,62,67	0

6.5 Other polymers (i)

There are no such residues in this entry.

