



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 29, 2023 – 07:45 PM EDT

PDB ID : 3LVJ
Title : Crystal Structure of E.coli IscS-TusA complex (form 1)
Authors : Shi, R.; Proteau, A.; Matte, A.; Cygler, M.; Montreal-Kingston Bacterial Structural Genomics Initiative (BSGI)
Deposited on : 2010-02-22
Resolution : 2.44 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.44 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1564 (2.46-2.42)
Clashscore	141614	1631 (2.46-2.42)
Ramachandran outliers	138981	1617 (2.46-2.42)
Sidechain outliers	138945	1617 (2.46-2.42)
RSRZ outliers	127900	1547 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	423	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 73%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 16%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 9%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">73% 16% • 9%</p>
1	B	423	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 70%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 19%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 8%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">70% 19% • 8%</p>
2	C	82	<div style="display: flex; align-items: center;"> <div style="width: 9%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 78%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 15%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">9% 78% 15% • 6%</p>
2	D	82	<div style="display: flex; align-items: center;"> <div style="width: 22%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 74%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 20%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">22% 74% 20% 6%</p>

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 7448 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cysteine desulfurase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	384	2992	1877	531	566	18	0	0	0
1	B	388	3028	1899	537	573	19	0	0	0

There are 38 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	MET	-	expression tag	UNP P0A6B9
A	-17	GLY	-	expression tag	UNP P0A6B9
A	-16	SER	-	expression tag	UNP P0A6B9
A	-15	SER	-	expression tag	UNP P0A6B9
A	-14	HIS	-	expression tag	UNP P0A6B9
A	-13	HIS	-	expression tag	UNP P0A6B9
A	-12	HIS	-	expression tag	UNP P0A6B9
A	-11	HIS	-	expression tag	UNP P0A6B9
A	-10	HIS	-	expression tag	UNP P0A6B9
A	-9	HIS	-	expression tag	UNP P0A6B9
A	-8	GLY	-	expression tag	UNP P0A6B9
A	-7	SER	-	expression tag	UNP P0A6B9
A	-6	MET	-	expression tag	UNP P0A6B9
A	-5	TYR	-	expression tag	UNP P0A6B9
A	-4	GLY	-	expression tag	UNP P0A6B9
A	-3	VAL	-	expression tag	UNP P0A6B9
A	-2	TYR	-	expression tag	UNP P0A6B9
A	-1	ARG	-	expression tag	UNP P0A6B9
A	0	ALA	-	expression tag	UNP P0A6B9
B	-18	MET	-	expression tag	UNP P0A6B9
B	-17	GLY	-	expression tag	UNP P0A6B9
B	-16	SER	-	expression tag	UNP P0A6B9
B	-15	SER	-	expression tag	UNP P0A6B9
B	-14	HIS	-	expression tag	UNP P0A6B9
B	-13	HIS	-	expression tag	UNP P0A6B9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-12	HIS	-	expression tag	UNP P0A6B9
B	-11	HIS	-	expression tag	UNP P0A6B9
B	-10	HIS	-	expression tag	UNP P0A6B9
B	-9	HIS	-	expression tag	UNP P0A6B9
B	-8	GLY	-	expression tag	UNP P0A6B9
B	-7	SER	-	expression tag	UNP P0A6B9
B	-6	MET	-	expression tag	UNP P0A6B9
B	-5	TYR	-	expression tag	UNP P0A6B9
B	-4	GLY	-	expression tag	UNP P0A6B9
B	-3	VAL	-	expression tag	UNP P0A6B9
B	-2	TYR	-	expression tag	UNP P0A6B9
B	-1	ARG	-	expression tag	UNP P0A6B9
B	0	ALA	-	expression tag	UNP P0A6B9

- Molecule 2 is a protein called Sulfurtransferase tusA.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
2	C	77	Total	C	N	O	S	0	0	0
			596	379	101	110	6			
2	D	77	Total	C	N	O	S	0	0	0
			589	373	100	110	6			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	0	GLY	-	expression tag	UNP P0A892
C	1	SER	-	expression tag	UNP P0A892
D	0	GLY	-	expression tag	UNP P0A892
D	1	SER	-	expression tag	UNP P0A892

- Molecule 3 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: C₈H₁₀NO₆P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
3	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	97	Total	O	0	0
			97	97		
4	B	95	Total	O	0	0
			95	95		
4	C	11	Total	O	0	0
			11	11		
4	D	10	Total	O	0	0
			10	10		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cysteine desulfurase




- Molecule 1: Cysteine desulfurase





- Molecule 2: Sulfurtransferase tusA





- Molecule 2: Sulfurtransferase tusA



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	72.30Å 106.55Å 122.11Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.65 – 2.44 46.65 – 2.44	Depositor EDS
% Data completeness (in resolution range)	95.5 (46.65-2.44) 95.7 (46.65-2.44)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.63 (at 2.42Å)	Xtrriage
Refinement program	PHENIX 1.6_289	Depositor
R, R_{free}	0.222 , 0.240 0.216 , 0.233	Depositor DCC
R_{free} test set	1723 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	40.3	Xtrriage
Anisotropy	0.564	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 32.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.36$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7448	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 44.08 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.6066e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/3043	0.41	0/4105
1	B	0.23	0/3079	0.41	0/4152
2	C	0.23	0/609	0.40	0/827
2	D	0.22	0/602	0.41	0/819
All	All	0.23	0/7333	0.41	0/9903

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2992	0	2972	48	0
1	B	3028	0	3016	60	0
2	C	596	0	596	6	0
2	D	589	0	576	9	0
3	A	15	0	7	1	0
3	B	15	0	7	1	0
4	A	97	0	0	4	0
4	B	95	0	0	1	0
4	C	11	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	10	0	0	0	0
All	All	7448	0	7174	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:231:HIS:H	1:B:80:ASN:HD21	1.23	0.87
1:B:327:ALA:O	1:B:328:CYS:HB2	1.83	0.77
1:A:284:ILE:HG22	4:A:481:HOH:O	1.85	0.76
1:B:198:ASP:HB3	1:B:224:VAL:HG21	1.68	0.73
1:B:154:ASN:HD22	1:B:157:ILE:H	1.37	0.73
1:A:104:HIS:CD2	1:A:106:ALA:H	2.07	0.72
1:B:104:HIS:CD2	1:B:106:ALA:H	2.06	0.72
1:A:104:HIS:HD2	1:A:106:ALA:H	1.37	0.71
1:A:80:ASN:HD21	1:B:231:HIS:H	1.40	0.70
1:B:104:HIS:HD2	1:B:106:ALA:H	1.39	0.69
1:A:154:ASN:HD22	1:A:157:ILE:H	1.39	0.68
1:A:41:HIS:CD2	1:A:43:PHE:HB2	2.33	0.63
1:A:81:LEU:HD22	1:A:226:ILE:HD12	1.81	0.63
1:B:205:HIS:CE1	1:B:206:LYS:HE3	2.34	0.62
1:A:16:ASP:OD1	1:A:18:ARG:HD3	2.00	0.62
1:B:334:GLU:HB2	1:B:335:PRO:HD2	1.80	0.61
1:A:75:ALA:HB3	3:A:764:PLP:O4P	2.00	0.60
1:B:65:ASP:OD1	1:B:67:ARG:HD3	2.01	0.60
1:B:108:LEU:O	1:B:112:ARG:HG2	2.02	0.59
1:B:41:HIS:CD2	1:B:43:PHE:HB2	2.37	0.59
2:C:67:GLU:HB2	2:C:74:ARG:HB2	1.86	0.57
1:A:26:PHE:CD2	1:A:32:THR:HB	2.39	0.57
1:A:154:ASN:ND2	1:A:157:ILE:H	2.02	0.57
1:B:81:LEU:HD22	1:B:226:ILE:HD12	1.87	0.56
1:A:154:ASN:ND2	1:A:156:GLU:H	2.04	0.56
1:B:16:ASP:OD1	1:B:18:ARG:HD3	2.06	0.55
1:A:231:HIS:H	1:B:80:ASN:ND2	1.99	0.55
1:B:75:ALA:HB3	3:B:764:PLP:O4P	2.07	0.54
1:A:202:PHE:HB2	1:A:256:TYR:OH	2.07	0.54
1:A:41:HIS:HD2	1:A:43:PHE:HB2	1.72	0.54
1:B:274:ARG:HH21	1:B:275:ASN:ND2	2.05	0.54
1:B:154:ASN:ND2	1:B:157:ILE:H	2.05	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:381:ARG:HB3	1:A:387:TRP:CG	2.43	0.53
1:B:10:SER:HB2	1:B:354:ARG:NH2	2.23	0.53
1:B:230:MET:HA	1:B:230:MET:HE2	1.90	0.53
1:B:274:ARG:HH21	1:B:275:ASN:HD21	1.56	0.53
1:A:182:THR:HG22	1:A:206:LYS:HG3	1.91	0.53
1:B:154:ASN:ND2	1:B:156:GLU:H	2.07	0.52
1:A:259:ALA:O	1:A:263:MET:HB2	2.09	0.52
1:A:205:HIS:CE1	1:A:206:LYS:HE3	2.45	0.52
1:A:386:LEU:O	1:A:389:MET:HG2	2.10	0.51
1:B:67:ARG:HD2	2:D:25:MET:CE	2.40	0.51
2:C:64:VAL:HB	2:C:76:LEU:HB3	1.92	0.51
1:B:109:ASP:HA	1:B:112:ARG:HG3	1.92	0.51
1:B:202:PHE:HB2	1:B:256:TYR:OH	2.11	0.51
1:B:274:ARG:NH2	1:B:275:ASN:HD21	2.09	0.51
1:B:259:ALA:O	1:B:263:MET:HB2	2.11	0.50
1:B:153:VAL:HG22	1:B:160:VAL:HG22	1.93	0.50
1:A:371:GLU:O	1:A:375:LYS:HG2	2.12	0.50
1:B:366:ILE:O	1:B:370:ILE:HG13	2.12	0.49
2:D:67:GLU:OE1	2:D:74:ARG:HD3	2.13	0.49
1:A:6:TYR:HA	1:A:321:ALA:HB3	1.94	0.49
1:B:16:ASP:HB3	1:B:19:VAL:HG23	1.94	0.49
1:B:41:HIS:HD2	1:B:43:PHE:HB2	1.77	0.49
1:A:198:ASP:HB3	1:A:224:VAL:HG21	1.94	0.49
1:B:26:PHE:CD2	1:B:32:THR:HB	2.48	0.49
1:B:183:GLN:O	1:B:187:LYS:HD2	2.14	0.48
2:C:55:PHE:O	2:C:59:MET:HB2	2.13	0.48
2:D:55:PHE:O	2:D:59:MET:HB2	2.14	0.48
1:A:98:ILE:HB	1:A:148:VAL:HG22	1.94	0.48
1:B:6:TYR:HA	1:B:321:ALA:HB3	1.95	0.48
1:B:182:THR:HG22	1:B:206:LYS:HG3	1.94	0.48
2:D:21:GLU:N	2:D:22:PRO:HD2	2.29	0.47
1:A:274:ARG:HH21	1:A:275:ASN:ND2	2.12	0.47
2:D:52:ILE:HD12	2:D:75:TYR:CD2	2.50	0.47
1:B:67:ARG:HD2	2:D:25:MET:HE1	1.97	0.47
2:C:52:ILE:N	2:C:53:PRO:HD2	2.30	0.47
1:A:183:GLN:O	1:A:187:LYS:HD2	2.15	0.46
1:B:55:ARG:NH1	1:B:237:ARG:HH12	2.13	0.46
1:A:171:ARG:NH2	4:A:486:HOH:O	2.48	0.46
1:A:280:GLY:HA3	1:A:370:ILE:HD13	1.98	0.46
1:A:164:ALA:O	1:A:168:GLU:HG2	2.16	0.46
1:A:221:LYS:HB2	1:A:221:LYS:HE3	1.73	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:336:SER:O	1:B:340:ARG:HG2	2.16	0.46
1:A:80:ASN:ND2	1:B:231:HIS:H	2.13	0.45
1:A:381:ARG:HB3	1:A:387:TRP:CD1	2.51	0.45
1:A:244:LEU:HA	1:A:245:PRO:HD3	1.87	0.45
2:D:52:ILE:N	2:D:53:PRO:HD2	2.31	0.45
1:B:207:ILE:HG13	1:B:207:ILE:O	2.17	0.44
1:B:334:GLU:HB2	1:B:335:PRO:CD	2.46	0.44
1:A:84:LYS:HE3	1:A:110:THR:HG23	1.99	0.44
1:B:157:ILE:HD13	1:B:342:LEU:HD11	1.98	0.44
1:A:153:VAL:HG22	1:A:160:VAL:HG22	1.99	0.44
1:A:348:LEU:HD23	1:A:348:LEU:HA	1.76	0.44
1:B:68:GLU:HG2	1:B:220:ARG:HB2	1.99	0.44
1:A:271:ARG:HB3	1:A:298:PRO:CB	2.48	0.43
2:C:29:THR:O	2:C:33:MET:HG3	2.18	0.43
1:B:245:PRO:HB2	1:B:248:GLN:HB2	2.00	0.43
2:C:15:LEU:HD21	2:C:72:PRO:HB3	2.00	0.43
1:A:271:ARG:HB3	1:A:298:PRO:HB3	2.00	0.43
1:B:9:TYR:OH	1:B:360:PHE:HB2	2.18	0.43
2:D:15:LEU:HD21	2:D:72:PRO:HB3	2.01	0.43
1:A:366:ILE:O	1:A:370:ILE:HG13	2.18	0.43
1:A:274:ARG:NH2	1:A:275:ASN:HD21	2.17	0.42
1:A:307:TYR:HB2	1:A:387:TRP:HE3	1.84	0.42
1:B:54:ALA:HA	1:B:57:GLN:HE21	1.85	0.42
1:B:54:ALA:HA	1:B:57:GLN:NE2	2.34	0.42
1:A:161:GLN:HG2	4:A:450:HOH:O	2.19	0.42
1:B:237:ARG:N	1:B:237:ARG:HD3	2.34	0.42
1:B:327:ALA:O	1:B:328:CYS:CB	2.59	0.42
1:B:348:LEU:HD23	1:B:348:LEU:HA	1.81	0.42
1:B:22:LYS:HD3	4:B:478:HOH:O	2.19	0.42
1:B:303:VAL:CG2	1:B:355:PHE:HE1	2.33	0.42
1:B:333:LEU:HB3	1:B:334:GLU:H	1.53	0.41
1:B:61:LEU:HD22	1:B:61:LEU:O	2.21	0.41
1:B:270:LEU:HD21	1:B:358:GLY:O	2.21	0.41
1:A:311:GLU:O	1:A:314:ILE:HG22	2.20	0.41
4:A:417:HOH:O	1:B:230:MET:HE1	2.19	0.41
1:B:244:LEU:HA	1:B:245:PRO:HD3	1.89	0.41
1:A:278:TRP:O	1:A:282:LYS:HB3	2.20	0.41
1:A:304:SER:HB3	1:A:348:LEU:HD22	2.03	0.41
2:D:71:LEU:HA	2:D:72:PRO:HA	1.87	0.41
1:B:22:LYS:HD2	1:B:22:LYS:HA	1.87	0.40
1:B:297:ALA:HA	1:B:298:PRO:HD3	1.86	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:205:HIS:HA	1:B:209:GLY:O	2.22	0.40
1:A:195:LEU:HD12	1:A:195:LEU:HA	1.86	0.40
1:A:47:ALA:O	1:A:51:VAL:HG23	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	380/423 (90%)	366 (96%)	13 (3%)	1 (0%)	41	49
1	B	384/423 (91%)	368 (96%)	15 (4%)	1 (0%)	41	49
2	C	75/82 (92%)	72 (96%)	3 (4%)	0	100	100
2	D	75/82 (92%)	71 (95%)	4 (5%)	0	100	100
All	All	914/1010 (90%)	877 (96%)	35 (4%)	2 (0%)	47	57

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	232	GLY
1	A	232	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	316/352 (90%)	298 (94%)	18 (6%)	20	26
1	B	321/352 (91%)	298 (93%)	23 (7%)	14	17
2	C	66/71 (93%)	64 (97%)	2 (3%)	41	53
2	D	64/71 (90%)	61 (95%)	3 (5%)	26	35
All	All	767/846 (91%)	721 (94%)	46 (6%)	19	25

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	ASP
1	A	61	LEU
1	A	81	LEU
1	A	128	ARG
1	A	171	ARG
1	A	192	LEU
1	A	195	LEU
1	A	202	PHE
1	A	203	SER
1	A	207	ILE
1	A	244	LEU
1	A	271	ARG
1	A	274	ARG
1	A	294	GLU
1	A	295	HIS
1	A	313	LEU
1	A	344	LEU
1	A	348	LEU
1	B	1	MET
1	B	22	LYS
1	B	30	ASP
1	B	42	ARG
1	B	46	GLN
1	B	61	LEU
1	B	81	LEU
1	B	112	ARG
1	B	120	GLU
1	B	171	ARG
1	B	185	VAL
1	B	192	LEU
1	B	202	PHE
1	B	203	SER
1	B	223	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	230	MET
1	B	274	ARG
1	B	289	LEU
1	B	294	GLU
1	B	295	HIS
1	B	313	LEU
1	B	326	SER
1	B	348	LEU
2	C	60	GLU
2	C	76	LEU
2	D	32	ASN
2	D	42	ILE
2	D	69	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	41	HIS
1	A	57	GLN
1	A	80	ASN
1	A	104	HIS
1	A	127	GLN
1	A	154	ASN
1	A	275	ASN
1	B	41	HIS
1	B	57	GLN
1	B	80	ASN
1	B	104	HIS
1	B	154	ASN
1	B	275	ASN
2	C	32	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PLP	B	764	1	15,15,16	0.98	0	20,22,23	1.12	1 (5%)
3	PLP	A	764	1	15,15,16	1.01	0	20,22,23	1.21	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PLP	B	764	1	-	1/6/6/8	0/1/1/1
3	PLP	A	764	1	-	0/6/6/8	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	764	PLP	O4P-C5A-C5	3.63	116.26	109.35
3	B	764	PLP	O4P-C5A-C5	2.95	114.97	109.35

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	764	PLP	C5A-O4P-P-O3P

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	764	PLP	1	0
3	A	764	PLP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	384/423 (90%)	-0.12	4 (1%) 82 81	24, 40, 71, 107	0
1	B	388/423 (91%)	-0.05	6 (1%) 73 71	26, 42, 72, 122	0
2	C	77/82 (93%)	0.48	7 (9%) 9 6	40, 61, 95, 108	0
2	D	77/82 (93%)	1.47	18 (23%) 0 0	51, 70, 111, 130	0
All	All	926/1010 (91%)	0.09	35 (3%) 40 37	24, 44, 87, 130	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	6	SER	4.9
2	D	35	PRO	4.6
2	C	34	GLN	4.5
2	D	34	GLN	4.5
1	B	328	CYS	4.4
2	D	5	PHE	4.2
2	D	65	ALA	4.0
2	D	7	SER	3.9
2	C	6	SER	3.7
2	D	38	THR	3.7
2	D	37	GLU	3.4
2	D	32	ASN	3.3
2	D	56	CYS	3.3
2	D	33	MET	3.1
2	D	76	LEU	2.8
2	D	64	VAL	2.8
2	C	65	ALA	2.7
2	D	36	GLY	2.7
1	A	389	MET	2.6
2	D	30	VAL	2.6
2	C	4	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	5	PHE	2.5
1	A	390	TYR	2.5
2	D	26	VAL	2.5
1	B	21	GLU	2.4
2	D	63	LEU	2.4
1	A	24	MET	2.4
1	B	295	HIS	2.4
1	B	1	MET	2.3
1	A	295	HIS	2.3
2	C	33	MET	2.2
1	B	383	LEU	2.1
2	C	57	THR	2.1
1	B	243	THR	2.0
2	D	40	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	PLP	B	764	15/16	0.86	0.26	76,76,76,76	0
3	PLP	A	764	15/16	0.90	0.24	69,69,69,69	0

6.5 Other polymers [i](#)

There are no such residues in this entry.