



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 5, 2018 – 12:36 PM EDT

PDB ID : 5LW1
Title : Crystal structure of DARPin-DARPin rigid fusion, variant DD_232_11_D12
in complex JNK1a1 and JIP1 peptide
Authors : Wu, Y.; Batyuk, A.; Mittl, P.R.; Honegger, A.; Plueckthun, A.
Deposited on : 2016-09-15
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtrriage (Phenix) : 1.13
EDS : rb-20031172
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20031172


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	1121 (3.22-3.18)
Clashscore	122126	1091 (3.20-3.20)
Ramachandran outliers	120053	1074 (3.20-3.20)
Sidechain outliers	120020	1073 (3.20-3.20)
RSRZ outliers	108989	1083 (3.22-3.18)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	326	 86% 13% .
1	D	326	 86% 10% .
1	G	326	 84% 13% .
2	B	373	 80% 15% 5%
2	E	373	 84% 11% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	H	373	<p>2% 79% 16% 5%</p>
3	C	11	<p>64% 18% 18%</p>
3	F	11	<p>9% 64% 18% 18%</p>
3	I	11	<p>91% 9%</p>
4	L	6	<p>50% 50%</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	SO4	A	402	-	-	-	X

2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 16279 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DD_232_11_D12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	320	Total 2441	C 1544	N 435	O 460	S 2	0	0	0
1	D	313	Total 2381	C 1509	N 418	O 452	S 2	0	0	0
1	G	314	Total 2386	C 1512	N 419	O 453	S 2	0	0	0

- Molecule 2 is a protein called Mitogen-activated protein kinase 8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	355	Total 2873	C 1843	N 484	O 524	S 22	0	0	0
2	E	355	Total 2873	C 1843	N 484	O 524	S 22	0	0	0
2	H	355	Total 2873	C 1843	N 484	O 524	S 22	0	0	0

There are 33 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-9	MET	-	initiating methionine	UNP P45983
B	-8	ARG	-	expression tag	UNP P45983
B	-7	GLY	-	expression tag	UNP P45983
B	-6	SER	-	expression tag	UNP P45983
B	-5	HIS	-	expression tag	UNP P45983
B	-4	HIS	-	expression tag	UNP P45983
B	-3	HIS	-	expression tag	UNP P45983
B	-2	HIS	-	expression tag	UNP P45983
B	-1	HIS	-	expression tag	UNP P45983
B	0	HIS	-	expression tag	UNP P45983
B	1	GLY	-	expression tag	UNP P45983
E	-9	MET	-	initiating methionine	UNP P45983

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-8	ARG	-	expression tag	UNP P45983
E	-7	GLY	-	expression tag	UNP P45983
E	-6	SER	-	expression tag	UNP P45983
E	-5	HIS	-	expression tag	UNP P45983
E	-4	HIS	-	expression tag	UNP P45983
E	-3	HIS	-	expression tag	UNP P45983
E	-2	HIS	-	expression tag	UNP P45983
E	-1	HIS	-	expression tag	UNP P45983
E	0	HIS	-	expression tag	UNP P45983
E	1	GLY	-	expression tag	UNP P45983
H	-9	MET	-	initiating methionine	UNP P45983
H	-8	ARG	-	expression tag	UNP P45983
H	-7	GLY	-	expression tag	UNP P45983
H	-6	SER	-	expression tag	UNP P45983
H	-5	HIS	-	expression tag	UNP P45983
H	-4	HIS	-	expression tag	UNP P45983
H	-3	HIS	-	expression tag	UNP P45983
H	-2	HIS	-	expression tag	UNP P45983
H	-1	HIS	-	expression tag	UNP P45983
H	0	HIS	-	expression tag	UNP P45983
H	1	GLY	-	expression tag	UNP P45983


- Molecule 3 is a protein called C-Jun-amino-terminal kinase-interacting protein 1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	9	72	46	14	12	0	0	0
3	F	9	72	46	14	12	0	0	0
3	I	10	83	55	15	13	0	0	0

- Molecule 4 is a protein called Pepstatin.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	L	6	48	34	5	9	0	0	0

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	D	1	Total	O	S	0	0
			5	4	1		
5	D	1	Total	O	S	0	0
			5	4	1		
5	D	1	Total	O	S	0	0
			5	4	1		
5	D	1	Total	O	S	0	0
			5	4	1		
5	E	1	Total	O	S	0	0
			5	4	1		
5	E	1	Total	O	S	0	0
			5	4	1		
5	E	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	E	1	Total	O	S	0	0
			5	4	1		
5	G	1	Total	O	S	0	0
			5	4	1		
5	G	1	Total	O	S	0	0
			5	4	1		
5	G	1	Total	O	S	0	0
			5	4	1		
5	H	1	Total	O	S	0	0
			5	4	1		
5	H	1	Total	O	S	0	0
			5	4	1		
5	H	1	Total	O	S	0	0
			5	4	1		
5	H	1	Total	O	S	0	0
			5	4	1		
5	I	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is ADENOSINE (three-letter code: ADN) (formula: C₁₀H₁₃N₅O₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	N	O	0	0
			19	10	5	4		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	E	1	Total	C	N	O	0	0
			19	10	5	4		
6	H	1	Total	C	N	O	0	0
			19	10	5	4		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DD_232_11_D12




- Molecule 1: DD_232_11_D12



- Molecule 1: DD_232_11_D12





- Molecule 2: Mitogen-activated protein kinase 8







• Molecule 2: Mitogen-activated protein kinase 8




• Molecule 2: Mitogen-activated protein kinase 8




• Molecule 3: C-Jun-amino-terminal kinase-interacting protein 1



• Molecule 3: C-Jun-amino-terminal kinase-interacting protein 1



• Molecule 3: C-Jun-amino-terminal kinase-interacting protein 1



- Molecule 4: Pepstatin

Chain L:  50% 50%

V1	V2	V3	V4	A5	?6
----	----	----	----	----	----

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	219.99Å 141.76Å 119.85Å 90.00° 97.83° 90.00°	Depositor
Resolution (Å)	49.38 – 3.20 49.38 – 2.90	Depositor EDS
% Data completeness (in resolution range)	98.0 (49.38-3.20) 97.4 (49.38-2.90)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.97 (at 2.91Å)	Xtrriage
Refinement program	PHENIX (1.12_2829: ???)	Depositor
R, R_{free}	0.175 , 0.212 0.177 , 0.215	Depositor DCC
R_{free} test set	3883 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	117.5	Xtrriage
Anisotropy	0.162	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 69.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	16279	wwPDB-VP
Average B, all atoms (Å ²)	106.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ADN, SO4, IVA, STA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.23	0/2486	0.39	0/3375
1	D	0.24	0/2421	0.40	0/3287
1	G	0.23	0/2426	0.39	0/3294
2	B	0.24	0/2939	0.41	0/3976
2	E	0.24	0/2939	0.41	0/3976
2	H	0.24	0/2939	0.42	0/3976
3	C	0.21	0/73	0.50	0/98
3	F	0.20	0/73	0.51	0/98
3	I	0.27	0/85	0.50	0/114
4	L	0.13	0/17	0.35	0/21
All	All	0.24	0/16398	0.41	0/22215

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
4	L	0	3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	L	3	VAL	Mainchain
4	L	4	STA	Mainchain,Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2441	0	2434	24	0
1	D	2381	0	2391	22	0
1	G	2386	0	2396	26	0
2	B	2873	0	2889	34	0
2	E	2873	0	2889	26	0
2	H	2873	0	2889	37	0
3	C	72	0	82	2	0
3	F	72	0	82	2	0
3	I	83	0	91	0	0
4	L	48	0	60	2	0
5	A	10	0	0	0	0
5	B	25	0	0	1	0
5	D	20	0	0	0	0
5	E	20	0	0	0	0
5	G	20	0	0	0	0
5	H	20	0	0	2	0
5	I	5	0	0	0	0
6	B	19	0	13	1	0
6	E	19	0	13	1	0
6	H	19	0	13	0	0
All	All	16279	0	16242	161	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (161) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:202:TYR:HB2	2:H:206:VAL:HG21	1.54	0.89
2:B:77:MET:HG3	2:B:88:LEU:HB2	1.66	0.78
1:G:82:THR:HG22	1:G:84:LEU:H	1.52	0.73
2:E:277:ASP:OD1	2:E:295:ARG:NH2	2.26	0.69
2:H:150:ARG:NH1	2:H:177:GLY:O	2.26	0.69
1:G:321:VAL:HA	1:G:324:LYS:HE2	1.77	0.65
2:E:145:ALA:HB2	2:E:335:PRO:HG2	1.78	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:145:ALA:HB2	2:H:335:PRO:HD2	1.81	0.63
1:A:126:LEU:HD23	1:D:181:GLU:HG2	1.80	0.63
1:A:268:VAL:HG12	2:H:16:GLY:HA3	1.81	0.61
2:B:61:PHE:HA	2:B:67:ALA:HB2	1.81	0.61
2:E:16:GLY:HA3	1:G:268:VAL:HG12	1.83	0.60
2:H:192:ARG:NH2	5:H:402:SO4:O1	2.31	0.60
2:E:14:GLU:OE2	2:E:19:THR:OG1	2.20	0.59
2:E:216:GLY:HA3	2:E:224:LEU:HD11	1.84	0.59
2:B:127:ARG:HH21	3:C:159:THR:HG23	1.67	0.58
2:B:249:MET:HA	2:B:252:LEU:HD13	1.85	0.58
1:D:315:ASN:HB3	1:D:318:ILE:HD13	1.86	0.58
1:D:105:ASP:HB3	1:D:108:ALA:HB2	1.87	0.57
1:G:125:HIS:HB3	1:G:128:ILE:HD13	1.86	0.55
2:E:39:ILE:HD11	1:G:236:ARG:HA	1.88	0.55
2:E:91:VAL:HG12	2:E:360:VAL:HG13	1.87	0.55
1:D:54:VAL:HG12	1:D:63:VAL:HG23	1.87	0.55
2:E:208:LEU:HD23	2:E:301:MET:HG2	1.89	0.55
2:B:18:SER:HB3	1:D:235:GLU:HG2	1.89	0.54
2:B:286:HIS:CD2	3:C:154:PRO:HD3	2.43	0.54
2:H:91:VAL:HG12	2:H:360:VAL:HG13	1.90	0.53
2:B:144:SER:HB2	2:B:334:PRO:HB3	1.89	0.53
1:D:32:ILE:O	1:D:36:ASN:ND2	2.34	0.53
1:A:122:ILE:HD11	1:A:152:LEU:HD13	1.90	0.53
2:B:51:ASN:HB3	2:B:110:LEU:HD23	1.91	0.52
2:H:347:HIS:HB3	2:H:351:GLU:HB2	1.90	0.52
2:B:288:LYS:HE2	2:B:319:PRO:HB3	1.92	0.52
1:A:235:GLU:HG2	2:H:18:SER:HB3	1.91	0.52
1:D:253:VAL:HG21	1:D:285:ILE:HD12	1.91	0.52
2:E:153:LYS:HG2	2:E:156:ASN:ND2	2.25	0.52
2:B:216:GLY:HA3	2:B:224:LEU:HD11	1.91	0.51
1:D:234:ASP:OD1	1:D:238:HIS:N	2.31	0.51
1:A:250:LEU:HD11	1:A:288:VAL:HG21	1.91	0.51
2:B:39:ILE:HD11	1:D:236:ARG:HA	1.92	0.51
1:A:321:VAL:HG13	1:A:324:LYS:HE2	1.92	0.50
2:B:36:ALA:O	1:D:236:ARG:NH2	2.43	0.50
2:H:114:ASN:HA	2:H:158:VAL:HA	1.92	0.50
2:H:216:GLY:HA3	2:H:224:LEU:HD11	1.93	0.50
2:E:125:HIS:HB3	2:E:289:LEU:HB3	1.94	0.50
1:G:171:LEU:HG	1:G:195:ALA:HB2	1.94	0.50
2:E:130:TYR:CE1	3:F:156:ARG:HG2	2.47	0.49
1:A:321:VAL:O	1:A:324:LYS:HG2	2.13	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:59:HIS:HB3	1:G:62:ILE:HD13	1.95	0.49
2:B:95:GLN:HG2	2:B:100:GLU:O	2.13	0.49
2:B:15:ILE:HG23	2:B:31:PRO:HG3	1.94	0.49
1:G:111:ARG:NH1	5:H:403:SO4:O4	2.45	0.49
2:E:156:ASN:HA	2:E:168:LEU:HD12	1.93	0.49
2:H:61:PHE:HA	2:H:67:ALA:HB2	1.95	0.49
2:B:192:ARG:NH2	5:B:404:SO4:O2	2.46	0.49
2:E:33:GLY:HA2	1:G:269:ILE:HD11	1.95	0.48
2:E:344:GLU:N	2:E:344:GLU:OE1	2.46	0.48
2:H:203:LYS:HG2	2:H:204:GLU:H	1.77	0.48
2:H:153:LYS:HG2	2:H:191:TYR:CD2	2.48	0.48
2:H:29:LEU:HD23	2:H:43:ALA:HB2	1.96	0.48
2:E:54:ILE:HG12	2:E:107:VAL:HG22	1.96	0.48
1:G:23:ARG:HB2	1:G:53:LEU:HD13	1.96	0.48
2:B:172:LEU:HB3	2:B:176:ALA:HB3	1.96	0.48
1:D:274:LEU:HD11	1:D:286:VAL:HG13	1.97	0.47
1:G:123:HIS:HD2	4:L:6:STA:HC	1.79	0.47
1:G:62:ILE:H	1:G:62:ILE:HD12	1.79	0.47
2:B:69:ARG:HD2	2:B:180:PHE:CZ	2.49	0.47
1:D:251:GLU:OE1	1:D:251:GLU:N	2.43	0.47
1:G:142:LYS:HB3	1:G:146:GLY:HA2	1.96	0.47
2:B:16:GLY:HA3	1:D:268:VAL:HG12	1.97	0.47
1:A:138:LEU:HB3	1:A:141:ALA:HB2	1.97	0.47
2:E:95:GLN:HG2	2:E:100:GLU:O	2.15	0.47
1:A:201:ASP:OD1	1:A:205:PHE:N	2.43	0.46
2:B:153:LYS:HG2	2:B:156:ASN:ND2	2.31	0.46
6:B:401:ADN:H8	6:B:401:ADN:O5'	2.16	0.46
2:H:150:ARG:NH2	2:H:173:ALA:O	2.48	0.46
1:A:95:ILE:HA	1:A:98:VAL:HG12	1.98	0.46
2:B:145:ALA:HB2	2:B:335:PRO:HG2	1.97	0.46
2:H:144:SER:HB2	2:H:334:PRO:HB3	1.98	0.46
1:A:203:THR:OG1	1:A:236:ARG:NH1	2.48	0.46
1:D:250:LEU:HD11	1:D:288:VAL:HG21	1.97	0.46
2:H:54:ILE:HG12	2:H:107:VAL:HG22	1.98	0.46
2:B:91:VAL:HG12	2:B:360:VAL:HG13	1.98	0.45
1:A:124:GLY:HA2	1:A:161:ILE:HD12	1.98	0.45
1:A:46:LEU:HB3	1:A:78:PHE:CD1	2.52	0.45
1:A:229:ASP:HB3	1:A:232:ALA:HB2	1.99	0.45
1:D:154:ARG:HB2	1:D:162:TYR:CD1	2.51	0.45
2:H:95:GLN:HG2	2:H:100:GLU:O	2.17	0.45
1:A:253:VAL:HG21	1:A:285:ILE:HD12	1.98	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:95:ILE:HA	1:G:98:VAL:HG12	2.00	0.44
1:A:274:LEU:HD11	1:A:286:VAL:HG13	1.98	0.44
2:B:150:ARG:NH2	2:B:173:ALA:O	2.48	0.44
1:D:203:THR:OG1	1:D:236:ARG:NH1	2.42	0.44
2:B:117:GLN:N	2:B:117:GLN:OE1	2.50	0.44
2:B:88:LEU:HD11	2:B:91:VAL:HG23	1.98	0.44
1:A:174:LEU:HB3	1:A:190:PHE:CE2	2.52	0.44
2:E:160:LYS:HB3	2:E:162:ASP:OD1	2.18	0.44
2:B:54:ILE:HG12	2:B:107:VAL:HG22	1.98	0.44
2:H:29:LEU:CD2	2:H:43:ALA:HB2	2.48	0.44
2:E:347:HIS:HB3	2:E:351:GLU:HB2	2.00	0.44
2:H:118:VAL:HG21	2:H:159:VAL:HG21	1.99	0.44
2:H:252:LEU:HD23	2:H:256:VAL:HG12	2.00	0.43
2:H:339:ASP:OD2	2:H:345:ARG:NH1	2.47	0.43
2:B:114:ASN:HA	2:B:158:VAL:HA	2.00	0.43
2:B:276:PRO:HG2	2:B:279:LEU:HG	1.99	0.43
1:G:41:ASN:HD21	1:G:72:ASP:H	1.65	0.43
1:A:76:HIS:HB2	1:A:80:GLY:HA2	1.99	0.43
2:B:119:ILE:HD12	2:B:154:PRO:HB3	2.00	0.43
3:F:155:LYS:HA	3:F:155:LYS:HD2	1.79	0.43
2:E:94:PRO:HG2	2:E:95:GLN:NE2	2.34	0.43
2:H:208:LEU:HD23	2:H:301:MET:HG2	2.00	0.43
2:H:347:HIS:HB3	2:H:351:GLU:CB	2.49	0.43
1:G:144:LYS:HD3	1:G:145:PHE:CZ	2.54	0.42
1:A:267:ASP:OD1	1:A:271:THR:N	2.49	0.42
1:D:174:LEU:HD12	1:D:174:LEU:HA	1.88	0.42
2:H:13:VAL:HG11	2:H:29:LEU:HD12	2.02	0.42
1:A:248:GLY:HA2	1:A:285:ILE:HG13	2.01	0.42
2:E:118:VAL:HG13	2:E:123:LEU:HD21	2.02	0.42
2:E:69:ARG:HD2	2:E:180:PHE:CZ	2.54	0.42
2:H:182:MET:H	2:H:182:MET:HG2	1.60	0.42
2:B:115:LEU:HA	2:B:115:LEU:HD23	1.88	0.42
1:D:177:GLU:HG2	1:D:180:ARG:HH21	1.84	0.42
2:H:160:LYS:HB3	2:H:162:ASP:OD1	2.20	0.42
1:G:105:ASP:HB3	1:G:108:ALA:HB2	2.01	0.42
6:E:401:ADN:H8	6:E:401:ADN:O5'	2.20	0.42
1:D:13:ASP:OD1	1:D:14:LEU:N	2.53	0.42
2:H:195:GLU:OE2	2:H:206:VAL:HG22	2.20	0.42
2:H:88:LEU:HD11	2:H:91:VAL:HG23	2.02	0.42
2:H:29:LEU:HD22	2:H:41:CYS:HB3	2.01	0.41
2:E:205:ASN:ND2	2:E:309:ARG:HB3	2.35	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:18:LEU:HA	1:G:33:LEU:HD13	2.01	0.41
1:G:82:THR:HB	1:G:85:HIS:ND1	2.35	0.41
2:H:69:ARG:HD2	2:H:180:PHE:CZ	2.56	0.41
2:B:160:LYS:HB3	2:B:162:ASP:OD1	2.20	0.41
1:A:54:VAL:HG12	1:A:63:VAL:HG23	2.02	0.41
2:B:203:LYS:HG2	2:B:204:GLU:H	1.86	0.41
2:H:29:LEU:HD21	2:H:54:ILE:HD12	2.01	0.41
1:A:208:LEU:HD11	1:A:220:VAL:HG13	2.02	0.41
2:B:93:THR:OG1	2:B:95:GLN:NE2	2.53	0.41
1:G:290:LEU:HD11	1:G:322:LEU:HD23	2.03	0.41
2:B:182:MET:HG2	2:B:182:MET:H	1.58	0.41
2:E:203:LYS:HG2	2:E:204:GLU:H	1.85	0.41
2:H:259:TYR:O	2:H:263:ARG:HG2	2.21	0.41
1:A:284:GLU:H	1:A:284:GLU:CD	2.24	0.41
2:B:194:PRO:HD3	2:B:209:TRP:CE2	2.56	0.41
1:G:253:VAL:HG21	1:G:285:ILE:HD12	2.03	0.41
1:D:126:LEU:HB3	1:G:181:GLU:HG2	2.03	0.41
1:D:122:ILE:HD11	1:D:152:LEU:HD13	2.02	0.41
2:E:69:ARG:NH1	2:E:73:GLU:OE2	2.54	0.41
1:A:117:LEU:HD11	1:A:129:VAL:HG13	2.03	0.41
1:G:92:HIS:HB3	1:G:95:ILE:HD13	2.04	0.40
1:G:123:HIS:HD2	4:L:6:STA:CH	2.34	0.40
1:G:279:MET:HE2	1:G:309:LEU:HD13	2.03	0.40
2:H:135:MET:HE2	2:H:135:MET:HB3	1.98	0.40
2:H:143:HIS:CE1	2:H:312:VAL:HG21	2.56	0.40
1:D:26:GLN:HG3	1:D:29:GLU:H	1.85	0.40
2:E:153:LYS:HG2	2:E:156:ASN:HD21	1.86	0.40
1:G:176:LEU:HD21	1:G:201:ASP:HB3	2.02	0.40
2:H:208:LEU:HD22	2:H:310:ILE:HG23	2.03	0.40
2:E:333:PRO:HA	2:E:334:PRO:HD3	1.96	0.40
2:H:276:PRO:HB2	2:H:278:VAL:HG12	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	318/326 (98%)	311 (98%)	7 (2%)	0	100	100
1	D	311/326 (95%)	304 (98%)	7 (2%)	0	100	100
1	G	312/326 (96%)	305 (98%)	7 (2%)	0	100	100
2	B	353/373 (95%)	342 (97%)	11 (3%)	0	100	100
2	E	353/373 (95%)	342 (97%)	11 (3%)	0	100	100
2	H	353/373 (95%)	344 (98%)	9 (2%)	0	100	100
3	C	7/11 (64%)	7 (100%)	0	0	100	100
3	F	7/11 (64%)	7 (100%)	0	0	100	100
3	I	8/11 (73%)	8 (100%)	0	0	100	100
4	L	3/6 (50%)	2 (67%)	1 (33%)	0	100	100
All	All	2025/2136 (95%)	1972 (97%)	53 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	251/255 (98%)	251 (100%)	0	100	100
1	D	245/255 (96%)	245 (100%)	0	100	100
1	G	245/255 (96%)	244 (100%)	1 (0%)	92	96
2	B	319/335 (95%)	318 (100%)	1 (0%)	93	97
2	E	319/335 (95%)	319 (100%)	0	100	100
2	H	319/335 (95%)	317 (99%)	2 (1%)	87	95
3	C	9/11 (82%)	9 (100%)	0	100	100
3	F	9/11 (82%)	9 (100%)	0	100	100
3	I	10/11 (91%)	10 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	L	2/2 (100%)	2 (100%)	0	100	100
All	All	1728/1805 (96%)	1724 (100%)	4 (0%)	94	98

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	362	ASP
1	G	185	ASP
2	H	65	THR
2	H	253	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	95	GLN
2	B	293	GLN
1	D	69	ASN
2	E	134	GLN
1	G	41	ASN
1	G	238	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	STA	L	4	4	10,10,11	0.70	0	10,12,14	1.30	1 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	STA	L	6	4	8,11,11	0.64	0	8,14,14	1.10	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	STA	L	4	4	-	0/11/11/12	0/0/0/0
4	STA	L	6	4	-	0/10/12/12	0/0/0/0

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	L	4	STA	CG-CB-CA	-2.73	109.81	115.74
4	L	6	STA	CB-CA-N	2.14	115.22	109.01

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	L	6	STA	2	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

27 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	SO4	A	401	-	4,4,4	0.16	0	6,6,6	0.07	0
5	SO4	A	402	-	4,4,4	0.14	0	6,6,6	0.10	0
6	ADN	B	401	-	18,21,21	1.55	3 (16%)	16,31,31	3.65	3 (18%)
5	SO4	B	402	-	4,4,4	0.17	0	6,6,6	0.07	0
5	SO4	B	403	-	4,4,4	0.15	0	6,6,6	0.07	0
5	SO4	B	404	-	4,4,4	0.16	0	6,6,6	0.08	0
5	SO4	B	405	-	4,4,4	0.16	0	6,6,6	0.06	0
5	SO4	B	406	-	4,4,4	0.16	0	6,6,6	0.08	0
5	SO4	D	401	-	4,4,4	0.16	0	6,6,6	0.07	0
5	SO4	D	402	-	4,4,4	0.16	0	6,6,6	0.07	0
5	SO4	D	403	-	4,4,4	0.16	0	6,6,6	0.07	0
5	SO4	D	404	-	4,4,4	0.15	0	6,6,6	0.07	0
6	ADN	E	401	-	18,21,21	1.54	3 (16%)	16,31,31	3.72	4 (25%)
5	SO4	E	402	-	4,4,4	0.17	0	6,6,6	0.07	0
5	SO4	E	403	-	4,4,4	0.16	0	6,6,6	0.07	0
5	SO4	E	404	-	4,4,4	0.15	0	6,6,6	0.08	0
5	SO4	E	405	-	4,4,4	0.16	0	6,6,6	0.08	0
5	SO4	G	401	-	4,4,4	0.15	0	6,6,6	0.08	0
5	SO4	G	402	-	4,4,4	0.16	0	6,6,6	0.07	0
5	SO4	G	403	-	4,4,4	0.15	0	6,6,6	0.07	0
5	SO4	G	404	-	4,4,4	0.16	0	6,6,6	0.08	0
6	ADN	H	401	-	18,21,21	1.54	3 (16%)	16,31,31	3.68	3 (18%)
5	SO4	H	402	-	4,4,4	0.16	0	6,6,6	0.08	0
5	SO4	H	403	-	4,4,4	0.16	0	6,6,6	0.07	0
5	SO4	H	404	-	4,4,4	0.16	0	6,6,6	0.07	0
5	SO4	H	405	-	4,4,4	0.16	0	6,6,6	0.08	0
5	SO4	I	201	-	4,4,4	0.15	0	6,6,6	0.07	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	SO4	A	401	-	-	0/0/0/0	0/0/0/0
5	SO4	A	402	-	-	0/0/0/0	0/0/0/0
6	ADN	B	401	-	-	0/2/22/22	0/3/3/3
5	SO4	B	402	-	-	0/0/0/0	0/0/0/0
5	SO4	B	403	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	SO4	B	404	-	-	0/0/0/0	0/0/0/0
5	SO4	B	405	-	-	0/0/0/0	0/0/0/0
5	SO4	B	406	-	-	0/0/0/0	0/0/0/0
5	SO4	D	401	-	-	0/0/0/0	0/0/0/0
5	SO4	D	402	-	-	0/0/0/0	0/0/0/0
5	SO4	D	403	-	-	0/0/0/0	0/0/0/0
5	SO4	D	404	-	-	0/0/0/0	0/0/0/0
6	ADN	E	401	-	-	0/2/22/22	0/3/3/3
5	SO4	E	402	-	-	0/0/0/0	0/0/0/0
5	SO4	E	403	-	-	0/0/0/0	0/0/0/0
5	SO4	E	404	-	-	0/0/0/0	0/0/0/0
5	SO4	E	405	-	-	0/0/0/0	0/0/0/0
5	SO4	G	401	-	-	0/0/0/0	0/0/0/0
5	SO4	G	402	-	-	0/0/0/0	0/0/0/0
5	SO4	G	403	-	-	0/0/0/0	0/0/0/0
5	SO4	G	404	-	-	0/0/0/0	0/0/0/0
6	ADN	H	401	-	-	0/2/22/22	0/3/3/3
5	SO4	H	402	-	-	0/0/0/0	0/0/0/0
5	SO4	H	403	-	-	0/0/0/0	0/0/0/0
5	SO4	H	404	-	-	0/0/0/0	0/0/0/0
5	SO4	H	405	-	-	0/0/0/0	0/0/0/0
5	SO4	I	201	-	-	0/0/0/0	0/0/0/0

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	401	ADN	C4-N3	-3.06	1.31	1.35
6	H	401	ADN	C4-N3	-3.04	1.31	1.35
6	E	401	ADN	C4-N3	-2.97	1.31	1.35
6	B	401	ADN	C2-N3	2.52	1.36	1.32
6	H	401	ADN	C2-N3	2.53	1.36	1.32
6	E	401	ADN	C2-N3	2.57	1.36	1.32
6	E	401	ADN	C6-N6	4.19	1.51	1.34
6	H	401	ADN	C6-N6	4.21	1.51	1.34
6	B	401	ADN	C6-N6	4.22	1.51	1.34

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	401	ADN	N3-C2-N1	-10.31	120.03	128.86
6	E	401	ADN	N3-C2-N1	-10.29	120.06	128.86
6	H	401	ADN	N3-C2-N1	-10.27	120.08	128.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	H	401	ADN	N6-C6-N1	-6.92	104.19	118.57
6	E	401	ADN	N6-C6-N1	-6.90	104.24	118.57
6	B	401	ADN	N6-C6-N1	-6.81	104.44	118.57
6	E	401	ADN	C1'-N9-C4	-2.06	123.08	126.64
6	E	401	ADN	C5-C6-N6	7.48	135.72	120.47
6	B	401	ADN	C5-C6-N6	7.52	135.79	120.47
6	H	401	ADN	C5-C6-N6	7.60	135.96	120.47

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	401	ADN	1	0
5	B	404	SO4	1	0
6	E	401	ADN	1	0
5	H	402	SO4	1	0
5	H	403	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	320/326 (98%)	-0.42	0 100 100	62, 87, 131, 199	0
1	D	313/326 (96%)	-0.30	0 100 100	65, 102, 133, 166	0
1	G	314/326 (96%)	-0.24	2 (0%) 89 83	67, 105, 153, 183	0
2	B	355/373 (95%)	-0.25	1 (0%) 93 92	62, 92, 137, 177	0
2	E	355/373 (95%)	0.00	8 (2%) 60 47	78, 126, 172, 204	0
2	H	355/373 (95%)	-0.10	8 (2%) 60 47	68, 98, 139, 202	0
3	C	9/11 (81%)	-0.35	0 100 100	102, 124, 140, 142	0
3	F	9/11 (81%)	0.79	1 (11%) 5 3	135, 160, 175, 191	0
3	I	10/11 (90%)	-0.29	0 100 100	95, 119, 146, 170	0
4	L	3/6 (50%)	0.34	0 100 100	174, 174, 182, 194	0
All	All	2043/2136 (95%)	-0.21	20 (0%) 82 73	62, 102, 152, 204	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	E	287	ASN	5.1
2	H	116	CYS	3.8
2	H	155	SER	2.9
2	E	330	ALA	2.9
2	E	289	LEU	2.7
2	E	360	VAL	2.6
2	E	279	LEU	2.5
2	E	179	SER	2.5
2	E	286	HIS	2.5
2	H	288	LYS	2.5
2	H	179	SER	2.4
1	G	38	ALA	2.3
2	H	177	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	F	157	PRO	2.2
2	B	179	SER	2.2
2	H	178	THR	2.2
2	E	288	LYS	2.1
2	H	154	PRO	2.1
2	H	181	MET	2.0
1	G	73	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	STA	L	6	12/12	0.83	0.41	90,124,145,154	0
4	STA	L	4	11/12	0.84	0.23	134,136,169,179	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	SO4	G	402	5/5	0.63	0.27	210,210,213,215	0
5	SO4	A	402	5/5	0.64	0.46	144,148,155,166	0
5	SO4	D	404	5/5	0.71	0.31	199,200,201,202	0
5	SO4	E	405	5/5	0.77	0.26	191,194,197,201	0
5	SO4	D	403	5/5	0.77	0.29	205,207,208,210	0
5	SO4	H	403	5/5	0.79	0.12	164,172,173,175	0
5	SO4	H	405	5/5	0.79	0.33	181,182,183,188	0
5	SO4	G	404	5/5	0.80	0.16	174,177,178,178	0
5	SO4	B	403	5/5	0.84	0.19	188,192,192,195	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	SO4	A	401	5/5	0.85	0.18	135,141,147,156	0
5	SO4	B	406	5/5	0.86	0.15	176,177,180,184	0
5	SO4	I	201	5/5	0.87	0.36	139,140,147,155	0
5	SO4	D	402	5/5	0.89	0.12	164,168,168,169	0
5	SO4	B	402	5/5	0.90	0.21	119,138,138,146	0
5	SO4	H	404	5/5	0.90	0.21	174,177,179,184	0
6	ADN	E	401	19/19	0.92	0.20	74,84,88,89	0
5	SO4	B	405	5/5	0.92	0.46	148,150,153,155	0
5	SO4	D	401	5/5	0.92	0.13	156,159,163,163	0
5	SO4	E	403	5/5	0.92	0.11	140,141,145,151	0
6	ADN	B	401	19/19	0.93	0.22	75,80,82,87	0
5	SO4	G	403	5/5	0.93	0.13	188,189,192,193	0
5	SO4	E	404	5/5	0.94	0.49	156,159,160,162	0
5	SO4	G	401	5/5	0.94	0.12	153,153,160,164	0
6	ADN	H	401	19/19	0.95	0.36	61,69,77,78	0
5	SO4	E	402	5/5	0.96	0.39	94,98,102,106	0
5	SO4	H	402	5/5	0.97	0.38	77,84,86,97	0
5	SO4	B	404	5/5	0.98	0.36	63,69,82,85	0

6.5 Other polymers [i](#)

There are no such residues in this entry.