



# Full wwPDB NMR Structure Validation Report ⓘ

May 28, 2020 – 11:27 pm BST

PDB ID : 2LXN  
Title : Solution NMR structure of glutamine amido transferase subunit of gaunosine monophosphate synthetase from *Methanocaldococcus jannaschii*  
Authors : Ali, R.; Kumar, S.; Balaram, H.; Sarma, S.P.  
Deposited on : 2012-08-30

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : 2.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 55%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	188	

## 2 Ensemble composition and analysis i

This entry contains 20 models. Model 18 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *target function*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:1-A:163, A:170-A:188 (182)	0.23	18

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters. No single-model clusters were found.

Cluster number	Models
1	1, 2, 3, 5, 6, 7, 8, 10, 11, 12, 14, 15, 16, 17, 18, 19, 20
2	4, 9, 13

### 3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2970 atoms, of which 1491 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called GMP synthase [glutamine-hydrolyzing] subunit A.


Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	188	2970	948	1491	250	274	7	0

## 4 Residue-property plots [i](#)

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A




### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


#### 4.2.1 Score per residue for model 1

- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A




### 4.2.2 Score per residue for model 2

- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A




### 4.2.3 Score per residue for model 3

- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A




### 4.2.4 Score per residue for model 4

- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A




### 4.2.5 Score per residue for model 5

- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A




### 4.2.6 Score per residue for model 6

- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A




### 4.2.7 Score per residue for model 7

- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A




### 4.2.8 Score per residue for model 8

- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A




#### 4.2.9 Score per residue for model 9

- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A




#### 4.2.10 Score per residue for model 10

- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A



#### 4.2.11 Score per residue for model 11

- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A








#### 4.2.12 Score per residue for model 12

- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A


Chain A: 57% 34% 6%



#### 4.2.13 Score per residue for model 13

- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A


Chain A: 59% 30% 9%



#### 4.2.14 Score per residue for model 14


- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A

Chain A: 59% 32% 6%




#### 4.2.15 Score per residue for model 15

- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A




#### 4.2.16 Score per residue for model 16

- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A



#### 4.2.17 Score per residue for model 17

- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A



#### 4.2.18 Score per residue for model 18 (medoid)

- Molecule 1: GMP synthase [glutamine-hydrolyzing] subunit A



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *na*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *target function*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CCPN	structure solution	
Cyana-3.0	structure solution	
TALOS+	geometry optimization	
TALOS+	structure solution	
Procheck	geometry optimization	
Procheck	structure solution	
ProcheckNMR	geometry optimization	
ProcheckNMR	structure solution	
CSI	structure solution	
Molmol	structure solution	
PSVS	structure solution	
PSVS	geometry optimization	
Cyana-3.0	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	input_cs.cif
Number of chemical shift lists	1
Total number of shifts	1431
Number of shifts mapped to atoms	1431
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	55%

No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality

### 6.1 Standard geometry

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1434	1450	1452	36±4
All	All	28680	29000	29040	716

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:5:LEU:HD21	1:A:49:LEU:HD22	0.88	1.46	4	4
1:A:55:ILE:HD11	1:A:77:LEU:HD21	0.86	1.47	5	3
1:A:68:ALA:HB1	1:A:157:ILE:HD11	0.85	1.48	20	18
1:A:5:LEU:HD11	1:A:64:ILE:HD11	0.84	1.47	4	17
1:A:111:LEU:HD12	1:A:175:ILE:HG23	0.83	1.50	14	20
1:A:44:VAL:HG23	1:A:70:LEU:HD22	0.81	1.52	10	4
1:A:84:LEU:HD22	1:A:84:LEU:C	0.79	1.98	12	1
1:A:49:LEU:HD11	1:A:81:LEU:HD13	0.79	1.54	11	7
1:A:64:ILE:HG23	1:A:72:ILE:HD13	0.72	1.58	16	13
1:A:55:ILE:HG21	1:A:81:LEU:HD12	0.72	1.61	11	2
1:A:49:LEU:HD21	1:A:81:LEU:HD13	0.67	1.66	13	1
1:A:44:VAL:HG23	1:A:70:LEU:HD13	0.67	1.65	13	6
1:A:55:ILE:HG22	1:A:61:CYS:HB3	0.66	1.68	11	4
1:A:178:ASN:O	1:A:182:VAL:HG23	0.65	1.92	5	20

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:140:ALA:HB3	1:A:149:ALA:HB3	0.64	1.68	20	1
1:A:19:LEU:HD13	1:A:26:SER:OG	0.63	1.94	11	2
1:A:132:VAL:HG23	1:A:136:PHE:CE2	0.63	2.29	13	3
1:A:49:LEU:HD22	1:A:78:GLY:HA2	0.63	1.71	1	8
1:A:100:LEU:O	1:A:144:ILE:HD12	0.63	1.93	11	6
1:A:12:VAL:HG22	1:A:50:SER:CB	0.62	2.24	11	13
1:A:68:ALA:CB	1:A:157:ILE:HD11	0.62	2.25	18	11
1:A:55:ILE:CG1	1:A:77:LEU:HD11	0.61	2.26	5	3
1:A:79:HIS:CD2	1:A:129:VAL:HG23	0.60	2.31	6	11
1:A:12:VAL:HG13	1:A:15:ILE:HD12	0.60	1.72	7	8
1:A:55:ILE:HB	1:A:77:LEU:HD11	0.60	1.73	12	1
1:A:67:ASN:O	1:A:70:LEU:HD12	0.60	1.97	17	1
1:A:86:TYR:OH	1:A:154:THR:HG21	0.60	1.96	18	3
1:A:47:ILE:HB	1:A:72:ILE:HD12	0.58	1.75	13	1
1:A:55:ILE:CD1	1:A:77:LEU:HD21	0.58	2.28	17	3
1:A:77:LEU:HD13	1:A:77:LEU:O	0.58	1.98	5	5
1:A:80:GLN:OE1	1:A:90:VAL:HG11	0.58	1.99	14	3
1:A:15:ILE:HD13	1:A:48:ILE:HG21	0.58	1.74	18	3
1:A:112:PHE:CZ	1:A:140:ALA:HB2	0.58	2.33	14	1
1:A:5:LEU:CD2	1:A:49:LEU:HD22	0.58	2.29	18	4
1:A:55:ILE:HG12	1:A:77:LEU:HD12	0.57	1.75	7	3
1:A:19:LEU:HD23	1:A:26:SER:HB3	0.57	1.75	20	8
1:A:82:ILE:HG21	1:A:157:ILE:HG21	0.57	1.77	16	2
1:A:108:GLU:HB2	1:A:139:LEU:HD13	0.57	1.76	15	18
1:A:110:ASP:HB3	1:A:111:LEU:HD23	0.56	1.77	1	15
1:A:68:ALA:HB1	1:A:157:ILE:CD1	0.56	2.29	9	2
1:A:171:TYR:CG	1:A:171:TYR:O	0.56	2.59	13	3
1:A:108:GLU:HG2	1:A:139:LEU:HD22	0.56	1.76	15	10
1:A:128:GLU:HB2	1:A:147:VAL:HG21	0.56	1.77	5	12
1:A:5:LEU:HD11	1:A:64:ILE:CG1	0.56	2.30	14	6
1:A:19:LEU:HD23	1:A:26:SER:CB	0.56	2.31	19	8
1:A:111:LEU:HD12	1:A:175:ILE:CG2	0.56	2.30	4	16
1:A:49:LEU:HD22	1:A:78:GLY:CA	0.56	2.31	11	4
1:A:15:ILE:HD13	1:A:48:ILE:CG2	0.55	2.32	18	4
1:A:80:GLN:CG	1:A:90:VAL:HG21	0.55	2.31	20	11
1:A:112:PHE:CE2	1:A:175:ILE:HD11	0.55	2.36	6	1
1:A:5:LEU:HD11	1:A:64:ILE:CD1	0.55	2.27	4	10
1:A:49:LEU:CD1	1:A:81:LEU:HD13	0.55	2.31	12	5
1:A:19:LEU:HD22	1:A:180:CYS:CB	0.55	2.32	14	1
1:A:103:VAL:HG12	1:A:106:ASP:OD2	0.55	2.02	8	1
1:A:138:ILE:HD11	1:A:147:VAL:HG12	0.55	1.79	16	2

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:5:LEU:HD21	1:A:49:LEU:CD2	0.54	2.28	4	6
1:A:12:VAL:HG22	1:A:50:SER:HB2	0.54	1.78	4	4
1:A:61:CYS:HA	1:A:64:ILE:HD12	0.54	1.79	5	10
1:A:55:ILE:HG12	1:A:81:LEU:HD12	0.54	1.78	16	6
1:A:108:GLU:CG	1:A:139:LEU:HD22	0.54	2.33	2	14
1:A:15:ILE:O	1:A:19:LEU:HD13	0.54	2.02	4	6
1:A:55:ILE:HG13	1:A:77:LEU:HD11	0.53	1.80	17	3
1:A:84:LEU:CD2	1:A:84:LEU:C	0.53	2.72	12	1
1:A:100:LEU:O	1:A:144:ILE:HD13	0.53	2.02	13	4
1:A:139:LEU:HD11	1:A:151:LYS:HB2	0.53	1.79	16	5
1:A:19:LEU:HD22	1:A:180:CYS:HB2	0.53	1.80	14	3
1:A:115:VAL:HG22	1:A:116:PRO:HD2	0.53	1.81	20	5
1:A:81:LEU:HD23	1:A:82:ILE:N	0.53	2.19	1	4
1:A:3:VAL:CG2	1:A:44:VAL:HG11	0.53	2.33	3	6
1:A:125:HIS:CE1	1:A:144:ILE:HG22	0.53	2.39	6	5
1:A:15:ILE:HG21	1:A:48:ILE:HG21	0.53	1.81	20	4
1:A:55:ILE:HG22	1:A:80:GLN:OE1	0.53	2.04	1	1
1:A:74:GLY:O	1:A:160:VAL:HG22	0.53	2.03	19	14
1:A:115:VAL:HG22	1:A:174:GLU:HG2	0.52	1.81	13	2
1:A:68:ALA:CA	1:A:157:ILE:HD11	0.52	2.34	6	3
1:A:68:ALA:HA	1:A:157:ILE:HD11	0.52	1.82	6	3
1:A:139:LEU:HD11	1:A:151:LYS:CB	0.52	2.35	11	5
1:A:55:ILE:HG21	1:A:84:LEU:CD2	0.52	2.34	15	2
1:A:49:LEU:HD23	1:A:50:SER:O	0.52	2.05	2	4
1:A:5:LEU:HD11	1:A:64:ILE:HG12	0.52	1.81	18	2
1:A:55:ILE:HD11	1:A:81:LEU:HD12	0.51	1.82	18	3
1:A:55:ILE:HD13	1:A:84:LEU:CD2	0.51	2.36	5	4
1:A:55:ILE:HG21	1:A:84:LEU:HD21	0.51	1.82	15	3
1:A:80:GLN:HG3	1:A:90:VAL:HG21	0.50	1.82	5	9
1:A:79:HIS:HA	1:A:82:ILE:HD12	0.50	1.83	17	1
1:A:90:VAL:HG13	1:A:128:GLU:C	0.50	2.27	18	7
1:A:41:ASN:O	1:A:44:VAL:HG13	0.50	2.07	17	3
1:A:61:CYS:SG	1:A:84:LEU:HD11	0.50	2.47	20	1
1:A:24:VAL:HG21	1:A:180:CYS:SG	0.50	2.47	2	2
1:A:103:VAL:HG12	1:A:106:ASP:OD1	0.50	2.07	2	10
1:A:49:LEU:HD21	1:A:64:ILE:HD13	0.49	1.84	4	1
1:A:100:LEU:HD12	1:A:100:LEU:O	0.49	2.06	1	1
1:A:7:ASN:OD1	1:A:49:LEU:HD11	0.49	2.07	14	2
1:A:22:ILE:HD13	1:A:180:CYS:SG	0.49	2.48	11	6
1:A:154:THR:HG23	1:A:155:LYS:HG2	0.49	1.84	10	3
1:A:73:LEU:CD2	1:A:176:LEU:HD22	0.48	2.38	4	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:90:VAL:HG22	1:A:129:VAL:HA	0.48	1.85	9	2
1:A:171:TYR:CE2	1:A:175:ILE:HD11	0.48	2.43	13	1
1:A:5:LEU:HD12	1:A:60:ASN:OD1	0.48	2.07	15	1
1:A:41:ASN:O	1:A:44:VAL:HG22	0.48	2.08	3	2
1:A:82:ILE:CG2	1:A:157:ILE:HG21	0.48	2.38	11	3
1:A:12:VAL:HG22	1:A:50:SER:OG	0.48	2.07	18	6
1:A:47:ILE:CG2	1:A:72:ILE:HD12	0.48	2.39	10	2
1:A:75:ILE:HD12	1:A:163:HIS:CE1	0.48	2.43	4	1
1:A:125:HIS:NE2	1:A:144:ILE:HG22	0.48	2.23	4	3
1:A:5:LEU:CD1	1:A:64:ILE:HD11	0.48	2.36	13	5
1:A:55:ILE:CD1	1:A:81:LEU:HD12	0.48	2.38	12	4
1:A:15:ILE:CG2	1:A:48:ILE:HG21	0.48	2.39	10	1
1:A:82:ILE:HD13	1:A:157:ILE:HG22	0.48	1.86	18	2
1:A:55:ILE:HD11	1:A:77:LEU:CD2	0.47	2.33	5	3
1:A:82:ILE:HD13	1:A:157:ILE:CG2	0.47	2.39	16	2
1:A:16:HIS:HB2	1:A:28:ILE:HD11	0.47	1.86	5	4
1:A:80:GLN:HG2	1:A:90:VAL:HG21	0.47	1.87	16	4
1:A:44:VAL:CG2	1:A:70:LEU:HD13	0.47	2.40	12	7
1:A:73:LEU:HD21	1:A:176:LEU:HD22	0.47	1.87	4	1
1:A:80:GLN:HE21	1:A:90:VAL:HG11	0.47	1.70	17	1
1:A:55:ILE:HD11	1:A:77:LEU:HB3	0.46	1.86	8	2
1:A:45:LYS:HG2	1:A:186:LYS:HZ1	0.46	1.70	19	1
1:A:140:ALA:HB3	1:A:149:ALA:CB	0.46	2.40	20	1
1:A:176:LEU:O	1:A:176:LEU:HD13	0.46	2.10	7	8
1:A:55:ILE:CG1	1:A:81:LEU:HD12	0.46	2.40	16	2
1:A:73:LEU:HD22	1:A:179:PHE:CG	0.46	2.45	17	1
1:A:4:ILE:HD11	1:A:19:LEU:CD1	0.46	2.41	10	1
1:A:22:ILE:HD13	1:A:177:LYS:CG	0.46	2.41	14	1
1:A:64:ILE:CG2	1:A:81:LEU:HD21	0.46	2.41	16	3
1:A:55:ILE:HG22	1:A:61:CYS:CB	0.45	2.41	2	2
1:A:33:THR:HG22	1:A:34:PRO:HD2	0.45	1.88	19	2
1:A:44:VAL:CG2	1:A:70:LEU:HD22	0.45	2.37	20	2
1:A:101:THR:O	1:A:121:ALA:HB3	0.45	2.11	12	5
1:A:1:MET:H1	1:A:186:LYS:HD3	0.45	1.71	13	2
1:A:111:LEU:CD1	1:A:175:ILE:HG23	0.45	2.38	16	6
1:A:45:LYS:CD	1:A:186:LYS:HZ1	0.45	2.25	13	1
1:A:49:LEU:CD2	1:A:81:LEU:HD13	0.45	2.40	13	1
1:A:55:ILE:CG2	1:A:84:LEU:HD21	0.44	2.42	1	1
1:A:48:ILE:HD11	1:A:179:PHE:CE1	0.44	2.47	5	7
1:A:132:VAL:O	1:A:132:VAL:HG13	0.44	2.12	18	9
1:A:49:LEU:HD21	1:A:64:ILE:CD1	0.44	2.43	4	1

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:156:PRO:O	1:A:157:ILE:HD13	0.44	2.13	2	1
1:A:132:VAL:HG13	1:A:132:VAL:O	0.44	2.12	4	4
1:A:5:LEU:HD21	1:A:49:LEU:HD23	0.44	1.88	17	2
1:A:3:VAL:HG23	1:A:44:VAL:HG11	0.43	1.89	3	1
1:A:80:GLN:CD	1:A:90:VAL:HG11	0.43	2.32	5	1
1:A:49:LEU:HD13	1:A:50:SER:O	0.43	2.13	15	2
1:A:84:LEU:HD22	1:A:85:ALA:N	0.43	2.28	12	1
1:A:7:ASN:CG	1:A:55:ILE:HD12	0.43	2.33	9	1
1:A:7:ASN:OD1	1:A:49:LEU:HD21	0.43	2.13	14	1
1:A:12:VAL:HG13	1:A:50:SER:HB2	0.43	1.90	20	1
1:A:79:HIS:CD2	1:A:80:GLN:N	0.43	2.87	14	1
1:A:139:LEU:HD21	1:A:151:LYS:HE2	0.43	1.89	2	1
1:A:105:VAL:HG13	1:A:105:VAL:O	0.43	2.14	14	11
1:A:176:LEU:HD13	1:A:176:LEU:O	0.43	2.14	13	2
1:A:35:LEU:HD12	1:A:63:ASP:OD1	0.43	2.14	3	1
1:A:55:ILE:HG12	1:A:77:LEU:HD11	0.43	1.91	5	1
1:A:55:ILE:HG23	1:A:84:LEU:HD21	0.43	1.89	1	1
1:A:3:VAL:HG22	1:A:44:VAL:HG11	0.42	1.92	9	1
1:A:138:ILE:HG23	1:A:149:ALA:O	0.42	2.14	5	2
1:A:77:LEU:C	1:A:77:LEU:HD13	0.42	2.35	17	2
1:A:19:LEU:HD12	1:A:26:SER:OG	0.42	2.14	15	1
1:A:185:TYR:O	1:A:185:TYR:CG	0.42	2.71	20	1
1:A:77:LEU:HD13	1:A:77:LEU:C	0.42	2.35	12	2
1:A:15:ILE:O	1:A:19:LEU:HD12	0.42	2.14	10	1
1:A:113:LYS:O	1:A:115:VAL:HG23	0.42	2.14	15	1
1:A:84:LEU:HD12	1:A:84:LEU:C	0.42	2.35	2	3
1:A:4:ILE:HG12	1:A:15:ILE:HG21	0.42	1.91	12	1
1:A:81:LEU:HD23	1:A:82:ILE:HD13	0.42	1.91	13	2
1:A:112:PHE:CE1	1:A:175:ILE:HD11	0.41	2.50	10	1
1:A:55:ILE:HD13	1:A:84:LEU:HD23	0.41	1.91	5	1
1:A:7:ASN:CG	1:A:55:ILE:HG23	0.41	2.36	8	1
1:A:55:ILE:HD13	1:A:84:LEU:HD21	0.41	1.91	11	1
1:A:108:GLU:HG3	1:A:139:LEU:HD22	0.41	1.90	18	1
1:A:112:PHE:CD1	1:A:175:ILE:HD12	0.41	2.51	4	1
1:A:105:VAL:O	1:A:105:VAL:HG13	0.41	2.16	10	4
1:A:64:ILE:HD12	1:A:81:LEU:HD11	0.41	1.93	20	1
1:A:41:ASN:HB2	1:A:44:VAL:HG13	0.41	1.93	3	1
1:A:47:ILE:CB	1:A:72:ILE:HD12	0.41	2.44	13	1
1:A:78:GLY:O	1:A:82:ILE:HD12	0.41	2.16	14	1
1:A:108:GLU:OE1	1:A:139:LEU:HD22	0.41	2.15	17	1
1:A:7:ASN:OD1	1:A:55:ILE:HD12	0.40	2.16	9	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:129:VAL:HG21	1:A:150:MET:CE	0.40	2.46	7	1
1:A:55:ILE:HG22	1:A:55:ILE:O	0.40	2.16	8	1
1:A:4:ILE:HG21	1:A:15:ILE:HD12	0.40	1.92	15	1
1:A:55:ILE:O	1:A:55:ILE:HG22	0.40	2.17	10	1

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	180/188 (96%)	160±2 (89±1%)	18±2 (10±1%)	3±1 (1±0%)	14	59
All	All	3600/3760 (96%)	3196 (89%)	351 (10%)	53 (1%)	14	59

All 5 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	105	VAL	20
1	A	76	CYS	19
1	A	44	VAL	10
1	A	126	LYS	3
1	A	147	VAL	1

### 6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	155/160 (97%)	114±4 (73±2%)	41±4 (27±2%)	2	22
All	All	3100/3200 (97%)	2276 (73%)	824 (27%)	2	22

All 93 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	27	LYS	20
1	A	42	LYS	20
1	A	114	ASN	20
1	A	60	ASN	20
1	A	176	LEU	20
1	A	54	ASP	20
1	A	92	ARG	20
1	A	136	PHE	20
1	A	33	THR	20
1	A	107	LYS	20
1	A	117	ARG	20
1	A	111	LEU	20
1	A	6	ASP	19
1	A	50	SER	19
1	A	142	SER	19
1	A	103	VAL	19
1	A	81	LEU	18
1	A	186	LYS	18
1	A	150	MET	16
1	A	148	GLU	16
1	A	59	LYS	16
1	A	122	TRP	14
1	A	77	LEU	14
1	A	102	LYS	14
1	A	181	LYS	14
1	A	174	GLU	14
1	A	113	LYS	13
1	A	108	GLU	13
1	A	1	MET	13
1	A	86	TYR	12
1	A	10	GLN	11
1	A	45	LYS	11
1	A	170	GLU	10
1	A	14	ARG	10
1	A	128	GLU	10
1	A	76	CYS	10
1	A	106	ASP	10
1	A	153	LYS	10
1	A	55	ILE	9
1	A	155	LYS	9
1	A	17	ARG	9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	49	LEU	9
1	A	115	VAL	9
1	A	177	LYS	9
1	A	43	GLU	9
1	A	25	SER	8
1	A	39	GLU	8
1	A	70	LEU	8
1	A	110	ASP	7
1	A	124	SER	6
1	A	69	LYS	6
1	A	89	GLU	6
1	A	41	ASN	5
1	A	26	SER	5
1	A	171	TYR	5
1	A	36	GLU	5
1	A	161	GLN	5
1	A	38	ILE	5
1	A	97	GLU	5
1	A	80	GLN	4
1	A	131	LYS	4
1	A	173	ASN	4
1	A	66	LEU	4
1	A	100	LEU	4
1	A	138	ILE	3
1	A	3	VAL	3
1	A	79	HIS	3
1	A	188	GLU	3
1	A	143	ASP	3
1	A	134	GLU	3
1	A	137	GLU	3
1	A	13	HIS	2
1	A	118	GLU	2
1	A	151	LYS	2
1	A	152	HIS	2
1	A	7	ASN	2
1	A	18	SER	2
1	A	72	ILE	2
1	A	56	GLU	2
1	A	20	LYS	2
1	A	125	HIS	2
1	A	146	GLN	2
1	A	84	LEU	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	112	PHE	1
1	A	126	LYS	1
1	A	12	VAL	1
1	A	96	GLU	1
1	A	35	LEU	1
1	A	163	HIS	1
1	A	145	CYS	1
1	A	40	SER	1
1	A	57	LYS	1
1	A	154	THR	1

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 6.7 Other polymers [i](#)

There are no such molecules in this entry.

### 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 55% for the well-defined parts and 54% for the entire structure.

### 7.1 Chemical shift list 1

File name: input\_cs.cif

Chemical shift list name: *assigned\_chem\_shift\_list\_1*

#### 7.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1431
Number of shifts mapped to atoms	1431
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

#### 7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	186	$-0.28 \pm 0.11$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}_\beta$	168	$-0.01 \pm 0.10$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}'$	0	—	None (insufficient data)
$^{15}\text{N}$	175	$0.31 \pm 0.45$	None needed ( $< 0.5$ ppm)

#### 7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 55%, i.e. 1227 atoms were assigned a chemical shift out of a possible 2251. 5 out of 28 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	677/896 (76%)	327/357 (92%)	180/364 (49%)	170/175 (97%)
Sidechain	513/1176 (44%)	303/688 (44%)	202/443 (46%)	8/45 (18%)

*Continued on next page...*

Continued from previous page...

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Aromatic	37/179 (21%)	36/96 (38%)	0/75 (0%)	1/8 (12%)
Overall	1227/2251 (55%)	666/1141 (58%)	382/882 (43%)	179/228 (79%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 54%, i.e. 1252 atoms were assigned a chemical shift out of a possible 2317. 5 out of 29 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	694/924 (75%)	334/368 (91%)	186/376 (49%)	174/180 (97%)
Sidechain	521/1207 (43%)	305/706 (43%)	208/456 (46%)	8/45 (18%)
Aromatic	37/186 (20%)	36/100 (36%)	0/77 (0%)	1/9 (11%)
Overall	1252/2317 (54%)	675/1174 (57%)	394/909 (43%)	183/234 (78%)

#### 7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

#### 7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

