



## Full wwPDB EM Validation Report ⓘ

Oct 21, 2024 – 12:12 PM JST

PDB ID : 6LXW  
EMDB ID : EMD-30008  
Title : Cryo-EM structure of human secretory immunoglobulin A in complex with the N-terminal domain of SpsA  
Authors : Wang, Y.; Wang, G.; Li, Y.; Xiao, J.  
Deposited on : 2020-02-12  
Resolution : 3.27 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.27 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	291	
1	B	291	
1	C	291	
1	D	291	
2	J	167	
3	P	573	
4	S	317	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 12299 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Interleukin-2,Immunoglobulin heavy constant alpha 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	225	1707	1076	291	330	10	0	0
1	B	218	1660	1048	286	317	9	0	0
1	C	221	1682	1062	290	321	9	0	0
1	D	229	1740	1097	298	335	10	0	0

There are 152 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	203	ARG	-	linker	UNP P60568
A	204	ILE	-	linker	UNP P60568
A	205	HIS	-	linker	UNP P60568
A	206	MET	-	linker	UNP P60568
A	207	SER	-	linker	UNP P60568
A	208	ALA	-	linker	UNP P60568
A	209	TRP	-	linker	UNP P60568
A	210	SER	-	linker	UNP P60568
A	211	HIS	-	linker	UNP P60568
A	212	PRO	-	linker	UNP P60568
A	213	GLN	-	linker	UNP P60568
A	214	PHE	-	linker	UNP P60568
A	215	GLU	-	linker	UNP P60568
A	216	LYS	-	linker	UNP P60568
A	217	GLY	-	linker	UNP P60568
A	218	GLY	-	linker	UNP P60568
A	219	GLY	-	linker	UNP P60568
A	220	SER	-	linker	UNP P60568
A	221	GLY	-	linker	UNP P60568
A	222	GLY	-	linker	UNP P60568
A	223	GLY	-	linker	UNP P60568
A	224	SER	-	linker	UNP P60568

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	225	GLY	-	linker	UNP P60568
A	226	GLY	-	linker	UNP P60568
A	227	SER	-	linker	UNP P60568
A	228	ALA	-	linker	UNP P60568
A	229	TRP	-	linker	UNP P60568
A	230	SER	-	linker	UNP P60568
A	231	HIS	-	linker	UNP P60568
A	232	PRO	-	linker	UNP P60568
A	233	GLN	-	linker	UNP P60568
A	234	PHE	-	linker	UNP P60568
A	235	GLU	-	linker	UNP P60568
A	236	LYS	-	linker	UNP P60568
A	237	ILE	-	linker	UNP P60568
A	238	ASP	-	linker	UNP P60568
A	239	THR	-	linker	UNP P60568
A	240	THR	-	linker	UNP P60568
B	203	ARG	-	linker	UNP P60568
B	204	ILE	-	linker	UNP P60568
B	205	HIS	-	linker	UNP P60568
B	206	MET	-	linker	UNP P60568
B	207	SER	-	linker	UNP P60568
B	208	ALA	-	linker	UNP P60568
B	209	TRP	-	linker	UNP P60568
B	210	SER	-	linker	UNP P60568
B	211	HIS	-	linker	UNP P60568
B	212	PRO	-	linker	UNP P60568
B	213	GLN	-	linker	UNP P60568
B	214	PHE	-	linker	UNP P60568
B	215	GLU	-	linker	UNP P60568
B	216	LYS	-	linker	UNP P60568
B	217	GLY	-	linker	UNP P60568
B	218	GLY	-	linker	UNP P60568
B	219	GLY	-	linker	UNP P60568
B	220	SER	-	linker	UNP P60568
B	221	GLY	-	linker	UNP P60568
B	222	GLY	-	linker	UNP P60568
B	223	GLY	-	linker	UNP P60568
B	224	SER	-	linker	UNP P60568
B	225	GLY	-	linker	UNP P60568
B	226	GLY	-	linker	UNP P60568
B	227	SER	-	linker	UNP P60568
B	228	ALA	-	linker	UNP P60568

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	229	TRP	-	linker	UNP P60568
B	230	SER	-	linker	UNP P60568
B	231	HIS	-	linker	UNP P60568
B	232	PRO	-	linker	UNP P60568
B	233	GLN	-	linker	UNP P60568
B	234	PHE	-	linker	UNP P60568
B	235	GLU	-	linker	UNP P60568
B	236	LYS	-	linker	UNP P60568
B	237	ILE	-	linker	UNP P60568
B	238	ASP	-	linker	UNP P60568
B	239	THR	-	linker	UNP P60568
B	240	THR	-	linker	UNP P60568
C	203	ARG	-	linker	UNP P60568
C	204	ILE	-	linker	UNP P60568
C	205	HIS	-	linker	UNP P60568
C	206	MET	-	linker	UNP P60568
C	207	SER	-	linker	UNP P60568
C	208	ALA	-	linker	UNP P60568
C	209	TRP	-	linker	UNP P60568
C	210	SER	-	linker	UNP P60568
C	211	HIS	-	linker	UNP P60568
C	212	PRO	-	linker	UNP P60568
C	213	GLN	-	linker	UNP P60568
C	214	PHE	-	linker	UNP P60568
C	215	GLU	-	linker	UNP P60568
C	216	LYS	-	linker	UNP P60568
C	217	GLY	-	linker	UNP P60568
C	218	GLY	-	linker	UNP P60568
C	219	GLY	-	linker	UNP P60568
C	220	SER	-	linker	UNP P60568
C	221	GLY	-	linker	UNP P60568
C	222	GLY	-	linker	UNP P60568
C	223	GLY	-	linker	UNP P60568
C	224	SER	-	linker	UNP P60568
C	225	GLY	-	linker	UNP P60568
C	226	GLY	-	linker	UNP P60568
C	227	SER	-	linker	UNP P60568
C	228	ALA	-	linker	UNP P60568
C	229	TRP	-	linker	UNP P60568
C	230	SER	-	linker	UNP P60568
C	231	HIS	-	linker	UNP P60568
C	232	PRO	-	linker	UNP P60568

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	233	GLN	-	linker	UNP P60568
C	234	PHE	-	linker	UNP P60568
C	235	GLU	-	linker	UNP P60568
C	236	LYS	-	linker	UNP P60568
C	237	ILE	-	linker	UNP P60568
C	238	ASP	-	linker	UNP P60568
C	239	THR	-	linker	UNP P60568
C	240	THR	-	linker	UNP P60568
D	203	ARG	-	linker	UNP P60568
D	204	ILE	-	linker	UNP P60568
D	205	HIS	-	linker	UNP P60568
D	206	MET	-	linker	UNP P60568
D	207	SER	-	linker	UNP P60568
D	208	ALA	-	linker	UNP P60568
D	209	TRP	-	linker	UNP P60568
D	210	SER	-	linker	UNP P60568
D	211	HIS	-	linker	UNP P60568
D	212	PRO	-	linker	UNP P60568
D	213	GLN	-	linker	UNP P60568
D	214	PHE	-	linker	UNP P60568
D	215	GLU	-	linker	UNP P60568
D	216	LYS	-	linker	UNP P60568
D	217	GLY	-	linker	UNP P60568
D	218	GLY	-	linker	UNP P60568
D	219	GLY	-	linker	UNP P60568
D	220	SER	-	linker	UNP P60568
D	221	GLY	-	linker	UNP P60568
D	222	GLY	-	linker	UNP P60568
D	223	GLY	-	linker	UNP P60568
D	224	SER	-	linker	UNP P60568
D	225	GLY	-	linker	UNP P60568
D	226	GLY	-	linker	UNP P60568
D	227	SER	-	linker	UNP P60568
D	228	ALA	-	linker	UNP P60568
D	229	TRP	-	linker	UNP P60568
D	230	SER	-	linker	UNP P60568
D	231	HIS	-	linker	UNP P60568
D	232	PRO	-	linker	UNP P60568
D	233	GLN	-	linker	UNP P60568
D	234	PHE	-	linker	UNP P60568
D	235	GLU	-	linker	UNP P60568
D	236	LYS	-	linker	UNP P60568

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	237	ILE	-	linker	UNP P60568
D	238	ASP	-	linker	UNP P60568
D	239	THR	-	linker	UNP P60568
D	240	THR	-	linker	UNP P60568

- Molecule 2 is a protein called Immunoglobulin J chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	J	128	1016	626	177	204	9	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
J	137	HIS	-	expression tag	UNP P01591
J	138	HIS	-	expression tag	UNP P01591
J	139	HIS	-	expression tag	UNP P01591
J	140	HIS	-	expression tag	UNP P01591
J	141	HIS	-	expression tag	UNP P01591
J	142	HIS	-	expression tag	UNP P01591
J	143	HIS	-	expression tag	UNP P01591
J	144	HIS	-	expression tag	UNP P01591

- Molecule 3 is a protein called Polymeric immunoglobulin receptor.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	P	513	3988	2519	693	756	20	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
P	548	HIS	-	expression tag	UNP P01833
P	549	HIS	-	expression tag	UNP P01833
P	550	HIS	-	expression tag	UNP P01833
P	551	HIS	-	expression tag	UNP P01833
P	552	HIS	-	expression tag	UNP P01833
P	553	HIS	-	expression tag	UNP P01833
P	554	HIS	-	expression tag	UNP P01833
P	555	HIS	-	expression tag	UNP P01833

- Molecule 4 is a protein called SigA binding protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	S	61	506	312	83	111	0	0

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
S	8	MET	-	initiating methionine	UNP O33753
S	9	GLY	-	expression tag	UNP O33753
S	10	SER	-	expression tag	UNP O33753
S	11	HIS	-	expression tag	UNP O33753
S	12	HIS	-	expression tag	UNP O33753
S	13	HIS	-	expression tag	UNP O33753
S	14	HIS	-	expression tag	UNP O33753
S	15	HIS	-	expression tag	UNP O33753
S	16	HIS	-	expression tag	UNP O33753
S	17	HIS	-	expression tag	UNP O33753
S	18	HIS	-	expression tag	UNP O33753
S	19	GLY	-	expression tag	UNP O33753
S	20	SER	-	expression tag	UNP O33753
S	21	ASP	-	expression tag	UNP O33753
S	22	TYR	-	expression tag	UNP O33753
S	23	ASP	-	expression tag	UNP O33753
S	24	ILE	-	expression tag	UNP O33753
S	25	PRO	-	expression tag	UNP O33753
S	26	THR	-	expression tag	UNP O33753
S	27	THR	-	expression tag	UNP O33753
S	28	GLU	-	expression tag	UNP O33753
S	29	ASN	-	expression tag	UNP O33753
S	30	LEU	-	expression tag	UNP O33753
S	31	TYR	-	expression tag	UNP O33753
S	32	PHE	-	expression tag	UNP O33753
S	33	GLN	-	expression tag	UNP O33753
S	34	GLY	-	expression tag	UNP O33753
S	35	SER	-	expression tag	UNP O33753
S	36	GLU	-	expression tag	UNP O33753
S	37	PHE	-	expression tag	UNP O33753



### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Interleukin-2,Immunoglobulin heavy constant alpha 1

Chain A: 

MET TYR ARG MET GLN LEU LEU SER CYS ILE ALA LEU SER LEU ALA VAL THR ASN SER ALA TRP SER HIS MET SER ALA TRP SER PRO GLN PHE GLU LYS GLY GLY SER GLY GLY TRP ALA TRP HIS PRO GLN PHE GLU ILE ASP THR CYS

CYS HIS P244 R245 L248 L253 L258 N263 C266 L268 L271 R272 D273 A274 S275 G276 E279 T280 W281 G286 Q291 C301 S306 A312 N316 T344 F345 R346 L351 E358 N362 E369 L364 L367 T368 G369 A371 R372 CYS S375

P376 R377 D378 V379 L384 Q385 L390 E403 V413 V416 A420 K425 S431 C432 T447 G453 LYS PRO THR V458 Y472

- Molecule 1: Interleukin-2,Immunoglobulin heavy constant alpha 1

Chain B: 

MET TYR ARG MET GLN LEU LEU SER CYS ILE ALA LEU SER LEU ALA VAL THR ASN SER ALA TRP SER HIS MET SER ALA TRP SER PRO GLN PHE GLU LYS GLY GLY SER GLY GLY TRP ALA TRP HIS PRO GLN PHE GLU ILE ASP THR CYS

CYS HIS P244 S247 L263 E254 D255 N263 T267 L268 T269 L271 R272 D273 A274 S275 G276 V277 S284 S285 G286 S288 A289 E295 R296 G300 V304 V307 T324 Y327 S330 K331 T332 T335 T344 H350 L351 L352 P353 E358 L364

V366 T366 L370 G373 P376 V379 L380 V381 W382 W383 P391 K394 S400 T410 T413 V414 S415 R418 A452 G455 LYS PRO THR H457 A465 GLU VAL ASP GLY THR CYS TYR

- Molecule 1: Interleukin-2,Immunoglobulin heavy constant alpha 1


Chain C: 

MET TYR ARG MET GLN LEU LEU SER CYS ILE ALA LEU SER LEU ALA VAL THR ASN SER ALA TRP SER HIS MET SER ALA TRP SER PRO GLN PHE GLU LYS GLY GLY SER GLY GLY TRP ALA TRP HIS PRO GLN PHE GLU ILE ASP THR CYS

CYS HIS P244 L248 D255 L256 L257 L258 G259 S260 E261 A262 N263 C266 G270 L271 R272 D273 A274 S275 G276 V277 T280 W281 S284 S285 G286 G291 E295 L298 C299 G300 Y302 L308 T322 C323 T324 A325 A326 Y327 P328 E329 S330 K331 T332 T335 A336






• Molecule 1: Interleukin-2, Immunoglobulin heavy constant alpha 1




• Molecule 2: Immunoglobulin J chain



• Molecule 3: Polymeric immunoglobulin receptor



• Molecule 4: SigA binding protein





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	280791	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	59.74	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.119	Depositor
Minimum map value	-0.086	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.00863	Depositor
Map size (Å)	264.96, 264.96, 264.96	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.82799995, 0.82799995, 0.82799995	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.67	0/1747	0.72	1/2384 (0.0%)
1	B	0.58	0/1700	0.69	0/2320
1	C	0.54	1/1724 (0.1%)	0.67	1/2354 (0.0%)
1	D	0.64	0/1783	0.70	1/2435 (0.0%)
2	J	0.66	0/1030	0.72	1/1401 (0.1%)
3	P	0.77	2/4073 (0.0%)	0.71	4/5526 (0.1%)
4	S	0.54	0/508	0.59	0/676
All	All	0.67	3/12565 (0.0%)	0.70	8/17096 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
2	J	0	1
All	All	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	P	367	CYS	CB-SG	-6.35	1.71	1.82
3	P	265	VAL	CB-CG2	-6.15	1.40	1.52
1	C	402	GLN	C-N	-5.80	1.20	1.34

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	J	131	ASP	CB-CG-OD1	8.56	126.00	118.30
3	P	446	LEU	CA-CB-CG	6.71	130.72	115.30
1	C	271	LEU	CA-CB-CG	6.65	130.60	115.30
3	P	201	LEU	CA-CB-CG	6.38	129.97	115.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	384	LEU	CB-CG-CD2	-5.68	101.33	111.00
3	P	367	CYS	CA-CB-SG	5.64	124.15	114.00
3	P	395	LEU	CA-CB-CG	5.20	127.27	115.30
1	A	367	LEU	CA-CB-CG	5.17	127.19	115.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	273	ASP	Peptide
2	J	79	ASP	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1707	0	1688	25	0
1	B	1660	0	1650	27	0
1	C	1682	0	1676	22	0
1	D	1740	0	1722	17	0
2	J	1016	0	999	8	0
3	P	3988	0	3905	59	0
4	S	506	0	504	5	0
All	All	12299	0	12144	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:263:ASN:HA	1:C:308:LEU:O	1.74	0.88
1:B:383:TRP:HE1	1:B:415:SER:HG	1.30	0.80
1:B:277:VAL:HG11	1:B:304:VAL:HG21	1.77	0.67
3:P:224:PRO:HG3	3:P:304:ARG:HH22	1.62	0.63

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:324:THR:HG23	1:B:335:THR:HG22	1.80	0.63
1:D:379:VAL:HG23	1:D:436:HIS:HB2	1.79	0.63
2:J:106:ASN:HA	3:P:29:VAL:HG21	1.82	0.61
1:D:449:ASP:N	1:D:449:ASP:OD1	2.34	0.60
1:A:312:ALA:O	1:A:316:ASN:ND2	2.34	0.60
1:B:379:VAL:HG11	1:B:413:VAL:HG21	1.81	0.60
3:P:124:VAL:HG11	3:P:130:VAL:HG22	1.83	0.60
1:C:345:PHE:HD2	1:C:375:SER:HB2	1.68	0.59
1:B:254:GLU:OE1	1:B:382:ARG:NH2	2.37	0.58
1:D:299:CYS:SG	1:D:300:GLY:N	2.77	0.58
1:C:270:GLY:O	1:C:272:ARG:NH1	2.38	0.57
1:C:280:THR:HG23	1:C:324:THR:HB	1.87	0.57
1:D:402:GLN:NE2	1:D:409:THR:OG1	2.34	0.57
3:P:158:VAL:HG12	3:P:159:ILE:HG22	1.86	0.57
3:P:266:ASN:ND2	3:P:313:GLY:O	2.37	0.57
3:P:278:ARG:NH1	3:P:296:GLY:O	2.38	0.56
2:J:45:ASN:ND2	2:J:101:TYR:O	2.35	0.56
1:D:381:VAL:HG22	1:D:434:VAL:HG22	1.86	0.56
1:B:275:SER:OG	1:B:276:GLY:N	2.38	0.56
1:C:416:ILE:HD12	1:D:370:LEU:HD11	1.87	0.56
1:C:277:VAL:HG21	1:C:327:TYR:HA	1.88	0.56
1:B:365:VAL:O	1:B:418:ARG:HA	2.06	0.56
3:P:144:ARG:NH2	3:P:148:TYR:OH	2.39	0.56
3:P:173:ILE:HD12	3:P:189:ILE:HD12	1.87	0.55
3:P:27:THR:OG1	3:P:30:ASN:ND2	2.40	0.55
1:A:362:ASN:OD1	1:A:425:LYS:NZ	2.39	0.55
3:P:382:ASP:OD2	3:P:382:ASP:N	2.39	0.55
3:P:527:GLY:HA3	3:P:537:THR:HG22	1.87	0.55
3:P:381:VAL:HG23	3:P:387:VAL:HG22	1.88	0.55
3:P:394:ARG:NH2	3:P:417:ASP:OD2	2.40	0.55
3:P:197:ALA:HB2	3:P:219:VAL:HG22	1.89	0.54
3:P:201:LEU:HA	3:P:213:LYS:O	2.07	0.54
4:S:220:VAL:HG23	4:S:221:LYS:HG3	1.89	0.54
3:P:51:SER:OG	3:P:52:SER:N	2.41	0.54
1:A:346:ARG:NH1	3:P:32:HIS:O	2.40	0.54
3:P:349:VAL:HG21	3:P:437:ILE:HD13	1.89	0.54
1:B:287:LYS:HE3	1:B:289:ALA:HB2	1.89	0.53
1:B:330:SER:OG	1:B:331:LYS:N	2.40	0.53
3:P:382:ASP:OD1	4:S:199:ARG:NH1	2.39	0.53
1:D:283:PRO:HG3	1:D:321:PHE:HA	1.91	0.53
1:A:281:TRP:NE1	1:A:306:SER:OG	2.41	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:270:GLY:O	1:B:272:ARG:NH1	2.43	0.52
1:C:257:LEU:HD22	1:C:442:ALA:HB1	1.90	0.52
1:C:357:GLU:HG3	2:J:65:SER:HB3	1.92	0.52
1:B:253:LEU:HD23	1:B:380:LEU:HG	1.92	0.52
3:P:172:ARG:O	3:P:190:ASN:ND2	2.37	0.52
1:D:391:PRO:HD2	1:D:394:LYS:HD2	1.92	0.51
1:D:339:SER:OG	1:D:340:LYS:N	2.44	0.51
3:P:304:ARG:NH2	3:P:325:GLN:OE1	2.43	0.51
1:A:384:LEU:HB2	1:A:431:SER:HB2	1.91	0.51
1:A:379:VAL:HG21	1:A:413:VAL:HG11	1.91	0.51
1:B:255:ASP:N	1:B:255:ASP:OD1	2.44	0.51
1:C:340:LYS:NZ	1:C:341:SER:O	2.38	0.51
3:P:52:SER:O	3:P:52:SER:OG	2.24	0.51
3:P:144:ARG:HD3	3:P:160:ASP:HB3	1.92	0.51
3:P:357:ARG:HE	3:P:403:ASN:HB3	1.76	0.51
1:B:391:PRO:HD2	1:B:394:LYS:HE2	1.93	0.50
3:P:367:CYS:HB2	3:P:422:TRP:HB2	1.93	0.50
1:A:279:PHE:HB2	1:A:291:GLN:HE22	1.75	0.50
1:A:385:GLN:HB2	1:A:390:LEU:HD21	1.93	0.50
1:C:271:LEU:HD12	1:C:302:TYR:HB2	1.93	0.50
1:C:277:VAL:HG21	1:C:328:PRO:HD3	1.94	0.50
1:A:344:THR:HA	1:A:376:PRO:HD3	1.95	0.49
1:A:345:PHE:HD1	1:A:375:SER:HB2	1.77	0.49
3:P:37:TRP:HB3	3:P:50:ILE:HG22	1.95	0.49
1:A:272:ARG:HG2	1:A:301:CYS:H	1.78	0.49
4:S:208:THR:O	4:S:208:THR:OG1	2.28	0.49
1:D:371:ALA:HB3	1:D:413:VAL:HG12	1.94	0.49
1:B:400:SER:O	1:B:400:SER:OG	2.29	0.48
3:P:132:ILE:HB	3:P:187:VAL:HG22	1.95	0.48
3:P:130:VAL:O	3:P:188:VAL:HA	2.13	0.48
1:B:373:GLY:HA2	1:B:410:THR:HB	1.95	0.48
3:P:365:TYR:HB2	3:P:424:LEU:HB2	1.96	0.48
1:D:293:PRO:HB3	1:D:304:VAL:HG22	1.94	0.48
1:B:271:LEU:HD21	1:B:327:TYR:HB2	1.96	0.48
3:P:87:SER:OG	3:P:88:GLY:N	2.47	0.48
3:P:360:SER:OG	3:P:361:LYS:NZ	2.42	0.48
1:A:370:LEU:HD21	1:B:366:THR:HG21	1.96	0.48
1:D:384:LEU:HB2	1:D:431:SER:HB2	1.96	0.47
1:A:258:LEU:HD23	2:J:124:VAL:HG11	1.97	0.47
1:C:449:ASP:N	1:C:449:ASP:OD1	2.42	0.47
1:B:247:SER:OG	1:B:267:THR:OG1	2.33	0.47

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:268:LEU:HD21	1:B:271:LEU:HD22	1.96	0.47
1:C:266:CYS:HB2	1:C:281:TRP:HZ2	1.80	0.47
1:C:381:VAL:HG22	1:C:434:VAL:HG22	1.95	0.47
1:C:384:LEU:HD11	1:C:433:MET:HE2	1.97	0.47
3:P:376:ARG:NH2	4:S:200:ASN:OD1	2.48	0.47
1:D:246:LEU:HD13	1:D:268:LEU:HD12	1.96	0.47
2:J:17:ILE:HG12	2:J:37:ILE:HG23	1.95	0.47
3:P:224:PRO:HB3	3:P:304:ARG:HH12	1.80	0.47
1:B:344:THR:HA	1:B:376:PRO:HD3	1.96	0.46
1:A:431:SER:OG	1:A:447:THR:OG1	2.27	0.46
3:P:302:ALA:HB2	3:P:328:VAL:HG23	1.96	0.46
1:C:322:THR:HA	1:C:336:ALA:O	2.16	0.46
1:A:372:ARG:NH1	1:A:403:GLU:OE1	2.49	0.46
1:C:323:CYS:O	1:C:335:THR:HA	2.16	0.46
3:P:35:LYS:H	3:P:52:SER:HB3	1.81	0.46
1:C:379:VAL:HG11	1:C:413:VAL:HG11	1.98	0.45
2:J:88:SER:OG	2:J:91:CYS:SG	2.66	0.45
3:P:400:GLU:O	3:P:407:THR:OG1	2.25	0.45
3:P:447:LYS:HB3	3:P:447:LYS:HE2	1.86	0.45
1:D:433:MET:HE2	1:D:445:GLN:HG3	1.99	0.44
3:P:353:CYS:HB3	3:P:423:CYS:HB3	1.74	0.44
3:P:446:LEU:HD23	3:P:536:GLU:HB3	1.99	0.44
3:P:287:ASP:OD1	3:P:287:ASP:N	2.50	0.44
3:P:278:ARG:NH1	3:P:295:THR:O	2.50	0.44
1:A:351:LEU:HD13	1:A:432:CYS:HB2	2.00	0.43
1:A:416:ILE:HD12	1:B:370:LEU:HD11	2.00	0.43
3:P:478:CYS:SG	3:P:525:TRP:HB2	2.59	0.43
3:P:25:PRO:HA	3:P:26:PRO:HD3	1.86	0.43
1:A:364:LEU:HD23	1:A:420:ALA:HA	1.99	0.43
1:C:248:LEU:HD22	1:C:336:ALA:HB1	2.00	0.43
1:A:268:LEU:HD21	1:A:271:LEU:HD13	2.01	0.43
4:S:189:LYS:HA	4:S:189:LYS:HD3	1.76	0.43
1:A:358:GLU:OE2	1:B:350:HIS:NE2	2.46	0.42
1:D:297:ASP:OD1	1:D:297:ASP:N	2.47	0.42
3:P:28:SER:O	3:P:28:SER:OG	2.35	0.42
1:B:263:ASN:HB2	1:B:307:VAL:HG13	2.02	0.42
1:A:253:LEU:HD22	1:A:378:ASP:HB3	2.01	0.42
1:A:346:ARG:HH22	2:J:131:ASP:HB3	1.85	0.42
3:P:380:LEU:HB3	3:P:395:LEU:HD21	2.02	0.42
3:P:147:LEU:HD11	3:P:187:VAL:HG21	2.02	0.42
3:P:210:SER:O	3:P:210:SER:OG	2.31	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:P:264:VAL:HA	3:P:272:ALA:HB2	2.02	0.41
3:P:478:CYS:HB2	3:P:485:CYS:HB3	1.93	0.41
1:A:248:LEU:HD12	1:A:248:LEU:HA	1.89	0.41
1:B:352:LEU:HA	1:B:353:PRO:HD3	1.88	0.41
3:P:2:SER:HA	3:P:3:PRO:HD3	1.95	0.41
3:P:211:ASN:OD1	3:P:211:ASN:N	2.54	0.41
3:P:479:LYS:NZ	3:P:521:GLU:O	2.42	0.41
1:A:266:CYS:HB2	1:A:281:TRP:CZ2	2.55	0.41
1:C:352:LEU:HA	1:C:353:PRO:HD3	1.88	0.41
3:P:48:THR:OG1	3:P:97:ASN:ND2	2.48	0.41
3:P:243:PRO:HA	3:P:246:ALA:HB2	2.02	0.41
1:B:364:LEU:HB2	1:B:418:ARG:NH2	2.36	0.41
1:D:311:CYS:O	1:D:314:PRO:HD2	2.21	0.41
3:P:319:SER:HA	3:P:320:PRO:HD3	1.89	0.41
1:C:428:ASP:OD1	1:C:428:ASP:N	2.48	0.41
1:D:258:LEU:HB3	2:J:81:GLN:HE22	1.85	0.41
3:P:445:ASN:OD1	3:P:469:LYS:NZ	2.34	0.41
1:A:263:ASN:OD1	1:A:263:ASN:N	2.47	0.40
1:B:253:LEU:HB3	1:B:380:LEU:HD21	2.03	0.40
3:P:254:ARG:HH21	3:P:303:GLY:HA3	1.86	0.40
1:B:358:GLU:OE2	1:B:366:THR:OG1	2.35	0.40
3:P:137:LYS:HE3	3:P:137:LYS:HB2	1.81	0.40
1:C:272:ARG:HA	1:C:302:TYR:HD2	1.87	0.40
3:P:144:ARG:HD2	3:P:146:SER:HB3	2.02	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	221/291 (76%)	184 (83%)	37 (17%)	0	<b>100</b>   <b>100</b>

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	214/291 (74%)	183 (86%)	31 (14%)	0	100	100
1	C	219/291 (75%)	190 (87%)	29 (13%)	0	100	100
1	D	227/291 (78%)	196 (86%)	31 (14%)	0	100	100
2	J	124/167 (74%)	102 (82%)	22 (18%)	0	100	100
3	P	503/573 (88%)	449 (89%)	53 (10%)	1 (0%)	44	72
4	S	57/317 (18%)	53 (93%)	3 (5%)	1 (2%)	7	30
All	All	1565/2221 (70%)	1357 (87%)	206 (13%)	2 (0%)	50	77

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	S	208	THR
3	P	161	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	191/244 (78%)	188 (98%)	3 (2%)	58	75
1	B	186/244 (76%)	186 (100%)	0	100	100
1	C	189/244 (78%)	186 (98%)	3 (2%)	58	75
1	D	195/244 (80%)	190 (97%)	5 (3%)	41	65
2	J	121/155 (78%)	118 (98%)	3 (2%)	42	66
3	P	438/490 (89%)	432 (99%)	6 (1%)	62	78
4	S	55/283 (19%)	55 (100%)	0	100	100
All	All	1375/1904 (72%)	1355 (98%)	20 (2%)	60	77

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	245	ARG

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	368	THR
1	A	379	VAL
1	C	272	ARG
1	C	280	THR
1	C	392	ARG
1	D	378	ASP
1	D	447	THR
1	D	449	ASP
1	D	467	VAL
1	D	470	THR
2	J	83	VAL
2	J	86	THR
2	J	129	THR
3	P	138	THR
3	P	159	ILE
3	P	188	VAL
3	P	262	ASP
3	P	366	TRP
3	P	367	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	291	GLN
1	B	459	ASN
1	D	317	HIS
1	D	402	GLN
2	J	81	GLN
2	J	89	ASN
3	P	30	ASN
3	P	32	HIS
3	P	111	GLN
3	P	481	ASN
3	P	530	GLN
4	S	193	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-30008. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y



Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


### 6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160

The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)

### 6.3.1 Primary map



X Index: 181




Y Index: 179




Z Index: 138


### 6.3.2 Raw map



X Index: 182



Y Index: 179




Z Index: 145

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.00863. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_30008\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 121 nm<sup>3</sup>; this corresponds to an approximate mass of 109 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.306 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.306 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.27	-	-
Author-provided FSC curve	3.25	3.77	3.37
Unmasked-calculated*	3.75	4.27	3.82


\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.75 differs from the reported value 3.27 by more than 10 %



## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-30008 and PDB model 6LXW. Per-residue inclusion information can be found in section [3](#) on page [9](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.00863 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.00863).

















## 9.4 Atom inclusion [i](#)



At the recommended contour level, 90% of all backbone atoms, 89% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.00863) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8880	 0.5130
A	 0.9090	 0.5110
B	 0.8630	 0.4870
C	 0.7930	 0.4710
D	 0.8840	 0.5210
J	 0.9380	 0.5450
P	 0.9210	 0.5350
S	 0.8610	 0.4840

