



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2018 – 07:28 pm GMT

PDB ID : 4LZW  
Title : X-ray structure uridine phosphorylase from *Vibrio cholerae* in complex with thymidine at 1.29 Å resolution  
Authors : Prokofev, I.I.; Lashkov, A.A.; Gabdoulkhakov, A.G.; Betzel, C.; Mikhailov, A.M.  
Deposited on : 2013-08-01  
Resolution : 1.29 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtrriage (Phenix) : 1.13  
EDS : trunk30967  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30967


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	1286 (1.32-1.28)
Clashscore	122126	1332 (1.32-1.28)
Ramachandran outliers	120053	1282 (1.32-1.28)
Sidechain outliers	120020	1282 (1.32-1.28)
RSRZ outliers	108989	1250 (1.32-1.28)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	253	
1	B	253	
1	C	253	
1	D	253	
1	E	253	
1	F	253	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

<b>Mol</b>	<b>Type</b>	<b>Chain</b>	<b>Res</b>	<b>Chirality</b>	<b>Geometry</b>	<b>Clashes</b>	<b>Electron density</b>
3	EOH	B	303	-	-	X	-
3	EOH	D	302	-	-	X	-
3	EOH	E	303	-	-	X	-
3	EOH	F	302	-	-	X	-
6	MG	D	305	-	-	-	X

## 2 Entry composition [i](#)


There are 8 unique types of molecules in this entry. The entry contains 14145 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Uridine phosphorylase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	245	Total 1932	C 1217	N 331	O 368	S 16	0	17	0
1	B	252	Total 2014	C 1270	N 349	O 377	S 18	0	22	0
1	C	251	Total 1984	C 1255	N 338	O 374	S 17	0	19	0
1	D	251	Total 1973	C 1245	N 340	O 372	S 16	0	16	0
1	E	251	Total 2018	C 1274	N 349	O 378	S 17	0	24	0
1	F	245	Total 1945	C 1234	N 333	O 361	S 17	0	21	0

- Molecule 2 is THYMIDINE (three-letter code: THM) (formula: C<sub>10</sub>H<sub>14</sub>N<sub>2</sub>O<sub>5</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			17	10	2	5		
2	B	1	Total	C	N	O	0	0
			17	10	2	5		
2	C	1	Total	C	N	O	0	0
			17	10	2	5		
2	D	1	Total	C	N	O	0	0
			17	10	2	5		
2	E	1	Total	C	N	O	0	0
			17	10	2	5		
2	F	1	Total	C	N	O	0	0
			17	10	2	5		

- Molecule 3 is ETHANOL (three-letter code: EOH) (formula: C<sub>2</sub>H<sub>6</sub>O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	D	1	Total	C	O	0	0
			3	2	1		
3	E	1	Total	C	O	0	0
			3	2	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	F	1	Total	C	O	0	0
			3	2	1		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	1	Total	Cl	0	0
			1	1		
4	E	1	Total	Cl	0	0
			1	1		
4	B	1	Total	Cl	0	0
			1	1		
4	C	1	Total	Cl	0	0
			1	1		
4	A	2	Total	Cl	0	0
			2	2		
4	F	2	Total	Cl	0	0
			2	2		


- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Na	0	0
			1	1		
5	C	1	Total	Na	0	0
			1	1		
5	F	1	Total	Na	0	0
			1	1		

- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	Mg	0	0
			1	1		
6	A	1	Total	Mg	0	0
			1	1		
6	D	2	Total	Mg	0	0
			2	2		
6	C	2	Total	Mg	0	0
			2	2		
6	E	1	Total	Mg	0	0
			1	1		

- Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	C	1	Total C O 4 2 2	0	0
7	E	1	Total C O 4 2 2	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	291	Total O 315 315	0	23
8	B	335	Total O 359 359	0	23
8	C	373	Total O 397 397	0	24
8	D	350	Total O 385 385	0	35
8	E	317	Total O 344 344	0	27
8	F	301	Total O 330 330	0	28


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Uridine phosphorylase




- Molecule 1: Uridine phosphorylase



- Molecule 1: Uridine phosphorylase




- Molecule 1: Uridine phosphorylase






- Molecule 1: Uridine phosphorylase



- Molecule 1: Uridine phosphorylase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	91.74Å 95.85Å 91.83Å 90.00° 119.96° 90.00°	Depositor
Resolution (Å)	19.89 – 1.29 19.89 – 1.29	Depositor EDS
% Data completeness (in resolution range)	99.3 (19.89-1.29) 99.4 (19.89-1.29)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.21 (at 1.29Å)	Xtriage
Refinement program	REFMAC, PHENIX 1.7.3_928	Depositor
R, $R_{free}$	0.178 , 0.210 0.177 , 0.210	Depositor DCC
$R_{free}$ test set	17130 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	7.6	Xtriage
Anisotropy	0.317	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 51.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.196 for -h-l,k,h 0.196 for l,k,-h-l 0.057 for h,-k,-h-l 0.067 for -h-l,-k,l 0.064 for l,-k,h	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	14145	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	11.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.07% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CL, NA, EOH, EDO, THM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.48	0/2003	0.64	0/2706
1	B	0.46	0/2103	0.62	0/2842
1	C	0.47	0/2073	0.65	0/2802
1	D	0.49	0/2053	0.63	0/2777
1	E	0.46	0/2113	0.61	0/2853
1	F	0.46	0/2034	0.65	0/2746
All	All	0.47	0/12379	0.63	0/16726

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1932	0	1973	20	0
1	B	2014	0	2076	24	0
1	C	1984	0	2052	21	0
1	D	1973	0	2026	14	0
1	E	2018	0	2091	26	0
1	F	1945	0	2032	32	0
2	A	17	0	12	1	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	17	0	13	2	0
2	C	17	0	13	0	0
2	D	17	0	13	0	0
2	E	17	0	12	0	0
2	F	17	0	12	2	0
3	A	6	0	12	1	0
3	B	6	0	12	6	0
3	D	3	0	6	2	0
3	E	3	0	6	3	0
3	F	3	0	6	3	0
4	A	2	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	1	0
4	F	2	0	0	2	0
5	A	1	0	0	0	0
5	C	1	0	0	0	0
5	F	1	0	0	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	2	0	0	0	0
6	D	2	0	0	0	0
6	E	1	0	0	0	0
7	C	4	0	6	2	0
7	E	4	0	6	1	0
8	A	315	0	0	7	0
8	B	359	0	0	11	0
8	C	397	0	0	7	0
8	D	385	0	0	4	0
8	E	344	0	0	9	0
8	F	330	0	0	8	0
All	All	14145	0	12379	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:E:304:CL:CL	8:E:493:HOH:O	2.23	0.92

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:180[A]:GLN:NE2	8:B:523:HOH:O	2.04	0.90
1:C:15:LEU:HG	1:C:62[B]:VAL:HG11	1.53	0.90
3:A:302:EOH:H12	1:B:120:LEU:HD22	1.59	0.84
1:C:106[B]:MET:SD	8:C:571:HOH:O	2.37	0.83
1:F:214[B]:CYS:SG	8:F:620:HOH:O	2.38	0.81
1:A:120:LEU:HD22	3:B:303:EOH:H12	1.64	0.80
1:B:185[B]:GLU:OE1	1:D:177:ARG:NH2	2.15	0.78
1:F:126[B]:GLU:OE1	8:F:495:HOH:O	2.02	0.76
1:B:53[B]:ARG:NH1	8:B:728:HOH:O	2.17	0.76
1:F:53[B]:ARG:NH1	8:F:695:HOH:O	2.18	0.76
7:C:302:EDO:H21	1:D:120:LEU:HD22	1.67	0.76
1:E:211[A]:LYS:NZ	8:E:499:HOH:O	2.20	0.73
1:E:126[A]:GLU:OE2	8:E:707:HOH:O	2.07	0.72
1:A:128:PRO:HB2	1:A:130[B]:VAL:HG23	1.72	0.71
1:A:47[A]:ARG:NH2	8:A:543:HOH:O	2.18	0.71
1:C:120:LEU:HD22	3:D:302:EOH:H12	1.71	0.70
1:A:126[A]:GLU:OE2	8:A:677:HOH:O	2.10	0.70
1:E:29[B]:ARG:NH2	1:E:240[B]:SER:OG	2.25	0.69
1:E:92[B]:GLY:O	8:E:433:HOH:O	2.10	0.69
1:F:15:LEU:HD22	1:F:62[B]:VAL:HG11	1.75	0.68
1:A:126[B]:GLU:OE1	8:A:535:HOH:O	2.11	0.68
1:B:16[A]:ASN:HB2	1:B:53[A]:ARG:HD2	1.76	0.67
1:E:16:ASN:HB2	1:E:53:ARG:HD2	1.77	0.67
1:B:177:ARG:NH2	1:F:185[B]:GLU:OE1	2.21	0.66
1:F:47[B]:ARG:NH2	8:F:700:HOH:O	2.29	0.66
1:B:126[B]:GLU:OE2	8:B:717:HOH:O	2.14	0.65
1:C:197:GLU:OE1	8:C:494:HOH:O	2.15	0.62
1:A:128:PRO:HB2	1:A:130[B]:VAL:CG2	2.29	0.62
1:E:120:LEU:HD22	3:F:302:EOH:H12	1.81	0.62
1:C:16:ASN:HB2	1:C:53:ARG:HD2	1.82	0.61
3:E:303:EOH:H12	1:F:120:LEU:HD22	1.84	0.60
1:F:19:THR:OG1	8:F:580:HOH:O	2.16	0.60
1:D:126[A]:GLU:OE2	8:D:538:HOH:O	2.17	0.60
1:F:3:LYS:N	8:F:646:HOH:O	2.35	0.59
1:A:26:ASP:HB3	1:A:29:ARG:HG2	1.84	0.59
1:E:15:LEU:HD22	1:E:62[B]:VAL:HG11	1.83	0.59
1:C:15:LEU:HG	1:C:62[B]:VAL:CG1	2.30	0.59
1:C:93[B]:THR:HG23	1:C:219:ILE:HG13	1.83	0.59
1:D:235[A]:GLU:OE1	8:D:661:HOH:O	2.17	0.59
1:E:3:LYS:NZ	8:E:498:HOH:O	2.31	0.59
1:B:220:ILE:HG12	2:B:301:THM:HM52	1.85	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:126[A]:GLU:OE2	8:F:684:HOH:O	2.17	0.59
1:E:184:LYS:NZ	8:E:658:HOH:O	2.36	0.58
1:F:26:ASP:HB3	1:F:29:ARG:HG2	1.86	0.58
1:B:126[A]:GLU:OE2	8:B:587:HOH:O	2.18	0.57
1:D:16:ASN:HB2	1:D:53:ARG:HD2	1.86	0.57
1:A:3:LYS:NZ	8:A:617:HOH:O	2.31	0.57
1:A:130[B]:VAL:HG21	1:F:111:GLY:HA3	1.85	0.57
1:F:157:SER:HB3	1:F:199:ALA:HB2	1.86	0.56
1:B:92[A]:GLY:O	8:B:402:HOH:O	2.18	0.56
1:A:188:ASP:HB3	1:E:174[A]:ARG:HD3	1.88	0.56
1:B:174[A]:ARG:NH1	8:B:727:HOH:O	2.15	0.56
1:A:246[B]:GLU:OE1	1:A:249:ARG:NE	2.34	0.56
1:A:16[B]:ASN:HB2	1:A:53:ARG:HD2	1.88	0.55
8:A:421:HOH:O	3:B:303:EOH:H21	2.05	0.55
1:F:238:ALA:O	1:F:242[A]:LYS:HG2	2.06	0.55
1:B:184:LYS:NZ	8:B:619[A]:HOH:O	2.27	0.55
1:F:225[A]:LYS:NZ	4:F:305:CL:CL	2.77	0.54
1:E:120:LEU:HB3	3:F:302:EOH:H11	1.88	0.54
1:F:211:LYS:NZ	8:F:596:HOH:O	2.30	0.54
1:D:32:LYS:NZ	8:D:743:HOH:O	2.31	0.54
1:E:157:SER:HB3	1:E:199:ALA:HB2	1.90	0.53
1:E:93[B]:THR:HG23	8:E:433:HOH:O	2.08	0.53
1:B:211[B]:LYS:HD2	8:B:475:HOH:O	2.08	0.52
1:E:148:ALA:HB2	1:E:239:ARG:HD2	1.91	0.52
1:C:74:SER:HA	1:C:204[B]:MET:HE1	1.93	0.51
1:E:74:SER:HA	1:E:204[B]:MET:HE1	1.93	0.51
8:A:417:HOH:O	3:B:303:EOH:H23	2.09	0.51
1:E:103:VAL:HG13	1:E:219:ILE:HA	1.92	0.51
1:D:37:MET:HG2	1:D:56:LEU:HD13	1.92	0.50
3:B:303:EOH:H22	8:B:539:HOH:O	2.12	0.50
1:E:180[A]:GLN:OE1	8:E:622:HOH:O	2.19	0.50
1:B:157:SER:HB3	1:B:199:ALA:HB2	1.95	0.49
1:C:57:ASP:OD2	1:C:249[A]:ARG:HG3	2.12	0.49
3:E:303:EOH:H11	1:F:120:LEU:HB3	1.94	0.49
1:E:6:PHE:CZ	1:F:228:PRO:HG2	2.49	0.48
1:A:31:GLN:NE2	1:A:35[A]:GLU:OE1	2.41	0.48
1:D:104:GLY:O	1:D:239[B]:ARG:NH1	2.47	0.47
1:A:57:ASP:OD2	1:A:249:ARG:HG3	2.14	0.47
1:A:157:SER:HB3	1:A:199:ALA:HB2	1.95	0.47
1:C:157:SER:HB3	1:C:199:ALA:HB2	1.97	0.47
1:E:183[A]:MET:HG3	7:E:302:EDO:H22	1.96	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:219:ILE:HD11	2:F:301:THM:HM51	1.97	0.47
1:B:106[A]:MET:SD	8:B:490:HOH:O	2.60	0.46
1:B:178:ARG:HH11	3:B:303:EOH:H11	1.79	0.46
1:C:211:LYS:NZ	8:C:540:HOH:O	2.31	0.46
1:B:185[B]:GLU:OE2	8:B:444:HOH:O	2.21	0.46
1:B:228:PRO:HB2	1:B:233:LEU:HD11	1.98	0.46
1:A:188:ASP:HB3	1:E:174[A]:ARG:CD	2.45	0.46
1:D:157:SER:HB3	1:D:199:ALA:HB2	1.98	0.46
1:F:74:SER:HA	1:F:204[B]:MET:HE1	1.97	0.46
1:F:21:ALA:HB2	1:F:62[B]:VAL:HG23	1.96	0.46
1:F:238:ALA:O	1:F:242[B]:LYS:HG2	2.16	0.46
1:B:101:VAL:O	1:B:221:ASN:ND2	2.50	0.45
1:D:57:ASP:OD2	1:D:249[A]:ARG:HG3	2.16	0.45
1:F:37:MET:HG2	1:F:56:LEU:HD13	1.98	0.45
1:E:39:ASN:OD1	8:E:576:HOH:O	2.21	0.45
1:D:15:LEU:HG	1:D:62[B]:VAL:CG2	2.47	0.45
1:F:113:VAL:HB	1:F:156:ALA:HA	1.99	0.45
1:F:29:ARG:HG3	4:F:303:CL:CL	2.55	0.44
1:C:178:ARG:HD2	7:C:302:EDO:H22	2.00	0.43
1:E:108:VAL:HB	1:E:152:MET:SD	2.58	0.43
1:E:6:PHE:CE1	1:F:228:PRO:HG2	2.54	0.43
1:C:235[B]:GLU:HG3	8:C:576:HOH:O	2.18	0.43
1:C:48:GLU:HB3	1:D:48:GLU:HB3	2.00	0.43
1:A:219:ILE:HD11	2:A:301:THM:HM51	2.01	0.42
1:D:235[B]:GLU:HG3	8:D:557:HOH:O	2.19	0.42
1:A:108:VAL:HB	1:A:152:MET:SD	2.59	0.42
1:C:124:PRO:HB2	1:C:126[B]:GLU:OE1	2.19	0.42
1:E:174[A]:ARG:HH22	1:F:208:SER:HA	1.85	0.42
1:A:25:GLY:HA3	8:A:476[A]:HOH:O	2.19	0.42
1:C:234:LYS:HD2	8:C:576:HOH:O	2.20	0.42
1:F:43:LEU:HD21	1:F:53[B]:ARG:HH11	1.85	0.42
1:B:74:SER:HA	1:B:204[B]:MET:HE1	2.02	0.41
8:C:761:HOH:O	3:D:302:EOH:H21	2.21	0.41
1:F:178:ARG:HD2	3:F:302:EOH:H22	2.01	0.41
1:C:31:GLN:O	1:C:35[B]:GLU:HG2	2.21	0.41
3:B:302:EOH:H12	1:C:125:MET:HB3	2.00	0.41
1:E:48:GLU:HB3	1:F:48:GLU:HB3	2.03	0.41
1:F:108:VAL:HB	1:F:152:MET:SD	2.61	0.41
1:C:235[A]:GLU:OE2	1:C:239:ARG:NH2	2.53	0.41
1:B:219:ILE:HD11	2:B:301:THM:HM51	2.02	0.41
1:C:180:GLN:NE2	8:C:666:HOH:O	2.43	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:108:VAL:HB	1:C:152:MET:SD	2.61	0.41
1:D:108:VAL:HB	1:D:152:MET:SD	2.61	0.41
1:E:178:ARG:HH11	3:E:303:EOH:H11	1.86	0.40
1:F:195:GLU:HA	2:F:301:THM:O2	2.22	0.40
1:A:48:GLU:HB3	1:B:48:GLU:HB3	2.03	0.40
1:B:204[B]:MET:HE3	1:B:204[B]:MET:HB3	1.88	0.40
1:B:47[B]:ARG:HB3	1:B:48:GLU:OE1	2.20	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	258/253 (102%)	253 (98%)	4 (2%)	1 (0%)	36	11
1	B	272/253 (108%)	267 (98%)	4 (2%)	1 (0%)	36	11
1	C	268/253 (106%)	264 (98%)	3 (1%)	1 (0%)	36	11
1	D	265/253 (105%)	260 (98%)	4 (2%)	1 (0%)	36	11
1	E	273/253 (108%)	267 (98%)	5 (2%)	1 (0%)	36	11
1	F	262/253 (104%)	258 (98%)	3 (1%)	1 (0%)	36	11
All	All	1598/1518 (105%)	1569 (98%)	23 (1%)	6 (0%)	36	11

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	162	TYR
1	C	162	TYR
1	D	162	TYR
1	E	162	TYR
1	F	162	TYR
1	A	162	TYR



### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	212/203 (104%)	208 (98%)	4 (2%)	60	20
1	B	223/203 (110%)	221 (99%)	2 (1%)	81	52
1	C	220/203 (108%)	217 (99%)	3 (1%)	69	34
1	D	217/203 (107%)	212 (98%)	5 (2%)	53	13
1	E	224/203 (110%)	219 (98%)	5 (2%)	55	14
1	F	216/203 (106%)	213 (99%)	3 (1%)	69	34
All	All	1312/1218 (108%)	1290 (98%)	22 (2%)	63	25

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16[A]	ASN
1	A	16[B]	ASN
1	A	195	GLU
1	A	227	ILE
1	B	195	GLU
1	B	253	LYS
1	C	3	LYS
1	C	195	GLU
1	C	234	LYS
1	D	3	LYS
1	D	62[A]	VAL
1	D	62[B]	VAL
1	D	195	GLU
1	D	253	LYS
1	E	3	LYS
1	E	195	GLU
1	E	220	ILE
1	E	230	HIS
1	E	237	GLU
1	F	174	ARG
1	F	195	GLU
1	F	253	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 33 ligands modelled in this entry, 18 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	THM	A	301	-	13,18,18	1.94	4 (30%)	16,26,26	2.29	2 (12%)
3	EOH	A	302	-	2,2,2	0.44	0	1,1,1	0.38	0
3	EOH	A	303	-	2,2,2	0.45	0	1,1,1	0.11	0
2	THM	B	301	-	13,18,18	2.08	3 (23%)	16,26,26	2.20	3 (18%)
3	EOH	B	302	-	2,2,2	0.44	0	1,1,1	0.05	0
3	EOH	B	303	-	2,2,2	0.39	0	1,1,1	0.28	0
2	THM	C	301	-	13,18,18	2.08	5 (38%)	16,26,26	2.39	1 (6%)
7	EDO	C	302	-	3,3,3	0.39	0	2,2,2	0.34	0
2	THM	D	301	-	13,18,18	2.03	4 (30%)	16,26,26	2.48	3 (18%)
3	EOH	D	302	-	2,2,2	0.40	0	1,1,1	0.20	0
2	THM	E	301	-	13,18,18	2.16	4 (30%)	16,26,26	2.25	3 (18%)
7	EDO	E	302	-	3,3,3	0.39	0	2,2,2	0.39	0
3	EOH	E	303	-	2,2,2	0.40	0	1,1,1	0.10	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	THM	F	301	-	13,18,18	1.99	3 (23%)	16,26,26	2.52	2 (12%)
3	EOH	F	302	-	2,2,2	0.43	0	1,1,1	0.06	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	THM	A	301	-	-	0/2/18/18	0/2/2/2
3	EOH	A	302	-	-	0/0/0/0	0/0/0/0
3	EOH	A	303	-	-	0/0/0/0	0/0/0/0
2	THM	B	301	-	-	0/2/18/18	0/2/2/2
3	EOH	B	302	-	-	0/0/0/0	0/0/0/0
3	EOH	B	303	-	-	0/0/0/0	0/0/0/0
2	THM	C	301	-	-	0/2/18/18	0/2/2/2
7	EDO	C	302	-	-	0/1/1/1	0/0/0/0
2	THM	D	301	-	-	0/2/18/18	0/2/2/2
3	EOH	D	302	-	-	0/0/0/0	0/0/0/0
2	THM	E	301	-	-	0/2/18/18	0/2/2/2
7	EDO	E	302	-	-	0/1/1/1	0/0/0/0
3	EOH	E	303	-	-	0/0/0/0	0/0/0/0
2	THM	F	301	-	-	0/2/18/18	0/2/2/2
3	EOH	F	302	-	-	0/0/0/0	0/0/0/0

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301	THM	O3'-C3'	-4.23	1.34	1.43
2	E	301	THM	O3'-C3'	-4.21	1.34	1.43
2	C	301	THM	O3'-C3'	-4.17	1.34	1.43
2	D	301	THM	O3'-C3'	-3.98	1.34	1.43
2	F	301	THM	O3'-C3'	-3.70	1.35	1.43
2	A	301	THM	O3'-C3'	-3.67	1.35	1.43
2	B	301	THM	C2'-C3'	-2.62	1.45	1.52
2	E	301	THM	C2'-C3'	-2.60	1.45	1.52
2	F	301	THM	C2'-C3'	-2.59	1.45	1.52
2	D	301	THM	C2-N3	-2.38	1.33	1.38
2	C	301	THM	C2-N3	-2.34	1.33	1.38
2	C	301	THM	C2'-C3'	-2.32	1.46	1.52
2	A	301	THM	C2-N3	-2.28	1.33	1.38
2	D	301	THM	C2'-C3'	-2.20	1.46	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	THM	C2'-C3'	-2.14	1.47	1.52
2	E	301	THM	O4'-C4'	-2.13	1.40	1.45
2	C	301	THM	C5'-C4'	-2.02	1.45	1.51
2	C	301	THM	O4-C4	2.98	1.32	1.24
2	A	301	THM	O4-C4	3.06	1.32	1.24
2	D	301	THM	O4-C4	3.12	1.32	1.24
2	B	301	THM	O4-C4	3.30	1.32	1.24
2	F	301	THM	O4-C4	3.34	1.32	1.24
2	E	301	THM	O4-C4	3.62	1.33	1.24

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	301	THM	C5-C6-N1	-2.68	119.25	122.15
2	B	301	THM	C5-C6-N1	-2.34	119.62	122.15
2	E	301	THM	C5-C6-N1	-2.02	119.96	122.15
2	F	301	THM	O5'-C5'-C4'	2.05	118.44	111.29
2	A	301	THM	O5'-C5'-C4'	2.33	119.43	111.29
2	B	301	THM	O5'-C5'-C4'	2.44	119.81	111.29
2	E	301	THM	O5'-C5'-C4'	2.57	120.25	111.29
2	D	301	THM	O5'-C5'-C4'	2.57	120.26	111.29
2	B	301	THM	C4-N3-C2	7.35	121.40	115.14
2	E	301	THM	C4-N3-C2	7.77	121.75	115.14
2	A	301	THM	C4-N3-C2	7.82	121.80	115.14
2	D	301	THM	C4-N3-C2	8.71	122.56	115.14
2	C	301	THM	C4-N3-C2	8.83	122.66	115.14
2	F	301	THM	C4-N3-C2	9.14	122.92	115.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

11 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	THM	1	0
3	A	302	EOH	1	0
2	B	301	THM	2	0
3	B	302	EOH	1	0
3	B	303	EOH	5	0
7	C	302	EDO	2	0
3	D	302	EOH	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	E	302	EDO	1	0
3	E	303	EOH	3	0
2	F	301	THM	2	0
3	F	302	EOH	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	245/253 (96%)	-0.01	6 (2%) 59 58	4, 8, 18, 39	1 (0%)
1	B	252/253 (99%)	0.05	11 (4%) 34 34	4, 8, 24, 39	0
1	C	251/253 (99%)	-0.16	3 (1%) 79 79	4, 7, 14, 37	0
1	D	251/253 (99%)	-0.16	4 (1%) 72 72	4, 7, 14, 34	0
1	E	251/253 (99%)	0.12	14 (5%) 24 23	4, 8, 23, 42	1 (0%)
1	F	245/253 (96%)	-0.02	7 (2%) 51 50	4, 9, 19, 40	1 (0%)
All	All	1495/1518 (98%)	-0.03	45 (3%) 50 49	4, 8, 18, 42	3 (0%)

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	4	THR	8.2
1	E	227	ILE	7.5
1	C	4	THR	7.1
1	B	2	THR	5.8
1	B	227	ILE	5.7
1	E	230	HIS	5.6
1	B	230	HIS	5.4
1	A	3	LYS	5.2
1	F	253	LYS	5.2
1	E	253	LYS	5.0
1	E	225	LYS	4.9
1	D	4	THR	4.4
1	E	231	ALA	4.3
1	B	225	LYS	4.0
1	E	226	GLU	3.8
1	B	229	ASP	3.7
1	B	226	GLU	3.7
1	B	231	ALA	3.7
1	F	6	PHE	3.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	253	LYS	3.6
1	C	3	LYS	3.5
1	D	3	LYS	3.5
1	E	229	ASP	3.4
1	F	235	GLU	3.4
1	A	253	LYS	3.3
1	C	253	LYS	3.2
1	D	253	LYS	3.1
1	A	6	PHE	3.0
1	A	227	ILE	3.0
1	D	62[A]	VAL	2.9
1	E	228	PRO	2.9
1	E	93[A]	THR	2.7
1	B	234	LYS	2.7
1	A	235	GLU	2.6
1	B	228	PRO	2.5
1	E	235	GLU	2.5
1	E	232	THR	2.4
1	B	252	LEU	2.4
1	E	234	LYS	2.3
1	F	237	GLU	2.3
1	E	219	ILE	2.2
1	F	4	THR	2.1
1	F	3	LYS	2.1
1	F	239	ARG	2.0
1	E	220	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
6	MG	C	306	1/1	0.61	0.32	17,17,17,17	1
3	EOH	B	302	3/3	0.76	0.20	26,26,26,26	3
6	MG	D	305	1/1	0.80	0.44	15,15,15,15	1
5	NA	F	304	1/1	0.82	0.28	7,7,7,7	1
6	MG	C	305	1/1	0.84	0.15	17,17,17,17	1
3	EOH	A	303	3/3	0.85	0.18	22,22,22,22	3
3	EOH	A	302	3/3	0.85	0.17	10,10,11,14	3
3	EOH	B	303	3/3	0.85	0.18	16,16,17,21	0
3	EOH	F	302	3/3	0.87	0.13	13,13,14,17	3
6	MG	B	305	1/1	0.89	0.13	15,15,15,15	1
7	EDO	C	302	4/4	0.89	0.17	17,17,21,23	4
3	EOH	D	302	3/3	0.89	0.14	12,12,12,16	3
3	EOH	E	303	3/3	0.90	0.14	13,13,13,16	3
2	THM	E	301	17/17	0.92	0.12	8,12,19,20	17
7	EDO	E	302	4/4	0.93	0.22	22,23,24,24	0
6	MG	A	307	1/1	0.94	0.16	19,19,19,19	1
2	THM	B	301	17/17	0.95	0.09	7,12,18,19	0
2	THM	C	301	17/17	0.97	0.12	2,5,12,12	17
6	MG	E	305	1/1	0.97	0.15	18,18,18,18	1
4	CL	F	303	1/1	0.97	0.07	28,28,28,28	0
2	THM	F	301	17/17	0.97	0.07	5,7,13,14	0
4	CL	A	304	1/1	0.97	0.07	31,31,31,31	0
2	THM	D	301	17/17	0.97	0.07	5,6,13,13	0
2	THM	A	301	17/17	0.97	0.07	6,8,14,14	0
5	NA	A	305	1/1	0.98	0.13	5,5,5,5	1
6	MG	D	304	1/1	0.98	0.18	15,15,15,15	1
4	CL	E	304	1/1	0.98	0.04	18,18,18,18	1
5	NA	C	304	1/1	0.99	0.08	7,7,7,7	1
4	CL	C	303	1/1	1.00	0.04	4,4,4,4	1
4	CL	A	306	1/1	1.00	0.05	11,11,11,11	0
4	CL	B	304	1/1	1.00	0.05	13,13,13,13	0
4	CL	D	303	1/1	1.00	0.03	9,9,9,9	0
4	CL	F	305	1/1	1.00	0.04	10,10,10,10	1

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.