



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 1, 2023 – 04:03 AM EDT

PDB ID : 3M1I
Title : Crystal structure of yeast CRM1 (Xpo1p) in complex with yeast RanBP1 (Yrb1p) and yeast RanGTP (Gsp1pGTP)
Authors : Koyama, M.; Matsuura, Y.
Deposited on : 2010-03-05
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	219	 3% 78% 10% • 9%
2	B	191	 2% 62% • • 31%
3	C	1049	 2% 78% 16% • •

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 11634 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GTP-binding nuclear protein GSP1/CNR1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	200	1596	1033	268	290	5	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	71	LEU	GLN	engineered mutation	UNP P32835

- Molecule 2 is a protein called Ran-specific GTPase-activating protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	131	1055	668	184	198	5	0	0	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	?	-	MET	deletion	UNP P41920
B	?	-	SER	deletion	UNP P41920
B	?	-	SER	deletion	UNP P41920
B	?	-	GLU	deletion	UNP P41920
B	?	-	ASP	deletion	UNP P41920
B	?	-	LYS	deletion	UNP P41920
B	?	-	LYS	deletion	UNP P41920
B	?	-	PRO	deletion	UNP P41920
B	?	-	VAL	deletion	UNP P41920
B	?	-	VAL	deletion	UNP P41920

- Molecule 3 is a protein called Exportin-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	1023	8181	5261	1343	1538	39	0	0	0

There are 39 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	GLY	-	expression tag	UNP P30822
C	0	ALA	-	expression tag	UNP P30822
C	?	-	VAL	deletion	UNP P30822
C	?	-	GLN	deletion	UNP P30822
C	?	-	ARG	deletion	UNP P30822
C	?	-	LEU	deletion	UNP P30822
C	?	-	PRO	deletion	UNP P30822
C	?	-	ALA	deletion	UNP P30822
C	?	-	THR	deletion	UNP P30822
C	?	-	GLU	deletion	UNP P30822
C	?	-	MET	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	PRO	deletion	UNP P30822
C	?	-	LEU	deletion	UNP P30822
C	?	-	ILE	deletion	UNP P30822
C	?	-	GLN	deletion	UNP P30822
C	?	-	LEU	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	VAL	deletion	UNP P30822
C	?	-	GLY	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	GLN	deletion	UNP P30822
C	?	-	ALA	deletion	UNP P30822
C	?	-	ILE	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	THR	deletion	UNP P30822
C	?	-	GLY	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	GLY	deletion	UNP P30822
C	?	-	ALA	deletion	UNP P30822
C	?	-	LEU	deletion	UNP P30822
C	?	-	ASN	deletion	UNP P30822
C	?	-	PRO	deletion	UNP P30822
C	?	-	GLU	deletion	UNP P30822
C	?	-	TYR	deletion	UNP P30822
C	?	-	MET	deletion	UNP P30822
C	?	-	LYS	deletion	UNP P30822

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	ARG	deletion	UNP P30822
C	?	-	PHE	deletion	UNP P30822

- Molecule 4 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
4	A	1	32	10	5	14	3	0	0

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	151	Total	O	0	0
			151	151		
6	B	45	Total	O	0	0
			45	45		
6	C	573	Total	O	0	0
			573	573		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: GTP-binding nuclear protein GSP1/CNR1



- Molecule 2: Ran-specific GTPase-activating protein 1



- Molecule 3: Exportin-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	106.21Å 106.21Å 303.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	43.51 – 2.00 43.51 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.9 (43.51-2.00) 99.9 (43.51-2.00)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.20 (at 2.00Å)	Xtrriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.175 , 0.220 0.174 , 0.219	Depositor DCC
R_{free} test set	5918 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	36.7	Xtrriage
Anisotropy	0.068	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 45.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11634	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GTP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.27	3/1636 (0.2%)	1.13	6/2219 (0.3%)
2	B	1.02	1/1072 (0.1%)	1.06	6/1433 (0.4%)
3	C	1.17	13/8339 (0.2%)	1.02	28/11317 (0.2%)
All	All	1.17	17/11047 (0.2%)	1.04	40/14969 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	0
2	B	0	1
3	C	1	1
All	All	2	2

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	440	GLU	CB-CG	-6.97	1.38	1.52
3	C	1010	GLN	CB-CG	-6.39	1.35	1.52
2	B	90	ARG	CB-CG	-6.39	1.35	1.52
3	C	775	SER	CB-OG	-6.09	1.34	1.42
3	C	165	GLU	CB-CG	6.08	1.63	1.52
1	A	54	PHE	CE1-CZ	5.79	1.48	1.37
3	C	660	GLU	CG-CD	5.54	1.60	1.51
3	C	939	THR	CB-CG2	-5.52	1.34	1.52
3	C	250	ALA	CA-CB	5.48	1.64	1.52
3	C	868	GLU	CG-CD	5.44	1.60	1.51
3	C	220	TYR	CG-CD2	5.39	1.46	1.39
1	A	199	TYR	CD1-CE1	-5.36	1.31	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	557	TYR	CD2-CE2	5.27	1.47	1.39
3	C	20	VAL	CB-CG2	5.25	1.63	1.52
3	C	440	GLU	CG-CD	5.14	1.59	1.51
3	C	254	LYS	CD-CE	5.07	1.64	1.51
1	A	199	TYR	CE1-CZ	5.00	1.45	1.38

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	31	ARG	NE-CZ-NH1	16.35	128.47	120.30
3	C	219	ARG	NE-CZ-NH1	13.44	127.02	120.30
2	B	177	ARG	NE-CZ-NH2	-10.92	114.84	120.30
1	A	91	MET	CG-SD-CE	10.70	117.31	100.20
3	C	91	ARG	NE-CZ-NH2	-10.57	115.02	120.30
1	A	31	ARG	NE-CZ-NH2	-10.37	115.12	120.30
3	C	219	ARG	NE-CZ-NH2	-9.31	115.64	120.30
2	B	177	ARG	NE-CZ-NH1	8.69	124.64	120.30
3	C	559	VAL	CG1-CB-CG2	8.35	124.26	110.90
3	C	1024	ASP	CB-CG-OD1	7.46	125.02	118.30
2	B	154	ARG	NE-CZ-NH2	-7.35	116.63	120.30
3	C	603	VAL	CG1-CB-CG2	6.97	122.05	110.90
3	C	428	ARG	CG-CD-NE	-6.95	97.20	111.80
3	C	141	LEU	CA-CB-CG	6.88	131.13	115.30
2	B	154	ARG	NE-CZ-NH1	6.70	123.65	120.30
2	B	90	ARG	NE-CZ-NH2	-6.69	116.96	120.30
3	C	594	MET	CG-SD-CE	-6.64	89.57	100.20
3	C	945	ASP	C-N-CA	-6.63	105.12	121.70
3	C	943	LEU	CA-CB-CG	6.63	130.54	115.30
3	C	376	GLU	O-C-N	-6.62	108.53	121.10
3	C	293	VAL	CB-CA-C	-6.46	99.13	111.40
3	C	275	THR	OG1-CB-CG2	5.87	123.50	110.00
3	C	325	ARG	NE-CZ-NH1	5.78	123.19	120.30
1	A	33	LEU	CB-CG-CD1	5.70	120.69	111.00
3	C	893	PHE	CB-CA-C	5.67	121.74	110.40
3	C	340	LEU	CB-CG-CD2	-5.64	101.41	111.00
3	C	944	THR	N-CA-CB	-5.45	99.94	110.30
1	A	95	THR	OG1-CB-CG2	5.30	122.19	110.00
3	C	444	VAL	CB-CA-C	-5.28	101.37	111.40
3	C	141	LEU	CB-CG-CD1	5.20	119.84	111.00
3	C	219	ARG	CB-CG-CD	5.15	125.00	111.60
2	B	123	ARG	NE-CZ-NH2	-5.15	117.73	120.30
1	A	93	ASP	CB-CG-OD1	5.11	122.90	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	81	LEU	CA-CB-CG	5.11	127.05	115.30
3	C	1018	LEU	CB-CG-CD2	5.09	119.65	111.00
3	C	453	ARG	NE-CZ-NH1	5.04	122.82	120.30
3	C	249	ARG	NE-CZ-NH2	-5.04	117.78	120.30
3	C	376	GLU	CA-C-N	5.01	131.13	117.10
3	C	275	THR	CA-CB-OG1	5.01	119.51	109.00
3	C	796	LEU	CB-CG-CD1	-5.00	102.49	111.00

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	95	THR	CB
3	C	275	THR	CB

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	76	VAL	Peptide
3	C	204	GLY	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1596	0	1573	17	0
2	B	1055	0	1050	10	0
3	C	8181	0	8201	153	0
4	A	32	0	12	0	0
5	A	1	0	0	0	0
6	A	151	0	0	3	0
6	B	45	0	0	0	0
6	C	573	0	0	29	0
All	All	11634	0	10836	177	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (177) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:43:ASP:HB2	6:C:1551:HOH:O	1.53	1.08
2:B:170:GLU:HG3	2:B:172:PHE:CE2	1.89	1.07
3:C:76:THR:HG22	6:C:1456:HOH:O	1.56	1.05
1:A:217:ALA:HB1	2:B:154:ARG:HH22	1.34	0.92
3:C:101:MET:HE2	6:C:1565:HOH:O	1.68	0.92
3:C:174:MET:HE3	3:C:178:LYS:HG2	1.53	0.91
3:C:171:ALA:O	3:C:172:GLU:HB2	1.75	0.87
3:C:657:SER:HB2	3:C:660:GLU:OE1	1.76	0.86
3:C:902:VAL:HG13	3:C:954:LYS:HE2	1.59	0.83
3:C:472:LEU:O	3:C:476:THR:HG23	1.80	0.82
3:C:156:MET:HE2	3:C:156:MET:HA	1.61	0.82
3:C:921:VAL:HG13	3:C:922:PRO:HD2	1.62	0.81
3:C:988:GLN:HE21	3:C:988:GLN:H	1.28	0.80
3:C:935:PHE:O	3:C:939:THR:HG23	1.83	0.78
3:C:174:MET:CE	3:C:178:LYS:HG2	2.13	0.78
3:C:1054:ASP:HA	3:C:1057:ASN:HB2	1.68	0.76
2:B:170:GLU:HG3	2:B:172:PHE:CZ	2.21	0.75
3:C:244:THR:HG22	3:C:285:GLN:OE1	1.85	0.74
3:C:1007:THR:H	3:C:1010:GLN:HE21	1.32	0.74
3:C:271:ILE:O	3:C:275:THR:HG23	1.87	0.74
3:C:768:LYS:O	3:C:772:THR:HG23	1.88	0.74
1:A:10:VAL:N	6:A:681:HOH:O	2.20	0.72
1:A:213:ASP:HB3	1:A:216:ASP:HB2	1.72	0.72
1:A:29:VAL:HG12	1:A:33:LEU:HD22	1.73	0.70
3:C:657:SER:CB	3:C:660:GLU:OE1	2.40	0.69
3:C:349:GLN:HE22	3:C:352:LYS:NZ	1.90	0.69
3:C:707:VAL:O	3:C:711:THR:HG23	1.94	0.67
3:C:174:MET:CE	3:C:182:LEU:HD12	2.25	0.67
3:C:174:MET:HE1	3:C:179:ALA:HA	1.77	0.66
3:C:539:THR:HG22	3:C:551:VAL:HG12	1.78	0.66
3:C:816:THR:HG21	6:C:1417:HOH:O	1.95	0.66
3:C:539:THR:HG22	3:C:551:VAL:CG1	2.26	0.66
3:C:72:ASP:O	3:C:76:THR:HG23	1.94	0.65
3:C:779:ASN:C	3:C:779:ASN:HD22	2.00	0.65
1:A:31:ARG:HD3	1:A:156:ASN:OD1	1.97	0.64
3:C:156:MET:HE2	3:C:159:LEU:HD12	1.80	0.63
3:C:156:MET:HA	3:C:156:MET:CE	2.28	0.63
2:B:170:GLU:HG3	2:B:172:PHE:HE2	1.55	0.63
3:C:238:LEU:O	3:C:252:THR:HG21	1.99	0.62
3:C:458:GLU:OE2	3:C:461:THR:HG21	2.00	0.62
3:C:174:MET:HE2	3:C:179:ALA:N	2.13	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:816:THR:CG2	6:C:1417:HOH:O	2.47	0.61
3:C:674:MET:O	3:C:678:THR:HG23	2.01	0.61
3:C:443:VAL:HG13	3:C:451:ILE:CG2	2.30	0.61
2:B:154:ARG:NH2	2:B:177:ARG:HD3	2.15	0.61
3:C:960:MET:HG3	3:C:1028:PHE:CE2	2.35	0.60
3:C:676:TRP:O	3:C:680:VAL:HG23	2.00	0.60
3:C:189:GLU:O	3:C:192:GLN:HG2	2.02	0.59
3:C:6:ASP:OD2	3:C:9:ASN:ND2	2.32	0.59
2:B:170:GLU:CG	2:B:172:PHE:CE2	2.78	0.59
3:C:771:GLU:O	3:C:775:SER:HB2	2.03	0.59
3:C:453:ARG:HG2	3:C:453:ARG:HH11	1.67	0.58
3:C:940:PHE:O	3:C:944:THR:HB	2.03	0.58
3:C:439:GLU:HB3	3:C:462:ILE:HG12	1.86	0.58
3:C:458:GLU:OE2	3:C:461:THR:CG2	2.52	0.57
3:C:820:GLU:OE1	3:C:821:LYS:HE3	2.03	0.57
1:A:10:VAL:HB	1:A:11:PRO:HD2	1.86	0.57
3:C:171:ALA:O	3:C:172:GLU:CB	2.41	0.57
3:C:982:PRO:O	3:C:985:THR:HG23	2.05	0.56
3:C:446:ASN:ND2	3:C:450:GLU:H	2.02	0.56
3:C:174:MET:HE3	3:C:178:LYS:CG	2.32	0.56
3:C:944:THR:HG22	6:C:1215:HOH:O	2.05	0.56
3:C:463:GLN:HG2	6:C:1613:HOH:O	2.05	0.56
3:C:156:MET:CE	3:C:159:LEU:HD12	2.36	0.56
3:C:83:PRO:HG2	3:C:86:HIS:CD2	2.41	0.56
3:C:793:ASN:HB2	6:C:1207:HOH:O	2.05	0.55
3:C:1:MET:HB2	6:C:1562:HOH:O	2.07	0.55
3:C:865:VAL:HG23	6:C:1177:HOH:O	2.06	0.55
3:C:266:GLN:O	3:C:272:LYS:HE3	2.07	0.55
3:C:802:ASN:ND2	6:C:1277:HOH:O	2.37	0.55
3:C:935:PHE:O	3:C:939:THR:CG2	2.53	0.54
3:C:816:THR:HG22	3:C:862:LEU:HB2	1.90	0.54
3:C:986:SER:OG	3:C:989:VAL:HG13	2.07	0.54
3:C:733:ARG:NH2	3:C:793:ASN:OD1	2.40	0.54
3:C:237:LEU:HD22	3:C:241:LYS:HD3	1.89	0.54
3:C:84:ASN:O	3:C:88:ILE:HG13	2.08	0.54
3:C:349:GLN:HE22	3:C:352:LYS:HZ1	1.56	0.54
3:C:472:LEU:O	3:C:476:THR:CG2	2.52	0.54
3:C:453:ARG:HG2	3:C:453:ARG:NH1	2.23	0.53
3:C:1018:LEU:HD22	3:C:1028:PHE:CE1	2.44	0.53
3:C:909:LEU:HD22	3:C:913:LYS:HE3	1.89	0.53
3:C:227:ARG:O	3:C:231:GLU:HB2	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:91:ARG:HD3	6:C:1602:HOH:O	2.09	0.52
3:C:768:LYS:O	3:C:772:THR:CG2	2.57	0.52
3:C:174:MET:CE	3:C:179:ALA:HA	2.39	0.51
1:A:216:ASP:O	1:A:217:ALA:C	2.49	0.51
3:C:174:MET:HE2	3:C:178:LYS:C	2.31	0.51
3:C:101:MET:CE	6:C:1565:HOH:O	2.41	0.50
3:C:894:LYS:O	3:C:948:HIS:HE1	1.95	0.50
3:C:918:MET:HE1	3:C:923:PHE:HD2	1.75	0.50
3:C:678:THR:HG22	6:C:1508:HOH:O	2.11	0.50
3:C:207:SER:HG	3:C:247:ASP:CG	2.15	0.50
3:C:198:PHE:O	3:C:202:GLU:HG2	2.10	0.49
3:C:443:VAL:HG13	3:C:451:ILE:HG23	1.93	0.49
3:C:538:LEU:O	3:C:541:LYS:O	2.30	0.49
3:C:43:ASP:OD1	3:C:43:ASP:C	2.51	0.49
3:C:174:MET:CE	3:C:178:LYS:C	2.81	0.49
3:C:493:ARG:HH11	3:C:499:GLU:CD	2.16	0.49
1:A:134:LYS:HE2	6:A:761:HOH:O	2.13	0.49
3:C:571:ASN:HB2	6:C:1213:HOH:O	2.11	0.49
3:C:972:SER:HA	6:C:1376:HOH:O	2.11	0.49
2:B:170:GLU:CG	2:B:172:PHE:HE2	2.23	0.49
3:C:174:MET:CE	3:C:178:LYS:CG	2.89	0.48
3:C:349:GLN:HE22	3:C:352:LYS:HZ2	1.58	0.48
3:C:178:LYS:HD3	6:C:1224:HOH:O	2.14	0.48
1:A:217:ALA:CB	2:B:154:ARG:HH22	2.14	0.48
3:C:446:ASN:C	3:C:446:ASN:HD22	2.17	0.48
3:C:142:ILE:CD1	3:C:192:GLN:HB2	2.44	0.48
3:C:921:VAL:CG1	3:C:922:PRO:HD2	2.40	0.48
3:C:174:MET:HE3	3:C:182:LEU:HD12	1.96	0.47
3:C:79:TRP:CE2	3:C:87:ARG:HD3	2.49	0.47
3:C:97:MET:CE	3:C:101:MET:HE3	2.45	0.47
3:C:97:MET:HE2	3:C:101:MET:HE3	1.95	0.47
3:C:446:ASN:HD21	3:C:450:GLU:H	1.62	0.47
3:C:944:THR:CG2	6:C:1215:HOH:O	2.63	0.47
3:C:270:LEU:HD23	6:C:1618:HOH:O	2.14	0.46
3:C:793:ASN:CB	6:C:1207:HOH:O	2.60	0.46
3:C:678:THR:CG2	6:C:1508:HOH:O	2.64	0.46
3:C:97:MET:CE	3:C:101:MET:CE	2.94	0.46
2:B:100:ALA:HB3	2:B:102:GLU:HG2	1.98	0.45
3:C:486:ILE:O	3:C:490:LYS:HG3	2.16	0.45
3:C:496:ASP:OD1	3:C:496:ASP:C	2.55	0.45
3:C:157:ILE:HD12	6:C:1339:HOH:O	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:906:GLN:NE2	3:C:910:ASP:OD1	2.49	0.45
3:C:91:ARG:CD	6:C:1602:HOH:O	2.62	0.45
3:C:372:ASP:OD1	6:C:1528:HOH:O	2.21	0.45
3:C:97:MET:HE1	3:C:101:MET:HE1	1.98	0.45
3:C:699:ILE:HG21	3:C:731:LEU:HD21	1.99	0.45
1:A:143:LYS:O	3:C:254:LYS:NZ	2.43	0.44
3:C:679:ILE:HD13	3:C:679:ILE:HA	1.78	0.44
3:C:476:THR:HG21	3:C:515:ILE:HG21	2.00	0.44
3:C:55:LEU:O	3:C:64:LYS:HE2	2.18	0.44
3:C:174:MET:CE	3:C:179:ALA:N	2.79	0.44
1:A:78:ARG:HD2	6:A:704:HOH:O	2.17	0.44
3:C:174:MET:HE1	3:C:182:LEU:HD12	1.99	0.44
3:C:43:ASP:OD1	6:C:1359:HOH:O	2.21	0.43
3:C:615:PRO:O	3:C:616:ARG:CB	2.64	0.43
1:A:45:ILE:HA	1:A:74:PHE:HB3	2.01	0.43
3:C:476:THR:HB	3:C:483:THR:HG21	2.00	0.43
3:C:565:PHE:O	3:C:569:HIS:HD2	2.01	0.43
3:C:39:THR:O	3:C:43:ASP:HB3	2.19	0.43
3:C:112:LYS:HA	3:C:112:LYS:HD2	1.80	0.43
3:C:43:ASP:CB	6:C:1551:HOH:O	2.35	0.43
3:C:156:MET:CE	3:C:156:MET:CA	2.97	0.43
3:C:680:VAL:O	3:C:684:THR:HB	2.18	0.42
3:C:349:GLN:NE2	3:C:352:LYS:NZ	2.64	0.42
3:C:657:SER:OG	3:C:660:GLU:OE1	2.38	0.42
1:A:169:LYS:HD3	1:A:169:LYS:HA	1.84	0.42
3:C:537:ASP:C	3:C:537:ASP:OD2	2.57	0.42
2:B:97:ASP:O	2:B:100:ALA:O	2.37	0.42
3:C:356:ARG:HG2	3:C:360:LYS:HE3	2.02	0.42
3:C:240:THR:HG22	3:C:241:LYS:N	2.35	0.42
3:C:707:VAL:O	3:C:711:THR:CG2	2.63	0.42
3:C:627:ARG:HH11	3:C:627:ARG:HD3	1.75	0.42
1:A:82:TYR:N	1:A:82:TYR:CD1	2.86	0.41
3:C:264:ILE:HA	3:C:265:PRO:HD2	1.78	0.41
3:C:679:ILE:HD11	3:C:695:THR:HG23	2.01	0.41
3:C:981:VAL:HG13	3:C:985:THR:HG23	2.02	0.41
3:C:944:THR:HG23	3:C:1003:PHE:HZ	1.85	0.41
1:A:14:LYS:NZ	1:A:83:ILE:O	2.41	0.41
1:A:62:LYS:HD2	1:A:63:PHE:N	2.36	0.41
3:C:174:MET:CE	3:C:179:ALA:CA	2.98	0.41
3:C:779:ASN:C	3:C:779:ASN:ND2	2.72	0.41
3:C:347:LEU:HD23	3:C:347:LEU:HA	1.88	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:539:THR:HG22	3:C:551:VAL:HG11	1.99	0.41
3:C:869:LYS:HE3	6:C:1577:HOH:O	2.19	0.41
3:C:988:GLN:HE21	3:C:988:GLN:N	2.07	0.41
3:C:13:ILE:HD12	3:C:13:ILE:HG23	1.75	0.41
3:C:536:LEU:HD23	3:C:536:LEU:HA	1.83	0.41
3:C:182:LEU:HD23	3:C:182:LEU:HA	1.92	0.41
3:C:293:VAL:HG23	6:C:1609:HOH:O	2.21	0.41
3:C:960:MET:HG3	3:C:1028:PHE:CD2	2.56	0.40
3:C:245:SER:HA	3:C:246:PRO:HD3	1.99	0.40
3:C:538:LEU:C	3:C:540:VAL:H	2.25	0.40
1:A:79:ASP:N	1:A:79:ASP:OD2	2.55	0.40
3:C:453:ARG:HG3	3:C:590:GLY:HA2	2.04	0.40
3:C:658:VAL:HG12	6:C:1604:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	196/219 (90%)	191 (97%)	4 (2%)	1 (0%)	29 23
2	B	129/191 (68%)	121 (94%)	8 (6%)	0	100 100
3	C	1021/1049 (97%)	992 (97%)	27 (3%)	2 (0%)	47 44
All	All	1346/1459 (92%)	1304 (97%)	39 (3%)	3 (0%)	47 44

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	216	ASP
3	C	978	GLU
3	C	983	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	169/188 (90%)	161 (95%)	8 (5%)	26	22
2	B	108/164 (66%)	103 (95%)	5 (5%)	27	23
3	C	914/955 (96%)	862 (94%)	52 (6%)	20	16
All	All	1191/1307 (91%)	1126 (94%)	65 (6%)	21	17

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	VAL
1	A	33	LEU
1	A	62	LYS
1	A	77	LEU
1	A	78	ARG
1	A	91	MET
1	A	184	LEU
1	A	188	GLU
2	B	77	LYS
2	B	90	ARG
2	B	95	ARG
2	B	154	ARG
2	B	170	GLU
3	C	10	ASP
3	C	43	ASP
3	C	55	LEU
3	C	71	LEU
3	C	80	LYS
3	C	111	GLN
3	C	112	LYS
3	C	136	GLU
3	C	141	LEU
3	C	144	SER
3	C	148	SER
3	C	186	MET
3	C	205	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	219	ARG
3	C	231	GLU
3	C	247	ASP
3	C	262	LEU
3	C	266	GLN
3	C	273	ARG
3	C	275	THR
3	C	291	MET
3	C	293	VAL
3	C	372	ASP
3	C	425	SER
3	C	440	GLU
3	C	443	VAL
3	C	446	ASN
3	C	461	THR
3	C	476	THR
3	C	489	SER
3	C	537	ASP
3	C	559	VAL
3	C	579	LYS
3	C	586	GLU
3	C	637	GLN
3	C	663	ARG
3	C	678	THR
3	C	679	ILE
3	C	711	THR
3	C	772	THR
3	C	779	ASN
3	C	789	GLU
3	C	816	THR
3	C	821	LYS
3	C	822	VAL
3	C	939	THR
3	C	944	THR
3	C	961	LYS
3	C	981	VAL
3	C	985	THR
3	C	988	GLN
3	C	989	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	102	ASN
1	A	147	GLN
1	A	158	ASN
3	C	35	GLN
3	C	86	HIS
3	C	154	ASN
3	C	173	GLN
3	C	349	GLN
3	C	446	ASN
3	C	477	HIS
3	C	569	HIS
3	C	779	ASN
3	C	855	HIS
3	C	948	HIS
3	C	988	GLN
3	C	1005	HIS
3	C	1010	GLN
3	C	1038	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GTP	A	1177	5	26,34,34	1.33	3 (11%)	32,54,54	1.69	9 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GTP	A	1177	5	-	5/18/38/38	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1177	GTP	C5-C6	-4.76	1.37	1.47
4	A	1177	GTP	C2-N1	2.09	1.42	1.37
4	A	1177	GTP	O5'-C5'	-2.02	1.37	1.44

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1177	GTP	O6-C6-N1	-4.09	115.82	120.65
4	A	1177	GTP	O4'-C1'-C2'	-2.95	102.61	106.93
4	A	1177	GTP	C5-C6-N1	2.89	119.06	113.95
4	A	1177	GTP	O3'-C3'-C2'	-2.69	103.11	111.82
4	A	1177	GTP	O3B-PG-O1G	-2.39	97.96	111.19
4	A	1177	GTP	O3G-PG-O3B	2.37	112.60	104.64
4	A	1177	GTP	N1-C2-N3	-2.21	119.20	123.32
4	A	1177	GTP	C3'-C2'-C1'	2.21	104.30	100.98
4	A	1177	GTP	PB-O3B-PG	-2.02	125.89	132.83

There are no chirality outliers.


All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1177	GTP	C5'-O5'-PA-O3A
4	A	1177	GTP	C5'-O5'-PA-O1A
4	A	1177	GTP	O4'-C4'-C5'-O5'
4	A	1177	GTP	C3'-C4'-C5'-O5'
4	A	1177	GTP	PA-O3A-PB-O2B

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	200/219 (91%)	0.05	6 (3%) 50 49	20, 33, 68, 95	0
2	B	131/191 (68%)	-0.07	4 (3%) 49 48	30, 47, 80, 110	0
3	C	1023/1049 (97%)	-0.08	22 (2%) 62 60	20, 39, 64, 102	0
All	All	1354/1459 (92%)	-0.06	32 (2%) 59 57	20, 39, 67, 110	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	76	VAL	5.4
3	C	1057	ASN	5.0
3	C	1055	LYS	4.7
3	C	982	PRO	4.3
2	B	75	ASP	4.3
3	C	267	ASP	4.2
3	C	1058	ALA	4.1
3	C	683	SER	4.0
3	C	1056	GLU	3.7
1	A	11	PRO	3.1
1	A	199	TYR	2.9
3	C	972	SER	2.9
2	B	77	LYS	2.8
1	A	198	GLN	2.8
3	C	984	GLY	2.8
3	C	973	VAL	2.6
3	C	1054	ASP	2.5
1	A	10	VAL	2.5
3	C	689	LEU	2.4
3	C	899	ASP	2.4
3	C	449	GLY	2.3
3	C	202	GLU	2.2
1	A	217	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	920	ASN	2.2
2	B	71	LEU	2.1
3	C	7	PHE	2.1
3	C	203	GLN	2.1
3	C	266	GLN	2.0
3	C	983	GLN	2.0
3	C	979	ALA	2.0
3	C	448	GLU	2.0
1	A	200	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	GTP	A	1177	32/32	0.98	0.11	21,26,31,34	0
5	MG	A	1178	1/1	1.00	0.04	18,18,18,18	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.