



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 23, 2024 – 06:15 PM EDT

PDB ID : 1M63
Title : Crystal structure of calcineurin-cyclophilin-cyclosporin shows common but distinct recognition of immunophilin-drug complexes
Authors : Huai, Q.; Kim, H.-Y.; Liu, Y.; Zhao, Y.; Mondragon, A.; Liu, J.O.; Ke, H.
Deposited on : 2002-07-12
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.




The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.1

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	G	165	 6% 91% 9%
4	D	11	 27% 27% 45%
4	H	11	 27% 45% 27%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 11185 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SERINE/THREONINE PROTEIN PHOSPHATASE 2B CATALYTIC SUBUNIT, ALPHA ISOFORM.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	372	Total	C	N	O	S	0	0	0
			3014	1940	503	549	22			
1	E	359	Total	C	N	O	S	0	0	0
			2917	1879	488	529	21			

- Molecule 2 is a protein called CALCINEURIN B SUBUNIT ISOFORM 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	158	Total	C	N	O	S	0	0	0
			1263	797	211	249	6			
2	F	160	Total	C	N	O	S	0	0	0
			1277	805	213	251	8			

- Molecule 3 is a protein called PEPTIDYL-PROLYL CIS-TRANS ISOMERASE A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	165	Total	C	N	O	S	0	0	0
			1266	802	218	237	9			
3	G	165	Total	C	N	O	S	0	0	0
			1266	802	218	237	9			

- Molecule 4 is a protein called CYCLOSPORIN A.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	D	11	Total	C	N	O	0	0	0
			85	62	11	12			
4	H	11	Total	C	N	O	0	0	0
			85	62	11	12			

- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Zn	0	0
			1	1		
5	E	1	Total	Zn	0	0
			1	1		

- Molecule 6 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Fe	0	0
			1	1		
6	E	1	Total	Fe	0	0
			1	1		


- Molecule 7 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	4	Total	Ca	0	0
			4	4		
7	F	4	Total	Ca	0	0
			4	4		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 2B CATALYTIC SUBUNIT, ALPHA ISOFORM




- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 2B CATALYTIC SUBUNIT, ALPHA ISOFORM




- Molecule 2: CALCINEURIN B SUBUNIT ISOFORM 1




- Molecule 2: CALCINEURIN B SUBUNIT ISOFORM 1








- Molecule 3: PEPTIDYL-PROLYL CIS-TRANS ISOMERASE A



- Molecule 3: PEPTIDYL-PROLYL CIS-TRANS ISOMERASE A



- Molecule 4: CYCLOSPORIN A



- Molecule 4: CYCLOSPORIN A



4 Data and refinement statistics i

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	108.66Å 108.66Å 316.59Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.80 34.76 – 2.80	Depositor EDS
% Data completeness (in resolution range)	90.0 (40.00-2.80) 91.0 (34.76-2.80)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	0.14	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.17 (at 2.81Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.260 , 0.322 0.243 , 0.298	Depositor DCC
R_{free} test set	4379 reflections (10.06%)	wwPDB-VP
Wilson B-factor (Å ²)	55.2	Xtrriage
Anisotropy	0.022	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.25 , 22.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.24$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	11185	wwPDB-VP
Average B, all atoms (Å ²)	63.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MVA, MLE, BMT, CA, DAL, ABA, SAR, ZN, FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.72	0/3095	0.80	4/4198 (0.1%)
1	E	0.71	0/2996	0.80	2/4064 (0.0%)
2	B	0.72	0/1280	0.73	0/1711
2	F	0.72	0/1294	0.74	0/1729
3	C	0.69	0/1294	0.78	0/1733
3	G	0.69	0/1294	0.76	0/1733
4	D	0.67	0/10	0.88	0/11
4	H	0.49	0/10	0.75	0/11
All	All	0.71	0/11273	0.78	6/15190 (0.0%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	101	LEU	CA-CB-CG	6.97	131.33	115.30
1	E	144	LEU	CA-CB-CG	6.69	130.68	115.30
1	E	101	LEU	CA-CB-CG	6.50	130.25	115.30
1	A	144	LEU	CA-CB-CG	5.62	128.23	115.30
1	A	278	LEU	CA-CB-CG	5.51	127.97	115.30
1	A	314	VAL	CG1-CB-CG2	5.36	119.48	110.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3014	0	2960	16	0
1	E	2917	0	2854	21	0
2	B	1263	0	1246	8	0
2	F	1277	0	1260	12	0
3	C	1266	0	1237	11	0
3	G	1266	0	1237	7	0
4	D	85	0	110	9	0
4	H	85	0	109	3	0
5	A	1	0	0	0	0
5	E	1	0	0	0	0
6	A	1	0	0	0	0
6	E	1	0	0	0	0
7	B	4	0	0	0	0
7	F	4	0	0	0	0
All	All	11185	0	11013	73	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (73) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:63:GLN:HE21	4:D:4:MVA:HG12	1.38	0.87
2:B:45:LEU:H	2:B:45:LEU:HD12	1.47	0.79
3:C:85:ASP:H	3:C:106:ASN:HD22	1.33	0.77
2:B:122:ASN:HD22	4:D:5:BMT:HH2	1.53	0.74
1:E:349:VAL:HG22	2:F:135:THR:HG21	1.80	0.64
3:G:1:MET:H2	3:G:3:ASN:HD22	1.44	0.63
1:E:335:ASN:HD22	1:E:336:CYS:H	1.47	0.62
1:E:348:ASP:HB2	2:F:135:THR:HG23	1.83	0.60
3:G:1:MET:N	3:G:3:ASN:HD22	2.02	0.58
1:E:208:THR:HA	1:E:272:ASN:HD21	1.69	0.58
1:E:230:ILE:HG22	1:E:231:LEU:HD12	1.87	0.57
3:G:9:ASP:HB2	3:G:160:ASP:HB3	1.89	0.54
3:G:94:GLY:HA2	3:G:118:LYS:HA	1.90	0.54
3:C:85:ASP:H	3:C:106:ASN:ND2	2.04	0.52
1:E:323:LYS:HG3	1:E:330:ASN:HB2	1.91	0.51
2:B:45:LEU:HD13	2:B:48:LEU:HD22	1.93	0.51
3:C:145:PHE:HB2	3:C:156:ILE:HD11	1.92	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:141:ALA:O	3:C:144:ARG:HG2	2.12	0.50
2:B:111:LEU:O	2:B:115:LEU:HG	2.12	0.49
3:C:63:GLN:NE2	4:D:4:MVA:HG12	2.17	0.49
1:E:88:CYS:SG	1:E:101:LEU:HD11	2.53	0.48
2:F:110:GLU:O	2:F:114:VAL:HG23	2.12	0.48
1:A:349:VAL:HG22	2:B:135:THR:HG21	1.95	0.48
2:F:48:LEU:O	2:F:54:VAL:HG21	2.13	0.48
1:A:154:ARG:HG2	1:A:220:GLU:OE1	2.13	0.48
4:D:9:VAL:HA	4:D:10:MLE:HN1	1.65	0.47
2:B:98:TYR:HA	2:B:114:VAL:HG21	1.96	0.47
1:A:238:ASP:HB3	1:A:241:ASN:HB2	1.95	0.47
3:C:113:PHE:CD1	4:D:4:MVA:HG11	2.50	0.47
4:D:1:DAL:HA	4:D:2:MLE:HN1	1.57	0.47
2:F:81:PHE:HB3	2:F:167:VAL:HG22	1.96	0.47
1:A:257:SER:OG	1:A:258:TYR:N	2.46	0.47
1:A:34:VAL:HG11	1:A:64:ILE:HD11	1.97	0.46
3:C:87:ASN:O	3:C:127:VAL:HG13	2.16	0.46
1:A:113:TYR:HB2	1:A:144:LEU:HD22	1.98	0.46
3:C:18:GLY:HA3	3:C:138:ILE:HD12	1.98	0.46
1:A:217:ARG:HG2	1:A:218:PHE:H	1.80	0.45
2:B:164:LYS:NZ	3:C:71:ASN:HD22	2.15	0.45
1:E:100:LYS:O	1:E:104:VAL:HG23	2.16	0.45
2:F:36:SER:HB2	2:F:68:GLU:HB3	1.98	0.45
1:E:185:LEU:HA	1:E:186:PRO:HD3	1.85	0.45
1:E:267:GLU:O	1:E:271:HIS:HB2	2.16	0.45
3:G:54:HIS:CD2	3:G:54:HIS:H	2.35	0.45
1:E:371:ILE:H	1:E:371:ILE:HG13	1.60	0.45
1:E:372:CYS:HB3	2:F:25:ARG:HG2	1.99	0.45
1:A:221:PRO:HA	1:A:222:PRO:HD3	1.76	0.44
1:A:57:GLU:HB2	1:A:60:VAL:HG12	1.98	0.44
2:F:29:LEU:HD13	2:F:37:LEU:HD21	1.99	0.44
2:F:152:PHE:O	2:F:156:VAL:HG22	2.18	0.43
1:A:16:ARG:NH2	1:A:21:VAL:HG23	2.34	0.43
1:A:335:ASN:HD22	1:A:336:CYS:H	1.66	0.43
1:A:278:LEU:HD12	1:A:303:ILE:HB	1.99	0.43
1:A:63:ARG:O	1:A:67:GLU:HB2	2.19	0.43
1:E:364:MET:O	1:E:368:VAL:HG23	2.19	0.42
1:A:134:TRP:O	1:A:138:ILE:HG13	2.19	0.42
4:H:9:VAL:HA	4:H:10:MLE:HN1	1.64	0.42
1:A:43:VAL:HG11	1:A:136:LEU:HD23	2.01	0.42
4:D:2:MLE:HA	4:D:3:MLE:HN1	1.83	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:241:ASN:HD22	1:E:241:ASN:N	2.18	0.42
1:E:354:LEU:HD21	2:F:94:ALA:HB1	2.01	0.42
3:G:73:THR:HG22	4:H:7:SAR:HA3	2.02	0.42
1:E:312:LEU:HD13	4:H:2:MLE:HD21	2.02	0.42
3:C:55:ARG:HB3	3:C:63:GLN:HB3	2.01	0.41
1:E:126:SER:O	1:E:130:VAL:HG23	2.20	0.41
4:D:4:MVA:HA	4:D:5:BMT:HN1	1.77	0.41
1:E:86:THR:HG23	1:E:323:LYS:HB3	2.02	0.41
2:F:53:LEU:O	2:F:57:VAL:HG23	2.21	0.40
1:E:15:ASP:HB3	2:F:109:GLY:H	1.85	0.40
1:E:125:PHE:HZ	1:E:340:PRO:HB2	1.86	0.40
2:B:122:ASN:ND2	4:D:5:BMT:HH2	2.29	0.40
3:G:85:ASP:H	3:G:106:ASN:HD22	1.69	0.40
1:A:261:SER:O	1:A:265:VAL:HG23	2.21	0.40
1:E:160:PHE:HB3	1:E:161:THR:H	1.77	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	370/372 (100%)	337 (91%)	30 (8%)	3 (1%)	19 49
1	E	357/372 (96%)	318 (89%)	32 (9%)	7 (2%)	7 24
2	B	156/169 (92%)	145 (93%)	11 (7%)	0	100 100
2	F	158/169 (94%)	141 (89%)	14 (9%)	3 (2%)	8 26
3	C	163/165 (99%)	155 (95%)	6 (4%)	2 (1%)	13 39
3	G	163/165 (99%)	147 (90%)	16 (10%)	0	100 100
4	D	1/11 (9%)	1 (100%)	0	0	100 100
4	H	1/11 (9%)	1 (100%)	0	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1369/1434 (96%)	1245 (91%)	109 (8%)	15 (1%)	14 41

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	81	GLU
1	E	245	GLN
1	E	239	PHE
1	E	246	GLU
1	E	295	GLN
1	A	304	THR
1	E	58	GLU
1	E	94	GLN
2	F	158	GLY
1	A	237	GLU
2	F	16	ALA
1	A	3	GLU
3	C	25	PHE
1	E	122	ARG
2	F	57	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	333/333 (100%)	308 (92%)	25 (8%)	13 37
1	E	321/333 (96%)	300 (94%)	21 (6%)	17 44
2	B	141/150 (94%)	136 (96%)	5 (4%)	36 70
2	F	143/150 (95%)	137 (96%)	6 (4%)	30 63
3	C	133/133 (100%)	130 (98%)	3 (2%)	50 82
3	G	133/133 (100%)	128 (96%)	5 (4%)	33 67
4	D	1/1 (100%)	1 (100%)	0	100 100
4	H	1/1 (100%)	1 (100%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1206/1234 (98%)	1141 (95%)	65 (5%)	22 53

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	THR
1	A	15	ASP
1	A	58	GLU
1	A	81	ILE
1	A	101	LEU
1	A	110	ASN
1	A	134	TRP
1	A	143	THR
1	A	144	LEU
1	A	154	ARG
1	A	155	HIS
1	A	156	LEU
1	A	164	GLN
1	A	247	HIS
1	A	249	THR
1	A	259	PHE
1	A	266	CYS
1	A	278	LEU
1	A	279	ARG
1	A	295	GLN
1	A	314	VAL
1	A	335	ASN
1	A	363	GLU
1	A	366	VAL
1	A	368	VAL
2	B	30	ASP
2	B	42	PHE
2	B	45	LEU
2	B	54	VAL
2	B	63	THR
3	C	29	VAL
3	C	61	MET
3	C	120	GLU
1	E	15	ASP
1	E	37	ASN
1	E	58	GLU
1	E	82	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	101	LEU
1	E	154	ARG
1	E	156	LEU
1	E	196	LEU
1	E	198	VAL
1	E	224	TYR
1	E	245	GLN
1	E	247	HIS
1	E	259	PHE
1	E	266	CYS
1	E	279	ARG
1	E	297	THR
1	E	314	VAL
1	E	322	LEU
1	E	335	ASN
1	E	354	LEU
1	E	364	MET
2	F	30	ASP
2	F	62	ASP
2	F	79	SER
2	F	119	VAL
2	F	146	ARG
2	F	168	ASP
3	G	29	VAL
3	G	61	MET
3	G	67	PHE
3	G	69	ARG
3	G	165	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	164	GLN
1	A	295	GLN
1	A	316	ASN
1	A	335	ASN
2	B	122	ASN
3	C	63	GLN
3	C	71	ASN
3	C	106	ASN
1	E	37	ASN
1	E	241	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	335	ASN
2	F	51	ASN
2	F	55	GLN
3	G	3	ASN
3	G	54	HIS
3	G	106	ASN
3	G	111	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

18 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	BMT	D	5	4	11,12,13	1.23	1 (9%)	12,14,16	0.96	0
4	ABA	D	6	4	4,5,6	0.80	0	1,5,7	1.09	0
4	MLE	H	10	4	7,8,9	0.94	1 (14%)	6,9,11	1.21	0
4	MLE	H	8	4	7,8,9	0.88	0	6,9,11	1.15	1 (16%)
4	SAR	D	7	4	4,4,5	0.81	0	1,3,5	2.17	1 (100%)
4	MLE	H	2	4	7,8,9	0.81	0	6,9,11	2.57	1 (16%)
4	ABA	H	6	4	4,5,6	0.64	0	1,5,7	0.63	0
4	MLE	H	3	4	7,8,9	0.82	0	6,9,11	1.47	2 (33%)
4	MLE	D	3	4	7,8,9	0.95	1 (14%)	6,9,11	1.71	2 (33%)
4	MLE	D	8	4	7,8,9	0.84	0	6,9,11	1.28	0
4	MLE	D	10	4	7,8,9	0.89	1 (14%)	6,9,11	1.17	0
4	MLE	D	2	4	7,8,9	1.13	1 (14%)	6,9,11	1.71	1 (16%)
4	MVA	D	4	4	6,7,8	1.59	2 (33%)	7,8,10	1.18	1 (14%)
4	MVA	H	4	4	6,7,8	1.22	1 (16%)	7,8,10	1.34	1 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SAR	H	7	4	4,4,5	0.78	0	1,3,5	2.15	1 (100%)
4	BMT	H	5	4	11,12,13	1.19	1 (9%)	12,14,16	1.03	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BMT	D	5	4	-	2/13/16/18	-
4	ABA	D	6	4	-	0/3/4/6	-
4	MLE	H	10	4	-	0/5/8/10	-
4	MLE	H	8	4	-	1/5/8/10	-
4	SAR	D	7	4	-	1/1/2/3	-
4	MLE	H	2	4	-	2/5/8/10	-
4	ABA	H	6	4	-	0/3/4/6	-
4	MLE	H	3	4	-	0/5/8/10	-
4	MLE	D	3	4	-	2/5/8/10	-
4	MLE	D	8	4	-	1/5/8/10	-
4	MLE	D	10	4	-	0/5/8/10	-
4	MLE	D	2	4	-	2/5/8/10	-
4	MVA	D	4	4	-	1/6/8/10	-
4	MVA	H	4	4	-	1/6/8/10	-
4	SAR	H	7	4	-	1/1/2/3	-
4	BMT	H	5	4	-	1/13/16/18	-

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	5	BMT	CG2-CB	2.80	1.58	1.53
4	D	4	MVA	CB-CA	2.74	1.58	1.54
4	H	4	MVA	CB-CA	2.22	1.58	1.54
4	H	5	BMT	CG2-CB	2.11	1.57	1.53
4	D	3	MLE	CN-N	2.09	1.52	1.46
4	D	10	MLE	CN-N	2.07	1.52	1.46
4	D	4	MVA	CN-N	2.05	1.52	1.46
4	H	10	MLE	CN-N	2.02	1.52	1.46
4	D	2	MLE	CN-N	2.01	1.52	1.46

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	2	MLE	CG-CB-CA	5.72	129.61	115.34
4	D	2	MLE	CG-CB-CA	3.25	123.45	115.34
4	D	3	MLE	CG-CB-CA	2.98	122.76	115.34
4	H	4	MVA	CB-CA-C	-2.83	109.49	113.04
4	H	3	MLE	CG-CB-CA	2.19	120.80	115.34
4	D	7	SAR	O-C-CA	-2.17	119.15	125.42
4	H	7	SAR	O-C-CA	-2.15	119.21	125.42
4	D	4	MVA	CB-CA-C	-2.14	110.36	113.04
4	H	3	MLE	CN-N-CA	2.11	120.21	113.64
4	H	8	MLE	CN-N-CA	2.05	120.02	113.64
4	D	3	MLE	CN-N-CA	2.03	119.96	113.64

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	H	7	SAR	C-CA-N-CN
4	D	8	MLE	O-C-CA-CB
4	H	8	MLE	O-C-CA-CB
4	D	3	MLE	CA-CB-CG-CD2
4	D	2	MLE	C-CA-CB-CG
4	H	2	MLE	C-CA-CB-CG
4	D	2	MLE	N-CA-CB-CG
4	H	2	MLE	N-CA-CB-CG
4	D	5	BMT	CB-CA-N-CN
4	H	5	BMT	CB-CA-N-CN
4	D	4	MVA	CB-CA-N-CN
4	H	4	MVA	CB-CA-N-CN
4	D	5	BMT	CG2-CD2-CE-CZ
4	D	7	SAR	C-CA-N-CN
4	D	3	MLE	CA-CB-CG-CD1

There are no ring outliers.

8 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	5	BMT	3	0
4	H	10	MLE	1	0
4	H	2	MLE	1	0
4	D	3	MLE	1	0
4	D	10	MLE	1	0
4	D	2	MLE	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	4	MVA	4	0
4	H	7	SAR	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 12 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	372/372 (100%)	0.15	17 (4%) 32 22	18, 52, 97, 100	0
1	E	359/372 (96%)	0.12	16 (4%) 33 23	24, 65, 99, 100	0
2	B	158/169 (93%)	0.22	8 (5%) 28 19	23, 92, 100, 100	0
2	F	160/169 (94%)	0.88	32 (20%) 1 0	58, 98, 100, 100	0
3	C	165/165 (100%)	-0.42	0 100 100	15, 33, 51, 76	0
3	G	165/165 (100%)	0.21	10 (6%) 21 13	28, 76, 99, 100	0
4	D	2/11 (18%)	-0.73	0 100 100	17, 17, 17, 30	0
4	H	2/11 (18%)	-0.60	0 100 100	49, 49, 49, 53	0
All	All	1383/1434 (96%)	0.17	83 (6%) 21 14	15, 63, 100, 100	0

All (83) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	370	ASN	6.1
1	E	244	THR	6.0
1	A	327	ASN	6.0
2	F	69	VAL	5.9
2	B	14	PHE	5.2
3	G	16	PRO	4.7
2	F	61	PHE	4.4
2	F	37	LEU	4.4
2	F	58	ILE	4.3
2	F	74	PHE	4.1
2	F	28	LYS	4.1
1	A	295	GLN	4.0
2	F	29	LEU	4.0
1	E	371	ILE	3.9
2	F	16	ALA	3.9
1	E	367	ASN	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	243	LYS	3.8
2	F	27	LYS	3.8
2	B	39	VAL	3.8
2	B	84	LYS	3.8
2	F	31	LEU	3.8
1	A	328	VAL	3.8
2	F	169	VAL	3.7
3	G	156	ILE	3.7
2	F	78	VAL	3.6
2	F	10	MET	3.6
1	E	17	VAL	3.6
1	A	89	GLY	3.6
2	F	14	PHE	3.5
2	B	67	GLY	3.5
1	E	14	THR	3.4
3	G	36	PHE	3.4
2	F	32	ASP	3.4
2	B	74	PHE	3.3
1	E	372	CYS	3.2
3	G	15	GLU	3.2
3	G	17	LEU	3.2
3	G	80	GLY	3.1
1	A	245	GLN	3.0
1	E	20	ALA	3.0
2	F	168	ASP	2.8
1	A	84	PRO	2.8
1	A	117	GLY	2.8
1	E	15	ASP	2.8
2	F	23	GLY	2.7
2	F	42	PHE	2.7
2	F	86	ASP	2.7
1	A	280	ALA	2.6
1	A	199	HIS	2.6
2	B	40	GLU	2.6
1	E	246	GLU	2.6
2	F	25	ARG	2.6
2	F	24	LYS	2.5
2	F	62	ASP	2.5
1	E	368	VAL	2.5
3	G	8	PHE	2.5
1	A	147	LEU	2.4
1	E	243	LYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	17	ASP	2.4
1	A	39	GLY	2.3
3	G	14	GLY	2.3
2	F	153	CYS	2.3
2	F	84	LYS	2.3
2	F	150	GLU	2.3
1	A	88	CYS	2.3
3	G	6	VAL	2.3
1	A	90	ASP	2.3
2	F	87	LYS	2.3
1	A	241	ASN	2.2
1	E	238	ASP	2.2
1	A	116	LEU	2.2
2	F	79	SER	2.2
2	B	81	PHE	2.2
1	A	324	TYR	2.2
1	E	173	ARG	2.2
2	B	28	LYS	2.2
3	G	75	GLY	2.1
1	E	245	GLN	2.1
2	F	47	GLU	2.1
2	F	91	LEU	2.1
2	F	167	VAL	2.1
1	E	236	LEU	2.0
2	F	15	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MLE	H	8	9/10	0.94	0.21	53,57,58,59	0
4	SAR	H	7	5/6	0.95	0.21	52,54,58,59	0
4	MLE	D	2	9/10	0.95	0.22	17,24,33,35	0
4	MLE	H	10	9/10	0.95	0.21	46,49,55,56	0
4	BMT	H	5	13/14	0.96	0.18	24,28,43,44	0
4	DAL	D	1	5/6	0.96	0.13	29,30,34,37	0
4	MLE	H	2	9/10	0.96	0.21	43,48,50,51	0
4	BMT	D	5	13/14	0.96	0.20	8,13,25,26	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	ABA	H	6	6/7	0.97	0.16	48,53,56,57	0
4	MLE	H	3	9/10	0.97	0.18	25,37,46,48	0
4	MLE	D	8	9/10	0.97	0.18	10,16,23,24	0
4	DAL	H	1	5/6	0.97	0.15	51,51,51,52	0
4	MLE	D	3	9/10	0.97	0.14	17,19,24,28	0
4	MVA	H	4	8/9	0.98	0.17	39,40,42,43	0
4	MLE	D	10	9/10	0.98	0.15	13,16,21,25	0
4	MVA	D	4	8/9	0.98	0.13	6,12,19,20	0
4	SAR	D	7	5/6	0.99	0.20	23,25,26,30	0
4	ABA	D	6	6/7	0.99	0.15	16,21,24,26	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
7	CA	B	500	1/1	0.42	0.10	100,100,100,100	0
7	CA	F	503	1/1	0.71	0.07	99,99,99,99	0
7	CA	F	502	1/1	0.85	0.10	97,97,97,97	0
7	CA	F	501	1/1	0.92	0.11	93,93,93,93	0
6	FE	A	505	1/1	0.93	0.24	42,42,42,42	0
7	CA	B	501	1/1	0.93	0.05	94,94,94,94	0
7	CA	F	500	1/1	0.93	0.07	95,95,95,95	0
5	ZN	A	504	1/1	0.94	0.23	52,52,52,52	0
7	CA	B	502	1/1	0.95	0.08	58,58,58,58	0
6	FE	E	505	1/1	0.96	0.20	55,55,55,55	0
7	CA	B	503	1/1	0.98	0.12	46,46,46,46	0
5	ZN	E	504	1/1	0.99	0.17	46,46,46,46	0

6.5 Other polymers [i](#)

There are no such residues in this entry.