



Full wwPDB X-ray Structure Validation Report

(i)

Dec 9, 2024 – 02:22 PM EST

PDB ID : 9MEC

Title : Crystal Structure of Pyrophosphate-fructose 6-phosphate 1-phosphotransferase 1 (Pfk1) from Trichomonas vaginalis (AMP/alpha-D-G lucose-6-phosphate complex)

Authors : Seattle Structural Genomics Center for Infectious Disease; Seattle Structural Genomics Center for Infectious Disease (SSGCID)

Deposited on : 2024-12-06

Resolution : 2.80 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references \(1\)](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.21
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40


1 Overall quality at a glance [\(i\)](#)

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3657 (2.80-2.80)
Clashscore	180529	4123 (2.80-2.80)
Ramachandran outliers	177936	4071 (2.80-2.80)
Sidechain outliers	177891	4073 (2.80-2.80)
RSRZ outliers	164620	3659 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition (i)

There are 9 unique types of molecules in this entry. The entry contains 13092 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyrophosphate--fructose 6-phosphate 1-phosphotransferase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	422	Total	C 3219	N 2044	O 561	S 598	16	0	0
1	B	423	Total	C 3248	N 2062	O 566	S 603	17	0	0
1	C	423	Total	C 3244	N 2060	O 566	S 601	17	0	0
1	D	417	Total	C 3188	N 2024	O 554	S 593	17	0	0

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	initiating methionine	UNP O61068
A	-6	ALA	-	expression tag	UNP O61068
A	-5	HIS	-	expression tag	UNP O61068
A	-4	HIS	-	expression tag	UNP O61068
A	-3	HIS	-	expression tag	UNP O61068
A	-2	HIS	-	expression tag	UNP O61068
A	-1	HIS	-	expression tag	UNP O61068
A	0	HIS	-	expression tag	UNP O61068
B	-7	MET	-	initiating methionine	UNP O61068
B	-6	ALA	-	expression tag	UNP O61068
B	-5	HIS	-	expression tag	UNP O61068
B	-4	HIS	-	expression tag	UNP O61068
B	-3	HIS	-	expression tag	UNP O61068
B	-2	HIS	-	expression tag	UNP O61068
B	-1	HIS	-	expression tag	UNP O61068
B	0	HIS	-	expression tag	UNP O61068
C	-7	MET	-	initiating methionine	UNP O61068
C	-6	ALA	-	expression tag	UNP O61068
C	-5	HIS	-	expression tag	UNP O61068
C	-4	HIS	-	expression tag	UNP O61068
C	-3	HIS	-	expression tag	UNP O61068

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-2	HIS	-	expression tag	UNP O61068
C	-1	HIS	-	expression tag	UNP O61068
C	0	HIS	-	expression tag	UNP O61068
D	-7	MET	-	initiating methionine	UNP O61068
D	-6	ALA	-	expression tag	UNP O61068
D	-5	HIS	-	expression tag	UNP O61068
D	-4	HIS	-	expression tag	UNP O61068
D	-3	HIS	-	expression tag	UNP O61068
D	-2	HIS	-	expression tag	UNP O61068
D	-1	HIS	-	expression tag	UNP O61068
D	0	HIS	-	expression tag	UNP O61068

- Molecule 2 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula: C₁₀H₁₄N₅O₇P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	D	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 3 is PYROPHOSPHATE (three-letter code: PPV) (formula: H₄O₇P₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O P 9 7 2	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0

- Molecule 5 is 6-O-phosphono-alpha-D-glucopyranose (three-letter code: G6P) (formula: C₆H₁₃O₉P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O P 16 6 9 1	0	0
5	B	1	Total C O P 16 6 9 1	0	0

- Molecule 6 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total O P 5 4 1	0	0
6	A	1	Total O P 5 4 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total O P 5 4 1	0	0
6	B	1	Total O P 5 4 1	0	0
6	B	1	Total O P 5 4 1	0	0
6	B	1	Total O P 5 4 1	0	0
6	C	1	Total O P 5 4 1	0	0
6	C	1	Total O P 5 4 1	0	0
6	D	1	Total O P 5 4 1	0	0

- Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Cl 1 1	0	0

- Molecule 8 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total Mg 1 1	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	1	Total O 1 1	0	0
9	B	2	Total O 2 2	0	0
9	C	2	Total O 2 2	0	0
9	D	2	Total O 2 2	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pyrophosphate--fructose 6-phosphate 1-phosphotransferase 1




- Molecule 1: Pyrophosphate--fructose 6-phosphate 1-phosphotransferase 1



- Molecule 1: Pyrophosphate--fructose 6-phosphate 1-phosphotransferase 1



- Molecule 1: Pyrophosphate--fructose 6-phosphate 1-phosphotransferase 1





4 Data and refinement statistics i

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	86.91Å 86.91Å 473.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.94 – 2.80 48.94 – 2.80	Depositor EDS
% Data completeness (in resolution range)	100.0 (48.94-2.80) 100.0 (48.94-2.80)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.99 (at 2.81Å)	Xtriage
Refinement program	PHENIX dev_5438	Depositor
R , R_{free}	0.200 , 0.237 0.204 , 0.236	Depositor DCC
R_{free} test set	2359 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å ²)	70.3	Xtriage
Anisotropy	0.130	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 46.7	EDS
L-test for twinning ²	$< L > = 0.45$, $< L^2 > = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13092	wwPDB-VP
Average B, all atoms (Å ²)	82.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.32% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: AMP, PPV, G6P, CL, PO4, GOL, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/3279	0.54	0/4437
1	B	0.31	0/3308	0.54	0/4472
1	C	0.32	0/3304	0.56	0/4467
1	D	0.32	0/3244	0.55	0/4386
All	All	0.32	0/13135	0.55	0/17762

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3219	0	3247	28	0
1	B	3248	0	3299	22	0
1	C	3244	0	3295	25	0
1	D	3188	0	3231	25	0
2	A	46	0	24	0	0
2	B	23	0	12	0	0
2	D	23	0	12	0	0
3	A	9	0	0	0	0
4	A	6	0	8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	16	0	11	1	0
5	B	16	0	11	1	0
6	A	10	0	0	0	0
6	B	20	0	0	0	0
6	C	10	0	0	0	0
6	D	5	0	0	0	0
7	A	1	0	0	0	0
8	A	1	0	0	0	0
9	A	1	0	0	0	0
9	B	2	0	0	0	0
9	C	2	0	0	0	0
9	D	2	0	0	0	0
All	All	13092	0	13150	96	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (96) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:342:LEU:HD12	1:D:358:LEU:HD12	1.57	0.87
1:C:90:PRO:HA	1:C:93:GLN:HB2	1.67	0.76
1:D:355:PHE:CE2	1:D:359:LEU:HD21	2.19	0.75
1:C:342:LEU:HD12	1:C:358:LEU:HD12	1.69	0.74
1:A:363:THR:HG22	1:A:365:ARG:HD3	1.68	0.73
1:A:355:PHE:CE2	1:A:359:LEU:HD21	2.27	0.69
1:A:121:VAL:HG11	1:A:355:PHE:CG	2.30	0.67
1:C:275:ILE:HD12	1:C:275:ILE:H	1.60	0.66
1:A:121:VAL:HG11	1:A:355:PHE:CD2	2.30	0.66
1:A:112:GLY:HA2	1:A:139:LYS:HE3	1.77	0.65
1:C:56:VAL:O	1:C:60:THR:HG23	1.96	0.65
1:D:20:LEU:HD21	1:D:139:LYS:HD3	1.82	0.60
1:A:20:LEU:HD21	1:A:139:LYS:HD3	1.85	0.59
1:A:136:SER:HB3	1:A:342:LEU:CD2	2.33	0.59
1:C:179:ARG:HB2	1:C:300:ARG:HG3	1.85	0.57
1:A:121:VAL:HG21	1:A:355:PHE:CE2	2.39	0.56
1:B:386:TRP:HD1	5:B:502:G6P:HO1	1.53	0.56
1:A:118:SER:O	1:A:121:VAL:HG22	2.05	0.56
1:D:85:ASN:HD21	1:D:87:ARG:HE	1.54	0.56
1:A:342:LEU:HD12	1:A:358:LEU:CD1	2.36	0.56
1:D:112:GLY:HA2	1:D:139:LYS:HE3	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:56:VAL:O	1:B:60:THR:HG23	2.07	0.54
1:A:52:ASP:OD2	1:A:55:VAL:HG23	2.07	0.54
1:B:136:SER:HB3	1:B:342:LEU:CD2	2.39	0.53
1:A:275:ILE:HD12	1:A:275:ILE:H	1.73	0.52
1:B:20:LEU:HD21	1:B:139:LYS:HD3	1.92	0.52
1:A:174:SER:O	1:A:178:PRO:HA	2.09	0.52
1:B:52:ASP:OD2	1:B:55:VAL:HG23	2.10	0.51
1:C:52:ASP:OD2	1:C:55:VAL:HG23	2.10	0.51
1:B:270:ASP:HB3	1:B:276:LEU:HD21	1.91	0.51
1:B:138:PRO:HB2	1:B:145:LEU:HD11	1.93	0.51
1:A:56:VAL:O	1:A:60:THR:HG23	2.11	0.51
1:C:270:ASP:HB3	1:C:276:LEU:HD21	1.92	0.51
1:D:124:ALA:HB2	1:D:134:VAL:HG21	1.92	0.50
1:B:281:GLU:OE2	1:C:284:ARG:NE	2.45	0.50
1:C:87:ARG:HH22	1:C:365:ARG:HH21	1.59	0.50
1:C:124:ALA:HB2	1:C:134:VAL:HG21	1.93	0.50
1:D:174:SER:O	1:D:178:PRO:HA	2.12	0.49
1:A:270:ASP:HB3	1:A:276:LEU:HD21	1.95	0.49
1:A:124:ALA:HB2	1:A:134:VAL:HG11	1.94	0.49
1:D:356:LYS:HA	1:D:359:LEU:HD12	1.95	0.49
1:C:179:ARG:HG3	1:C:180:TRP:N	2.28	0.48
1:A:106:ARG:HH12	1:A:133:SER:HB2	1.78	0.48
1:A:121:VAL:HG11	1:A:355:PHE:CD1	2.49	0.48
1:B:174:SER:O	1:B:178:PRO:HA	2.13	0.47
1:B:179:ARG:HG3	1:B:180:TRP:N	2.28	0.47
1:D:330:ALA:O	1:D:334:PHE:CD2	2.67	0.47
1:D:179:ARG:HB2	1:D:300:ARG:HG3	1.95	0.47
1:C:281:GLU:OE1	1:C:284:ARG:HD3	2.14	0.47
1:B:167:ILE:HD11	1:B:197:MET:HE3	1.96	0.47
1:D:184:GLU:HB3	1:D:305:LYS:HG2	1.96	0.47
1:D:355:PHE:CE2	1:D:359:LEU:HD11	2.50	0.47
1:B:136:SER:HB3	1:B:342:LEU:HD23	1.95	0.47
1:C:141:ILE:HD11	1:C:159:ALA:HB2	1.96	0.47
1:A:342:LEU:HD12	1:A:358:LEU:HD13	1.97	0.46
1:A:110:THR:O	1:A:136:SER:HA	2.15	0.46
1:D:281:GLU:OE1	1:D:284:ARG:HD3	2.16	0.46
1:A:183:VAL:HA	1:A:304:LYS:O	2.15	0.46
1:D:270:ASP:HB3	1:D:276:LEU:HD21	1.98	0.45
1:B:227:GLU:HG3	1:B:294:LEU:HD11	1.99	0.45
1:D:138:PRO:HD2	1:D:343:ILE:O	2.17	0.45
1:D:135:ILE:CD1	1:D:341:ALA:HB3	2.46	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:11:LEU:HD12	1:A:11:LEU:C	2.38	0.44
1:A:124:ALA:CB	1:A:134:VAL:HG11	2.48	0.44
1:A:139:LYS:O	1:A:140:THR:HB	2.17	0.44
1:B:37:LYS:HE2	1:B:62:ASP:OD1	2.18	0.44
1:B:11:LEU:HD12	1:B:11:LEU:C	2.38	0.44
1:A:121:VAL:HG11	1:A:355:PHE:CE2	2.53	0.44
1:B:284:ARG:CZ	1:C:281:GLU:OE2	2.66	0.44
1:B:214:GLN:HG3	1:B:216:GLU:O	2.18	0.43
1:C:86:PRO:HG2	1:C:119:SER:HB3	2.01	0.43
5:A:505:G6P:O4	1:C:69:SER:O	2.26	0.43
1:C:117:ALA:HB1	1:C:355:PHE:CZ	2.54	0.42
1:B:138:PRO:HD2	1:B:343:ILE:O	2.19	0.42
1:C:214:GLN:HE22	1:C:423:VAL:HG13	1.83	0.42
1:C:11:LEU:C	1:C:11:LEU:HD12	2.40	0.42
1:A:281:GLU:OE2	1:D:284:ARG:NE	2.52	0.42
1:C:214:GLN:HG3	1:C:216:GLU:O	2.19	0.42
1:D:56:VAL:O	1:D:60:THR:HG23	2.20	0.42
1:D:329:GLY:HA3	1:D:350:VAL:HG11	2.02	0.42
1:A:284:ARG:NE	1:D:281:GLU:OE2	2.53	0.42
1:C:174:SER:O	1:C:178:PRO:HA	2.20	0.41
1:C:382:ARG:NH1	1:C:387:ARG:CZ	2.83	0.41
1:A:136:SER:HB3	1:A:342:LEU:HD23	2.02	0.41
1:B:214:GLN:HE22	1:B:423:VAL:HG13	1.85	0.41
1:C:138:PRO:HD2	1:C:343:ILE:O	2.20	0.41
1:C:114:ASP:OD1	1:C:115:ASP:N	2.54	0.41
1:D:355:PHE:CZ	1:D:359:LEU:HD21	2.53	0.41
1:D:183:VAL:HA	1:D:304:LYS:O	2.21	0.41
1:C:170:LEU:HD11	1:C:304:LYS:HG2	2.03	0.41
1:D:167:ILE:HD11	1:D:197:MET:HE3	2.03	0.41
1:B:128:ASN:HB3	1:B:131:GLU:HG2	2.03	0.40
1:D:141:ILE:HD11	1:D:159:ALA:HB2	2.03	0.40
1:B:136:SER:O	1:B:342:LEU:HA	2.21	0.40
1:D:11:LEU:C	1:D:11:LEU:HD12	2.42	0.40
1:B:342:LEU:HD12	1:B:358:LEU:HD12	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	420/434 (97%)	415 (99%)	5 (1%)	0	100 100
1	B	421/434 (97%)	416 (99%)	5 (1%)	0	100 100
1	C	421/434 (97%)	414 (98%)	7 (2%)	0	100 100
1	D	413/434 (95%)	408 (99%)	5 (1%)	0	100 100
All	All	1675/1736 (96%)	1653 (99%)	22 (1%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	338/355 (95%)	330 (98%)	8 (2%)	44 77
1	B	345/355 (97%)	336 (97%)	9 (3%)	41 75
1	C	344/355 (97%)	339 (98%)	5 (2%)	60 86
1	D	337/355 (95%)	331 (98%)	6 (2%)	54 83
All	All	1364/1420 (96%)	1336 (98%)	28 (2%)	48 80

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	77	THR
1	A	131	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	134	VAL
1	A	179	ARG
1	A	218	GLU
1	A	233	ARG
1	A	260	LYS
1	A	322	TYR
1	B	69	SER
1	B	77	THR
1	B	127	MET
1	B	179	ARG
1	B	186	MET
1	B	270	ASP
1	B	300	ARG
1	B	322	TYR
1	B	382	ARG
1	C	77	THR
1	C	88	LYS
1	C	179	ARG
1	C	272	HIS
1	C	382	ARG
1	D	77	THR
1	D	127	MET
1	D	179	ARG
1	D	322	TYR
1	D	332	ASP
1	D	376	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 19 ligands modelled in this entry, 2 are monoatomic - leaving 17 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
6	PO4	D	502	-	4,4,4	1.70	1 (25%)	6,6,6	0.64	0
2	AMP	A	502	-	21,25,25	0.90	1 (4%)	23,38,38	1.40	2 (8%)
3	PPV	A	503	8	6,8,8	0.67	0	12,13,13	1.06	0
4	GOL	A	504	-	5,5,5	0.27	0	5,5,5	0.39	0
6	PO4	B	506	-	4,4,4	1.83	1 (25%)	6,6,6	0.63	0
6	PO4	A	506	-	4,4,4	1.83	1 (25%)	6,6,6	0.55	0
6	PO4	A	507	-	4,4,4	1.75	1 (25%)	6,6,6	0.54	0
5	G6P	B	502	-	16,16,16	1.32	1 (6%)	23,24,24	1.79	5 (21%)
2	AMP	A	501	-	21,25,25	0.90	1 (4%)	23,38,38	1.46	3 (13%)
6	PO4	B	503	-	4,4,4	1.68	1 (25%)	6,6,6	0.72	0
6	PO4	B	505	-	4,4,4	1.88	1 (25%)	6,6,6	0.39	0
5	G6P	A	505	-	16,16,16	1.28	1 (6%)	23,24,24	1.76	4 (17%)
2	AMP	D	501	-	21,25,25	0.84	0	23,38,38	1.45	3 (13%)
6	PO4	C	501	-	4,4,4	1.68	1 (25%)	6,6,6	0.52	0
6	PO4	C	502	-	4,4,4	1.78	1 (25%)	6,6,6	0.48	0
2	AMP	B	501	-	21,25,25	0.81	1 (4%)	23,38,38	1.50	3 (13%)
6	PO4	B	504	-	4,4,4	1.81	1 (25%)	6,6,6	0.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AMP	A	502	-	-	0/6/26/26	0/3/3/3
3	PPV	A	503	8	-	0/6/6/6	-
4	GOL	A	504	-	-	3/4/4/4	-
5	G6P	B	502	-	-	5/6/26/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AMP	A	501	-	-	5/6/26/26	0/3/3/3
5	G6P	A	505	-	-	5/6/26/26	0/1/1/1
2	AMP	D	501	-	-	5/6/26/26	0/3/3/3
2	AMP	B	501	-	-	3/6/26/26	0/3/3/3

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	502	G6P	P-O6	4.33	1.74	1.60
5	A	505	G6P	P-O6	4.11	1.73	1.60
6	B	505	PO4	P-O1	3.16	1.58	1.50
6	B	506	PO4	P-O1	3.11	1.57	1.50
6	C	502	PO4	P-O1	3.10	1.57	1.50
6	B	504	PO4	P-O1	3.05	1.57	1.50
6	A	507	PO4	P-O1	3.01	1.57	1.50
6	A	506	PO4	P-O1	3.00	1.57	1.50
6	B	503	PO4	P-O1	2.97	1.57	1.50
6	D	502	PO4	P-O1	2.87	1.57	1.50
6	C	501	PO4	P-O1	2.83	1.57	1.50
2	A	501	AMP	C2-N3	2.34	1.35	1.32
2	A	502	AMP	C2-N3	2.25	1.35	1.32
2	B	501	AMP	C2-N3	2.04	1.35	1.32

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	AMP	N3-C2-N1	-4.82	122.13	128.67
2	A	501	AMP	N3-C2-N1	-4.77	122.20	128.67
2	D	501	AMP	N3-C2-N1	-4.76	122.21	128.67
2	A	502	AMP	N3-C2-N1	-4.69	122.30	128.67
5	A	505	G6P	O5-C1-C2	4.57	118.33	110.30
5	B	502	G6P	C1-C2-C3	3.88	118.27	110.36
5	A	505	G6P	C1-O5-C5	3.59	120.61	113.65
5	B	502	G6P	O5-C1-C2	3.53	116.51	110.30
5	B	502	G6P	C1-O5-C5	3.42	120.26	113.65
5	B	502	G6P	O5-C5-C4	-2.79	104.67	109.70
5	A	505	G6P	O5-C5-C4	-2.75	104.75	109.70
5	B	502	G6P	O2-C2-C3	-2.72	103.97	110.38
5	A	505	G6P	C1-C2-C3	2.67	115.80	110.36
2	B	501	AMP	N6-C6-N1	2.30	123.25	118.33
2	A	502	AMP	C4-C5-N7	-2.28	106.93	109.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	AMP	N6-C6-N1	2.27	123.19	118.33
2	A	501	AMP	C4-C5-N7	-2.21	107.00	109.34
2	D	501	AMP	N6-C6-N1	2.19	123.02	118.33
2	D	501	AMP	C4-C5-N7	-2.15	107.06	109.34
2	B	501	AMP	O4'-C1'-N9	-2.07	106.00	108.75

There are no chirality outliers.

All (26) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	501	AMP	C5'-O5'-P-O2P
2	A	501	AMP	C5'-O5'-P-O3P
2	A	501	AMP	O4'-C4'-C5'-O5'
2	B	501	AMP	C5'-O5'-P-O2P
2	B	501	AMP	C5'-O5'-P-O3P
2	D	501	AMP	C5'-O5'-P-O1P
2	D	501	AMP	C5'-O5'-P-O2P
2	D	501	AMP	C5'-O5'-P-O3P
4	A	504	GOL	O1-C1-C2-C3
5	A	505	G6P	C4-C5-C6-O6
5	A	505	G6P	O5-C5-C6-O6
5	A	505	G6P	C6-O6-P-O1P
5	A	505	G6P	C6-O6-P-O2P
5	A	505	G6P	C6-O6-P-O3P
5	B	502	G6P	C4-C5-C6-O6
5	B	502	G6P	O5-C5-C6-O6
5	B	502	G6P	C6-O6-P-O1P
5	B	502	G6P	C6-O6-P-O2P
5	B	502	G6P	C6-O6-P-O3P
2	A	501	AMP	C3'-C4'-C5'-O5'
4	A	504	GOL	O1-C1-C2-O2
2	A	501	AMP	C5'-O5'-P-O1P
2	B	501	AMP	C5'-O5'-P-O1P
2	D	501	AMP	O4'-C4'-C5'-O5'
2	D	501	AMP	C3'-C4'-C5'-O5'
4	A	504	GOL	O2-C2-C3-O3


There are no ring outliers.


2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	502	G6P	1	0
5	A	505	G6P	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9	
1	A	422/434 (97%)	-0.36	1 (0%)	92	89	42, 71, 142, 169	0
1	B	423/434 (97%)	-0.34	1 (0%)	92	89	47, 77, 120, 157	0
1	C	423/434 (97%)	-0.36	2 (0%)	87	83	44, 73, 123, 193	0
1	D	417/434 (96%)	-0.31	2 (0%)	87	83	49, 87, 148, 188	0
All	All	1685/1736 (97%)	-0.34	6 (0%)	89	85	42, 77, 137, 193	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	355	PHE	3.1
1	A	355	PHE	2.8
1	D	114	ASP	2.3
1	C	279	ASP	2.3
1	B	313	ALA	2.2
1	C	362	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains i

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates i

There are no monosaccharides in this entry.


6.4 Ligands i


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,


median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	PO4	C	502	5/5	0.62	0.13	103,105,117,118	0
6	PO4	D	502	5/5	0.69	0.09	99,101,118,130	0
6	PO4	A	506	5/5	0.70	0.18	86,101,103,114	0
2	AMP	A	502	23/23	0.72	0.11	79,90,104,114	0
8	MG	A	509	1/1	0.73	0.22	98,98,98,98	0
4	GOL	A	504	6/6	0.76	0.11	76,81,90,93	0
2	AMP	D	501	23/23	0.78	0.11	82,94,107,110	0
6	PO4	A	507	5/5	0.80	0.12	88,90,109,115	0
6	PO4	B	506	5/5	0.82	0.22	75,84,98,100	0
6	PO4	B	505	5/5	0.84	0.07	73,73,92,95	0
2	AMP	B	501	23/23	0.85	0.09	76,87,100,105	0
5	G6P	B	502	16/16	0.86	0.12	62,76,81,85	0
6	PO4	B	504	5/5	0.87	0.14	72,77,84,87	0
2	AMP	A	501	23/23	0.87	0.08	61,74,86,95	0
7	CL	A	508	1/1	0.88	0.33	67,67,67,67	1
3	PPV	A	503	9/9	0.88	0.07	85,94,109,116	0
5	G6P	A	505	16/16	0.92	0.09	56,65,71,72	0
6	PO4	B	503	5/5	0.94	0.07	60,61,69,70	0
6	PO4	C	501	5/5	0.97	0.05	56,57,65,67	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.