



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 21, 2021 – 12:26 PM EDT

PDB ID : 7MFO
Title : X-ray structure of the L136 Aminotransferase from Acanthamoeba polyphaga mimivirus in the presence of TDP and PMP
Authors : Ferek, J.D.; Thoden, J.B.; Holden, H.M.
Deposited on : 2021-04-10
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4298 (1.70-1.70)
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	356	 2% (poor fit), 89% (0-1 outliers), 9% (2-3 outliers), 0% (4+ outliers), 0% (not modelled)
1	B	356	 2% (poor fit), 91% (0-1 outliers), 7% (2-3 outliers), 0% (4+ outliers), 0% (not modelled)
1	C	356	 3% (poor fit), 92% (0-1 outliers), 7% (2-3 outliers), 0% (4+ outliers), 0% (not modelled)
1	D	356	 4% (poor fit), 90% (0-1 outliers), 8% (2-3 outliers), 0% (4+ outliers), 0% (not modelled)
1	E	356	 2% (poor fit), 92% (0-1 outliers), 7% (2-3 outliers), 0% (4+ outliers), 0% (not modelled)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	356	 3% 92% 6% •
1	G	356	 4% 88% 10% •
1	H	356	 4% 92% 5% ••
1	I	356	 11% 83% 15% ••
1	J	356	 3% 88% 10% ••

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	TYD	B	403	-	-	X	-
6	TYD	E	402	-	-	X	-
6	TYD	E	403	-	-	X	-

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 31417 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L136 aminotransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	348	Total 2783	C 1780	N 470	O 522	S 11	0	0	0
1	B	350	Total 2810	C 1802	N 472	O 525	S 11	0	2	0
1	C	352	Total 2811	C 1799	N 474	O 527	S 11	0	2	0
1	D	351	Total 2808	C 1799	N 473	O 525	S 11	0	1	0
1	E	353	Total 2831	C 1812	N 478	O 529	S 12	0	1	0
1	F	350	Total 2801	C 1792	N 473	O 525	S 11	0	1	0
1	G	352	Total 2809	C 1797	N 475	O 526	S 11	0	0	0
1	H	351	Total 2801	C 1794	N 473	O 523	S 11	0	1	0
1	I	350	Total 2792	C 1787	N 472	O 522	S 11	0	0	0
1	J	351	Total 2809	C 1799	N 474	O 525	S 11	0	1	0

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP Q5UPL1
A	-2	GLY	-	expression tag	UNP Q5UPL1
A	-1	GLY	-	expression tag	UNP Q5UPL1
A	0	HIS	-	expression tag	UNP Q5UPL1
B	-3	GLY	-	expression tag	UNP Q5UPL1
B	-2	GLY	-	expression tag	UNP Q5UPL1
B	-1	GLY	-	expression tag	UNP Q5UPL1
B	0	HIS	-	expression tag	UNP Q5UPL1
C	-3	GLY	-	expression tag	UNP Q5UPL1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-2	GLY	-	expression tag	UNP Q5UPL1
C	-1	GLY	-	expression tag	UNP Q5UPL1
C	0	HIS	-	expression tag	UNP Q5UPL1
D	-3	GLY	-	expression tag	UNP Q5UPL1
D	-2	GLY	-	expression tag	UNP Q5UPL1
D	-1	GLY	-	expression tag	UNP Q5UPL1
D	0	HIS	-	expression tag	UNP Q5UPL1
E	-3	GLY	-	expression tag	UNP Q5UPL1
E	-2	GLY	-	expression tag	UNP Q5UPL1
E	-1	GLY	-	expression tag	UNP Q5UPL1
E	0	HIS	-	expression tag	UNP Q5UPL1
F	-3	GLY	-	expression tag	UNP Q5UPL1
F	-2	GLY	-	expression tag	UNP Q5UPL1
F	-1	GLY	-	expression tag	UNP Q5UPL1
F	0	HIS	-	expression tag	UNP Q5UPL1
G	-3	GLY	-	expression tag	UNP Q5UPL1
G	-2	GLY	-	expression tag	UNP Q5UPL1
G	-1	GLY	-	expression tag	UNP Q5UPL1
G	0	HIS	-	expression tag	UNP Q5UPL1
H	-3	GLY	-	expression tag	UNP Q5UPL1
H	-2	GLY	-	expression tag	UNP Q5UPL1
H	-1	GLY	-	expression tag	UNP Q5UPL1
H	0	HIS	-	expression tag	UNP Q5UPL1
I	-3	GLY	-	expression tag	UNP Q5UPL1
I	-2	GLY	-	expression tag	UNP Q5UPL1
I	-1	GLY	-	expression tag	UNP Q5UPL1
I	0	HIS	-	expression tag	UNP Q5UPL1
J	-3	GLY	-	expression tag	UNP Q5UPL1
J	-2	GLY	-	expression tag	UNP Q5UPL1
J	-1	GLY	-	expression tag	UNP Q5UPL1
J	0	HIS	-	expression tag	UNP Q5UPL1

- Molecule 2 is 4'-DEOXY-4'-AMINOPYRIDOXAL-5'-PHOSPHATE (three-letter code: PMP) (formula: C₈H₁₃N₂O₅P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total 16	8	2	5	1	0	0
2	B	1	Total 16	8	2	5	1	0	0
2	C	1	Total 16	8	2	5	1	0	0
2	D	1	Total 16	8	2	5	1	0	0
2	E	1	Total 16	8	2	5	1	0	0
2	F	1	Total 16	8	2	5	1	0	0
2	G	1	Total 16	8	2	5	1	0	0
2	H	1	Total 16	8	2	5	1	0	0
2	I	1	Total 16	8	2	5	1	0	0
2	J	1	Total 16	8	2	5	1	0	0

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			4	2	2		
4	E	1	Total	C	O	0	0
			4	2	2		
4	F	1	Total	C	O	0	0
			4	2	2		
4	J	1	Total	C	O	0	0
			4	2	2		
4	J	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Cl	0	0
			1	1		

- Molecule 6 is THYMIDINE-5'-DIPHOSPHATE (three-letter code: TYD) (formula: C₁₀H₁₆N₂O₁₁P₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
6	B	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
6	B	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
6	C	1	Total	C	N	O	P	0	0
			25	10	2	11	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
6	D	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
6	E	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
6	E	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
6	G	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
6	H	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
6	I	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
6	J	1	Total	C	N	O	P	0	0
			25	10	2	11	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	362	Total	O	0	0
			362	362		
7	B	331	Total	O	0	0
			331	331		
7	C	332	Total	O	0	0
			332	332		
7	D	232	Total	O	0	0
			232	232		
7	E	380	Total	O	0	0
			380	380		
7	F	344	Total	O	0	0
			344	344		
7	G	226	Total	O	0	0
			226	226		
7	H	264	Total	O	0	0
			264	264		
7	I	167	Total	O	0	0
			167	167		
7	J	276	Total	O	0	0
			276	276		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: L136 aminotransferase




- Molecule 1: L136 aminotransferase




- Molecule 1: L136 aminotransferase





- Molecule 1: L136 aminotransferase





- Molecule 1: L136 aminotransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.89Å 126.88Å 206.37Å 90.00° 90.89° 90.00°	Depositor
Resolution (Å)	33.78 – 1.70 33.76 – 1.70	Depositor EDS
% Data completeness (in resolution range)	94.2 (33.78-1.70) 94.3 (33.76-1.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.77 (at 1.70Å)	Xtrriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.182 , 0.222 0.192 , 0.230	Depositor DCC
R_{free} test set	19828 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	19.7	Xtrriage
Anisotropy	0.089	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 51.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.019 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	31417	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, PO4, EDO, PMP, TYD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.77	1/2844 (0.0%)	0.86	0/3848
1	B	0.75	0/2878	0.86	0/3895
1	C	0.73	0/2878	0.84	0/3896
1	D	0.76	0/2873	0.85	0/3887
1	E	0.74	0/2896	0.86	0/3916
1	F	0.78	0/2865	0.88	1/3877 (0.0%)
1	G	0.76	1/2870 (0.0%)	0.84	1/3882 (0.0%)
1	H	0.74	0/2865	0.82	0/3877
1	I	0.75	0/2853	0.87	0/3861
1	J	0.73	0/2873	0.84	0/3886
All	All	0.75	2/28695 (0.0%)	0.85	2/38825 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	66	SER	CA-CB	-6.00	1.44	1.52
1	A	257	GLU	CD-OE1	5.51	1.31	1.25

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	77	ARG	NE-CZ-NH1	-6.36	117.12	120.30
1	G	323	ARG	NE-CZ-NH2	-5.26	117.67	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2783	0	2752	15	1
1	B	2810	0	2785	20	0
1	C	2811	0	2779	13	0
1	D	2808	0	2777	23	0
1	E	2831	0	2813	27	0
1	F	2801	0	2771	23	0
1	G	2809	0	2784	22	0
1	H	2801	0	2775	14	0
1	I	2792	0	2761	37	1
1	J	2809	0	2790	24	0
2	A	16	0	10	0	0
2	B	16	0	10	0	0
2	C	16	0	10	0	0
2	D	16	0	10	0	0
2	E	16	0	11	0	0
2	F	16	0	11	0	0
2	G	16	0	10	0	0
2	H	16	0	11	0	0
2	I	16	0	11	0	0
2	J	16	0	10	0	0
3	A	5	0	0	0	0
4	A	4	0	6	0	0
4	B	8	0	12	0	0
4	C	4	0	6	0	0
4	E	4	0	6	1	0
4	F	4	0	6	0	0
4	J	8	0	12	0	0
5	A	1	0	0	0	0
6	B	50	0	26	11	0
6	C	25	0	13	3	0
6	D	25	0	13	0	0
6	E	50	0	26	20	0
6	G	25	0	13	0	0
6	H	25	0	13	0	0
6	I	25	0	13	2	0
6	J	25	0	13	1	0
7	A	362	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	B	331	0	0	4	0
7	C	332	0	0	3	0
7	D	232	0	0	0	0
7	E	380	0	0	7	0
7	F	344	0	0	2	0
7	G	226	0	0	5	0
7	H	264	0	0	1	0
7	I	167	0	0	2	0
7	J	276	0	0	7	0
All	All	31417	0	28069	211	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (211) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:B:403:TYD:O2B	7:B:501:HOH:O	1.89	0.90
6:C:402:TYD:H5'2	1:D:304:ARG:HH12	1.37	0.88
1:E:304:ARG:HH22	6:E:402:TYD:C3'	1.86	0.88
1:G:168:LYS:HE3	7:G:506:HOH:O	1.74	0.88
6:B:403:TYD:O3B	7:B:502:HOH:O	1.99	0.80
6:E:403:TYD:H4'	1:F:304:ARG:HH22	1.47	0.80
1:A:336:ARG:NH1	1:A:340:GLU:OE1	2.15	0.78
1:I:247:ASN:O	1:I:251:ILE:HD13	1.84	0.78
1:B:304:ARG:HH22	6:B:403:TYD:C3'	1.97	0.77
1:B:220:LYS:NZ	7:B:503:HOH:O	2.08	0.76
1:I:269:ARG:HD2	1:I:291:ASP:OD2	1.85	0.76
1:E:304:ARG:HH22	6:E:402:TYD:C4'	1.98	0.76
6:E:403:TYD:C3'	1:F:304:ARG:HH22	2.00	0.75
1:E:336:ARG:NH2	7:E:503:HOH:O	2.15	0.75
6:E:403:TYD:C4'	1:F:304:ARG:HH22	2.00	0.73
6:C:402:TYD:C5'	1:D:304:ARG:HH12	2.02	0.72
1:E:304:ARG:NH2	6:E:402:TYD:O3'	2.22	0.72
1:E:250:LYS:HE3	1:E:331:ILE:HD12	1.69	0.72
1:B:304:ARG:HH22	6:B:403:TYD:C4'	2.03	0.72
1:E:304:ARG:HH22	6:E:402:TYD:H4'	1.54	0.70
1:E:250:LYS:HE3	1:E:331:ILE:CD1	2.22	0.69
1:A:220:LYS:O	1:C:222:GLN:NE2	2.26	0.69
6:E:403:TYD:O3B	7:E:501:HOH:O	2.10	0.69
6:E:402:TYD:O2B	7:E:502:HOH:O	2.11	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:233:CYS:HB3	1:E:236:ASN:HD22	1.57	0.68
1:G:79:LEU:O	7:G:501:HOH:O	2.10	0.68
1:E:6:LEU:CD2	1:E:333:LEU:HD21	2.24	0.68
1:B:304:ARG:HH22	6:B:403:TYD:H4'	1.59	0.67
1:E:6:LEU:HD22	1:E:333:LEU:HD21	1.75	0.67
1:I:294:PHE:CE2	1:I:299:ILE:CD1	2.77	0.67
1:G:336:ARG:NH2	7:G:503:HOH:O	2.26	0.67
1:D:233:CYS:HB3	1:D:236:ASN:HD22	1.60	0.66
1:C:54:GLU:OE2	7:C:501:HOH:O	2.14	0.66
1:A:233:CYS:HB3	1:A:236:ASN:HD22	1.62	0.65
1:I:9:VAL:HG21	1:I:184:THR:HA	1.79	0.64
1:I:233:CYS:HB3	1:I:236:ASN:HD22	1.63	0.63
6:J:401:TYD:O2B	7:J:501:HOH:O	2.16	0.62
1:J:54:GLU:HG2	7:J:739:HOH:O	1.98	0.62
1:J:294:PHE:CE2	1:J:299:ILE:CD1	2.82	0.62
1:B:233:CYS:HB3	1:B:236:ASN:HD22	1.66	0.61
1:J:278:LYS:CE	7:J:563:HOH:O	2.47	0.61
1:C:1:MET:CB	7:C:650:HOH:O	2.48	0.61
1:G:222:GLN:NE2	7:G:505:HOH:O	2.34	0.61
1:I:294:PHE:CE2	1:I:299:ILE:HD11	2.38	0.59
1:E:1:MET:HG2	1:E:5:LYS:HD3	1.83	0.59
1:C:11:GLU:OE2	7:C:502:HOH:O	2.17	0.58
1:J:233:CYS:HB3	1:J:236:ASN:HD22	1.68	0.58
1:J:53:GLU:OE1	7:J:502:HOH:O	2.17	0.57
1:J:336:ARG:NH1	1:J:340:GLU:OE1	2.34	0.57
1:E:304:ARG:NH2	6:E:402:TYD:C3'	2.62	0.57
1:J:294:PHE:CE2	1:J:299:ILE:HD11	2.39	0.57
1:H:233:CYS:HB3	1:H:236:ASN:HD22	1.70	0.57
1:I:75:ILE:HG22	1:I:83:LEU:HD11	1.86	0.57
1:G:233:CYS:HB3	1:G:236:ASN:HD22	1.70	0.57
1:G:153:LEU:H	1:G:175:HIS:HD2	1.52	0.56
1:I:294:PHE:HE2	1:I:299:ILE:CD1	2.18	0.56
1:B:292:LYS:NZ	1:B:352:ASN:O	2.38	0.56
1:C:295:ARG:HD3	7:E:545:HOH:O	2.05	0.55
1:E:220:LYS:HD3	7:E:511:HOH:O	2.06	0.55
1:A:54:GLU:OE1	7:A:501:HOH:O	2.18	0.55
6:E:403:TYD:O3'	1:F:304:ARG:NH2	2.39	0.55
6:C:402:TYD:H5'2	1:D:304:ARG:NH1	2.14	0.55
1:J:27:GLU:OE2	7:J:503:HOH:O	2.18	0.54
1:B:185:LYS:HD2	1:B:185:LYS:N	2.23	0.54
1:I:294:PHE:HE2	1:I:299:ILE:HD13	1.72	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:299:ILE:HD13	1:J:325:LEU:HD13	1.91	0.53
1:B:296:LEU:HD11	1:B:304:ARG:HA	1.90	0.53
1:B:304:ARG:NH2	6:B:403:TYD:O3'	2.42	0.53
6:I:402:TYD:H4'	1:J:304:ARG:HH12	1.73	0.53
1:I:247:ASN:HB3	1:I:251:ILE:HD13	1.91	0.53
1:J:294:PHE:HE2	1:J:299:ILE:CD1	2.22	0.53
6:E:403:TYD:H4'	1:F:304:ARG:NH2	2.21	0.52
1:A:292:LYS:NZ	1:A:352:ASN:OXT	2.40	0.52
6:E:403:TYD:C3'	1:F:304:ARG:NH2	2.72	0.51
4:E:404:EDO:H21	7:E:580:HOH:O	2.10	0.51
1:F:233:CYS:HB3	1:F:236:ASN:HD22	1.75	0.51
1:I:183:HIS:CE1	1:J:32:TYR:CD2	2.98	0.51
1:J:348:PHE:O	1:J:352:ASN:ND2	2.38	0.51
1:B:304:ARG:HH12	6:B:403:TYD:C5'	2.24	0.51
1:H:225:ASN:ND2	1:H:226:GLN:HE21	2.09	0.51
1:F:75:ILE:HG22	1:F:83:LEU:HD11	1.93	0.50
1:I:296:LEU:HD11	1:I:304:ARG:HA	1.93	0.50
1:H:225:ASN:HD21	1:H:226:GLN:HE21	1.59	0.50
1:E:250:LYS:HG3	7:E:861:HOH:O	2.12	0.50
1:I:199:ARG:NH2	7:I:506:HOH:O	2.45	0.50
1:F:168:LYS:HE3	7:F:680:HOH:O	2.12	0.49
1:F:328:PRO:O	1:F:333:LEU:HD11	2.12	0.49
1:C:179[A]:ILE:HG12	1:C:194:CYS:HB3	1.94	0.49
1:I:301:PHE:CZ	1:I:341:ILE:HG23	2.47	0.49
1:F:179:ILE:CG1	1:F:194:CYS:HB3	2.43	0.49
1:A:182:HIS:O	1:A:188:GLY:HA3	2.13	0.49
6:B:401:TYD:PB	7:B:510:HOH:O	2.70	0.49
1:G:268:LYS:HD3	1:G:269:ARG:HG3	1.94	0.48
1:G:183:HIS:CE1	1:H:32:TYR:CD2	3.01	0.48
1:E:304:ARG:HH12	6:E:402:TYD:H4'	1.79	0.48
1:H:250:LYS:HE2	7:H:624:HOH:O	2.12	0.48
1:H:182:HIS:O	1:H:188:GLY:HA3	2.14	0.48
1:F:9:VAL:HG12	1:F:12:LYS:HE3	1.96	0.48
1:D:296:LEU:HD21	1:D:304:ARG:HA	1.95	0.47
1:I:124:TYR:CZ	1:I:151:LYS:HE3	2.49	0.47
1:D:131:ASN:HB3	1:D:135:ASN:O	2.15	0.47
1:E:233:CYS:HB3	1:E:236:ASN:ND2	2.25	0.47
1:A:233:CYS:HB3	1:A:236:ASN:ND2	2.27	0.47
6:E:403:TYD:C5'	1:F:304:ARG:HH12	2.27	0.47
1:G:75:ILE:HG22	1:G:83:LEU:HD11	1.96	0.47
1:D:217:LEU:HD11	1:F:77:ARG:HH12	1.80	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:49:SER:HB3	1:A:248:TYR:CZ	2.48	0.47
1:D:312:LEU:HD12	1:D:313:SER:N	2.29	0.47
1:E:6:LEU:CD2	1:E:333:LEU:CD2	2.91	0.47
1:G:292:LYS:HB2	1:G:293:PRO:HD2	1.97	0.47
1:J:15:ASP:OD1	7:J:504:HOH:O	2.20	0.47
1:E:183:HIS:CE1	1:F:32:TYR:CD2	3.03	0.47
1:H:55:SER:O	1:H:199:ARG:HG2	2.15	0.47
1:D:179:ILE:HG12	1:D:194:CYS:HB3	1.97	0.46
1:C:92:PHE:CG	1:C:93:PRO:HD2	2.51	0.46
1:H:296:LEU:HG	1:H:305:LYS:HG3	1.98	0.46
1:I:56:LYS:NZ	1:I:174:GLY:O	2.49	0.46
1:I:251:ILE:O	1:I:255:HIS:HB2	2.16	0.46
1:J:333:LEU:HD21	1:J:338:ILE:HG12	1.96	0.46
1:F:267:PRO:HA	1:F:346:ASN:OD1	2.15	0.45
1:H:348:PHE:O	1:H:352:ASN:HB2	2.16	0.45
1:I:75:ILE:HG22	1:I:83:LEU:CD1	2.46	0.45
1:B:92:PHE:CG	1:B:93:PRO:HD2	2.51	0.45
1:A:75:ILE:HG22	1:A:83:LEU:HD11	1.98	0.45
1:D:233:CYS:HB3	1:D:236:ASN:ND2	2.29	0.45
1:B:182:HIS:O	1:B:188:GLY:HA3	2.17	0.45
1:E:179[B]:ILE:HG12	1:E:194:CYS:HB3	1.99	0.45
1:D:75:ILE:HG22	1:D:83:LEU:HD11	1.99	0.45
1:G:88:GLN:O	1:G:91:THR:HG22	2.17	0.45
1:I:6:LEU:HD22	1:I:333:LEU:HD21	1.99	0.45
1:J:150:ASN:ND2	7:J:512:HOH:O	2.50	0.45
1:D:182:HIS:O	1:D:188:GLY:HA3	2.17	0.45
1:C:223:TYR:OH	1:D:96:ASN:ND2	2.49	0.45
1:F:75:ILE:HG22	1:F:83:LEU:CD1	2.47	0.45
1:B:318:LEU:HD11	1:D:312:LEU:HD13	1.99	0.45
1:B:50:PHE:CE2	1:B:248[A]:TYR:CE1	3.05	0.44
1:B:304:ARG:NH2	6:B:403:TYD:C3'	2.74	0.44
1:D:311:ASP:OD1	1:D:311:ASP:C	2.55	0.44
1:A:49:SER:HB3	1:A:248:TYR:CE1	2.52	0.44
1:D:6:LEU:CD2	1:D:333:LEU:HD21	2.47	0.44
1:A:88:GLN:O	1:A:91:THR:HG22	2.18	0.44
1:C:187:PHE:HB3	1:C:244:LEU:HD21	2.00	0.44
1:G:171:CYS:SG	1:G:179:ILE:HD11	2.58	0.44
1:G:124:TYR:CZ	1:G:151:LYS:HE3	2.52	0.44
1:D:116:LEU:O	1:D:120:LYS:HE3	2.18	0.43
1:F:168:LYS:CE	7:F:680:HOH:O	2.66	0.43
1:A:223:TYR:OH	1:B:96:ASN:ND2	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:176:ALA:HB2	1:E:197:VAL:HG23	1.98	0.43
1:E:304:ARG:NH2	6:E:402:TYD:H4'	2.26	0.43
6:E:403:TYD:H5'2	1:F:304:ARG:NH1	2.33	0.43
1:G:336:ARG:NH1	7:G:517:HOH:O	2.50	0.43
1:B:304:ARG:NH1	6:B:403:TYD:H5'2	2.33	0.43
1:H:233:CYS:HB3	1:H:236:ASN:ND2	2.34	0.43
1:H:296:LEU:HD11	1:H:304:ARG:HA	2.01	0.43
1:I:179:ILE:HG12	1:I:194:CYS:HB3	2.00	0.43
1:C:233:CYS:HB3	1:C:236:ASN:HD22	1.84	0.43
1:I:77:ARG:NH2	1:I:212:GLY:O	2.52	0.43
1:I:247:ASN:HB3	1:I:251:ILE:CD1	2.49	0.43
1:J:185:LYS:N	1:J:185:LYS:HD2	2.34	0.43
1:D:179:ILE:CG1	1:D:194:CYS:HB3	2.49	0.43
1:G:22:LEU:O	1:G:38:ILE:HD11	2.18	0.43
1:I:86:VAL:HA	1:I:104:ILE:O	2.18	0.43
1:E:32:TYR:CD2	1:F:183:HIS:CE1	3.07	0.42
1:G:92:PHE:HE2	1:H:211:PHE:CZ	2.37	0.42
1:I:96:ASN:ND2	1:J:223:TYR:OH	2.52	0.42
1:B:303:SER:HB2	1:B:325:LEU:HD11	2.02	0.42
1:E:92:PHE:CG	1:E:93:PRO:HD2	2.54	0.42
1:J:187:PHE:HB3	1:J:244:LEU:HD21	2.00	0.42
1:H:9:VAL:CG1	1:H:12:LYS:HE3	2.49	0.42
1:J:293:PRO:HB3	1:J:322:GLN:HB3	2.00	0.42
1:B:304:ARG:NH2	6:B:403:TYD:H4'	2.32	0.42
1:G:92:PHE:CG	1:G:93:PRO:HD2	2.54	0.42
1:I:233:CYS:HB3	1:I:236:ASN:ND2	2.32	0.42
1:D:301:PHE:CZ	1:D:341:ILE:HG23	2.55	0.42
1:I:176:ALA:HB2	1:I:197:VAL:HG23	2.00	0.42
1:J:292:LYS:HB2	1:J:293:PRO:HD2	2.01	0.42
1:I:168:LYS:HE2	1:I:173:TYR:CZ	2.55	0.42
1:I:275:ASN:ND2	1:I:281:PRO:HD3	2.35	0.42
1:D:58:VAL:HG13	1:D:194:CYS:SG	2.60	0.41
1:A:183:HIS:CE1	1:B:32:TYR:CD2	3.08	0.41
1:D:6:LEU:HD22	1:D:333:LEU:HD21	2.01	0.41
1:F:187:PHE:HB3	1:F:244:LEU:HD21	2.01	0.41
1:I:9:VAL:HG12	1:J:30:ASN:HD21	1.84	0.41
1:I:292:LYS:HB2	1:I:293:PRO:HD2	2.03	0.41
1:C:75:ILE:HG22	1:C:83:LEU:HD11	2.03	0.41
1:C:176:ALA:HB2	1:C:197:VAL:HG23	2.02	0.41
6:I:402:TYD:C5'	1:J:304:ARG:HH12	2.34	0.41
1:D:159:ALA:HB2	1:D:185:LYS:HE3	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:292:LYS:HB2	1:I:293:PRO:CD	2.50	0.41
1:F:6:LEU:HD22	1:F:333:LEU:HD21	2.02	0.41
1:G:155:PHE:O	1:G:177:SER:HA	2.20	0.41
1:G:233:CYS:HB3	1:G:236:ASN:ND2	2.34	0.41
1:I:55:SER:HB3	7:I:632:HOH:O	2.20	0.41
1:A:207:ILE:HG22	1:A:212:GLY:HA2	2.03	0.41
1:H:9:VAL:HG12	1:H:12:LYS:HE3	2.01	0.41
1:G:153:LEU:H	1:G:175:HIS:CD2	2.36	0.41
1:A:306:TYR:HA	1:A:307:TYR:HA	1.82	0.41
1:E:304:ARG:HH12	6:E:402:TYD:C5'	2.33	0.41
1:E:333:LEU:HD23	1:E:333:LEU:HA	1.90	0.41
6:E:403:TYD:H5'2	1:F:304:ARG:HH12	1.86	0.41
1:I:155:PHE:O	1:I:177:SER:HA	2.21	0.41
1:I:182:HIS:O	1:I:188:GLY:HA3	2.21	0.41
1:J:92:PHE:CG	1:J:93:PRO:HD2	2.56	0.41
1:I:114:LEU:O	1:I:142:TYR:OH	2.26	0.40
1:E:58:VAL:HG13	1:E:194:CYS:SG	2.60	0.40
1:C:20:GLN:NE2	1:D:20:GLN:OE1	2.54	0.40
1:E:304:ARG:NH1	6:E:402:TYD:H5'2	2.37	0.40
1:G:137:VAL:HG21	1:G:142:TYR:CE2	2.56	0.40
1:G:292:LYS:HB2	1:G:293:PRO:CD	2.51	0.40
1:I:9:VAL:HG13	1:I:12:LYS:HE3	2.04	0.40
1:I:88:GLN:O	1:I:91:THR:HG22	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:311:ASP:OD2	1:I:295:ARG:NH2[2_647]	2.08	0.12

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	346/356 (97%)	335 (97%)	10 (3%)	1 (0%)	41 24
1	B	350/356 (98%)	339 (97%)	10 (3%)	1 (0%)	41 24
1	C	352/356 (99%)	338 (96%)	13 (4%)	1 (0%)	41 24
1	D	350/356 (98%)	338 (97%)	11 (3%)	1 (0%)	41 24
1	E	352/356 (99%)	341 (97%)	10 (3%)	1 (0%)	41 24
1	F	349/356 (98%)	336 (96%)	12 (3%)	1 (0%)	41 24
1	G	350/356 (98%)	333 (95%)	16 (5%)	1 (0%)	41 24
1	H	350/356 (98%)	338 (97%)	11 (3%)	1 (0%)	41 24
1	I	348/356 (98%)	333 (96%)	14 (4%)	1 (0%)	41 24
1	J	350/356 (98%)	342 (98%)	7 (2%)	1 (0%)	41 24
All	All	3497/3560 (98%)	3373 (96%)	114 (3%)	10 (0%)	41 24

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	35	ILE
1	D	35	ILE
1	H	35	ILE
1	J	35	ILE
1	B	35	ILE
1	C	35	ILE
1	F	35	ILE
1	A	35	ILE
1	G	35	ILE
1	I	35	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	312/317 (98%)	305 (98%)	7 (2%)	52 34
1	B	315/317 (99%)	309 (98%)	6 (2%)	57 41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	314/317 (99%)	309 (98%)	5 (2%)	62	48
1	D	314/317 (99%)	312 (99%)	2 (1%)	86	80
1	E	318/317 (100%)	313 (98%)	5 (2%)	62	48
1	F	314/317 (99%)	312 (99%)	2 (1%)	86	80
1	G	314/317 (99%)	307 (98%)	7 (2%)	52	34
1	H	313/317 (99%)	305 (97%)	8 (3%)	46	28
1	I	312/317 (98%)	305 (98%)	7 (2%)	52	34
1	J	315/317 (99%)	306 (97%)	9 (3%)	42	23
All	All	3141/3170 (99%)	3083 (98%)	58 (2%)	57	43

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	LYS
1	A	9	VAL
1	A	31	GLN
1	A	77	ARG
1	A	219	GLU
1	A	276	HIS
1	A	333	LEU
1	B	54	GLU
1	B	77	ARG
1	B	120	LYS
1	B	147	MET
1	B	150	ASN
1	B	185	LYS
1	C	21	LYS
1	C	77	ARG
1	C	304	ARG
1	C	333	LEU
1	C	350	ASP
1	D	256	SER
1	D	292	LYS
1	E	4	GLU
1	E	21	LYS
1	E	77	ARG
1	E	120	LYS
1	E	336	ARG
1	F	77	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	295	ARG
1	G	9	VAL
1	G	147	MET
1	G	150	ASN
1	G	168	LYS
1	G	248	TYR
1	G	296	LEU
1	G	333	LEU
1	H	21	LYS
1	H	77	ARG
1	H	185	LYS
1	H	225	ASN
1	H	250	LYS
1	H	296	LEU
1	H	302	LEU
1	H	352	ASN
1	I	9	VAL
1	I	44	SER
1	I	77	ARG
1	I	150	ASN
1	I	185	LYS
1	I	256	SER
1	I	296	LEU
1	J	77	ARG
1	J	120	LYS
1	J	147	MET
1	J	220	LYS
1	J	278	LYS
1	J	295	ARG
1	J	302	LEU
1	J	336	ARG
1	J	351	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (36) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	96	ASN
1	A	150	ASN
1	A	236	ASN
1	B	96	ASN
1	B	150	ASN
1	B	222	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	236	ASN
1	C	96	ASN
1	C	236	ASN
1	D	96	ASN
1	D	148	ASN
1	D	150	ASN
1	D	236	ASN
1	E	20	GLN
1	E	96	ASN
1	E	150	ASN
1	E	236	ASN
1	F	96	ASN
1	F	236	ASN
1	G	96	ASN
1	G	150	ASN
1	G	175	HIS
1	G	222	GLN
1	G	236	ASN
1	G	276	HIS
1	H	96	ASN
1	H	150	ASN
1	H	225	ASN
1	H	236	ASN
1	I	96	ASN
1	I	150	ASN
1	I	236	ASN
1	I	352	ASN
1	J	96	ASN
1	J	150	ASN
1	J	236	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 30 ligands modelled in this entry, 1 is monoatomic - leaving 29 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PMP	B	402	-	16,16,16	0.76	0	21,23,23	0.93	1 (4%)
4	EDO	F	402	-	3,3,3	0.41	0	2,2,2	0.31	0
3	PO4	A	402	-	4,4,4	1.13	1 (25%)	6,6,6	0.47	0
2	PMP	E	401	-	16,16,16	0.57	0	21,23,23	1.12	2 (9%)
4	EDO	J	404	-	3,3,3	0.35	0	2,2,2	0.20	0
6	TYD	B	403	-	23,26,26	1.91	3 (13%)	33,40,40	1.72	4 (12%)
4	EDO	B	404	-	3,3,3	0.45	0	2,2,2	0.34	0
6	TYD	J	401	-	23,26,26	1.88	3 (13%)	33,40,40	1.60	3 (9%)
6	TYD	H	401	-	23,26,26	1.93	3 (13%)	33,40,40	1.64	3 (9%)
2	PMP	A	401	-	16,16,16	0.52	0	21,23,23	0.79	0
2	PMP	I	401	-	16,16,16	0.49	0	21,23,23	0.80	1 (4%)
2	PMP	D	402	-	16,16,16	0.67	0	21,23,23	1.03	1 (4%)
4	EDO	J	403	-	3,3,3	0.81	0	2,2,2	0.65	0
6	TYD	I	402	-	23,26,26	1.84	2 (8%)	33,40,40	1.67	5 (15%)
6	TYD	B	401	-	23,26,26	1.89	6 (26%)	33,40,40	1.86	4 (12%)
6	TYD	C	402	-	23,26,26	1.85	2 (8%)	33,40,40	1.78	5 (15%)
2	PMP	C	401	-	16,16,16	0.55	0	21,23,23	0.85	0
2	PMP	G	401	-	16,16,16	0.48	0	21,23,23	1.13	1 (4%)
6	TYD	G	402	-	23,26,26	1.88	4 (17%)	33,40,40	1.67	3 (9%)
4	EDO	B	405	-	3,3,3	0.32	0	2,2,2	0.17	0
6	TYD	E	402	-	23,26,26	1.78	2 (8%)	33,40,40	1.76	5 (15%)
2	PMP	J	402	-	16,16,16	0.77	0	21,23,23	1.02	2 (9%)
6	TYD	D	401	-	23,26,26	1.83	3 (13%)	33,40,40	1.75	6 (18%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	A	403	-	3,3,3	0.28	0	2,2,2	0.23	0
2	PMP	H	402	-	16,16,16	1.89	3 (18%)	21,23,23	1.49	6 (28%)
4	EDO	C	403	-	3,3,3	0.18	0	2,2,2	0.11	0
6	TYD	E	403	-	23,26,26	1.89	2 (8%)	33,40,40	1.73	5 (15%)
4	EDO	E	404	-	3,3,3	0.15	0	2,2,2	0.62	0
2	PMP	F	401	-	16,16,16	0.56	0	21,23,23	0.91	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PMP	B	402	-	-	1/8/8/8	0/1/1/1
4	EDO	F	402	-	-	0/1/1/1	-
2	PMP	E	401	-	-	2/8/8/8	0/1/1/1
4	EDO	J	404	-	-	0/1/1/1	-
6	TYD	B	403	-	-	1/16/28/28	0/2/2/2
4	EDO	B	404	-	-	1/1/1/1	-
6	TYD	J	401	-	-	0/16/28/28	0/2/2/2
6	TYD	H	401	-	-	1/16/28/28	0/2/2/2
2	PMP	A	401	-	-	2/8/8/8	0/1/1/1
2	PMP	I	401	-	-	2/8/8/8	0/1/1/1
2	PMP	D	402	-	-	0/8/8/8	0/1/1/1
4	EDO	J	403	-	-	1/1/1/1	-
6	TYD	I	402	-	-	0/16/28/28	0/2/2/2
6	TYD	B	401	-	-	0/16/28/28	0/2/2/2
6	TYD	C	402	-	-	1/16/28/28	0/2/2/2
2	PMP	C	401	-	-	2/8/8/8	0/1/1/1
2	PMP	G	401	-	-	2/8/8/8	0/1/1/1
6	TYD	G	402	-	-	1/16/28/28	0/2/2/2
4	EDO	B	405	-	-	0/1/1/1	-
6	TYD	E	402	-	-	1/16/28/28	0/2/2/2
2	PMP	J	402	-	-	0/8/8/8	0/1/1/1
6	TYD	D	401	-	-	0/16/28/28	0/2/2/2
4	EDO	A	403	-	-	0/1/1/1	-
2	PMP	H	402	-	-	2/8/8/8	0/1/1/1
4	EDO	C	403	-	-	0/1/1/1	-
6	TYD	E	403	-	-	1/16/28/28	0/2/2/2
4	EDO	E	404	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PMP	F	401	-	-	2/8/8/8	0/1/1/1

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	E	403	TYD	C6-N1	-6.58	1.38	1.46
6	B	403	TYD	C6-N1	-6.38	1.38	1.46
6	C	402	TYD	C6-N1	-6.28	1.38	1.46
6	H	401	TYD	C6-N1	-6.25	1.38	1.46
6	J	401	TYD	C6-N1	-6.25	1.38	1.46
6	I	402	TYD	C6-N1	-6.24	1.38	1.46
6	D	401	TYD	C6-N1	-6.03	1.39	1.46
6	G	402	TYD	C6-N1	-5.98	1.39	1.46
6	E	402	TYD	C6-N1	-5.77	1.39	1.46
6	B	401	TYD	C6-N1	-5.50	1.39	1.46
6	I	402	TYD	C6-C5	-5.48	1.34	1.51
6	E	403	TYD	C6-C5	-5.46	1.34	1.51
6	J	401	TYD	C6-C5	-5.36	1.35	1.51
6	H	401	TYD	C6-C5	-5.36	1.35	1.51
6	C	402	TYD	C6-C5	-5.34	1.35	1.51
6	G	402	TYD	C6-C5	-5.33	1.35	1.51
6	B	403	TYD	C6-C5	-5.30	1.35	1.51
6	E	402	TYD	C6-C5	-5.25	1.35	1.51
2	H	402	PMP	C2-N1	-5.14	1.24	1.33
6	D	401	TYD	C6-C5	-5.06	1.36	1.51
6	B	401	TYD	C6-C5	-5.03	1.36	1.51
2	H	402	PMP	C6-N1	-4.37	1.25	1.34
6	H	401	TYD	C1'-N1	2.61	1.49	1.45
6	B	401	TYD	C1'-N1	2.60	1.49	1.45
6	B	403	TYD	O4-C4	2.55	1.28	1.23
6	B	401	TYD	O4-C4	2.49	1.28	1.23
2	H	402	PMP	P-O4P	2.29	1.67	1.60
6	G	402	TYD	C2-N1	2.25	1.38	1.35
6	B	401	TYD	C2-N1	2.23	1.38	1.35
6	G	402	TYD	C1'-N1	2.21	1.48	1.45
6	D	401	TYD	O4-C4	2.20	1.27	1.23
6	J	401	TYD	C1'-N1	2.14	1.48	1.45
3	A	402	PO4	P-O1	2.14	1.55	1.50
6	B	401	TYD	C4-N3	2.00	1.40	1.37

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	401	TYD	C5-C6-N1	6.66	124.23	111.11
6	J	401	TYD	C5-C6-N1	6.50	123.92	111.11
6	G	402	TYD	C5-C6-N1	6.40	123.72	111.11
6	H	401	TYD	C5-C6-N1	6.37	123.65	111.11
6	E	403	TYD	C5-C6-N1	6.34	123.61	111.11
6	B	403	TYD	C5-C6-N1	6.27	123.45	111.11
6	C	402	TYD	C5-C6-N1	6.26	123.44	111.11
6	D	401	TYD	C5-C6-N1	6.22	123.36	111.11
6	I	402	TYD	C5-C6-N1	6.21	123.34	111.11
6	E	402	TYD	C5-C6-N1	6.13	123.19	111.11
6	I	402	TYD	C5M-C5-C6	5.26	123.58	112.34
6	G	402	TYD	C5M-C5-C6	5.09	123.22	112.34
6	C	402	TYD	C5M-C5-C6	5.01	123.05	112.34
6	E	402	TYD	C5M-C5-C6	4.91	122.82	112.34
6	H	401	TYD	C5M-C5-C6	4.88	122.76	112.34
6	B	401	TYD	C5M-C5-C6	4.88	122.75	112.34
6	B	403	TYD	C5M-C5-C6	4.73	122.44	112.34
6	D	401	TYD	C5M-C5-C6	4.71	122.41	112.34
6	B	401	TYD	PA-O3A-PB	-4.69	116.72	132.83
6	J	401	TYD	C5M-C5-C6	4.69	122.36	112.34
6	E	403	TYD	C5M-C5-C6	4.57	122.10	112.34
2	G	401	PMP	O4P-C5A-C5	3.64	116.29	109.35
6	D	401	TYD	C2'-C1'-N1	-3.48	111.35	115.61
6	C	402	TYD	C2'-C1'-N1	-3.34	111.52	115.61
6	E	402	TYD	O4'-C1'-N1	-3.11	104.45	108.41
2	H	402	PMP	C6-C5-C4	-2.96	116.02	118.12
6	E	403	TYD	C2'-C1'-N1	-2.88	112.09	115.61
2	J	402	PMP	O3P-P-O2P	2.80	118.33	107.64
6	E	402	TYD	N3-C2-N1	-2.66	113.84	116.65
6	B	403	TYD	C6-C5-C4	2.61	119.01	111.53
6	H	401	TYD	C6-C5-C4	2.55	118.85	111.53
2	D	402	PMP	O3P-P-O4P	-2.52	100.04	106.73
6	D	401	TYD	C6-C5-C4	2.51	118.73	111.53
2	H	402	PMP	O2P-P-O1P	2.50	120.48	110.68
6	C	402	TYD	C6-C5-C4	2.45	118.56	111.53
6	B	401	TYD	C6-C5-C4	2.43	118.50	111.53
2	H	402	PMP	O2P-P-O4P	-2.43	100.27	106.73
6	I	402	TYD	N3-C2-N1	-2.43	114.09	116.65
6	E	403	TYD	C6-C5-C4	2.42	118.46	111.53
2	H	402	PMP	C5A-C5-C6	2.41	123.34	119.37
6	G	402	TYD	C6-C5-C4	2.38	118.35	111.53
6	I	402	TYD	C6-C5-C4	2.34	118.23	111.53
6	J	401	TYD	C6-C5-C4	2.32	118.20	111.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	E	402	TYD	C6-C5-C4	2.30	118.12	111.53
2	H	402	PMP	C6-N1-C2	2.26	123.36	119.17
6	E	403	TYD	N3-C2-N1	-2.22	114.31	116.65
2	F	401	PMP	O4P-C5A-C5	2.21	113.56	109.35
2	E	401	PMP	O4P-P-O1P	-2.21	100.28	106.47
2	H	402	PMP	O3-C3-C2	2.15	122.19	117.49
6	I	402	TYD	C2'-C1'-N1	-2.15	112.98	115.61
2	J	402	PMP	O2P-P-O4P	-2.14	101.03	106.73
2	B	402	PMP	O4P-C5A-C5	2.12	113.39	109.35
2	I	401	PMP	O4P-C5A-C5	2.12	113.39	109.35
2	E	401	PMP	O3P-P-O2P	2.11	115.69	107.64
6	C	402	TYD	N3-C2-N1	-2.10	114.43	116.65
6	B	403	TYD	N3-C2-N1	-2.09	114.45	116.65
6	D	401	TYD	PA-O3A-PB	-2.04	125.83	132.83
6	D	401	TYD	N3-C2-N1	-2.04	114.50	116.65

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	PMP	C3-C4-C4A-N4A
2	A	401	PMP	C5-C4-C4A-N4A
2	C	401	PMP	C5-C4-C4A-N4A
2	G	401	PMP	C3-C4-C4A-N4A
2	G	401	PMP	C5-C4-C4A-N4A
2	H	402	PMP	C3-C4-C4A-N4A
2	H	402	PMP	C5-C4-C4A-N4A
2	C	401	PMP	C3-C4-C4A-N4A
2	E	401	PMP	C3-C4-C4A-N4A
2	E	401	PMP	C5-C4-C4A-N4A
4	J	403	EDO	O1-C1-C2-O2
2	I	401	PMP	C3-C4-C4A-N4A
2	F	401	PMP	C5-C4-C4A-N4A
2	I	401	PMP	C5-C4-C4A-N4A
4	B	404	EDO	O1-C1-C2-O2
2	B	402	PMP	C5-C4-C4A-N4A
6	C	402	TYD	PB-O3A-PA-O2A
6	E	403	TYD	PB-O3A-PA-O1A
6	G	402	TYD	PB-O3A-PA-O2A
2	F	401	PMP	C3-C4-C4A-N4A
6	B	403	TYD	PB-O3A-PA-O2A
6	E	402	TYD	PB-O3A-PA-O2A

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
6	H	401	TYD	PB-O3A-PA-O1A



There are no ring outliers.



8 monomers are involved in 38 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	403	TYD	10	0
6	J	401	TYD	1	0
6	I	402	TYD	2	0
6	B	401	TYD	1	0
6	C	402	TYD	3	0
6	E	402	TYD	10	0
6	E	403	TYD	10	0
4	E	404	EDO	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






























5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	348/356 (97%)	-0.04	8 (2%) 60 65	12, 19, 33, 53	0
1	B	350/356 (98%)	0.11	8 (2%) 60 65	11, 20, 39, 58	0
1	C	352/356 (98%)	-0.04	9 (2%) 56 60	13, 19, 38, 57	0
1	D	351/356 (98%)	0.30	16 (4%) 32 36	13, 27, 45, 81	0
1	E	353/356 (99%)	-0.01	7 (1%) 65 69	11, 20, 37, 50	0
1	F	350/356 (98%)	0.04	9 (2%) 56 60	12, 20, 37, 68	0
1	G	352/356 (98%)	0.48	16 (4%) 33 37	19, 28, 43, 76	0
1	H	351/356 (98%)	0.30	14 (3%) 38 42	16, 25, 44, 63	0
1	I	350/356 (98%)	0.87	38 (10%) 5 6	18, 32, 50, 63	0
1	J	351/356 (98%)	0.22	9 (2%) 56 60	14, 24, 43, 66	0
All	All	3508/3560 (98%)	0.22	134 (3%) 40 45	11, 23, 42, 81	0

All (134) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	2	GLY	5.8
1	B	312	LEU	5.3
1	D	312	LEU	4.7
1	D	120	LYS	4.4
1	D	2	GLY	4.3
1	I	179	ILE	4.2
1	G	28	ALA	4.1
1	G	17	SER	3.9
1	D	121	ASN	3.8
1	I	158	ALA	3.8
1	I	216	SER	3.7
1	F	351	LYS	3.6
1	D	336	ARG	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	179[A]	ILE	3.6
1	C	1	MET	3.5
1	G	1	MET	3.5
1	G	120	LYS	3.5
1	F	268	LYS	3.5
1	I	120	LYS	3.5
1	I	178	ILE	3.4
1	J	121	ASN	3.4
1	B	121	ASN	3.4
1	H	351	LYS	3.4
1	D	350	ASP	3.3
1	I	68	LEU	3.3
1	J	4	GLU	3.3
1	E	1	MET	3.3
1	G	122	ILE	3.2
1	H	336	ARG	3.2
1	G	123	GLU	3.2
1	J	3	LEU	3.2
1	D	352	ASN	3.1
1	I	28	ALA	3.1
1	A	217	LEU	3.1
1	G	16	TRP	3.1
1	E	0	HIS	3.1
1	E	179[A]	ILE	3.1
1	C	121	ASN	3.0
1	J	350	ASP	3.0
1	I	147	MET	2.9
1	G	278	LYS	2.9
1	J	5	LYS	2.9
1	I	336	ARG	2.9
1	B	268	LYS	2.9
1	G	150	ASN	2.9
1	B	120	LYS	2.8
1	C	216	SER	2.8
1	G	2	GLY	2.8
1	B	350	ASP	2.8
1	I	148	ASN	2.8
1	I	3	LEU	2.7
1	I	123	GLU	2.7
1	H	352	ASN	2.7
1	D	270	PHE	2.7
1	C	120	LYS	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	4	GLU	2.6
1	H	17	SER	2.6
1	I	350	ASP	2.6
1	D	268	LYS	2.6
1	A	178	ILE	2.6
1	G	121	ASN	2.5
1	B	179	ILE	2.5
1	I	31	GLN	2.5
1	A	218	GLY	2.5
1	E	132	ILE	2.5
1	H	3	LEU	2.5
1	I	51	LEU	2.5
1	I	352	ASN	2.5
1	D	123	GLU	2.5
1	C	2	GLY	2.5
1	B	349	ALA	2.5
1	J	120	LYS	2.5
1	I	117	ASN	2.4
1	I	25	ALA	2.4
1	D	351	LYS	2.4
1	E	158	ALA	2.4
1	H	24	ALA	2.4
1	H	347	GLU	2.4
1	A	194	CYS	2.3
1	B	122	ILE	2.3
1	I	29	THR	2.3
1	G	168	LYS	2.3
1	C	217	LEU	2.3
1	I	299	ILE	2.3
1	I	290	PHE	2.3
1	D	117	ASN	2.3
1	H	268	LYS	2.3
1	D	122	ILE	2.3
1	F	348	PHE	2.3
1	I	121	ASN	2.3
1	J	179	ILE	2.3
1	I	164	PHE	2.3
1	I	144	ASP	2.3
1	H	278	LYS	2.3
1	A	158	ALA	2.2
1	I	122	ILE	2.2
1	A	216	SER	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	349	ALA	2.2
1	A	181	PHE	2.2
1	I	297	ASP	2.2
1	E	178	ILE	2.2
1	H	299	ILE	2.2
1	I	132	ILE	2.2
1	I	351	LYS	2.2
1	F	158	ALA	2.2
1	I	17	SER	2.1
1	C	194	CYS	2.1
1	D	266	LEU	2.1
1	F	179	ILE	2.1
1	I	52	ILE	2.1
1	H	158	ALA	2.1
1	I	246	ASN	2.1
1	I	300	PRO	2.1
1	F	350	ASP	2.1
1	I	181	PHE	2.1
1	G	192	GLY	2.1
1	I	302	LEU	2.1
1	I	21	LYS	2.1
1	I	149	HIS	2.1
1	G	64	GLY	2.1
1	F	120	LYS	2.1
1	D	148	ASN	2.1
1	G	147	MET	2.1
1	C	178	ILE	2.1
1	I	154	ILE	2.1
1	J	268	LYS	2.1
1	F	352	ASN	2.1
1	A	65	THR	2.1
1	D	178	ILE	2.1
1	E	121	ASN	2.0
1	G	29	THR	2.0
1	I	291	ASP	2.0
1	F	148	ASN	2.0
1	H	21	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	EDO	J	403	4/4	0.66	0.22	34,39,39,39	0
6	TYD	G	402	25/25	0.73	0.24	35,53,74,81	0
4	EDO	B	404	4/4	0.84	0.13	29,30,31,35	0
6	TYD	I	402	25/25	0.84	0.20	36,49,66,74	0
6	TYD	J	401	25/25	0.84	0.19	30,45,69,76	0
6	TYD	C	402	25/25	0.85	0.21	27,44,64,79	0
6	TYD	B	403	25/25	0.85	0.22	25,43,77,84	0
6	TYD	H	401	25/25	0.87	0.17	28,38,60,70	0
6	TYD	E	403	25/25	0.88	0.16	21,34,71,79	0
6	TYD	E	402	25/25	0.90	0.14	19,33,68,79	0
3	PO4	A	402	5/5	0.92	0.21	44,44,53,55	0
6	TYD	D	401	25/25	0.92	0.11	21,28,67,73	0
6	TYD	B	401	25/25	0.92	0.11	17,26,57,67	0
4	EDO	F	402	4/4	0.92	0.12	26,31,32,35	0
4	EDO	J	404	4/4	0.93	0.10	22,25,26,28	0
4	EDO	C	403	4/4	0.94	0.14	25,29,30,30	0
4	EDO	E	404	4/4	0.95	0.14	31,36,40,44	0
4	EDO	A	403	4/4	0.95	0.10	27,28,29,30	0
2	PMP	G	401	16/16	0.96	0.14	19,22,28,36	0
2	PMP	H	402	16/16	0.96	0.11	19,21,28,34	0
2	PMP	I	401	16/16	0.97	0.16	20,26,34,43	0
5	CL	A	404	1/1	0.97	0.06	26,26,26,26	0
4	EDO	B	405	4/4	0.97	0.07	24,25,28,29	0
2	PMP	J	402	16/16	0.97	0.12	15,19,25,31	0
2	PMP	A	401	16/16	0.98	0.15	11,14,20,26	0
2	PMP	B	402	16/16	0.98	0.12	12,13,19,27	0
2	PMP	C	401	16/16	0.98	0.16	12,14,19,25	0
2	PMP	D	402	16/16	0.98	0.10	15,21,24,33	0
2	PMP	E	401	16/16	0.98	0.16	11,14,19,26	0
2	PMP	F	401	16/16	0.98	0.14	11,15,22,30	0




The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





Electron density around TYD I 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around TYD J 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around TYD C 402:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around TYD H 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TYD E 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TYD E 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TYD D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around TYD B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PMP G 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PMP H 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PMP I 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PMP J 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PMP A 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PMP B 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PMP C 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around PMP D 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PMP E 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.