



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 29, 2023 – 09:47 AM EDT

PDB ID : 3MI9
Title : Crystal structure of HIV-1 Tat complexed with human P-TEFb
Authors : Tahirov, T.H.; Babayeva, N.D.; Varzavand, K.; Cooper, J.J.; Sedore, S.C.;
Price, D.H.
Deposited on : 2010-04-09
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	351	 9% 66% 25% 6%
2	B	266	 14% 67% 24% 7%
3	C	86	 9% 44% 10% 43%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5398 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cell division protein kinase 9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	N	O	P				S
1	A	329	2665	1709	461	478	1	16	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	346	HIS	-	expression tag	UNP P50750
A	347	HIS	-	expression tag	UNP P50750
A	348	HIS	-	expression tag	UNP P50750
A	349	HIS	-	expression tag	UNP P50750
A	350	HIS	-	expression tag	UNP P50750
A	351	HIS	-	expression tag	UNP P50750

- Molecule 2 is a protein called Cyclin-T1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	247	2005	1280	344	371	10	0	0	0

- Molecule 3 is a protein called Protein Tat.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	49	385	244	68	65	8	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	77	SER	PRO	variant	UNP P04608

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	2	Total 2	Zn 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	204	Total 204	O 204	0	0
5	B	117	Total 117	O 117	0	0
5	C	20	Total 20	O 20	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cell division protein kinase 9




- Molecule 2: Cyclin-T1



- Molecule 3: Protein Tat





4 Data and refinement statistics i

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	132.31Å 132.31Å 95.36Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.63 – 2.10 30.63 – 2.09	Depositor EDS
% Data completeness (in resolution range)	85.6 (30.63-2.10) 85.1 (30.63-2.09)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.46 (at 2.08Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.219 , 0.264 0.216 , 0.263	Depositor DCC
R_{free} test set	2601 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	36.9	Xtrriage
Anisotropy	0.092	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 62.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.029 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5398	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.22% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, TPO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/2709	0.69	1/3656 (0.0%)
2	B	0.38	0/2054	0.60	0/2798
3	C	0.39	0/397	0.60	0/536
All	All	0.40	0/5160	0.65	1/6990 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	180	SER	N-CA-C	5.05	124.63	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2665	0	2719	77	0
2	B	2005	0	1978	56	0
3	C	385	0	376	8	0
4	C	2	0	0	0	0
5	A	204	0	0	12	0
5	B	117	0	0	3	0
5	C	20	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	5398	0	5073	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:131:GLN:HE21	2:B:131:GLN:HA	1.27	0.99
1:A:142:ARG:HH21	1:A:142:ARG:HG2	1.35	0.88
2:B:166:ALA:HB1	2:B:170:LEU:HD23	1.64	0.79
2:B:168:LYS:HB3	2:B:168:LYS:NZ	2.02	0.75
2:B:82:SER:O	2:B:85:PRO:HD2	1.87	0.74
2:B:20:GLU:O	2:B:25:ARG:NH1	2.21	0.74
2:B:36:SER:O	2:B:40:GLN:HG3	1.89	0.72
2:B:131:GLN:HA	2:B:131:GLN:NE2	2.05	0.72
1:A:335:MET:SD	1:A:339:LEU:HD12	2.29	0.72
1:A:342:PRO:O	1:A:343:ARG:HG3	1.90	0.71
2:B:118:LEU:H	2:B:118:LEU:HD12	1.54	0.71
1:A:142:ARG:HG2	1:A:142:ARG:NH2	2.04	0.71
2:B:47:ASP:O	2:B:51:ARG:HG2	1.91	0.70
2:B:215:SER:HB2	5:B:287:HOH:O	1.91	0.70
2:B:158:VAL:O	2:B:162:GLN:HG2	1.94	0.68
2:B:84:ALA:HB3	2:B:85:PRO:HD3	1.76	0.67
2:B:35:LEU:O	2:B:39:GLN:HG3	1.96	0.65
2:B:81:ASN:HD22	2:B:112:LEU:HD21	1.61	0.65
1:A:142:ARG:HD2	5:A:452:HOH:O	1.97	0.64
1:A:283:VAL:O	1:A:284:ARG:HB2	1.97	0.63
1:A:336:PHE:HD1	5:A:471:HOH:O	1.82	0.62
2:B:17:GLU:O	2:B:20:GLU:HB3	2.00	0.62
2:B:210:TRP:CH2	2:B:212:ILE:HG12	2.35	0.62
2:B:120:ASP:OD2	2:B:122:ARG:HB2	2.00	0.62
1:A:122:THR:OG1	1:A:125:GLU:HG3	2.00	0.61
2:B:210:TRP:CZ3	2:B:212:ILE:HG12	2.35	0.60
1:A:117:VAL:HG12	1:A:117:VAL:O	2.01	0.59
2:B:120:ASP:C	2:B:122:ARG:H	2.06	0.59
1:A:175:SER:HB2	3:C:9:GLU:HG3	1.85	0.58
1:A:144:LYS:HA	1:A:174:PHE:CE1	2.38	0.58
2:B:54:VAL:HG12	2:B:99:LYS:HE3	1.86	0.57
1:A:133:LEU:CD1	1:A:165:LEU:HD21	2.34	0.57
1:A:250:PRO:HG2	1:A:257:ASP:OD1	2.05	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:333:THR:O	1:A:334:SER:HB3	2.05	0.57
1:A:277:ASP:HA	1:A:280:LYS:HE3	1.86	0.56
1:A:21:LYS:HE3	5:A:522:HOH:O	2.05	0.56
2:B:166:ALA:CB	2:B:170:LEU:HD23	2.35	0.56
1:A:40:LYS:HE2	5:A:537:HOH:O	2.05	0.56
1:A:228:ILE:HG13	1:A:229:MET:HG3	1.86	0.56
1:A:272:LYS:O	1:A:274:LYS:HG3	2.05	0.56
1:A:121:PHE:CE1	1:A:327:MET:HG3	2.40	0.56
2:B:7:ASN:O	2:B:11:ARG:N	2.39	0.55
1:A:133:LEU:HD12	1:A:165:LEU:HD21	1.89	0.55
1:A:57:GLU:OE2	2:B:100:LYS:HA	2.07	0.54
1:A:224:THR:O	1:A:225:ARG:HB2	2.08	0.54
1:A:127:LYS:HG2	1:A:314:PHE:CZ	2.43	0.53
2:B:106:LYS:HG3	2:B:118:LEU:HD21	1.90	0.53
2:B:131:GLN:HE21	2:B:131:GLN:CA	2.05	0.53
1:A:334:SER:OG	1:A:337:GLU:OE1	2.20	0.53
1:A:254:PRO:HG2	5:A:431:HOH:O	2.09	0.53
2:B:89:PHE:CE1	2:B:93:LYS:HE3	2.44	0.53
1:A:15:GLU:HA	1:A:86:ARG:O	2.10	0.52
1:A:114:LEU:O	1:A:225:ARG:HD2	2.10	0.52
2:B:7:ASN:HA	2:B:10:LYS:HB2	1.90	0.52
2:B:105:ILE:HD13	2:B:130:VAL:HG22	1.92	0.51
3:C:18:PRO:HG2	5:C:106:HOH:O	2.10	0.51
1:A:142:ARG:NH1	5:A:516:HOH:O	2.44	0.50
1:A:290:ASP:OD2	1:A:294:LYS:HE2	2.11	0.50
2:B:125:ALA:O	2:B:128:GLN:HB3	2.12	0.50
1:A:243:GLN:O	1:A:274:LYS:HD2	2.12	0.49
1:A:29:THR:OG1	1:A:32:GLU:HB2	2.12	0.49
1:A:299:ASP:OD2	1:A:302:GLN:HG3	2.13	0.49
1:A:180:SER:HB2	1:A:181:GLN:HE21	1.75	0.49
1:A:268:VAL:HG22	1:A:271:GLN:HG2	1.94	0.49
3:C:27:CYS:O	3:C:29:LYS:N	2.46	0.49
1:A:56:LYS:N	5:A:519:HOH:O	2.46	0.49
1:A:245:CYS:O	1:A:273:ARG:HG3	2.13	0.48
2:B:219:LYS:HD2	2:B:223:GLU:HB3	1.94	0.48
1:A:342:PRO:HG2	1:A:343:ARG:NH2	2.29	0.48
2:B:128:GLN:O	2:B:131:GLN:HB2	2.12	0.48
2:B:105:ILE:CG2	2:B:129:GLN:HE21	2.27	0.48
1:A:247:SER:N	1:A:271:GLN:HB2	2.29	0.48
3:C:31:CYS:SG	3:C:41:LYS:HB3	2.54	0.48
1:A:283:VAL:O	1:A:284:ARG:CB	2.62	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:31:CYS:O	3:C:38:PHE:HA	2.14	0.48
2:B:19:LEU:HD11	2:B:190:GLN:HG2	1.96	0.47
1:A:73:LEU:O	1:A:74:LYS:HD3	2.14	0.47
2:B:168:LYS:HB3	2:B:168:LYS:HZ3	1.76	0.47
2:B:19:LEU:HD11	2:B:190:GLN:CG	2.44	0.47
2:B:126:TYR:O	2:B:129:GLN:HG2	2.14	0.47
2:B:203:LEU:HD13	2:B:238:THR:HG23	1.97	0.47
1:A:62:THR:HB	5:A:528:HOH:O	2.15	0.46
1:A:119:VAL:O	1:A:225:ARG:NH2	2.38	0.46
1:A:335:MET:SD	1:A:335:MET:C	2.94	0.46
2:B:15:THR:OG1	2:B:18:GLN:HG3	2.16	0.46
2:B:97:GLN:N	2:B:98:PRO:CD	2.78	0.45
2:B:105:ILE:CD1	2:B:130:VAL:HG22	2.46	0.45
1:A:117:VAL:O	1:A:117:VAL:CG1	2.64	0.45
1:A:268:VAL:CG2	1:A:271:GLN:HG2	2.46	0.45
1:A:22:LEU:CD1	1:A:44:LYS:HE2	2.47	0.45
1:A:81:LEU:HD12	1:A:102:VAL:O	2.17	0.45
1:A:255:ASN:HD22	1:A:255:ASN:HA	1.53	0.45
2:B:120:ASP:C	2:B:122:ARG:N	2.69	0.45
2:B:168:LYS:HB3	2:B:168:LYS:HZ2	1.78	0.44
3:C:25:CYS:SG	3:C:26:TYR:N	2.90	0.44
2:B:26:ARG:HB2	2:B:26:ARG:NH1	2.32	0.44
1:A:52:MET:O	1:A:55:GLU:HG3	2.18	0.44
2:B:26:ARG:HB2	2:B:26:ARG:CZ	2.47	0.44
3:C:27:CYS:O	3:C:28:LYS:C	2.55	0.44
1:A:35:LYS:HE2	1:A:44:LYS:NZ	2.32	0.44
2:B:105:ILE:HG21	2:B:129:GLN:HE21	1.82	0.44
2:B:130:VAL:O	2:B:134:VAL:HG23	2.17	0.44
1:A:272:LYS:O	1:A:274:LYS:HE3	2.18	0.43
2:B:219:LYS:HB2	5:B:287:HOH:O	2.18	0.43
1:A:180:SER:HB2	1:A:181:GLN:NE2	2.32	0.43
1:A:263:GLU:O	1:A:265:LEU:N	2.50	0.43
1:A:268:VAL:HG11	1:A:271:GLN:HE21	1.82	0.43
1:A:266:GLU:O	1:A:266:GLU:OE2	2.36	0.43
1:A:255:ASN:ND2	1:A:258:ASN:OD1	2.51	0.43
1:A:290:ASP:CG	1:A:294:LYS:HE2	2.38	0.43
1:A:210:ILE:HG13	1:A:211:ASP:N	2.34	0.43
1:A:263:GLU:C	1:A:265:LEU:H	2.22	0.43
2:B:151:ASP:HB3	2:B:193:PRO:HG2	2.01	0.42
1:A:159:ARG:NH2	5:A:444:HOH:O	2.52	0.42
1:A:198:GLU:HA	1:A:253:TRP:HH2	1.85	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:285:ASP:HA	1:A:286:PRO:HD3	1.90	0.42
1:A:191:THR:CG2	5:A:510:HOH:O	2.68	0.42
2:B:126:TYR:O	2:B:127:LEU:C	2.58	0.42
2:B:170:LEU:HD22	2:B:210:TRP:CE3	2.55	0.42
1:A:163:LEU:C	1:A:163:LEU:HD23	2.40	0.41
1:A:269:LYS:O	1:A:269:LYS:HG3	2.20	0.41
2:B:178:ALA:HA	2:B:200:CYS:SG	2.60	0.41
1:A:56:LYS:O	2:B:101:LEU:HD23	2.19	0.41
2:B:14:PHE:CE2	2:B:71:MET:HG3	2.55	0.41
1:A:252:VAL:HG22	5:A:533:HOH:O	2.20	0.41
1:A:250:PRO:HD3	1:A:262:TYR:OH	2.21	0.41
1:A:22:LEU:HG	1:A:36:ALA:HA	2.02	0.41
1:A:60:PRO:HB3	1:A:62:THR:HG22	2.03	0.41
1:A:142:ARG:NH2	1:A:142:ARG:CG	2.74	0.41
1:A:189:VAL:C	1:A:190:VAL:HG23	2.41	0.41
2:B:101:LEU:HD12	2:B:101:LEU:O	2.20	0.41
2:B:250:ASN:ND2	3:C:41:LYS:O	2.54	0.40
1:A:118:LEU:HD23	1:A:118:LEU:HA	1.90	0.40
1:A:236:HIS:O	1:A:239:ALA:HB3	2.21	0.40
2:B:219:LYS:N	5:B:287:HOH:O	2.53	0.40
1:A:255:ASN:C	1:A:257:ASP:N	2.73	0.40
1:A:212:LEU:HD13	5:A:449:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	324/351 (92%)	299 (92%)	15 (5%)	10 (3%)	4 1
2	B	244/266 (92%)	227 (93%)	15 (6%)	2 (1%)	19 15
3	C	47/86 (55%)	45 (96%)	1 (2%)	1 (2%)	7 3

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	615/703 (88%)	571 (93%)	31 (5%)	13 (2%)	7 3

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	179	ASN
1	A	264	LYS
1	A	180	SER
1	A	190	VAL
2	B	116	GLU
3	C	28	LYS
1	A	30	PHE
1	A	284	ARG
1	A	343	ARG
2	B	216	THR
1	A	56	LYS
1	A	342	PRO
1	A	117	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	291/311 (94%)	285 (98%)	6 (2%)	53 59
2	B	226/241 (94%)	219 (97%)	7 (3%)	40 43
3	C	44/77 (57%)	42 (96%)	2 (4%)	27 27
All	All	561/629 (89%)	546 (97%)	15 (3%)	44 48

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	54	ASN
1	A	56	LYS
1	A	142	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	212	LEU
1	A	255	ASN
1	A	267	LEU
2	B	7	ASN
2	B	8	ASN
2	B	16	ARG
2	B	30	ASP
2	B	131	GLN
2	B	162	GLN
2	B	241	PHE
3	C	24	ASN
3	C	31	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	54	ASN
1	A	181	GLN
1	A	255	ASN
2	B	7	ASN
2	B	8	ASN
2	B	9	ASN
2	B	77	GLN
2	B	81	ASN
2	B	129	GLN
2	B	131	GLN
2	B	162	GLN
2	B	209	ASN
3	C	24	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TPO	A	186	1	8,10,11	1.52	1 (12%)	10,14,16	1.52	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	186	1	-	0/9/11/13	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	186	TPO	P-O1P	3.05	1.60	1.50

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	186	TPO	P-OG1-CB	-3.97	111.20	123.21

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	328/351 (93%)	0.48	33 (10%) 7 9	23, 40, 81, 96	0
2	B	247/266 (92%)	0.75	38 (15%) 2 2	25, 44, 78, 101	0
3	C	49/86 (56%)	0.75	8 (16%) 1 2	35, 51, 79, 88	0
All	All	624/703 (88%)	0.61	79 (12%) 3 5	23, 43, 79, 101	0

All (79) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	261	CYS	7.0
1	A	178	LYS	6.6
2	B	7	ASN	6.5
1	A	177	ALA	6.4
1	A	182	PRO	6.1
1	A	180	SER	5.7
1	A	342	PRO	5.7
1	A	179	ASN	5.3
1	A	344	ARG	5.3
1	A	336	PHE	5.2
3	C	49	ARG	5.1
1	A	29	THR	5.1
2	B	125	ALA	5.1
2	B	217	ASP	5.0
2	B	119	PRO	4.9
1	A	30	PHE	4.7
3	C	28	LYS	4.5
2	B	216	THR	4.4
1	A	343	ARG	4.2
1	A	55	GLU	4.0
2	B	115	GLN	3.8
1	A	181	GLN	3.7
2	B	182	LEU	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	341	PRO	3.4
2	B	59	ILE	3.3
1	A	53	GLU	3.3
1	A	184	ARG	3.3
2	B	118	LEU	3.3
2	B	62	ALA	3.2
2	B	252	LEU	3.2
2	B	9	ASN	3.2
1	A	284	ARG	3.2
2	B	120	ASP	3.1
2	B	27	PHE	3.1
1	A	268	VAL	3.1
2	B	45	LEU	3.1
2	B	41	ALA	3.0
1	A	266	GLU	3.0
3	C	23	THR	2.9
1	A	56	LYS	2.9
2	B	63	ILE	2.9
1	A	263	GLU	2.9
2	B	26	ARG	2.9
2	B	218	GLY	2.7
1	A	333	THR	2.7
2	B	42	ALA	2.7
1	A	88	LYS	2.7
3	C	29	LYS	2.7
3	C	26	TYR	2.7
3	C	19	LYS	2.7
2	B	114	PRO	2.6
2	B	10	LYS	2.6
1	A	218	ILE	2.6
1	A	214	GLY	2.6
1	A	54	ASN	2.5
3	C	24	ASN	2.5
2	B	184	LEU	2.5
2	B	83	VAL	2.5
1	A	265	LEU	2.4
2	B	122	ARG	2.4
2	B	179	THR	2.3
2	B	25	ARG	2.3
2	B	183	HIS	2.3
1	A	28	GLY	2.3
2	B	181	SER	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	116	GLU	2.3
1	A	97	GLY	2.3
2	B	178	ALA	2.2
1	A	133	LEU	2.2
2	B	84	ALA	2.2
1	A	257	ASP	2.2
1	A	340	ALA	2.2
2	B	241	PHE	2.1
2	B	29	VAL	2.1
3	C	48	GLY	2.1
1	A	216	GLY	2.1
2	B	66	MET	2.0
2	B	30	ASP	2.0
2	B	102	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	TPO	A	186	11/12	0.98	0.10	30,33,43,43	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	ZN	C	88	1/1	0.97	0.05	71,71,71,71	0
4	ZN	C	87	1/1	0.98	0.04	53,53,53,53	0

6.5 Other polymers [i](#)

There are no such residues in this entry.