



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 22, 2024 – 04:32 PM EDT

PDB ID : 6MJF
Title : Catalytic Domain of dbOphMA
Authors : Ongpipatanakul, C.; Nair, S.K.
Deposited on : 2018-09-20
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 2.37.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	386	
1	B	386	
1	C	386	
1	D	386	
1	E	386	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	386	 <p>A horizontal bar chart representing the quality of the chain. The bar is divided into three segments: a red segment on the left labeled '9%', a green segment in the middle labeled '70%', and a yellow segment on the right labeled '24%'. The bar ends with a small grey segment and two dots '••'.</p>

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 18111 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called dbOphM.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	371	Total 2896	C 1846	N 487	O 545	S 18	0	0	0
1	B	370	Total 2889	C 1841	N 486	O 544	S 18	0	0	0
1	C	371	Total 2892	C 1843	N 486	O 545	S 18	0	0	0
1	D	370	Total 2889	C 1841	N 486	O 544	S 18	0	0	0
1	E	369	Total 2881	C 1837	N 485	O 541	S 18	0	0	0
1	F	370	Total 2889	C 1841	N 486	O 544	S 18	0	0	0

- Molecule 2 is S-ADENOSYL-L-HOMOCYSTEINE (three-letter code: SAH) (formula: $C_{14}H_{20}N_6O_5S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			26	14	6	5	1		
2	B	1	Total	C	N	O	S	0	0
			26	14	6	5	1		
2	C	1	Total	C	N	O	S	0	0
			26	14	6	5	1		
2	D	1	Total	C	N	O	S	0	0
			26	14	6	5	1		
2	F	1	Total	C	N	O	S	0	0
			26	14	6	5	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	146	Total	O	0	0
			146	146		
3	B	131	Total	O	0	0
			131	131		
3	C	137	Total	O	0	0
			137	137		
3	D	102	Total	O	0	0
			102	102		
3	E	61	Total	O	0	0
			61	61		
3	F	68	Total	O	0	0
			68	68		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: dbOphM




- Molecule 1: dbOphM




- Molecule 1: dbOphM




• Molecule 1: dbOphM



• Molecule 1: dbOphM



• Molecule 1: dbOphM



4 Data and refinement statistics

Property	Value	Source
Space group	P 32	Depositor
Cell constants a, b, c, α , β , γ	109.54Å 109.54Å 167.62Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	45.64 – 2.20 45.64 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.0 (45.64-2.20) 99.0 (45.64-2.20)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	0.12	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.17 (at 2.20Å)	Xtrriage
Refinement program	PHENIX (???)	Depositor
R, R_{free}	0.231 , 0.267 0.235 , 0.269	Depositor DCC
R_{free} test set	5842 reflections (5.15%)	wwPDB-VP
Wilson B-factor (Å ²)	35.8	Xtrriage
Anisotropy	0.505	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 22.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	0.029 for -h,-k,l 0.366 for h,-h-k,-l 0.034 for -k,-h,-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	18111	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SAH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/2969	0.42	0/4042
1	B	0.25	0/2961	0.42	0/4031
1	C	0.25	0/2965	0.42	0/4038
1	D	0.26	0/2961	0.42	0/4031
1	E	0.28	0/2952	0.46	0/4017
1	F	0.27	0/2961	0.45	0/4031
All	All	0.26	0/17769	0.43	0/24190

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2896	0	2852	25	0
1	B	2889	0	2844	35	0
1	C	2892	0	2841	39	0
1	D	2889	0	2844	30	0
1	E	2881	0	2839	77	0
1	F	2889	0	2844	77	0
2	A	26	0	19	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	26	0	19	0	0
2	C	26	0	19	0	0
2	D	26	0	19	0	0
2	F	26	0	19	0	0
3	A	146	0	0	2	0
3	B	131	0	0	5	0
3	C	137	0	0	5	0
3	D	102	0	0	2	0
3	E	61	0	0	3	0
3	F	68	0	0	9	0
All	All	18111	0	17159	258	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (258) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:355:THR:HG21	1:C:377:MET:CE	2.01	0.90
1:F:58:CYS:SG	3:F:614:HOH:O	2.30	0.90
1:E:99:HIS:HD2	1:E:101:GLY:H	1.22	0.84
1:E:260:ILE:HD13	1:F:156:ILE:HD12	1.62	0.82
1:E:345:ARG:H	1:E:345:ARG:HD2	1.48	0.79
1:E:156:ILE:HD12	1:F:260:ILE:HG12	1.67	0.77
1:E:109:ARG:HE	1:E:113:ILE:HD11	1.52	0.75
1:F:213:ALA:HB1	1:F:218:GLN:HG3	1.68	0.75
1:C:138:CYS:SG	3:D:695:HOH:O	2.45	0.74
1:C:355:THR:CG2	1:C:357:GLN:HE21	2.01	0.74
1:E:210:TYR:OH	1:E:212:ALA:HB2	1.89	0.73
1:E:260:ILE:HD11	1:E:265:PHE:HB2	1.71	0.72
1:F:163:VAL:HG13	1:F:250:LYS:HB3	1.70	0.72
1:E:138:CYS:SG	3:F:661:HOH:O	2.48	0.71
1:A:143:ASN:HD21	1:A:277:GLN:HE21	1.39	0.71
1:F:29:LEU:HD21	1:F:54:LYS:HE3	1.73	0.71
1:F:115:ARG:HG3	1:F:121:ALA:HB3	1.72	0.70
1:C:355:THR:HG23	1:C:357:GLN:HE21	1.57	0.69
1:B:195:ASP:OD1	1:B:231:ARG:NH2	2.22	0.69
1:B:223:ASP:OD2	1:B:238:ARG:NH2	2.27	0.68
1:B:327:MET:HG3	1:B:374:MET:HE2	1.76	0.68
1:C:355:THR:HG21	1:C:377:MET:HE1	1.74	0.68
1:E:189:LYS:NZ	1:F:262:LEU:O	2.25	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:291:LEU:HD12	1:F:292:PRO:HD2	1.77	0.67
1:A:355:THR:HG22	1:A:358:GLU:H	1.61	0.66
1:F:12:ILE:HB	1:F:93:VAL:HG22	1.77	0.65
1:B:12:ILE:HB	1:B:93:VAL:HG22	1.77	0.65
1:E:72:MET:SD	1:E:72:MET:N	2.71	0.64
1:D:345:ARG:HG3	1:D:346:ALA:N	2.12	0.64
1:F:224:LYS:NZ	3:F:606:HOH:O	2.31	0.63
1:F:296:GLN:O	1:F:300:ALA:N	2.30	0.62
1:A:351:VAL:O	1:A:359:ARG:NH2	2.31	0.62
1:E:99:HIS:CD2	1:E:101:GLY:H	2.11	0.62
1:C:355:THR:OG1	1:C:357:GLN:NE2	2.33	0.62
1:F:167:LEU:HB3	1:F:247:ILE:HB	1.81	0.61
1:C:138:CYS:SG	3:C:719:HOH:O	2.56	0.61
1:C:167:LEU:HB3	1:C:247:ILE:HB	1.82	0.60
1:E:257:THR:HA	1:E:260:ILE:HG22	1.83	0.60
1:F:152:SER:O	1:F:156:ILE:HG12	2.03	0.59
1:C:355:THR:HG21	1:C:377:MET:HE3	1.81	0.59
1:E:348:ALA:O	1:E:359:ARG:NH1	2.34	0.59
1:E:345:ARG:HD2	1:E:345:ARG:N	2.16	0.58
1:D:36:SER:HB2	1:D:90:LEU:HB3	1.83	0.58
1:E:259:ILE:O	1:E:263:LEU:HD22	2.03	0.58
1:E:115:ARG:HG3	1:E:121:ALA:HB3	1.84	0.58
1:E:351:VAL:HB	1:E:354:LEU:HD11	1.85	0.58
1:C:85:GLU:HB3	1:C:90:LEU:HD12	1.86	0.58
1:E:261:ARG:NH2	1:E:262:LEU:HG	2.19	0.57
1:D:277:GLN:HG3	1:D:290:THR:HG23	1.87	0.57
1:A:28:ALA:O	1:A:32:ILE:HG12	2.05	0.56
1:E:65:TYR:HB3	1:E:180:PHE:CE2	2.40	0.56
1:D:28:ALA:O	1:D:32:ILE:HG12	2.06	0.56
1:D:72:MET:SD	1:D:105:ASN:ND2	2.79	0.56
1:F:162:ASN:HB3	3:F:633:HOH:O	2.06	0.56
1:F:196:ARG:NH1	3:F:615:HOH:O	2.37	0.56
1:E:162:ASN:ND2	3:E:408:HOH:O	2.39	0.55
1:F:370:ILE:O	1:F:374:MET:HG3	2.06	0.55
1:E:157:ARG:CZ	1:E:159:ARG:NH2	2.70	0.55
1:D:283:GLN:NE2	3:D:609:HOH:O	2.40	0.55
1:D:354:LEU:HB3	1:D:359:ARG:HG2	1.89	0.55
1:D:32:ILE:HD13	1:D:93:VAL:HG11	1.89	0.54
1:B:152:SER:OG	1:B:176:GLY:N	2.40	0.54
1:D:188:SER:OG	1:D:189:LYS:NZ	2.40	0.54
1:D:273:ASP:OD2	1:D:276:THR:HB	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:63:GLN:NE2	3:B:611:HOH:O	2.40	0.54
1:F:174:CYS:HA	1:F:177:ILE:HD12	1.90	0.54
1:B:71:ARG:NH2	1:B:177:ILE:O	2.41	0.54
1:E:210:TYR:HA	1:E:221:VAL:O	2.08	0.54
1:C:355:THR:HG22	1:C:358:GLU:HB2	1.88	0.53
1:A:174:CYS:HA	1:A:177:ILE:HD12	1.91	0.53
1:B:278:ILE:HA	1:B:291:LEU:HD12	1.91	0.53
1:D:73:ASP:O	1:D:77:GLN:HG3	2.08	0.53
1:F:335:LYS:NZ	3:F:612:HOH:O	2.33	0.53
1:B:286:PRO:HB3	1:F:271:VAL:HG23	1.90	0.53
1:C:357:GLN:NE2	1:C:357:GLN:H	2.06	0.53
1:E:266:LEU:HD13	1:E:272:PRO:HB3	1.91	0.53
1:E:12:ILE:O	1:E:93:VAL:HA	2.09	0.52
1:F:226:THR:H	1:F:229:GLN:HE21	1.57	0.52
1:F:320:SER:HB3	1:F:377:MET:SD	2.49	0.52
1:B:37:LYS:NZ	3:B:613:HOH:O	2.42	0.52
1:B:251:ALA:HA	1:F:269:GLY:HA3	1.92	0.52
1:C:355:THR:O	1:C:359:ARG:HG3	2.08	0.52
1:E:157:ARG:CZ	1:E:159:ARG:HH22	2.22	0.52
1:E:77:GLN:NE2	1:F:304:ARG:HD2	2.24	0.52
1:E:214:MET:N	1:E:214:MET:SD	2.83	0.52
1:A:174:CYS:SG	3:A:727:HOH:O	2.59	0.52
1:B:298:GLU:O	1:B:302:ILE:HG12	2.10	0.52
1:C:76:THR:HG22	1:D:302:ILE:HD11	1.92	0.51
1:B:287:ASP:O	1:F:261:ARG:NH2	2.44	0.51
1:B:167:LEU:HB3	1:B:247:ILE:HB	1.93	0.51
1:E:305:LEU:HD21	1:F:77:GLN:HB3	1.92	0.51
1:F:33:GLU:HG2	1:F:54:LYS:HB3	1.93	0.51
1:B:28:ALA:O	1:B:32:ILE:HG12	2.11	0.51
1:C:357:GLN:H	1:C:357:GLN:CD	2.14	0.51
1:F:277:GLN:HG3	1:F:290:THR:HG23	1.92	0.50
1:D:278:ILE:HA	1:D:291:LEU:HD12	1.93	0.50
1:E:355:THR:HG22	1:E:357:GLN:H	1.76	0.50
1:A:12:ILE:O	1:A:93:VAL:HA	2.11	0.50
1:F:122:ARG:NH2	3:F:616:HOH:O	2.37	0.50
1:C:295:GLY:O	1:C:297:ASN:N	2.45	0.49
1:E:156:ILE:HD13	1:F:259:ILE:HG22	1.94	0.49
1:F:261:ARG:HG2	1:F:261:ARG:HH11	1.77	0.49
1:C:264:GLU:O	1:C:266:LEU:N	2.45	0.49
1:E:315:GLN:HB3	1:E:375:LYS:CG	2.43	0.48
1:A:45:PRO:HG2	1:B:371:ARG:HG2	1.94	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:317:LEU:HD12	1:F:374:MET:O	2.12	0.48
1:D:103:PHE:CE2	1:D:170:PHE:HB2	2.48	0.48
1:E:63:GLN:HG2	1:F:314:TYR:CE1	2.49	0.48
1:E:278:ILE:HA	1:E:291:LEU:HD12	1.95	0.48
1:F:296:GLN:HA	1:F:299:GLN:HB2	1.96	0.48
1:A:260:ILE:HG13	1:B:156:ILE:HD13	1.96	0.48
1:E:109:ARG:NH2	1:F:293:PRO:O	2.47	0.48
1:E:167:LEU:HB3	1:E:247:ILE:HB	1.95	0.48
1:E:223:ASP:OD2	3:E:401:HOH:O	2.20	0.48
1:D:12:ILE:HB	1:D:93:VAL:HG22	1.96	0.48
1:D:12:ILE:O	1:D:93:VAL:HA	2.14	0.48
1:A:156:ILE:HD11	1:B:263:LEU:HD12	1.94	0.48
1:F:109:ARG:O	1:F:113:ILE:HG13	2.14	0.48
1:E:157:ARG:NH1	1:E:159:ARG:NH2	2.62	0.47
1:F:12:ILE:O	1:F:93:VAL:HA	2.14	0.47
1:F:150:GLU:HB3	1:F:153:ASP:HB3	1.96	0.47
1:C:188:SER:O	3:C:601:HOH:O	2.20	0.47
1:F:226:THR:H	1:F:229:GLN:NE2	2.12	0.47
1:B:12:ILE:O	1:B:93:VAL:HA	2.15	0.47
1:F:20:SER:O	1:F:22:GLY:N	2.38	0.47
1:F:198:GLU:CD	1:F:231:ARG:HH21	2.18	0.47
1:A:146:CYS:HA	1:A:166:HIS:HB2	1.96	0.47
1:E:239:VAL:HG23	1:E:243:SER:CB	2.45	0.47
1:B:140:ASP:OD1	1:B:142:SER:OG	2.32	0.47
1:E:65:TYR:HB3	1:E:180:PHE:CD2	2.49	0.46
1:A:302:ILE:O	1:A:305:LEU:HB2	2.15	0.46
1:C:296:GLN:N	3:C:619:HOH:O	2.48	0.46
1:D:234:GLU:HA	1:D:237:LYS:HE2	1.98	0.46
1:E:36:SER:HB3	1:E:90:LEU:HD22	1.97	0.46
1:A:84:LYS:O	1:A:84:LYS:HD3	2.16	0.46
1:E:189:LYS:HD3	1:F:263:LEU:HA	1.98	0.46
1:F:323:MET:HA	1:F:326:VAL:HG12	1.97	0.46
1:B:218:GLN:NE2	3:B:608:HOH:O	2.38	0.46
1:E:192:ILE:HG12	1:F:262:LEU:HD22	1.97	0.46
1:F:71:ARG:NH1	1:F:75:TYR:OH	2.48	0.46
1:A:370:ILE:HG23	1:A:374:MET:HE3	1.98	0.46
1:C:174:CYS:HA	1:C:177:ILE:HD12	1.99	0.45
1:C:61:LEU:HD22	1:C:78:MET:HG2	1.99	0.45
1:D:65:TYR:HB3	1:D:180:PHE:CE2	2.52	0.45
1:E:87:ARG:NE	1:E:117:GLU:OE1	2.50	0.45
1:E:149:TYR:HB2	1:E:169:LEU:HD23	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:226:THR:OG1	1:F:229:GLN:HG3	2.16	0.45
1:A:252:ARG:HH22	1:A:277:GLN:HE22	1.63	0.45
1:E:326:VAL:HG21	1:E:351:VAL:HG21	1.98	0.45
1:B:175:VAL:HB	3:B:620:HOH:O	2.16	0.45
1:E:189:LYS:HZ2	1:F:264:GLU:HG3	1.81	0.45
1:F:335:LYS:O	1:F:335:LYS:HD3	2.16	0.45
1:C:12:ILE:O	1:C:93:VAL:HA	2.17	0.45
1:F:274:LYS:HE3	1:F:274:LYS:HB3	1.75	0.45
1:F:261:ARG:HH11	1:F:261:ARG:CG	2.31	0.44
1:A:80:GLU:HG2	1:B:302:ILE:HD12	1.99	0.44
1:E:37:LYS:HD3	1:E:57:ASN:ND2	2.33	0.44
1:E:105:ASN:N	1:E:106:PRO:HD2	2.33	0.44
1:D:266:LEU:HD13	1:D:272:PRO:HB3	1.98	0.44
1:D:319:THR:OG1	1:D:320:SER:N	2.49	0.44
1:E:360:ALA:O	1:E:364:LEU:HD23	2.18	0.44
1:C:155:LEU:HD21	1:C:193:LEU:HA	1.99	0.44
1:C:195:ASP:OD1	1:C:231:ARG:NH2	2.44	0.44
1:D:302:ILE:O	1:D:305:LEU:HB2	2.17	0.44
1:E:38:VAL:HA	1:E:93:VAL:O	2.18	0.44
1:F:279:TYR:CG	1:F:280:PRO:HA	2.53	0.44
1:F:355:THR:HG22	1:F:357:GLN:H	1.82	0.44
1:B:375:LYS:HB2	1:B:375:LYS:HE3	1.78	0.44
1:C:236:ALA:O	1:C:239:VAL:HG22	2.17	0.44
1:F:335:LYS:HE2	1:F:335:LYS:HA	1.99	0.44
1:F:88:ASN:HB2	1:F:90:LEU:HD12	1.98	0.44
1:F:177:ILE:HD13	1:F:185:PHE:HB3	1.99	0.44
1:B:83:LEU:O	1:B:87:ARG:HG3	2.18	0.44
1:E:81:LEU:HD21	1:F:305:LEU:HD11	2.00	0.44
1:F:287:ASP:OD2	3:F:602:HOH:O	2.21	0.44
1:C:355:THR:HG23	1:C:358:GLU:H	1.83	0.43
1:E:146:CYS:HA	1:E:166:HIS:HB2	2.00	0.43
1:B:327:MET:HG3	1:B:374:MET:CE	2.46	0.43
1:D:354:LEU:HD22	1:D:358:GLU:HB3	2.00	0.43
1:F:143:ASN:HA	1:F:144:PRO:HA	1.72	0.43
1:C:82:MET:O	1:C:86:VAL:HG23	2.18	0.43
1:E:157:ARG:NH1	1:E:159:ARG:HH21	2.17	0.43
1:E:279:TYR:CE2	1:E:293:PRO:HG3	2.54	0.43
1:C:49:ALA:O	1:C:53:THR:HG23	2.19	0.43
1:C:327:MET:HG3	1:C:374:MET:CE	2.48	0.43
1:E:40:TYR:HA	1:E:95:VAL:HB	2.00	0.43
1:E:155:LEU:HD22	1:E:192:ILE:HG22	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:341:LYS:HB3	1:F:341:LYS:HE3	1.66	0.43
1:C:187:ASN:HB3	3:C:669:HOH:O	2.18	0.43
1:D:298:GLU:O	1:D:302:ILE:HG12	2.18	0.43
1:F:257:THR:HG23	1:F:274:LYS:NZ	2.33	0.43
1:A:258:ASP:O	1:A:261:ARG:HG2	2.19	0.43
1:B:10:SER:HB2	1:B:120:GLN:HG3	1.99	0.43
1:C:375:LYS:O	3:C:602:HOH:O	2.21	0.43
1:F:27:GLN:O	1:F:31:TYR:HD1	2.02	0.43
1:E:210:TYR:CZ	1:E:212:ALA:HB2	2.53	0.43
1:E:259:ILE:O	1:E:262:LEU:HB2	2.19	0.43
1:A:252:ARG:HH22	1:A:277:GLN:NE2	2.17	0.43
1:C:20:SER:O	1:C:22:GLY:N	2.46	0.43
1:D:82:MET:O	1:D:86:VAL:HG23	2.18	0.43
1:F:207:VAL:HG13	1:F:225:PHE:HB2	2.01	0.43
1:C:103:PHE:CE2	1:C:170:PHE:HB2	2.54	0.42
1:E:330:LEU:HB3	1:F:216:PRO:HG2	2.01	0.42
1:F:261:ARG:HD2	1:F:261:ARG:HA	1.80	0.42
1:E:253:LYS:O	1:F:157:ARG:NH1	2.52	0.42
1:F:257:THR:HG23	1:F:274:LYS:HZ3	1.84	0.42
1:F:321:LYS:HD3	1:F:324:THR:HB	2.01	0.42
1:F:345:ARG:HG3	1:F:346:ALA:N	2.34	0.42
1:F:105:ASN:N	1:F:106:PRO:HD2	2.35	0.42
1:C:71:ARG:NH1	1:C:75:TYR:OH	2.49	0.42
1:D:299:GLN:O	1:D:303:THR:HG23	2.20	0.42
1:E:259:ILE:HG22	1:E:263:LEU:CD2	2.50	0.42
1:E:48:GLU:HG2	1:F:317:LEU:HD22	2.01	0.42
1:B:375:LYS:O	3:B:601:HOH:O	2.21	0.42
1:B:348:ALA:HA	1:B:362:LEU:HD23	2.02	0.42
1:E:255:ILE:HG13	1:F:157:ARG:NH1	2.35	0.42
1:F:186:ASP:HA	3:F:609:HOH:O	2.18	0.42
1:F:351:VAL:HA	1:F:352:PRO:HD3	1.90	0.42
1:B:103:PHE:CE2	1:B:170:PHE:HB2	2.55	0.42
1:D:20:SER:O	1:D:22:GLY:N	2.44	0.42
1:A:103:PHE:CE2	1:A:170:PHE:HB2	2.55	0.41
1:B:302:ILE:O	1:B:305:LEU:HB2	2.20	0.41
1:E:39:PHE:CD2	1:E:82:MET:HG2	2.55	0.41
1:E:278:ILE:HG13	3:E:414:HOH:O	2.20	0.41
1:E:298:GLU:HA	1:F:76:THR:HG21	2.03	0.41
1:B:213:ALA:HB1	1:B:218:GLN:HB2	2.02	0.41
1:E:259:ILE:HA	1:E:262:LEU:HD12	2.03	0.41
1:E:315:GLN:HB3	1:E:375:LYS:HE3	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:327:MET:HG3	1:C:374:MET:HE1	2.01	0.41
1:E:175:VAL:O	1:E:177:ILE:HG13	2.20	0.41
1:F:333:ASP:HB3	1:F:336:ALA:HB3	2.01	0.41
1:A:65:TYR:HB3	1:A:180:PHE:CD2	2.56	0.41
1:A:354:LEU:HD22	1:A:358:GLU:HB3	2.02	0.41
1:B:152:SER:O	1:B:156:ILE:HG13	2.20	0.41
3:A:604:HOH:O	1:B:138:CYS:SG	2.39	0.41
1:A:143:ASN:HD21	1:A:277:GLN:NE2	2.11	0.41
1:A:149:TYR:CE1	1:A:159:ARG:HD2	2.55	0.41
1:C:61:LEU:HB3	1:C:78:MET:SD	2.61	0.41
1:D:355:THR:HG23	1:D:356:PRO:HD2	2.03	0.41
1:E:327:MET:O	1:E:330:LEU:HB2	2.21	0.41
1:C:181:ASN:HB3	1:C:184:GLY:O	2.21	0.41
1:E:20:SER:O	1:E:22:GLY:N	2.40	0.41
1:E:210:TYR:OH	1:E:212:ALA:CB	2.65	0.41
1:A:278:ILE:HD12	1:A:279:TYR:O	2.21	0.41
1:E:232:GLU:HB2	1:E:235:ILE:HG12	2.03	0.41
1:E:361:ALA:HA	1:E:364:LEU:HB2	2.03	0.40
1:F:13:VAL:HG11	1:F:107:SER:HB2	2.03	0.40
1:B:174:CYS:HA	1:B:177:ILE:HD12	2.03	0.40
1:D:39:PHE:CD2	1:D:82:MET:HG2	2.56	0.40
1:C:355:THR:CG2	1:C:358:GLU:H	2.34	0.40
1:E:279:TYR:CG	1:E:280:PRO:HA	2.57	0.40
1:D:36:SER:CB	1:D:90:LEU:HB3	2.49	0.40
1:E:375:LYS:HD3	1:E:375:LYS:C	2.41	0.40
1:A:143:ASN:HA	1:A:144:PRO:HA	1.83	0.40
1:C:146:CYS:HA	1:C:166:HIS:HB2	2.02	0.40
1:D:146:CYS:HA	1:D:166:HIS:HB2	2.03	0.40
1:E:345:ARG:H	1:E:345:ARG:CD	2.27	0.40
1:F:15:GLY:HA3	1:F:100:PRO:HD3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	369/386 (96%)	356 (96%)	12 (3%)	1 (0%)	41	46
1	B	368/386 (95%)	354 (96%)	13 (4%)	1 (0%)	41	46
1	C	369/386 (96%)	353 (96%)	15 (4%)	1 (0%)	41	46
1	D	368/386 (95%)	355 (96%)	13 (4%)	0	100	100
1	E	365/386 (95%)	351 (96%)	14 (4%)	0	100	100
1	F	368/386 (95%)	354 (96%)	13 (4%)	1 (0%)	41	46
All	All	2207/2316 (95%)	2123 (96%)	80 (4%)	4 (0%)	47	55

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	377	MET
1	C	265	PHE
1	B	175	VAL
1	F	144	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	314/327 (96%)	307 (98%)	7 (2%)	52	65
1	B	313/327 (96%)	306 (98%)	7 (2%)	52	65
1	C	313/327 (96%)	306 (98%)	7 (2%)	52	65
1	D	313/327 (96%)	312 (100%)	1 (0%)	92	97
1	E	312/327 (95%)	306 (98%)	6 (2%)	57	71
1	F	313/327 (96%)	307 (98%)	6 (2%)	57	71
All	All	1878/1962 (96%)	1844 (98%)	34 (2%)	59	72

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	237	LYS
1	A	239	VAL
1	A	261	ARG
1	A	296	GLN
1	A	321	LYS
1	A	345	ARG
1	A	355	THR
1	B	142	SER
1	B	237	LYS
1	B	239	VAL
1	B	247	ILE
1	B	344	HIS
1	B	366	ASP
1	B	376	ASN
1	C	179	ASP
1	C	234	GLU
1	C	237	LYS
1	C	296	GLN
1	C	353	ASP
1	C	357	GLN
1	C	367	SER
1	D	239	VAL
1	E	37	LYS
1	E	73	ASP
1	E	189	LYS
1	E	214	MET
1	E	254	ASP
1	E	341	LYS
1	F	261	ARG
1	F	266	LEU
1	F	270	LYS
1	F	304	ARG
1	F	321	LYS
1	F	335	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	277	GLN
1	A	349	GLN
1	B	376	ASN
1	C	357	GLN
1	D	77	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	171	GLN
1	D	315	GLN
1	E	99	HIS
1	E	120	GLN
1	E	344	HIS
1	F	229	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SAH	D	500	-	23,28,28	1.24	3 (13%)	22,40,40	1.79	3 (13%)
2	SAH	A	500	-	23,28,28	1.24	3 (13%)	22,40,40	1.75	3 (13%)
2	SAH	F	500	-	23,28,28	1.24	3 (13%)	22,40,40	1.83	3 (13%)
2	SAH	C	500	-	23,28,28	1.25	3 (13%)	22,40,40	1.77	3 (13%)
2	SAH	B	500	-	23,28,28	1.24	3 (13%)	22,40,40	1.80	3 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SAH	D	500	-	-	3/11/31/31	0/3/3/3
2	SAH	A	500	-	-	3/11/31/31	0/3/3/3
2	SAH	F	500	-	-	0/11/31/31	0/3/3/3
2	SAH	C	500	-	-	0/11/31/31	0/3/3/3
2	SAH	B	500	-	-	3/11/31/31	0/3/3/3

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	500	SAH	C2-N3	4.01	1.38	1.32
2	A	500	SAH	C2-N3	3.97	1.38	1.32
2	D	500	SAH	C2-N3	3.96	1.38	1.32
2	F	500	SAH	C2-N3	3.94	1.38	1.32
2	B	500	SAH	C2-N3	3.90	1.38	1.32
2	C	500	SAH	C2-N1	2.54	1.38	1.33
2	B	500	SAH	C2-N1	2.49	1.38	1.33
2	D	500	SAH	C2-N1	2.47	1.38	1.33
2	A	500	SAH	C2-N1	2.46	1.38	1.33
2	F	500	SAH	C2-N1	2.39	1.38	1.33
2	A	500	SAH	OXT-C	-2.24	1.23	1.30
2	D	500	SAH	OXT-C	-2.23	1.23	1.30
2	F	500	SAH	OXT-C	-2.23	1.23	1.30
2	B	500	SAH	OXT-C	-2.22	1.23	1.30
2	C	500	SAH	OXT-C	-2.21	1.23	1.30

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	500	SAH	N3-C2-N1	-6.65	119.64	128.67
2	B	500	SAH	N3-C2-N1	-6.55	119.78	128.67
2	D	500	SAH	N3-C2-N1	-6.55	119.78	128.67
2	C	500	SAH	N3-C2-N1	-6.49	119.87	128.67
2	A	500	SAH	N3-C2-N1	-6.44	119.93	128.67
2	F	500	SAH	C5'-SD-CG	-3.79	91.03	102.26
2	D	500	SAH	C5'-SD-CG	-3.76	91.11	102.26
2	B	500	SAH	C5'-SD-CG	-3.72	91.23	102.26
2	C	500	SAH	C5'-SD-CG	-3.70	91.27	102.26
2	A	500	SAH	C5'-SD-CG	-3.55	91.72	102.26

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	500	SAH	OXT-C-O	-2.56	118.27	124.08
2	A	500	SAH	OXT-C-O	-2.55	118.30	124.08
2	D	500	SAH	OXT-C-O	-2.55	118.30	124.08
2	F	500	SAH	OXT-C-O	-2.55	118.30	124.08
2	B	500	SAH	OXT-C-O	-2.53	118.35	124.08

There are no chirality outliers.



All (9) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	A	500	SAH	O-C-CA-CB
2	A	500	SAH	OXT-C-CA-CB
2	D	500	SAH	O-C-CA-CB
2	D	500	SAH	OXT-C-CA-CB
2	B	500	SAH	OXT-C-CA-CB
2	A	500	SAH	C3'-C4'-C5'-SD
2	B	500	SAH	C3'-C4'-C5'-SD
2	D	500	SAH	C3'-C4'-C5'-SD
2	B	500	SAH	O-C-CA-CB


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	371/386 (96%)	0.28	15 (4%) 38 36	20, 38, 65, 146	0
1	B	370/386 (95%)	0.41	24 (6%) 18 17	20, 40, 78, 159	0
1	C	371/386 (96%)	0.35	26 (7%) 16 15	22, 39, 76, 166	0
1	D	370/386 (95%)	0.49	29 (7%) 13 11	22, 42, 76, 146	0
1	E	369/386 (95%)	0.72	24 (6%) 18 17	38, 61, 88, 200	0
1	F	370/386 (95%)	0.80	33 (8%) 9 8	38, 60, 103, 220	0
All	All	2221/2316 (95%)	0.51	151 (6%) 17 16	20, 47, 89, 220	0

All (151) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	268	ALA	29.2
1	C	271	VAL	19.1
1	D	271	VAL	18.3
1	D	268	ALA	18.1
1	E	268	ALA	17.4
1	D	265	PHE	16.1
1	E	267	PRO	15.7
1	E	266	LEU	15.4
1	D	266	LEU	14.4
1	C	265	PHE	14.4
1	A	267	PRO	14.2
1	F	378	PRO	14.0
1	A	266	LEU	13.5
1	E	265	PHE	12.9
1	C	272	PRO	12.9
1	F	267	PRO	12.7
1	F	271	VAL	12.4
1	B	378	PRO	12.3
1	F	275	HIS	11.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	378	PRO	11.1
1	B	268	ALA	10.9
1	F	269	GLY	10.8
1	D	269	GLY	10.5
1	A	265	PHE	10.5
1	C	266	LEU	10.2
1	C	275	HIS	9.5
1	A	270	LYS	8.9
1	B	269	GLY	8.8
1	F	377	MET	8.8
1	C	378	PRO	8.8
1	D	272	PRO	8.7
1	B	377	MET	8.3
1	B	265	PHE	8.1
1	A	268	ALA	7.7
1	B	275	HIS	7.7
1	A	378	PRO	7.6
1	D	270	LYS	7.5
1	C	273	ASP	7.5
1	D	267	PRO	7.4
1	E	271	VAL	7.4
1	C	268	ALA	7.2
1	E	272	PRO	6.9
1	C	276	THR	6.7
1	F	265	PHE	6.5
1	C	267	PRO	6.3
1	F	266	LEU	6.3
1	B	266	LEU	6.2
1	B	274	LYS	6.2
1	B	271	VAL	6.0
1	C	269	GLY	5.7
1	E	269	GLY	5.6
1	E	185	PHE	5.6
1	F	376	ASN	5.5
1	D	275	HIS	5.5
1	E	377	MET	5.4
1	A	269	GLY	5.2
1	C	270	LYS	5.1
1	E	270	LYS	5.1
1	D	377	MET	5.0
1	E	378	PRO	4.7
1	C	274	LYS	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	267	PRO	4.5
1	D	288	VAL	4.5
1	F	272	PRO	4.5
1	D	178	ALA	4.4
1	F	270	LYS	4.4
1	F	273	ASP	4.4
1	F	274	LYS	4.2
1	B	273	ASP	4.2
1	E	180	PHE	4.2
1	B	272	PRO	4.1
1	A	377	MET	4.1
1	B	288	VAL	4.0
1	D	68	GLY	3.9
1	F	277	GLN	3.8
1	A	274	LYS	3.8
1	F	368	TRP	3.7
1	F	278	ILE	3.7
1	D	276	THR	3.6
1	A	264	GLU	3.6
1	D	345	ARG	3.5
1	E	376	ASN	3.5
1	F	296	GLN	3.5
1	D	185	PHE	3.5
1	B	270	LYS	3.4
1	E	86	VAL	3.3
1	F	289	PRO	3.3
1	D	177	ILE	3.3
1	D	278	ILE	3.3
1	B	177	ILE	3.2
1	C	277	GLN	3.2
1	F	300	ALA	3.2
1	C	307	ALA	3.2
1	E	342	ALA	3.1
1	B	290	THR	3.1
1	F	261	ARG	3.1
1	B	185	PHE	3.1
1	C	278	ILE	3.1
1	D	274	LYS	3.0
1	C	377	MET	3.0
1	A	271	VAL	2.9
1	C	349	GLN	2.9
1	F	276	THR	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	291	LEU	2.9
1	C	300	ALA	2.9
1	A	275	HIS	2.8
1	B	276	THR	2.8
1	E	264	GLU	2.8
1	D	289	PRO	2.8
1	F	257	THR	2.8
1	B	296	GLN	2.8
1	C	312	GLU	2.8
1	E	90	LEU	2.8
1	B	376	ASN	2.7
1	E	345	ARG	2.7
1	C	303	THR	2.7
1	C	306	GLU	2.7
1	E	306	GLU	2.7
1	F	304	ARG	2.6
1	F	313	GLU	2.6
1	E	255	ILE	2.6
1	E	138	CYS	2.6
1	B	355	THR	2.5
1	D	364	LEU	2.5
1	E	364	LEU	2.4
1	B	289	PRO	2.4
1	D	115	ARG	2.4
1	A	272	PRO	2.4
1	D	264	GLU	2.4
1	C	185	PHE	2.4
1	E	352	PRO	2.4
1	F	138	CYS	2.4
1	E	304	ARG	2.4
1	A	296	GLN	2.3
1	F	346	ALA	2.3
1	F	360	ALA	2.3
1	D	260	ILE	2.3
1	B	349	GLN	2.2
1	F	335	LYS	2.2
1	F	287	ASP	2.2
1	C	348	ALA	2.2
1	D	56	LYS	2.2
1	C	296	GLN	2.2
1	D	90	LEU	2.2
1	D	179	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	354	LEU	2.1
1	B	179	ASP	2.1
1	D	261	ARG	2.0
1	F	292	PRO	2.0
1	F	255	ILE	2.0
1	A	261	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SAH	F	500	26/26	0.94	0.11	35,43,46,47	0
2	SAH	A	500	26/26	0.95	0.10	15,22,29,30	0
2	SAH	C	500	26/26	0.96	0.08	17,24,29,31	0
2	SAH	D	500	26/26	0.96	0.08	17,24,30,30	0
2	SAH	B	500	26/26	0.96	0.11	15,23,29,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around SAH F 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SAH A 500:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around SAH C 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers [i](#)

There are no such residues in this entry.