



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 13, 2024 – 07:23 AM EDT

PDB ID : 1MO9
Title : NADPH DEPENDENT 2-KETOPROPYL COENZYME M OXIDOREDUCTASE/CARBOXYLASE COMPLEXED WITH 2-KETOPROPYL COENZYME M
Authors : Nocek, B.; Jang, S.B.; Jeong, M.S.; Clark, D.D.; Ensign, S.A.; Peters, J.W.
Deposited on : 2002-09-08
Resolution : 1.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	1931 (1.66-1.66)
Ramachandran outliers	138981	1891 (1.66-1.66)
Sidechain outliers	138945	1891 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	523	
1	B	523	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 9158 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called orf3.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	522	Total 4023	2546	699	755	23	0	0	0
1	B	522	Total 4023	2546	699	755	23	0	0	0

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total 53	27	9	15	2	0	0
2	B	1	Total 53	27	9	15	2	0	0

- Molecule 3 is (2-[2-KETOPROPYLTHIO]ETHANESULFONATE (three-letter code: KPC) (formula: $C_5H_{10}O_4S_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	S	0	0
			11	5	4	2		
3	B	1	Total	C	O	S	0	0
			11	5	4	2		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	512	Total	O	0	0
			512	512		
4	B	472	Total	O	0	0
			472	472		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: orf3



- Molecule 1: orf3



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	87.98Å 60.12Å 105.60Å 90.00° 102.50° 90.00°	Depositor
Resolution (Å)	19.92 – 1.65	Depositor
% Data completeness (in resolution range)	95.6 (19.92-1.65)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.188 , 0.213	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	9158	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: KPC, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/4106	0.61	2/5556 (0.0%)
1	B	0.29	0/4106	0.59	2/5556 (0.0%)
All	All	0.30	0/8212	0.60	4/11112 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	393	THR	N-CA-C	-6.38	93.77	111.00
1	B	393	THR	N-CA-C	-6.22	94.20	111.00
1	A	87	CYS	CA-CB-SG	5.52	123.93	114.00
1	B	87	CYS	CA-CB-SG	5.40	123.72	114.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4023	0	3980	77	0
1	B	4023	0	3980	90	0
2	A	53	0	31	0	0
2	B	53	0	31	1	0
3	A	11	0	10	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	11	0	10	1	0
4	A	512	0	0	5	0
4	B	472	0	0	1	0
All	All	9158	0	8042	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:453:GLN:HE22	1:A:506:HIS:H	1.08	0.99
1:B:453:GLN:HE22	1:B:506:HIS:H	1.06	0.92
1:A:69:GLN:HE22	1:A:151:GLU:H	1.16	0.91
1:A:503:ASN:HD22	1:B:479:GLN:HE22	1.20	0.85
1:B:69:GLN:HE22	1:B:151:GLU:H	1.23	0.84
1:A:500:LEU:H	1:B:479:GLN:HE21	1.26	0.83
1:A:479:GLN:HE22	1:B:503:ASN:HD22	1.25	0.82
1:A:479:GLN:HE21	1:B:500:LEU:H	1.28	0.79
1:A:338:ASN:HD21	1:A:342:GLN:HE21	1.28	0.78
1:B:338:ASN:HD21	1:B:342:GLN:HE21	1.32	0.76
1:B:374:ASN:HD21	1:B:380:ILE:H	1.33	0.76
1:B:296:THR:HG21	1:B:301:MET:CE	2.17	0.75
1:B:296:THR:HG21	1:B:301:MET:HE3	1.68	0.74
1:B:167:GLU:HG2	1:B:172:VAL:HG22	1.69	0.73
1:B:91:HIS:HE1	1:B:475:LYS:NZ	1.86	0.73
1:B:82:CYS:HA	1:B:86:ALA:HB3	1.70	0.73
1:A:91:HIS:HE1	1:A:475:LYS:NZ	1.90	0.70
1:A:82:CYS:HA	1:A:86:ALA:HB3	1.77	0.67
1:B:91:HIS:HE1	1:B:475:LYS:HZ2	1.44	0.66
1:B:159:LYS:HB2	1:B:167:GLU:HB2	1.78	0.66
1:A:197:LYS:HE3	1:A:288:ARG:HG2	1.78	0.65
1:A:453:GLN:NE2	1:A:506:HIS:H	1.89	0.63
1:A:163:ASN:HD22	1:A:163:ASN:N	1.96	0.62
1:A:90:HIS:CE1	1:A:392:HIS:HD2	2.17	0.62
1:A:338:ASN:HD21	1:A:342:GLN:NE2	1.97	0.62
1:B:374:ASN:ND2	1:B:380:ILE:H	1.98	0.62
1:A:2:LYS:HD2	1:A:31:GLU:HB2	1.82	0.62
1:A:91:HIS:HE1	1:A:475:LYS:HZ2	1.46	0.61
1:B:338:ASN:HD21	1:B:342:GLN:NE2	1.98	0.61
1:A:140:MET:CE	3:A:1015:KPC:HAK3	2.31	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:163:ASN:HD22	1:A:163:ASN:H	1.47	0.61
1:B:47:ILE:HG13	1:B:175:ALA:HB2	1.83	0.60
1:B:90:HIS:CE1	1:B:392:HIS:HD2	2.19	0.59
1:B:273:ILE:HD13	1:B:301:MET:CE	2.31	0.59
1:B:161:ILE:HD11	1:B:167:GLU:HG3	1.84	0.59
1:A:273:ILE:HD13	1:A:301:MET:SD	2.43	0.58
1:B:234:ASN:HD22	1:B:394:HIS:HE1	1.51	0.58
1:A:255:ASN:ND2	1:A:258:ARG:HH22	2.01	0.58
1:B:234:ASN:HD22	1:B:394:HIS:CE1	2.22	0.57
1:B:4:TRP:HB2	1:B:31:GLU:OE1	2.05	0.57
1:B:273:ILE:HG21	1:B:301:MET:HE3	1.88	0.56
1:B:90:HIS:HE1	1:B:392:HIS:HD2	1.53	0.56
1:A:255:ASN:HD22	1:A:258:ARG:HH22	1.54	0.55
1:A:500:LEU:N	1:B:479:GLN:HE21	2.02	0.55
1:B:389:ASP:HB3	1:B:399:PHE:CE1	2.42	0.55
1:A:389:ASP:HB3	1:A:399:PHE:CE1	2.42	0.54
1:B:163:ASN:N	1:B:163:ASN:HD22	2.05	0.54
1:A:90:HIS:HE1	1:A:392:HIS:HD2	1.56	0.54
1:A:228:GLU:HG2	1:A:392:HIS:HB2	1.89	0.54
1:B:241:VAL:HG11	1:B:303:ILE:HD13	1.90	0.54
1:B:23:ILE:HG23	1:B:30:GLY:HA3	1.89	0.53
1:A:202:HIS:HE1	1:A:314:GLU:OE2	1.91	0.53
1:B:2:LYS:HD2	1:B:31:GLU:HB2	1.91	0.53
1:A:90:HIS:CE1	1:A:392:HIS:CD2	2.97	0.53
1:A:500:LEU:H	1:B:479:GLN:NE2	2.00	0.52
1:A:77:PHE:HA	1:A:141:ASN:HD21	1.73	0.52
1:A:47:ILE:HG13	1:A:175:ALA:HB2	1.92	0.52
1:A:234:ASN:HD22	1:A:394:HIS:CE1	2.27	0.52
1:B:40:ASP:HB3	1:B:68:ARG:CZ	2.39	0.52
1:B:202:HIS:HE1	1:B:314:GLU:OE2	1.93	0.52
1:B:85:ASN:O	1:B:202:HIS:HD2	1.93	0.52
1:B:453:GLN:NE2	1:B:506:HIS:H	1.90	0.51
1:A:449:MET:HE3	4:A:1372:HOH:O	2.10	0.51
1:A:288:ARG:HD3	4:A:1143:HOH:O	2.10	0.51
1:A:390:PHE:CE2	1:A:475:LYS:HE3	2.46	0.51
1:A:85:ASN:O	1:A:202:HIS:HD2	1.94	0.51
1:B:90:HIS:HE1	1:B:392:HIS:CD2	2.28	0.51
1:B:90:HIS:CE1	1:B:392:HIS:CD2	2.98	0.50
1:A:90:HIS:HE1	1:A:392:HIS:CD2	2.30	0.50
1:B:12:THR:OG1	1:B:15:GLN:HG3	2.11	0.50
1:B:116:THR:HG22	1:B:117:GLU:HG3	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:434:SER:O	1:B:435:ASP:C	2.49	0.50
1:A:234:ASN:HD22	1:A:394:HIS:HE1	1.57	0.49
1:A:301:MET:HE1	1:A:303:ILE:HD11	1.95	0.49
1:A:194:VAL:HA	1:A:281:ILE:HD12	1.94	0.49
1:A:113:PRO:HD3	1:B:113:PRO:HG3	1.95	0.49
1:A:503:ASN:HD22	1:B:479:GLN:NE2	2.01	0.49
1:B:82:CYS:HB3	1:B:83:PRO:HD3	1.95	0.48
1:A:382:TYR:CZ	1:A:384:PRO:HG3	2.48	0.48
1:B:363:LYS:O	1:B:363:LYS:HD2	2.13	0.48
1:B:404:GLU:HG2	1:B:408:ARG:NH1	2.28	0.48
1:A:245:ARG:O	1:A:275:GLY:HA2	2.13	0.48
1:A:390:PHE:CZ	1:A:475:LYS:HE3	2.48	0.48
1:A:400:LEU:C	1:A:400:LEU:HD12	2.34	0.48
1:A:189:LEU:HD11	1:A:220:VAL:HG11	1.96	0.47
1:A:247:GLU:O	1:A:250:LYS:HG3	2.14	0.47
1:B:197:LYS:HE3	1:B:288:ARG:HG2	1.97	0.47
1:A:2:LYS:HD2	1:A:31:GLU:CB	2.45	0.47
1:A:82:CYS:HB3	1:A:83:PRO:CD	2.45	0.47
1:B:60:ALA:HA	1:B:150:LEU:HD21	1.96	0.47
1:A:479:GLN:NE2	1:B:500:LEU:H	2.04	0.46
1:A:82:CYS:HB3	1:A:83:PRO:HD3	1.98	0.46
1:A:110:TYR:OH	1:B:128:LEU:HD13	2.15	0.46
2:B:1014:FAD:H9	2:B:1014:FAD:H1'1	1.82	0.46
1:A:196:ALA:HB2	1:A:283:GLU:HG2	1.98	0.46
1:A:501:PHE:CD1	1:A:502:LEU:HA	2.51	0.46
1:A:12:THR:OG1	1:A:15:GLN:HG3	2.16	0.46
1:A:196:ALA:CB	1:A:283:GLU:HG2	2.46	0.46
1:A:159:LYS:HB2	1:A:167:GLU:HB3	1.97	0.45
1:B:163:ASN:ND2	1:B:164:HIS:ND1	2.64	0.45
1:B:374:ASN:ND2	1:B:380:ILE:HG22	2.29	0.45
1:B:82:CYS:HB3	1:B:83:PRO:CD	2.47	0.45
1:A:412:HIS:HD2	1:A:458:ASP:OD2	2.00	0.45
1:A:140:MET:HE2	3:A:1015:KPC:HAK3	1.98	0.45
1:B:62:LEU:C	1:B:62:LEU:HD23	2.38	0.45
1:B:161:ILE:HD12	1:B:165:THR:HG22	1.99	0.45
1:B:2:LYS:HD3	1:B:3:VAL:N	2.31	0.44
1:B:245:ARG:HG3	1:B:277:ASN:HD21	1.81	0.44
1:B:241:VAL:HG11	1:B:303:ILE:CD1	2.47	0.44
1:B:77:PHE:HA	1:B:141:ASN:HD21	1.82	0.44
1:B:228:GLU:HG2	1:B:392:HIS:HB2	1.99	0.44
1:A:352:GLY:HA2	1:A:364:ALA:HA	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:19:ARG:O	1:B:23:ILE:HG13	2.17	0.44
1:A:189:LEU:HG	1:A:312:LEU:HD11	2.00	0.43
1:A:479:GLN:NE2	1:B:503:ASN:HD22	2.05	0.43
1:B:140:MET:CE	3:B:1016:KPC:HAK3	2.48	0.43
1:B:91:HIS:CE1	1:B:475:LYS:HZ2	2.30	0.43
1:A:163:ASN:H	1:A:163:ASN:ND2	2.16	0.43
1:B:2:LYS:HD3	1:B:2:LYS:C	2.38	0.43
1:B:135:GLY:HA3	4:B:1176:HOH:O	2.18	0.43
1:B:374:ASN:HD21	1:B:380:ILE:HG22	1.84	0.42
1:B:400:LEU:HD12	1:B:400:LEU:C	2.39	0.42
1:A:91:HIS:CD2	1:B:502:LEU:HD13	2.55	0.42
1:B:91:HIS:CE1	1:B:475:LYS:NZ	2.76	0.42
1:B:390:PHE:CZ	1:B:475:LYS:HE3	2.55	0.42
1:B:186:PRO:HG3	1:B:202:HIS:CE1	2.55	0.42
1:B:180:LEU:HD13	1:B:321:LEU:HD13	2.02	0.42
1:B:48:PHE:CZ	1:B:179:ILE:HD12	2.54	0.42
1:A:482:ASN:O	1:A:486:LYS:HG3	2.20	0.41
1:B:315:GLN:HA	1:B:316:PRO:HD3	1.95	0.41
1:B:133:ARG:O	1:B:136:PRO:HD2	2.20	0.41
1:A:288:ARG:HB3	4:A:1258:HOH:O	2.21	0.41
1:A:392:HIS:HE1	1:B:435:ASP:OD1	2.04	0.41
1:B:227:VAL:CG1	1:B:393:THR:HG22	2.51	0.41
1:A:479:GLN:HE21	1:B:500:LEU:N	2.06	0.41
1:B:161:ILE:HD12	1:B:165:THR:CG2	2.50	0.41
1:B:327:LEU:HD23	1:B:345:VAL:HG23	2.02	0.41
1:B:234:ASN:ND2	1:B:394:HIS:CE1	2.87	0.41
1:A:113:PRO:HB3	1:B:113:PRO:HB3	2.02	0.41
1:A:501:PHE:CG	1:A:502:LEU:HA	2.56	0.41
1:B:501:PHE:CD1	1:B:502:LEU:HA	2.56	0.41
1:A:91:HIS:CE1	1:A:475:LYS:NZ	2.80	0.41
1:A:502:LEU:H	1:B:91:HIS:CE1	2.38	0.41
4:A:1098:HOH:O	1:B:99:GLU:HA	2.20	0.41
1:A:255:ASN:HD22	1:A:258:ARG:NH2	2.18	0.40
1:A:339:GLU:HG2	4:A:1196:HOH:O	2.22	0.40
1:A:345:VAL:HA	1:A:346:PRO:HD3	1.98	0.40
1:A:113:PRO:HG3	1:B:113:PRO:HD3	2.02	0.40
1:A:435:ASP:OD1	1:B:392:HIS:HE1	2.03	0.40
1:B:161:ILE:HB	1:B:165:THR:HB	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	520/523 (99%)	507 (98%)	13 (2%)	0	100	100
1	B	520/523 (99%)	496 (95%)	23 (4%)	1 (0%)	47	28
All	All	1040/1046 (99%)	1003 (96%)	36 (4%)	1 (0%)	51	31

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	319	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	423/424 (100%)	418 (99%)	5 (1%)	71	53
1	B	423/424 (100%)	417 (99%)	6 (1%)	67	46
All	All	846/848 (100%)	835 (99%)	11 (1%)	69	50

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	87	CYS
1	A	90	HIS
1	A	163	ASN
1	A	363	LYS
1	A	504	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	87	CYS
1	B	90	HIS
1	B	163	ASN
1	B	363	LYS
1	B	496	ASP
1	B	504	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (43) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	ASN
1	A	69	GLN
1	A	90	HIS
1	A	91	HIS
1	A	134	ASN
1	A	141	ASN
1	A	163	ASN
1	A	164	HIS
1	A	202	HIS
1	A	234	ASN
1	A	255	ASN
1	A	290	GLN
1	A	315	GLN
1	A	342	GLN
1	A	347	ASN
1	A	374	ASN
1	A	392	HIS
1	A	394	HIS
1	A	412	HIS
1	A	453	GLN
1	A	479	GLN
1	A	487	GLN
1	B	14	ASN
1	B	39	ASN
1	B	69	GLN
1	B	90	HIS
1	B	91	HIS
1	B	141	ASN
1	B	163	ASN
1	B	202	HIS
1	B	234	ASN
1	B	255	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	277	ASN
1	B	290	GLN
1	B	342	GLN
1	B	374	ASN
1	B	386	ASN
1	B	392	HIS
1	B	394	HIS
1	B	453	GLN
1	B	479	GLN
1	B	487	GLN
1	B	519	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	A	1013	-	53,58,58	2.19	12 (22%)	68,89,89	1.29	10 (14%)
3	KPC	B	1016	-	10,10,10	1.58	1 (10%)	9,13,13	1.35	2 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	KPC	A	1015	-	10,10,10	1.56	1 (10%)	9,13,13	1.33	2 (22%)
2	FAD	B	1014	-	53,58,58	2.18	12 (22%)	68,89,89	1.29	9 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	1013	-	-	5/30/50/50	0/6/6/6
3	KPC	B	1016	-	-	0/8/8/8	-
3	KPC	A	1015	-	-	0/8/8/8	-
2	FAD	B	1014	-	-	5/30/50/50	0/6/6/6

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1014	FAD	C4X-N5	7.16	1.44	1.30
2	A	1013	FAD	C4X-N5	7.10	1.44	1.30
2	B	1014	FAD	C4A-N3A	6.22	1.44	1.35
2	B	1014	FAD	C2A-N3A	5.81	1.41	1.32
2	A	1013	FAD	C4A-N3A	5.78	1.43	1.35
2	A	1013	FAD	C2A-N3A	5.62	1.41	1.32
2	A	1013	FAD	C9A-N10	5.08	1.50	1.41
2	B	1014	FAD	C9A-N10	4.78	1.49	1.41
2	A	1013	FAD	C9A-C5X	4.04	1.48	1.41
2	B	1014	FAD	C9A-C5X	3.93	1.47	1.41
3	A	1015	KPC	CAF-SAE	3.67	1.82	1.77
3	B	1016	KPC	CAF-SAE	3.67	1.82	1.77
2	B	1014	FAD	C5A-C4A	-3.60	1.31	1.40
2	A	1013	FAD	C5A-C4A	-3.59	1.31	1.40
2	A	1013	FAD	C5'-C4'	-3.20	1.47	1.51
2	B	1014	FAD	C5'-C4'	-3.10	1.47	1.51
2	B	1014	FAD	C10-N1	2.37	1.38	1.33
2	A	1013	FAD	C6-C7	2.30	1.42	1.39
2	A	1013	FAD	C10-N1	2.28	1.37	1.33
2	A	1013	FAD	C8A-N7A	-2.18	1.30	1.34
2	A	1013	FAD	C2'-C3'	-2.17	1.49	1.53
2	B	1014	FAD	C6-C7	2.12	1.42	1.39
2	A	1013	FAD	C3B-C4B	2.09	1.58	1.53
2	B	1014	FAD	C2B-C3B	-2.08	1.47	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1014	FAD	C2'-C3'	-2.06	1.49	1.53
2	B	1014	FAD	C8A-N7A	-2.05	1.31	1.34

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1014	FAD	C1'-N10-C9A	-3.51	114.65	120.51
2	A	1013	FAD	C1'-N10-C9A	-3.45	114.76	120.51
2	A	1013	FAD	N3A-C2A-N1A	-2.85	124.23	128.68
2	B	1014	FAD	N3A-C2A-N1A	-2.74	124.39	128.68
2	A	1013	FAD	C5X-C9A-N10	-2.52	115.35	117.95
3	B	1016	KPC	OAL-SAE-CAF	2.50	109.82	105.77
2	B	1014	FAD	C5X-C9A-N10	-2.45	115.42	117.95
2	A	1013	FAD	C9-C9A-N10	2.36	125.03	121.84
2	B	1014	FAD	O3'-C3'-C4'	-2.33	103.18	108.81
2	A	1013	FAD	O3'-C3'-C4'	-2.33	103.19	108.81
3	A	1015	KPC	OAL-SAE-CAF	2.32	109.53	105.77
2	B	1014	FAD	C9-C9A-N10	2.28	124.92	121.84
2	B	1014	FAD	O2B-C2B-C3B	2.25	119.11	111.82
2	A	1013	FAD	O2B-C2B-C3B	2.19	118.92	111.82
2	A	1013	FAD	O5B-C5B-C4B	-2.19	101.45	108.99
3	A	1015	KPC	OAB-SAE-CAF	2.11	109.46	106.92
2	A	1013	FAD	O2'-C2'-C1'	-2.10	104.71	109.80
2	B	1014	FAD	C4-C4X-C10	2.10	120.33	116.79
2	B	1014	FAD	C3B-C2B-C1B	2.09	104.12	100.98
2	A	1013	FAD	C4-C4X-C10	2.08	120.29	116.79
2	B	1014	FAD	O5B-C5B-C4B	-2.06	101.90	108.99
2	A	1013	FAD	C3B-C2B-C1B	2.04	104.05	100.98
3	B	1016	KPC	OAB-SAE-CAF	2.02	109.35	106.92

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1013	FAD	C5B-O5B-PA-O1A
2	B	1014	FAD	C5B-O5B-PA-O1A
2	A	1013	FAD	C5B-O5B-PA-O3P
2	B	1014	FAD	C5B-O5B-PA-O3P
2	B	1014	FAD	P-O3P-PA-O1A
2	A	1013	FAD	P-O3P-PA-O1A
2	A	1013	FAD	P-O3P-PA-O2A
2	B	1014	FAD	P-O3P-PA-O2A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	1013	FAD	O4B-C4B-C5B-O5B
2	B	1014	FAD	O4B-C4B-C5B-O5B


There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1016	KPC	1	0
3	A	1015	KPC	2	0
2	B	1014	FAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.