



wwPDB EM Validation Summary Report ⓘ

May 19, 2024 – 11:46 AM EDT

PDB ID : 7MUE
EMDB ID : EMD-24006
Title : Legionella pneumophila Dot/Icm T4SS PR
Authors : Sheedlo, M.J.; Durie, C.L.; Swanson, M.; Lacy, D.B.; Ohi, M.D.
Deposited on : 2021-05-14
Resolution : 2.80 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AF	269	22% 77%
1	BF	269	21% 77%
1	CF	269	22% 77%
1	DF	269	22% 77%
1	EF	269	22% 77%
1	FF	269	22% 77%
1	GF	269	22% 77%
1	HF	269	21% 77%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	IF	269	 22% 77%
1	JF	269	 22% 77%
1	KF	269	 23% 77%
1	LF	269	 22% 77%
1	MF	269	 22% 77%
1	VF	269	 23% 77%
1	WF	269	 22% 77%
1	XF	269	 21% 77%
1	YF	269	 22% 77%
1	ZF	269	 23% 77%
2	AH	361	 41% 56%
2	BH	361	 42% 56%
2	CH	361	 42% 56%
2	DH	361	 42% 56%
2	EH	361	 42% 56%
2	FH	361	 42% 56%
2	GH	361	 43% 56%
2	HH	361	 42% 56%
2	IH	361	 42% 56%
2	JH	361	 43% 56%
2	KH	361	 43% 56%
2	LH	361	 42% 56%
2	MH	361	 42% 56%
2	VH	361	 43% 56%
2	WH	361	 42% 56%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	XH	361	43% 56%
2	YH	361	42% 56%
2	ZH	361	42% 56%
3	AX	48	35% 100%
3	BX	48	35% 100%
3	CX	48	38% 100%
3	DX	48	38% 100%
3	EX	48	38% 100%
3	FX	48	33% 100%
3	GX	48	38% 100%
3	HX	48	33% 100%
3	IX	48	40% 100%
3	JX	48	35% 100%
3	KX	48	38% 100%
3	LX	48	35% 100%
3	MX	48	42% 100%
3	VX	48	38% 100%
3	WX	48	38% 100%
3	XX	48	35% 100%
3	YX	48	42% 100%
3	ZX	48	38% 100%
4	AG	1048	97%
4	BG	1048	97%
4	CG	1048	97%
4	DG	1048	97%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	EG	1048	97%
4	FG	1048	97%
4	GG	1048	97%
4	HG	1048	97%
4	IG	1048	97%
4	JG	1048	97%
4	KG	1048	97%
4	LG	1048	97%
4	MG	1048	97%
4	VG	1048	97%
4	WG	1048	97%
4	XG	1048	97%
4	YG	1048	97%
4	ZG	1048	97%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 40266 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DotF.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	AF	63	483	308	84	90	1	0	0
1	BF	63	483	308	84	90	1	0	0
1	CF	63	483	308	84	90	1	0	0
1	DF	63	483	308	84	90	1	0	0
1	EF	63	483	308	84	90	1	0	0
1	FF	63	483	308	84	90	1	0	0
1	GF	63	483	308	84	90	1	0	0
1	HF	63	483	308	84	90	1	0	0
1	IF	63	483	308	84	90	1	0	0
1	JF	63	483	308	84	90	1	0	0
1	KF	63	483	308	84	90	1	0	0
1	LF	63	483	308	84	90	1	0	0
1	MF	63	483	308	84	90	1	0	0
1	VF	63	483	308	84	90	1	0	0
1	WF	63	483	308	84	90	1	0	0
1	XF	63	483	308	84	90	1	0	0
1	YF	63	483	308	84	90	1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	ZF	63	483	308	84	90	1	0	0

- Molecule 2 is a protein called Type IV secretion protein IcmK.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	XH	160	1238	795	207	233	3	0	0
2	YH	160	1238	795	207	233	3	0	0
2	ZH	160	1238	795	207	233	3	0	0
2	AH	160	1238	795	207	233	3	0	0
2	BH	160	1238	795	207	233	3	0	0
2	CH	160	1238	795	207	233	3	0	0
2	DH	160	1238	795	207	233	3	0	0
2	EH	160	1238	795	207	233	3	0	0
2	FH	160	1238	795	207	233	3	0	0
2	GH	160	1238	795	207	233	3	0	0
2	HH	160	1238	795	207	233	3	0	0
2	IH	160	1238	795	207	233	3	0	0
2	JH	160	1238	795	207	233	3	0	0
2	KH	160	1238	795	207	233	3	0	0
2	LH	160	1238	795	207	233	3	0	0
2	MH	160	1238	795	207	233	3	0	0
2	VH	160	1238	795	207	233	3	0	0
2	WH	160	1238	795	207	233	3	0	0

- Molecule 3 is a protein called Unknown protein fragment.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	AX	48	Total	C	N	O	0	0
			240	144	48	48		
3	BX	48	Total	C	N	O	0	0
			240	144	48	48		
3	CX	48	Total	C	N	O	0	0
			240	144	48	48		
3	DX	48	Total	C	N	O	0	0
			240	144	48	48		
3	EX	48	Total	C	N	O	0	0
			240	144	48	48		
3	FX	48	Total	C	N	O	0	0
			240	144	48	48		
3	GX	48	Total	C	N	O	0	0
			240	144	48	48		
3	HX	48	Total	C	N	O	0	0
			240	144	48	48		
3	IX	48	Total	C	N	O	0	0
			240	144	48	48		
3	JX	48	Total	C	N	O	0	0
			240	144	48	48		
3	KX	48	Total	C	N	O	0	0
			240	144	48	48		
3	LX	48	Total	C	N	O	0	0
			240	144	48	48		
3	MX	48	Total	C	N	O	0	0
			240	144	48	48		
3	VX	48	Total	C	N	O	0	0
			240	144	48	48		
3	WX	48	Total	C	N	O	0	0
			240	144	48	48		
3	XX	48	Total	C	N	O	0	0
			240	144	48	48		
3	YX	48	Total	C	N	O	0	0
			240	144	48	48		
3	ZX	48	Total	C	N	O	0	0
			240	144	48	48		


- Molecule 4 is a protein called IcmE protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	IG	34	Total	C	N	O	S	0	0
			276	168	47	60	1		


Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	AG	34	276	168	47	60	1	0	0
4	BG	34	276	168	47	60	1	0	0
4	CG	34	276	168	47	60	1	0	0
4	DG	34	276	168	47	60	1	0	0
4	EG	34	276	168	47	60	1	0	0
4	FG	34	276	168	47	60	1	0	0
4	GG	34	276	168	47	60	1	0	0
4	HG	34	276	168	47	60	1	0	0
4	JG	34	276	168	47	60	1	0	0
4	KG	34	276	168	47	60	1	0	0
4	LG	34	276	168	47	60	1	0	0
4	MG	34	276	168	47	60	1	0	0
4	VG	34	276	168	47	60	1	0	0
4	WG	34	276	168	47	60	1	0	0
4	XG	34	276	168	47	60	1	0	0
4	YG	34	276	168	47	60	1	0	0
4	ZG	34	276	168	47	60	1	0	0




• Molecule 1: DotF




• Molecule 1: DotF




• Molecule 1: DotF







• Molecule 1: DotF




• Molecule 1: DotF





• Molecule 1: DotF









• Molecule 1: DotF




• Molecule 1: DotF




• Molecule 1: DotF




• Molecule 1: DotF



• Molecule 1: DotF



• Molecule 2: Type IV secretion protein IcmK



• Molecule 2: Type IV secretion protein IcmK



ILE
LEU
SER
PRO
GLY
TRP
LEU
ALA
SER
THR
MET
THR
GLY
ASP
ALA
ASP
GLY
HIS
THR
THR
ALA
TYR
GLU
MET
GLN
LYS
SER
SER
PRO
VAL
LEU
LEU
VAL
VAL
SER
TRP
HIS
GLY
LYS
VAL
GLN
MET
GLN
LEU
LEU
VAL
VAL
GLN
LEU
LEU
VAL
GLY
GLY
LEU

• Molecule 2: Type IV secretion protein IcmK



MET
MET
LYS
TYR
ASP
GLN
SER
CYS
TYR
SER
CYS
VAL
ILE
GLY
LEU
THR
PHE
SER
MET
SER
CYS
SER
SER
ILE
TYR
ALA
GLN
ALA
THR
GLN
SER
ASP
ASP
GLY
ALA
GLN
GLN
LEU
LEU
GLN
LEU
VAL
GLY
ASP
MET
LEU
GLN
GLN
GLY
ALA

GLY
ASP
GLY
ASP
ASN
ALA
SER
SER
SER
THR
THR
GLN
PRO
PRO
ASP
A104
I107
F157
P166
P167
R170
D183
K208
L230

L233
R255
L263
LYS
SER
MET
PRO
THR
GLY
GLY
ILE
PRO
PRO
THR
ALA
ALA
ASN
ASP
SER
HIS
VAL
LEU
GLY
LEU
VAL
VAL
VAL
SER
GLY
GLY
ASP
ALA
ARG
GLY
VAL
LEU
VAL
VAL
GLY
GLY
ASP
ALA
ARG
TRP
SER
ASN
GLY
LYS
TYR
VAL
ARG
THR
ASN
THR

ILE
LEU
SER
PRO
GLY
TRP
LEU
ALA
SER
MET
THR
SER
SER
ALA
ASP
GLY
HIS
THR
PHE
SER
MET
GLN
LYS
SER
SER
PRO
VAL
LEU
LEU
VAL
VAL
SER
TRP
HIS
GLY
LYS
VAL
GLN
LEU
LEU
VAL
VAL
GLN
LEU
VAL
GLY
GLY
LEU

• Molecule 2: Type IV secretion protein IcmK



MET
MET
LYS
TYR
ASP
GLN
LEU
SER
CYS
TYR
SER
CYS
VAL
ILE
GLY
LEU
THR
PHE
SER
MET
GLN
LYS
SER
SER
PRO
VAL
LEU
LEU
VAL
VAL
SER
TRP
HIS
GLY
LYS
VAL
GLN
LEU
LEU
VAL
VAL
GLN
LEU
VAL
GLY
GLY
ASP
ALA
ARG
GLY
VAL
LEU
VAL
GLN
LEU
VAL
GLY
GLY
ASP
ALA
ARG
TRP
SER
ASN
GLY
LYS
MET
LEU
GLN
GLN
LYS
TRP
SER
ASN
GLY
ALA

GLY
ASP
GLY
ASN
ALA
ALA
ASP
ASP
THR
GLN
PRO
PRO
GLN
LEU
VAL
HIS
SER
SER
GLY
GLY
VAL
ARG
ARG
GLN
LEU
VAL
VAL
VAL
SER
GLY
GLY
ASP
GLY
ALA
ARG
GLY
ILE
ILE
GLN
SER
GLY
ASP
MET
LEU
GLN
GLN
LYS
VAL
ARG
THR
SER
ASN
LEU
ILE
LEU
SER
PRO
PRO
GLY
TRP
ALA
MET
PRO

THR
GLU
GLY
ILE
PRO
PRO
SER
ALA
SER
SER
VAL
LEU
LEU
VAL
GLY
VAL
PRO
VAL
SER
SER
VAL
VAL
GLY
GLY
GLY
GLY
SER
GLY
ASP
GLY
ALA
ARG
TRP
LEU
LEU
LEU
SER
ASN
GLY
LYS
MET
TYR
VAL
ARG
THR
ILE
THR
SER
LEU
ALA
SER

MET
THR
SER
ALA
ASP
GLY
THR
HIS
TYR
GLY
MET
GLN
LYS
SER
PRO
VAL
LEU
LEU
VAL
SER
HIS
TRP
SER
HIS
GLY
VAL
VAL
MET
GLN
LEU
LEU
VAL
VAL
GLY
GLY
LEU

• Molecule 2: Type IV secretion protein IcmK



MET
MET
LYS
TYR
ASP
GLN
SER
CYS
TYR
SER
CYS
VAL
ILE
GLY
LEU
THR
PHE
SER
MET
SER
CYS
SER
SER
ILE
TYR
ALA
SER
ASP
ASP
GLY
ALA
GLN
GLN
LEU
LEU
GLN
LEU
VAL
GLY
GLY
SER
THR
THR
ALA
ASP
ASP
GLY
GLY
VAL
ARG
GLY
ILE
ILE
GLN
SER
GLY
ASP
MET
LEU
GLN
GLN
LYS
LEU
SER
SER
ASN
PRO
PRO
ASP
ALA
GLY
GLY
SER
SER
VAL
ARG
LEU
VAL
VAL
GLY
GLY
LEU


GLY
ASP
GLY
ASP
ASN
ALA
SER
SER
SER
THR
THR
GLN
PRO
PRO
ASN
GLY
SER
SER
SER
ALA
ALA
SER
SER
SER
SER
ALA
ASP
A104
I107
F157
R170
D183
D195
N225
L226
A227
L230

L233
R255
L263
LYS
SER
MET
PRO
THR
GLY
GLY
ILE
PRO
PRO
THR
ALA
ALA
ASN
ASP
SER
HIS
VAL
LEU
LEU
VAL
VAL
PRO
PRO
THR
PRO
GLY
GLY
VAL
VAL
VAL
VAL
SER
HIS
SER
PRO
VAL
LEU
LEU
LEU
VAL
VAL
TRP
HIS
GLY
LYS
VAL
GLN
LEU
LEU
VAL
VAL
GLY
GLY
LEU

THR
ILE
LEU
SER
PRO
GLY
TRP
LEU
ALA
SER
MET
THR
THR
SER
SER
ALA
ASP
GLY
THR
HIS
THR
ALA
TYR
GLY
MET
MET
GLN
LYS
SER
SER
PRO
VAL
VAL
VAL
TRP
HIS
GLY
LYS
VAL
GLN
LEU
LEU
VAL
VAL
GLY
GLY
LEU


• Molecule 2: Type IV secretion protein IcmK

Chain IH: 42% 56%




• Molecule 2: Type IV secretion protein IcmK

Chain JH: 43% 56%



• Molecule 2: Type IV secretion protein IcmK


Chain KH: 43% 56%




• Molecule 2: Type IV secretion protein IcmK

Chain LH: 42% 56%







• Molecule 2: Type IV secretion protein IcmK





• Molecule 2: Type IV secretion protein IcmK




• Molecule 2: Type IV secretion protein IcmK








• Molecule 3: Unknown protein fragment





• Molecule 3: Unknown protein fragment





• Molecule 3: Unknown protein fragment




• Molecule 3: Unknown protein fragment




• Molecule 3: Unknown protein fragment




• Molecule 3: Unknown protein fragment




- Molecule 3: Unknown protein fragment




- Molecule 3: Unknown protein fragment




- Molecule 3: Unknown protein fragment




- Molecule 3: Unknown protein fragment




- Molecule 3: Unknown protein fragment




- Molecule 3: Unknown protein fragment





- Molecule 3: Unknown protein fragment








• Molecule 3: Unknown protein fragment





• Molecule 3: Unknown protein fragment





• Molecule 3: Unknown protein fragment



• Molecule 3: Unknown protein fragment



• Molecule 3: Unknown protein fragment



• Molecule 4: IcmE protein



MET	ALA	SER	GLY	LVS	GLU	ASN	LEU	LVS	SER	LEU	SER	PHE	THR	SER	ASN	THR	ARG	THR	ARG	VAL	ILE	ILE	ILE	PHE	THR	ALA	ALA	LEU	LEU	ILE	ILE	ALA	VAL	VAL	VAL	ILE	GLY	THR	PHE	THR	LVS	ILE	ARG	THR	GLN	ALA	THR	ALA	THR	THR	GLY	SER	ILE	ALA	VAL	ALA	ALA	GLU	VAL	VAL	GLY	GLU	GLU	GLY	VAL	GLN	THR	SER	VAL	PRO	GLY	GLY	ILE	GLN
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

SER	ILE	PRO	GLY	LVS	LEU	ASP	PRO	THR	ALA	GLN	LEU	TYR	ALA	LVS	LEU	GLN	GLU	GLU	GLN	ASN	ILE	ILE	THR	THR	GLN	ALA	VAL	VAL	ALA	GLU	LVS	THR	THR	GLY	GLY	SER	ALA	ILE	PRO	THR	THR	ILE	ILE	ARG	THR	GLN	ALA	THR	ALA	THR	THR	GLY	GLU	GLU	GLY	VAL	VAL	GLY	VAL	GLN	THR	SER	SER	VAL	PRO	GLY	VAL	GLY	PHE	ILE	GLN	ALA
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Table with 20 columns and 20 rows of amino acid labels. The table contains a sequence of residues with some highlighted in red and yellow. Red highlights are at Q791 and T824. Yellow highlights are at I793 and I794.

LEU	GLU	LEU	GLN	ALA	GLY	ALA	GLN	GLY	ALA	GLY	LEU	GLU	GLN	GLY	ALA	GLY	LEU	GLU	LEU
LYS	GLY	ALA	GLY	ALA	GLY	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
ALA	ALA	ALA	GLN	GLY	ALA	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
ALA	ALA	ALA	GLN	GLY	ALA	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
ASN	ALA	ALA	GLN	GLY	ALA	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
ALA	GLN	SER	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU
ILE	LYS	GLN	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
GLU	LEU	LYS	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
GLU	LEU	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP
GLU	LEU	LYS	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP
GLU	LEU	ARG	ASN	ALA	GLY	PHE	PRO	GLY	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA
GLN	ASN	GLU	GLY	ALA	GLY	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
MET	PHE	ALA	VAL	VAL	ASP	THR	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL
SER	ILE	ALA	VAL	VAL	ASP	THR	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL
ASN	ILE	THR	VAL	VAL	ASP	THR	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL
MET	PHE	ALA	VAL	VAL	ASP	THR	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL
GLN	ASN	GLU	GLY	ALA	GLY	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
Q791	I793	I794	T824	GLU	GLY	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
ILE	ASN	GLU	GLY	ALA	GLY	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR

• Molecule 4: IcmE protein

Chain BG: . 97%

Table with 20 columns and 20 rows of amino acid labels. The table contains a sequence of residues.

MET	ALA	SER	LYS	GLY	ASN	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU
SER	PRO	GLY	VAL	VAL	ASN	GLY	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
ALA	LEU	GLN	GLU	GLY	LEU	TRP	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU
LEU	GLU	VAL	CYS	CYS	GLY	ASP	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU
GLN	VAL	GLY	GLU	GLY	ASN	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU
LEU	GLN	VAL	VAL	CYS	ASN	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU
LEU	GLN	VAL	VAL	CYS	ASN	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU
LEU	GLN	VAL	VAL	CYS	ASN	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU
LEU	GLN	VAL	VAL	CYS	ASN	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU
LEU	GLN	VAL	VAL	CYS	ASN	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU
LEU	GLN	VAL	VAL	CYS	ASN	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU
LEU	GLN	VAL	VAL	CYS	ASN	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU
LEU	GLN	VAL	VAL	CYS	ASN	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU



MET PHE PHE VAL VAL ASP THR SER VAL VAL ASP THR MET

SER ILE SER ALA VAL TYR ALA ASP ILE PRO VAL ASP THR

ASN ILE THR VAL ASN GLY VAL VAL THR ALA ASN THR

● Molecule 4: IcmE protein

Chain VG: . 97%

MET ALA SER THR VAL TYR ASP ILE LEU LEU LEU LEU LEU

SER ILE PRO GLN VAL PHE LEU LEU LEU LEU LEU LEU LEU

ALA LEU ALA GLN VAL CYS GLU LEU LEU LEU LEU LEU LEU

LEU GLU GLN VAL CYS GLU LEU LEU LEU LEU LEU LEU LEU

LYS GLY PHE THR TYR ASP ALA LEU LEU LEU LEU LEU LEU

ALA ALA TYR THR ALA PRO GLY PHE SER ALA ALA ALA ALA

ALA ALA GLN ALA TYR THR ALA PRO GLY PHE SER ALA ALA

ASN ALA GLY THR ALA ILE ALA THR ALA ALA ALA ALA ALA

ALA GLN SER LEU LEU ALA ALA ALA ALA ALA ALA ALA ALA

ILE LYS GLN THR LEU LEU LEU LEU LEU LEU LEU LEU LEU

GLU LEU LYS ASP PHE SER SER LEU LEU LEU LEU LEU LEU

GLU LEU ARG ASN ALA PHE GLY PHE SER SER LEU LEU LEU

GLU LEU ARG ASN ALA PHE GLY PHE SER SER LEU LEU LEU

GLN ASN GLU GLN ALA PHE GLY PHE SER SER LEU LEU LEU

MET PHE PHE VAL VAL ASP THR SER VAL VAL ASP THR MET

SER ILE SER ALA VAL TYR ALA ASP ILE PRO VAL ASP THR

ASN ILE THR VAL ASN GLY VAL THR ALA ASN THR VAL THR



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	43907	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.124	Depositor
Minimum map value	-0.053	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.025	Depositor
Map size (Å)	561.0, 561.0, 561.0	wwPDB
Map dimensions	510, 510, 510	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.1, 1.1, 1.1	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AF	0.26	0/490	0.63	1/660 (0.2%)
1	BF	0.25	0/490	0.62	0/660
1	CF	0.26	0/490	0.63	0/660
1	DF	0.25	0/490	0.59	0/660
1	EF	0.26	0/490	0.61	0/660
1	FF	0.26	0/490	0.60	0/660
1	GF	0.26	0/490	0.58	0/660
1	HF	0.26	0/490	0.63	1/660 (0.2%)
1	IF	0.25	0/490	0.59	0/660
1	JF	0.26	0/490	0.60	0/660
1	KF	0.26	0/490	0.59	0/660
1	LF	0.26	0/490	0.62	0/660
1	MF	0.26	0/490	0.60	0/660
1	VF	0.26	0/490	0.61	0/660
1	WF	0.26	0/490	0.60	0/660
1	XF	0.26	0/490	0.63	0/660
1	YF	0.26	0/490	0.60	0/660
1	ZF	0.25	0/490	0.59	0/660
2	AH	0.26	0/1269	0.58	1/1734 (0.1%)
2	BH	0.26	0/1269	0.53	0/1734
2	CH	0.26	0/1269	0.58	1/1734 (0.1%)
2	DH	0.26	0/1269	0.52	0/1734
2	EH	0.26	0/1269	0.55	0/1734
2	FH	0.26	0/1269	0.55	1/1734 (0.1%)
2	GH	0.26	0/1269	0.57	1/1734 (0.1%)
2	HH	0.26	0/1269	0.57	1/1734 (0.1%)
2	IH	0.26	0/1269	0.54	0/1734
2	JH	0.25	0/1269	0.52	0/1734
2	KH	0.26	0/1269	0.52	0/1734
2	LH	0.26	0/1269	0.56	1/1734 (0.1%)
2	MH	0.26	0/1269	0.56	1/1734 (0.1%)
2	VH	0.25	0/1269	0.53	0/1734
2	WH	0.26	0/1269	0.56	1/1734 (0.1%)
2	XH	0.26	0/1269	0.53	0/1734

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
2	YH	0.26	0/1269	0.54	0/1734
2	ZH	0.26	0/1269	0.58	1/1734 (0.1%)
4	AG	0.24	0/278	0.44	0/377
4	BG	0.23	0/278	0.45	0/377
4	CG	0.24	0/278	0.49	0/377
4	DG	0.23	0/278	0.43	0/377
4	EG	0.23	0/278	0.43	0/377
4	FG	0.23	0/278	0.43	0/377
4	GG	0.23	0/278	0.44	0/377
4	HG	0.29	0/278	0.49	0/377
4	IG	0.25	0/278	0.47	0/377
4	JG	0.24	0/278	0.45	0/377
4	KG	0.23	0/278	0.43	0/377
4	LG	0.23	0/278	0.43	0/377
4	MG	0.26	0/278	0.46	0/377
4	VG	0.25	0/278	0.45	0/377
4	WG	0.23	0/278	0.44	0/377
4	XG	0.27	0/278	0.48	0/377
4	YG	0.24	0/278	0.43	0/377
4	ZG	0.23	0/278	0.44	0/377
All	All	0.26	0/36666	0.55	11/49878 (0.0%)

There are no bond length outliers.

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	WH	183	ASP	CB-CG-OD1	7.75	125.28	118.30
2	CH	183	ASP	CB-CG-OD1	7.73	125.26	118.30
2	MH	183	ASP	CB-CG-OD1	7.72	125.25	118.30
2	ZH	183	ASP	CB-CG-OD1	7.70	125.23	118.30
2	GH	183	ASP	CB-CG-OD1	7.62	125.15	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AF	483	0	502	1	0
1	BF	483	0	502	4	0
1	CF	483	0	502	2	0
1	DF	483	0	502	2	0
1	EF	483	0	502	2	0
1	FF	483	0	502	3	0
1	GF	483	0	502	3	0
1	HF	483	0	502	4	0
1	IF	483	0	502	2	0
1	JF	483	0	502	2	0
1	KF	483	0	502	1	0
1	LF	483	0	502	2	0
1	MF	483	0	502	3	0
1	VF	483	0	502	1	0
1	WF	483	0	502	3	0
1	XF	483	0	502	4	0
1	YF	483	0	502	2	0
1	ZF	483	0	502	1	0
2	AH	1238	0	1252	6	0
2	BH	1238	0	1252	4	0
2	CH	1238	0	1252	5	0
2	DH	1238	0	1252	5	0
2	EH	1238	0	1252	5	0
2	FH	1238	0	1252	5	0
2	GH	1238	0	1252	2	0
2	HH	1238	0	1252	5	0
2	IH	1238	0	1252	4	0
2	JH	1238	0	1252	1	0
2	KH	1238	0	1252	3	0
2	LH	1238	0	1252	4	0
2	MH	1238	0	1252	3	0
2	VH	1238	0	1252	3	0
2	WH	1238	0	1252	4	0
2	XH	1238	0	1252	3	0
2	YH	1238	0	1252	4	0
2	ZH	1238	0	1252	3	0
3	AX	240	0	55	0	0
3	BX	240	0	55	0	0
3	CX	240	0	55	0	0
3	DX	240	0	54	0	0
3	EX	240	0	54	0	0
3	FX	240	0	55	0	0
3	GX	240	0	55	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	HX	240	0	54	0	0
3	IX	240	0	54	0	0
3	JX	240	0	55	0	0
3	KX	240	0	55	0	0
3	LX	240	0	55	0	0
3	MX	240	0	55	0	0
3	VX	240	0	55	0	0
3	WX	240	0	54	0	0
3	XX	240	0	55	0	0
3	YX	240	0	54	0	0
3	ZX	240	0	55	0	0
4	AG	276	0	263	1	0
4	BG	276	0	263	2	0
4	CG	276	0	263	2	0
4	DG	276	0	263	1	0
4	EG	276	0	263	1	0
4	FG	276	0	263	1	0
4	GG	276	0	263	0	0
4	HG	276	0	263	1	0
4	IG	276	0	263	1	0
4	JG	276	0	263	1	0
4	KG	276	0	263	1	0
4	LG	276	0	263	1	0
4	MG	276	0	263	2	0
4	VG	276	0	263	1	0
4	WG	276	0	263	2	0
4	XG	276	0	263	0	0
4	YG	276	0	263	1	0
4	ZG	276	0	263	0	0
All	All	40266	0	37290	103	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

The worst 5 of 103 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:DH:204:ILE:HG12	2:DH:215:ILE:HG12	1.81	0.63
2:KH:204:ILE:HG12	2:KH:215:ILE:HG12	1.81	0.62
2:CH:204:ILE:HG12	2:CH:215:ILE:HG12	1.83	0.61
2:IH:204:ILE:HG12	2:IH:215:ILE:HG12	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:YH:204:ILE:HG12	2:YH:215:ILE:HG12	1.84	0.60

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AF	61/269 (23%)	57 (93%)	4 (7%)	0	100	100
1	BF	61/269 (23%)	57 (93%)	4 (7%)	0	100	100
1	CF	61/269 (23%)	57 (93%)	4 (7%)	0	100	100
1	DF	61/269 (23%)	57 (93%)	4 (7%)	0	100	100
1	EF	61/269 (23%)	57 (93%)	4 (7%)	0	100	100
1	FF	61/269 (23%)	57 (93%)	4 (7%)	0	100	100
1	GF	61/269 (23%)	57 (93%)	4 (7%)	0	100	100
1	HF	61/269 (23%)	57 (93%)	4 (7%)	0	100	100
1	IF	61/269 (23%)	57 (93%)	4 (7%)	0	100	100
1	JF	61/269 (23%)	58 (95%)	3 (5%)	0	100	100
1	KF	61/269 (23%)	57 (93%)	4 (7%)	0	100	100
1	LF	61/269 (23%)	57 (93%)	4 (7%)	0	100	100
1	MF	61/269 (23%)	57 (93%)	4 (7%)	0	100	100
1	VF	61/269 (23%)	58 (95%)	3 (5%)	0	100	100
1	WF	61/269 (23%)	57 (93%)	4 (7%)	0	100	100
1	XF	61/269 (23%)	57 (93%)	4 (7%)	0	100	100
1	YF	61/269 (23%)	57 (93%)	4 (7%)	0	100	100
1	ZF	61/269 (23%)	57 (93%)	4 (7%)	0	100	100
2	AH	158/361 (44%)	154 (98%)	4 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	BH	158/361 (44%)	154 (98%)	4 (2%)	0	100	100
2	CH	158/361 (44%)	154 (98%)	4 (2%)	0	100	100
2	DH	158/361 (44%)	154 (98%)	4 (2%)	0	100	100
2	EH	158/361 (44%)	154 (98%)	4 (2%)	0	100	100
2	FH	158/361 (44%)	154 (98%)	4 (2%)	0	100	100
2	GH	158/361 (44%)	154 (98%)	4 (2%)	0	100	100
2	HH	158/361 (44%)	154 (98%)	4 (2%)	0	100	100
2	IH	158/361 (44%)	154 (98%)	4 (2%)	0	100	100
2	JH	158/361 (44%)	154 (98%)	4 (2%)	0	100	100
2	KH	158/361 (44%)	154 (98%)	4 (2%)	0	100	100
2	LH	158/361 (44%)	155 (98%)	3 (2%)	0	100	100
2	MH	158/361 (44%)	155 (98%)	3 (2%)	0	100	100
2	VH	158/361 (44%)	154 (98%)	4 (2%)	0	100	100
2	WH	158/361 (44%)	155 (98%)	3 (2%)	0	100	100
2	XH	158/361 (44%)	154 (98%)	4 (2%)	0	100	100
2	YH	158/361 (44%)	153 (97%)	5 (3%)	0	100	100
2	ZH	158/361 (44%)	154 (98%)	4 (2%)	0	100	100
4	AG	32/1048 (3%)	32 (100%)	0	0	100	100
4	BG	32/1048 (3%)	32 (100%)	0	0	100	100
4	CG	32/1048 (3%)	32 (100%)	0	0	100	100
4	DG	32/1048 (3%)	32 (100%)	0	0	100	100
4	EG	32/1048 (3%)	32 (100%)	0	0	100	100
4	FG	32/1048 (3%)	32 (100%)	0	0	100	100
4	GG	32/1048 (3%)	32 (100%)	0	0	100	100
4	HG	32/1048 (3%)	32 (100%)	0	0	100	100
4	IG	32/1048 (3%)	32 (100%)	0	0	100	100
4	JG	32/1048 (3%)	32 (100%)	0	0	100	100
4	KG	32/1048 (3%)	32 (100%)	0	0	100	100
4	LG	32/1048 (3%)	32 (100%)	0	0	100	100
4	MG	32/1048 (3%)	32 (100%)	0	0	100	100
4	VG	32/1048 (3%)	32 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	WG	32/1048 (3%)	32 (100%)	0	0	100	100
4	XG	32/1048 (3%)	32 (100%)	0	0	100	100
4	YG	32/1048 (3%)	32 (100%)	0	0	100	100
4	ZG	32/1048 (3%)	32 (100%)	0	0	100	100
All	All	4518/30204 (15%)	4378 (97%)	140 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AF	53/237 (22%)	53 (100%)	0	100	100
1	BF	53/237 (22%)	53 (100%)	0	100	100
1	CF	53/237 (22%)	53 (100%)	0	100	100
1	DF	53/237 (22%)	53 (100%)	0	100	100
1	EF	53/237 (22%)	53 (100%)	0	100	100
1	FF	53/237 (22%)	53 (100%)	0	100	100
1	GF	53/237 (22%)	53 (100%)	0	100	100
1	HF	53/237 (22%)	53 (100%)	0	100	100
1	IF	53/237 (22%)	53 (100%)	0	100	100
1	JF	53/237 (22%)	53 (100%)	0	100	100
1	KF	53/237 (22%)	53 (100%)	0	100	100
1	LF	53/237 (22%)	53 (100%)	0	100	100
1	MF	53/237 (22%)	53 (100%)	0	100	100
1	VF	53/237 (22%)	53 (100%)	0	100	100
1	WF	53/237 (22%)	53 (100%)	0	100	100
1	XF	53/237 (22%)	53 (100%)	0	100	100
1	YF	53/237 (22%)	53 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	ZF	53/237 (22%)	53 (100%)	0	100	100
2	AH	137/300 (46%)	136 (99%)	1 (1%)	84	95
2	BH	137/300 (46%)	136 (99%)	1 (1%)	84	95
2	CH	137/300 (46%)	136 (99%)	1 (1%)	84	95
2	DH	137/300 (46%)	136 (99%)	1 (1%)	84	95
2	EH	137/300 (46%)	136 (99%)	1 (1%)	84	95
2	FH	137/300 (46%)	136 (99%)	1 (1%)	84	95
2	GH	137/300 (46%)	136 (99%)	1 (1%)	84	95
2	HH	137/300 (46%)	136 (99%)	1 (1%)	84	95
2	IH	137/300 (46%)	136 (99%)	1 (1%)	84	95
2	JH	137/300 (46%)	136 (99%)	1 (1%)	84	95
2	KH	137/300 (46%)	136 (99%)	1 (1%)	84	95
2	LH	137/300 (46%)	136 (99%)	1 (1%)	84	95
2	MH	137/300 (46%)	136 (99%)	1 (1%)	84	95
2	VH	137/300 (46%)	136 (99%)	1 (1%)	84	95
2	WH	137/300 (46%)	136 (99%)	1 (1%)	84	95
2	XH	137/300 (46%)	136 (99%)	1 (1%)	84	95
2	YH	137/300 (46%)	136 (99%)	1 (1%)	84	95
2	ZH	137/300 (46%)	136 (99%)	1 (1%)	84	95
4	AG	31/765 (4%)	31 (100%)	0	100	100
4	BG	31/765 (4%)	31 (100%)	0	100	100
4	CG	31/765 (4%)	31 (100%)	0	100	100
4	DG	31/765 (4%)	31 (100%)	0	100	100
4	EG	31/765 (4%)	31 (100%)	0	100	100
4	FG	31/765 (4%)	31 (100%)	0	100	100
4	GG	31/765 (4%)	31 (100%)	0	100	100
4	HG	31/765 (4%)	31 (100%)	0	100	100
4	IG	31/765 (4%)	31 (100%)	0	100	100
4	JG	31/765 (4%)	31 (100%)	0	100	100
4	KG	31/765 (4%)	31 (100%)	0	100	100
4	LG	31/765 (4%)	31 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	MG	31/765 (4%)	31 (100%)	0	100	100
4	VG	31/765 (4%)	31 (100%)	0	100	100
4	WG	31/765 (4%)	31 (100%)	0	100	100
4	XG	31/765 (4%)	31 (100%)	0	100	100
4	YG	31/765 (4%)	31 (100%)	0	100	100
4	ZG	31/765 (4%)	31 (100%)	0	100	100
All	All	3978/23436 (17%)	3960 (100%)	18 (0%)	89	96

5 of 18 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	LH	170	ARG
2	WH	170	ARG
2	VH	170	ARG
2	FH	170	ARG
2	KH	170	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
3	ZX	1
3	GX	1
3	CX	1
3	KX	1
3	BX	1
3	HX	1
3	YX	1
3	MX	1
3	XX	1
3	IX	1
3	LX	1
3	WX	1
3	FX	1
3	AX	1
3	EX	1
3	DX	1
3	JX	1
3	VX	1

The worst 5 of 18 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	ZX	38:UNK	C	70:UNK	N	24.53
1	GX	38:UNK	C	70:UNK	N	24.52
1	CX	38:UNK	C	70:UNK	N	24.51
1	KX	38:UNK	C	70:UNK	N	24.51
1	BX	38:UNK	C	70:UNK	N	24.49


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-24006. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 204



Y Index: 202




Z Index: 200


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.025. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 203 nm³; this corresponds to an approximate mass of 184 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.357 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-24006 and PDB model 7MUE. Per-residue inclusion information can be found in section [3](#) on page [10](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.025 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.025).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 82% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary













































































The table lists the average atom inclusion at the recommended contour level (0.025) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8200	 0.6010
AF	 0.7960	 0.5830
AG	 0.7610	 0.5780
AH	 0.8960	 0.6240
AX	 0.5330	 0.5540
BF	 0.7860	 0.5700
BG	 0.7650	 0.5760
BH	 0.9050	 0.6250
BX	 0.5370	 0.5530
CF	 0.7960	 0.5760
CG	 0.7720	 0.5800
CH	 0.9040	 0.6250
CX	 0.5250	 0.5520
DF	 0.7810	 0.5760
DG	 0.7650	 0.5770
DH	 0.8970	 0.6250
DX	 0.5250	 0.5530
EF	 0.7880	 0.5790
EG	 0.7790	 0.5810
EH	 0.9010	 0.6250
EX	 0.5250	 0.5520
FF	 0.7920	 0.5680
FG	 0.7680	 0.5800
FH	 0.8940	 0.6260
FX	 0.5460	 0.5500
GF	 0.8050	 0.5790
GG	 0.7760	 0.5880
GH	 0.8960	 0.6270
GX	 0.5460	 0.5560
HF	 0.7940	 0.5810
HG	 0.7650	 0.5860
HH	 0.8960	 0.6270
HX	 0.5370	 0.5530
IF	 0.7920	 0.5800
IG	 0.7720	 0.5830



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
IH	 0.9050	 0.6240
IX	 0.5210	 0.5550
JF	 0.7980	 0.5770
JG	 0.7680	 0.5820
JH	 0.8970	 0.6230
JX	 0.5500	 0.5530
KF	 0.7810	 0.5750
KG	 0.7680	 0.5800
KH	 0.8970	 0.6240
KX	 0.5330	 0.5550
LF	 0.7900	 0.5700
LG	 0.7650	 0.5850
LH	 0.8940	 0.6250
LX	 0.5420	 0.5540
MF	 0.7900	 0.5790
MG	 0.7610	 0.5840
MH	 0.8960	 0.6240
MX	 0.5290	 0.5560
VF	 0.8020	 0.5790
VG	 0.7680	 0.5730
VH	 0.8980	 0.6230
VX	 0.5460	 0.5480
WF	 0.7940	 0.5780
WG	 0.7610	 0.5840
WH	 0.8980	 0.6260
WX	 0.5370	 0.5520
XF	 0.7830	 0.5690
XG	 0.7610	 0.5690
XH	 0.9050	 0.6270
XX	 0.5330	 0.5530
YF	 0.7920	 0.5750
YG	 0.7830	 0.5760
YH	 0.9000	 0.6260
YX	 0.5250	 0.5540
ZF	 0.8020	 0.5780
ZG	 0.7790	 0.5820
ZH	 0.8970	 0.6240
ZX	 0.5460	 0.5570