

Full wwPDB X-ray Structure Validation Report (i)

Oct 9, 2023 – 11:34 PM EDT

PDB ID	:	7N1L
Title	:	Crystal Structure of Ribosomal-protein-alanine N-acetyltransferase from
		Brucella melitensis biovar Abortus 2308
Authors	:	Seattle Structural Genomics Center for Infectious Disease; Seattle Structural
		Genomics Center for Infectious Disease (SSGCID)
Deposited on	:	2021-05-27
Resolution	:	2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution $(//Fratrice resolution (\%))$
	(#Entries)	(#Entries, resolution range(A))
R_{free}	130704	$5042 \ (2.30-2.30)$
Clashscore	141614	5643(2.30-2.30)
Ramachandran outliers	138981	5575(2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	173	2% 80%	•	17%
1	В	173	.% 7 7%	5%	17%
1	С	173	76%	•	21%
1	D	173	% 76%	5%	18%
1	Е	173	75%	6%	18%



Mol	Chain	Length	Quality of chain		
			%		
1	F	173	73%	8% •	18%
			2%		
1	G	173	74%	7%	19%
			.%		
1	Н	173	79%	5%	17%
	-				
1	l	173	77%	6%	17%
1	т	1 7 9			
	J	173	73%	•	23%
1	17	179			
	K	173	79%	6%	14%
1	т	179			
1	L	173	83%	•	14%
1	м	179	2%		
1	IVI	173	75%	6%	20%
1	N	179	8%		
1	IN	173	74%	6% ·	19%
1	0	179	6%		
	0	173	74%	•	23%
1	О	179			
	P	173	75%	5%	20%



2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 18064 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
1	А	143	Total C N O 1113 712 199 202	0	0	0
1	В	143	Total C N O 1116 715 199 202	0	0	0
1	С	137	Total C N O 1071 687 190 194	0	0	0
1	D	141	Total C N O 1087 695 194 198	0	0	0
1	Е	141	Total C N O 1101 704 197 200	0	0	0
1	F	141	Total C N O 1113 712 197 204	0	2	0
1	G	140	Total C N O 1078 692 193 193	0	0	0
1	Н	144	Total C N O 1113 711 199 203	0	0	0
1	Ι	143	Total C N O 1112 712 198 202	0	0	0
1	J	134	Total C N O 1024 656 181 187	0	0	0
1	K	148	Total C N O 1117 715 200 202	0	0	0
1	L	148	Total C N O 1130 722 203 205	0	0	0
1	М	139	Total C N O 1049 673 187 189	0	0	0
1	N	140	Total C N O 1006 641 179 186	0	0	0
1	Ο	134	Total C N O 949 604 168 177	0	0	0
1	Р	138	Total C N O 1041 666 186 189	0	0	0

• Molecule 1 is a protein called GCN5-related N-acetyltransferase.



Chain	Residue	Modelled	Actual	Comment	Reference
А	-20	MET	-	initiating methionine	UNP Q2YLP8
А	-19	ALA	-	expression tag	UNP Q2YLP8
А	-18	HIS	_	expression tag	UNP Q2YLP8
А	-17	HIS	-	expression tag	UNP Q2YLP8
А	-16	HIS	-	expression tag	UNP Q2YLP8
А	-15	HIS	-	expression tag	UNP Q2YLP8
А	-14	HIS	-	expression tag	UNP Q2YLP8
А	-13	HIS	-	expression tag	UNP Q2YLP8
А	-12	MET	-	expression tag	UNP Q2YLP8
А	-11	GLY	-	expression tag	UNP Q2YLP8
А	-10	THR	-	expression tag	UNP Q2YLP8
А	-9	LEU	-	expression tag	UNP Q2YLP8
А	-8	GLU	-	expression tag	UNP Q2YLP8
А	-7	ALA	-	expression tag	UNP Q2YLP8
А	-6	GLN	-	expression tag	UNP Q2YLP8
А	-5	THR	-	expression tag	UNP Q2YLP8
А	-4	GLN	-	expression tag	UNP Q2YLP8
А	-3	GLY	-	expression tag	UNP Q2YLP8
А	-2	PRO	-	expression tag	UNP Q2YLP8
А	-1	GLY	-	expression tag	UNP Q2YLP8
A	0	SER	-	expression tag	UNP Q2YLP8
В	-20	MET	-	initiating methionine	UNP Q2YLP8
В	-19	ALA	-	expression tag	UNP Q2YLP8
В	-18	HIS	-	expression tag	UNP Q2YLP8
В	-17	HIS	-	expression tag	UNP Q2YLP8
В	-16	HIS	-	expression tag	UNP Q2YLP8
В	-15	HIS	-	expression tag	UNP Q2YLP8
В	-14	HIS	-	expression tag	UNP Q2YLP8
В	-13	HIS	-	expression tag	UNP Q2YLP8
В	-12	MET	-	expression tag	UNP Q2YLP8
В	-11	GLY	-	expression tag	UNP Q2YLP8
В	-10	THR	-	expression tag	UNP Q2YLP8
В	-9	LEU	-	expression tag	UNP Q2YLP8
В	-8	GLU	-	expression tag	UNP Q2YLP8
В	-7	ALA	-	expression tag	UNP Q2YLP8
В	-6	GLN	-	expression tag	UNP Q2YLP8
В	-5	THR	-	expression tag	UNP Q2YLP8
В	-4	GLN	-	expression tag	UNP Q2YLP8
В	-3	GLY	-	expression tag	UNP Q2YLP8
В	-2	PRO	_	expression tag	UNP Q2YLP8
В	-1	GLY	-	expression tag	UNP Q2YLP8
В	0	SER		expression tag	UNP Q2YLP8

There are 336 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
С	-20	MET	-	initiating methionine	UNP Q2YLP8
С	-19	ALA	-	expression tag	UNP Q2YLP8
С	-18	HIS	-	expression tag	UNP Q2YLP8
С	-17	HIS	-	expression tag	UNP Q2YLP8
С	-16	HIS	-	expression tag	UNP Q2YLP8
С	-15	HIS	-	expression tag	UNP Q2YLP8
С	-14	HIS	-	expression tag	UNP Q2YLP8
С	-13	HIS	-	expression tag	UNP Q2YLP8
С	-12	MET	-	expression tag	UNP Q2YLP8
С	-11	GLY	-	expression tag	UNP Q2YLP8
С	-10	THR	-	expression tag	UNP Q2YLP8
С	-9	LEU	-	expression tag	UNP Q2YLP8
С	-8	GLU	-	expression tag	UNP Q2YLP8
С	-7	ALA	-	expression tag	UNP Q2YLP8
С	-6	GLN	-	expression tag	UNP Q2YLP8
С	-5	THR	-	expression tag	UNP Q2YLP8
С	-4	GLN	-	expression tag	UNP Q2YLP8
С	-3	GLY	-	expression tag	UNP Q2YLP8
С	-2	PRO	-	expression tag	UNP Q2YLP8
С	-1	GLY	-	expression tag	UNP Q2YLP8
С	0	SER	-	expression tag	UNP Q2YLP8
D	-20	MET	-	initiating methionine	UNP Q2YLP8
D	-19	ALA	-	expression tag	UNP Q2YLP8
D	-18	HIS	-	expression tag	UNP Q2YLP8
D	-17	HIS	-	expression tag	UNP Q2YLP8
D	-16	HIS	-	expression tag	UNP Q2YLP8
D	-15	HIS	-	expression tag	UNP Q2YLP8
D	-14	HIS	-	expression tag	UNP Q2YLP8
D	-13	HIS	-	expression tag	UNP Q2YLP8
D	-12	MET	-	expression tag	UNP Q2YLP8
D	-11	GLY	-	expression tag	UNP Q2YLP8
D	-10	THR	-	expression tag	UNP Q2YLP8
D	-9	LEU	-	expression tag	UNP Q2YLP8
D	-8	GLU	-	expression tag	UNP Q2YLP8
D	-7	ALA	-	expression tag	UNP Q2YLP8
D	-6	GLN	-	expression tag	UNP Q2YLP8
D	-5	THR	-	expression tag	UNP Q2YLP8
D	-4	GLN	-	expression tag	UNP Q2YLP8
D	-3	GLY	-	expression tag	UNP Q2YLP8
D	-2	PRO	-	expression tag	UNP Q2YLP8
D	-1	GLY	-	expression tag	UNP Q2YLP8
D	0	SER	-	expression tag	UNP Q2YLP8



Chain	Residue	Modelled	Actual	Comment	Reference
Е	-20	MET	-	initiating methionine	UNP Q2YLP8
Е	-19	ALA	-	expression tag	UNP Q2YLP8
Е	-18	HIS	-	expression tag	UNP Q2YLP8
Е	-17	HIS	-	expression tag	UNP Q2YLP8
Е	-16	HIS	-	expression tag	UNP Q2YLP8
Е	-15	HIS	-	expression tag	UNP Q2YLP8
Е	-14	HIS	-	expression tag	UNP Q2YLP8
Е	-13	HIS	-	expression tag	UNP Q2YLP8
Е	-12	MET	-	expression tag	UNP Q2YLP8
Е	-11	GLY	-	expression tag	UNP Q2YLP8
Е	-10	THR	-	expression tag	UNP Q2YLP8
Е	-9	LEU	-	expression tag	UNP Q2YLP8
Е	-8	GLU	-	expression tag	UNP Q2YLP8
Е	-7	ALA	-	expression tag	UNP Q2YLP8
Е	-6	GLN	-	expression tag	UNP Q2YLP8
Е	-5	THR	-	expression tag	UNP Q2YLP8
E	-4	GLN	-	expression tag	UNP Q2YLP8
E	-3	GLY	-	expression tag	UNP Q2YLP8
E	-2	PRO	-	expression tag	UNP Q2YLP8
E	-1	GLY	-	expression tag	UNP Q2YLP8
E	0	SER	-	expression tag	UNP Q2YLP8
F	-20	MET	-	initiating methionine	UNP Q2YLP8
F	-19	ALA	-	expression tag	UNP Q2YLP8
F	-18	HIS	-	expression tag	UNP Q2YLP8
F	-17	HIS	-	expression tag	UNP Q2YLP8
F	-16	HIS	-	expression tag	UNP Q2YLP8
F	-15	HIS	-	expression tag	UNP Q2YLP8
F	-14	HIS	-	expression tag	UNP Q2YLP8
F	-13	HIS	-	expression tag	UNP Q2YLP8
F	-12	MET	-	expression tag	UNP Q2YLP8
F	-11	GLY	-	expression tag	UNP Q2YLP8
F	-10	THR	-	expression tag	UNP Q2YLP8
F	-9	LEU	-	expression tag	UNP Q2YLP8
F	-8	GLU	-	expression tag	UNP Q2YLP8
F	-7	ALA	-	expression tag	UNP Q2YLP8
F	-6	GLN	-	expression tag	UNP Q2YLP8
F	-5	THR	-	expression tag	UNP Q2YLP8
F	-4	GLN	-	expression tag	UNP Q2YLP8
F	-3	GLY	-	expression tag	UNP Q2YLP8
F	-2	PRO	-	expression tag	UNP Q2YLP8
F	-1	GLY	-	expression tag	UNP Q2YLP8
F	0	SER	-	expression tag	UNP Q2YLP8



Chain	Residue	Modelled	Actual	Comment	Reference
G	-20	MET	-	initiating methionine	UNP Q2YLP8
G	-19	ALA	_	expression tag	UNP Q2YLP8
G	-18	HIS	_	expression tag	UNP Q2YLP8
G	-17	HIS	-	expression tag	UNP Q2YLP8
G	-16	HIS	-	expression tag	UNP Q2YLP8
G	-15	HIS	-	expression tag	UNP Q2YLP8
G	-14	HIS	-	expression tag	UNP Q2YLP8
G	-13	HIS	-	expression tag	UNP Q2YLP8
G	-12	MET	-	expression tag	UNP Q2YLP8
G	-11	GLY	-	expression tag	UNP Q2YLP8
G	-10	THR	-	expression tag	UNP Q2YLP8
G	-9	LEU	-	expression tag	UNP Q2YLP8
G	-8	GLU	-	expression tag	UNP Q2YLP8
G	-7	ALA	-	expression tag	UNP Q2YLP8
G	-6	GLN	-	expression tag	UNP Q2YLP8
G	-5	THR	-	expression tag	UNP Q2YLP8
G	-4	GLN	-	expression tag	UNP Q2YLP8
G	-3	GLY	-	expression tag	UNP Q2YLP8
G	-2	PRO	-	expression tag	UNP Q2YLP8
G	-1	GLY	-	expression tag	UNP Q2YLP8
G	0	SER	-	expression tag	UNP Q2YLP8
Н	-20	MET	-	initiating methionine	UNP Q2YLP8
Η	-19	ALA	-	expression tag	UNP Q2YLP8
Н	-18	HIS	-	expression tag	UNP Q2YLP8
H	-17	HIS	-	expression tag	UNP Q2YLP8
Η	-16	HIS	-	expression tag	UNP Q2YLP8
H	-15	HIS	-	expression tag	UNP Q2YLP8
H	-14	HIS	-	expression tag	UNP Q2YLP8
H	-13	HIS	-	expression tag	UNP Q2YLP8
H	-12	MET	-	expression tag	UNP Q2YLP8
H	-11	GLY	-	expression tag	UNP Q2YLP8
H	-10	THR	-	expression tag	UNP Q2YLP8
H	-9	LEU	-	expression tag	UNP Q2YLP8
H	-8	GLU	-	expression tag	UNP Q2YLP8
H	-7	ALA	-	expression tag	UNP Q2YLP8
Н	-6	GLN	-	expression tag	UNP Q2YLP8
H	-5	THR	-	expression tag	UNP Q2YLP8
H	-4	GLN	-	expression tag	UNP Q2YLP8
H	-3	GLY	-	expression tag	UNP Q2YLP8
H	-2	PRO	-	expression tag	UNP Q2YLP8
H	-1	GLY	-	expression tag	UNP Q2YLP8
H	0	SER	-	expression tag	UNP Q2YLP8

Continued from previous page...



Chain	Residue	Modelled	Actual	Comment	Reference
Ι	-20	MET	-	initiating methionine	UNP Q2YLP8
Ι	-19	ALA	-	expression tag	UNP Q2YLP8
Ι	-18	HIS	-	expression tag	UNP Q2YLP8
Ι	-17	HIS	-	expression tag	UNP Q2YLP8
Ι	-16	HIS	-	expression tag	UNP Q2YLP8
Ι	-15	HIS	-	expression tag	UNP Q2YLP8
Ι	-14	HIS	-	expression tag	UNP Q2YLP8
Ι	-13	HIS	-	expression tag	UNP Q2YLP8
Ι	-12	MET	-	expression tag	UNP Q2YLP8
Ι	-11	GLY	-	expression tag	UNP Q2YLP8
Ι	-10	THR	-	expression tag	UNP Q2YLP8
Ι	-9	LEU	-	expression tag	UNP Q2YLP8
Ι	-8	GLU	-	expression tag	UNP Q2YLP8
Ι	-7	ALA	-	expression tag	UNP Q2YLP8
Ι	-6	GLN	-	expression tag	UNP Q2YLP8
Ι	-5	THR	-	expression tag	UNP Q2YLP8
Ι	-4	GLN	-	expression tag	UNP Q2YLP8
Ι	-3	GLY	-	expression tag	UNP Q2YLP8
Ι	-2	PRO	-	expression tag	UNP Q2YLP8
Ι	-1	GLY	-	expression tag	UNP Q2YLP8
Ι	0	SER	-	expression tag	UNP Q2YLP8
J	-20	MET	-	initiating methionine	UNP Q2YLP8
J	-19	ALA	-	expression tag	UNP Q2YLP8
J	-18	HIS	-	expression tag	UNP Q2YLP8
J	-17	HIS	-	expression tag	UNP Q2YLP8
J	-16	HIS	-	expression tag	UNP Q2YLP8
J	-15	HIS	-	expression tag	UNP Q2YLP8
J	-14	HIS	-	expression tag	UNP Q2YLP8
J	-13	HIS	-	expression tag	UNP Q2YLP8
J	-12	MET	-	expression tag	UNP Q2YLP8
J	-11	GLY	-	expression tag	UNP Q2YLP8
J	-10	THR	-	expression tag	UNP Q2YLP8
J	-9	LEU	-	expression tag	UNP Q2YLP8
J	-8	GLU	-	expression tag	UNP Q2YLP8
J	-7	ALA	-	expression tag	UNP Q2YLP8
J	-6	GLN	-	expression tag	UNP Q2YLP8
J	-5	THR	-	expression tag	UNP Q2YLP8
J	-4	GLN	-	expression tag	UNP Q2YLP8
J	-3	GLY	-	expression tag	UNP Q2YLP8
J	-2	PRO	-	expression tag	UNP Q2YLP8
J	-1	GLY	-	expression tag	UNP Q2YLP8
J	0	SER	-	expression tag	UNP Q2YLP8



Chain	Residue	Modelled	Actual	Comment	Reference
K	-20	MET	-	initiating methionine	UNP Q2YLP8
K	-19	ALA	-	expression tag	UNP Q2YLP8
K	-18	HIS	-	expression tag	UNP Q2YLP8
K	-17	HIS	-	expression tag	UNP Q2YLP8
K	-16	HIS	-	expression tag	UNP Q2YLP8
К	-15	HIS	-	expression tag	UNP Q2YLP8
K	-14	HIS	-	expression tag	UNP Q2YLP8
K	-13	HIS	-	expression tag	UNP Q2YLP8
K	-12	MET	-	expression tag	UNP Q2YLP8
К	-11	GLY	-	expression tag	UNP Q2YLP8
K	-10	THR	-	expression tag	UNP Q2YLP8
K	-9	LEU	-	expression tag	UNP Q2YLP8
K	-8	GLU	-	expression tag	UNP Q2YLP8
K	-7	ALA	-	expression tag	UNP Q2YLP8
K	-6	GLN	-	expression tag	UNP Q2YLP8
K	-5	THR	-	expression tag	UNP Q2YLP8
K	-4	GLN	-	expression tag	UNP Q2YLP8
К	-3	GLY	-	expression tag	UNP Q2YLP8
K	-2	PRO	-	expression tag	UNP Q2YLP8
K	-1	GLY	-	expression tag	UNP Q2YLP8
K	0	SER	-	expression tag	UNP Q2YLP8
L	-20	MET	-	initiating methionine	UNP Q2YLP8
L	-19	ALA	-	expression tag	UNP Q2YLP8
L	-18	HIS	-	expression tag	UNP Q2YLP8
L	-17	HIS	-	expression tag	UNP Q2YLP8
L	-16	HIS	-	expression tag	UNP Q2YLP8
L	-15	HIS	-	expression tag	UNP Q2YLP8
L	-14	HIS	-	expression tag	UNP Q2YLP8
L	-13	HIS	-	expression tag	UNP Q2YLP8
L	-12	MET	-	expression tag	UNP Q2YLP8
L	-11	GLY	-	expression tag	UNP Q2YLP8
L	-10	THR	-	expression tag	UNP Q2YLP8
L	-9	LEU	-	expression tag	UNP Q2YLP8
L	-8	GLU	-	expression tag	UNP Q2YLP8
L	-7	ALA	-	expression tag	UNP Q2YLP8
L	-6	GLN	-	expression tag	UNP Q2YLP8
L	-5	THR	-	expression tag	UNP Q2YLP8
L	-4	GLN	-	expression tag	UNP Q2YLP8
L	-3	GLY	-	expression tag	UNP Q2YLP8
L	-2	PRO	-	expression tag	UNP Q2YLP8
L	-1	GLY	-	expression tag	UNP Q2YLP8
L	0	SER	-	expression tag	UNP Q2YLP8



Chain	Residue	Modelled	Actual	Comment	Reference
М	-20	MET	-	initiating methionine	UNP Q2YLP8
М	-19	ALA	-	expression tag	UNP Q2YLP8
М	-18	HIS	_	expression tag	UNP Q2YLP8
М	-17	HIS	-	expression tag	UNP Q2YLP8
М	-16	HIS	-	expression tag	UNP Q2YLP8
М	-15	HIS	-	expression tag	UNP Q2YLP8
М	-14	HIS	-	expression tag	UNP Q2YLP8
М	-13	HIS	-	expression tag	UNP Q2YLP8
М	-12	MET	-	expression tag	UNP Q2YLP8
М	-11	GLY	-	expression tag	UNP Q2YLP8
М	-10	THR	-	expression tag	UNP Q2YLP8
М	-9	LEU	-	expression tag	UNP Q2YLP8
М	-8	GLU	-	expression tag	UNP Q2YLP8
М	-7	ALA	-	expression tag	UNP Q2YLP8
М	-6	GLN	-	expression tag	UNP Q2YLP8
М	-5	THR	-	expression tag	UNP Q2YLP8
М	-4	GLN	-	expression tag	UNP Q2YLP8
М	-3	GLY	-	expression tag	UNP Q2YLP8
М	-2	PRO	-	expression tag	UNP Q2YLP8
М	-1	GLY	-	expression tag	UNP Q2YLP8
М	0	SER	-	expression tag	UNP Q2YLP8
N	-20	MET	-	initiating methionine	UNP Q2YLP8
N	-19	ALA	-	expression tag	UNP Q2YLP8
N	-18	HIS	-	expression tag	UNP Q2YLP8
N	-17	HIS	-	expression tag	UNP Q2YLP8
N	-16	HIS	-	expression tag	UNP Q2YLP8
N	-15	HIS	-	expression tag	UNP Q2YLP8
N	-14	HIS	-	expression tag	UNP Q2YLP8
N	-13	HIS	-	expression tag	UNP Q2YLP8
N	-12	MET	-	expression tag	UNP Q2YLP8
N	-11	GLY	-	expression tag	UNP Q2YLP8
N	-10	THR	-	expression tag	UNP Q2YLP8
N	-9	LEU	-	expression tag	UNP Q2YLP8
N	-8	GLU	-	expression tag	UNP Q2YLP8
N	-7	ALA	-	expression tag	UNP Q2YLP8
N	-6	GLN	-	expression tag	UNP Q2YLP8
N	-5	THR	-	expression tag	UNP Q2YLP8
N	-4	GLN	-	expression tag	UNP Q2YLP8
N	-3	GLY	-	expression tag	UNP Q2YLP8
N	-2	PRO	-	expression tag	UNP Q2YLP8
N	-1	GLY	-	expression tag	UNP Q2YLP8
N	0	SER	-	expression tag	UNP Q2YLP8



Chain	Residue	Modelled	Actual	Comment	Reference
0	-20	MET	-	initiating methionine	UNP Q2YLP8
0	-19	ALA	-	expression tag	UNP Q2YLP8
0	-18	HIS	-	expression tag	UNP Q2YLP8
0	-17	HIS	_	expression tag	UNP Q2YLP8
0	-16	HIS	-	expression tag	UNP Q2YLP8
0	-15	HIS	_	expression tag	UNP Q2YLP8
0	-14	HIS	-	expression tag	UNP Q2YLP8
0	-13	HIS	-	expression tag	UNP Q2YLP8
0	-12	MET	-	expression tag	UNP Q2YLP8
0	-11	GLY	_	expression tag	UNP Q2YLP8
0	-10	THR	_	expression tag	UNP Q2YLP8
0	-9	LEU	-	expression tag	UNP Q2YLP8
0	-8	GLU	-	expression tag	UNP Q2YLP8
0	-7	ALA	-	expression tag	UNP Q2YLP8
0	-6	GLN	-	expression tag	UNP Q2YLP8
0	-5	THR	_	expression tag	UNP Q2YLP8
0	-4	GLN	-	expression tag	UNP Q2YLP8
0	-3	GLY	_	expression tag	UNP Q2YLP8
0	-2	PRO	-	expression tag	UNP Q2YLP8
0	-1	GLY	_	expression tag	UNP Q2YLP8
0	0	SER	_	expression tag	UNP Q2YLP8
Р	-20	MET	-	initiating methionine	UNP Q2YLP8
Р	-19	ALA	-	expression tag	UNP Q2YLP8
Р	-18	HIS	-	expression tag	UNP Q2YLP8
Р	-17	HIS	-	expression tag	UNP Q2YLP8
Р	-16	HIS	-	expression tag	UNP Q2YLP8
Р	-15	HIS	-	expression tag	UNP Q2YLP8
Р	-14	HIS	-	expression tag	UNP Q2YLP8
Р	-13	HIS	-	expression tag	UNP Q2YLP8
Р	-12	MET	-	expression tag	UNP Q2YLP8
Р	-11	GLY	-	expression tag	UNP Q2YLP8
Р	-10	THR	-	expression tag	UNP Q2YLP8
Р	-9	LEU	-	expression tag	UNP Q2YLP8
Р	-8	GLU	-	expression tag	UNP Q2YLP8
Р	-7	ALA	-	expression tag	UNP Q2YLP8
Р	-6	GLN	-	expression tag	UNP Q2YLP8
Р	-5	THR	-	expression tag	UNP Q2YLP8
Р	-4	GLN	-	expression tag	UNP Q2YLP8
Р	-3	GLY	-	expression tag	UNP Q2YLP8
P	-2	PRO	-	expression tag	UNP Q2YLP8
Р	-1	GLY	-	expression tag	UNP Q2YLP8
Р	0	SER	-	expression tag	UNP Q2YLP8



• Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	90	Total O 90 90	0	0
2	В	100	Total O 100 100	0	0
2	С	74	Total O 74 74	0	0
2	D	78	Total O 79 79	0	1
2	Е	84	Total O 85 85	0	1
2	F	59	Total O 59 59	0	0
2	G	72	Total O 72 72	0	0
2	Н	58	Total O 58 58	0	0
2	Ι	53	$\begin{array}{cc} \text{Total} & \text{O} \\ 53 & 53 \end{array}$	0	0
2	J	42	$\begin{array}{cc} \text{Total} & \text{O} \\ 42 & 42 \end{array}$	0	0
2	K	40	Total O 40 40	0	0
2	L	46	$\begin{array}{cc} \text{Total} & \text{O} \\ 46 & 46 \end{array}$	0	0
2	М	12	Total O 12 12	0	0
2	Ν	5	Total O 5 5	0	0
2	О	11	TotalO1111	0	0
2	Р	18	Total O 18 18	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Chain A: 80% 17% • Molecule 1: GCN5-related N-acetyltransferase Chain B: 77% 5% 17% MET ALA ALA ALA ALA ALA ALA ALA ALA CLU CLU CLU CLU CLU CLU CLU CLU CLV SER MET THR TTHR TURY ASP • Molecule 1: GCN5-related N-acetyltransferase Chain C: 76% 21% • Molecule 1: GCN5-related N-acetyltransferase Chain D: 76% 5% 18% • Molecule 1: GCN5-related N-acetyltransferase Chain E: 75% 6% 18%
- Molecule 1: GCN5-related N-acetyltransferase

 \bullet Molecule 1: GCN5-related N-acetyl transferase









4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	67.02Å 114.90Å 122.00Å	Deneriten
a, b, c, α , β , γ	87.12° 76.27° 73.14°	Depositor
$\mathbf{P}_{\text{acclution}}(\hat{\mathbf{A}})$	48.73 - 2.30	Depositor
Resolution (A)	48.73 - 2.30	EDS
% Data completeness	98.4 (48.73-2.30)	Depositor
(in resolution range)	98.4 (48.73-2.30)	EDS
R _{merge}	0.08	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.70 (at 2.29 \text{\AA})$	Xtriage
Refinement program	PHENIX $1.19 \text{ dev } 4224$	Depositor
D D.	0.209 , 0.248	Depositor
Π, Π_{free}	0.208 , 0.247	DCC
R_{free} test set	1756 reflections $(1.19%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	33.8	Xtriage
Anisotropy	0.618	Xtriage
Bulk solvent $k_{sol}(e/A^3)$, $B_{sol}(A^2)$	0.30 , 31.4	EDS
L-test for $twinning^2$	$< L >=0.46, < L^2>=0.28$	Xtriage
	0.115 for h,h-k,h-l	
Estimated twinning fraction	$0.028 { m ~for -h,-h+k,-l}$	Xtriage
	$0.027 { m ~for ~-h,-k,-h+l}$	
F_o, F_c correlation	0.93	EDS
Total number of atoms	18064	wwPDB-VP
Average B, all atoms $(Å^2)$	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.82% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond lengths		Bond angles		
WIOI	Ullalli	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.48	0/1140	0.68	1/1550~(0.1%)	
1	В	0.47	0/1143	0.69	0/1554	
1	С	0.44	0/1097	0.65	0/1492	
1	D	0.46	0/1112	0.66	0/1511	
1	Е	0.49	0/1126	0.68	0/1529	
1	F	0.43	0/1145	0.63	0/1556	
1	G	0.42	0/1103	0.65	0/1500	
1	Н	0.38	0/1140	0.61	0/1551	
1	Ι	0.34	0/1139	0.61	0/1550	
1	J	0.41	0/1046	0.62	0/1423	
1	Κ	0.40	0/1145	0.63	0/1561	
1	L	0.40	0/1158	0.64	0/1576	
1	М	0.29	0/1074	0.55	0/1464	
1	Ν	0.27	0/1032	0.52	0/1412	
1	0	0.27	0/970	0.53	0/1329	
1	Р	0.28	0/1067	0.54	0/1456	
All	All	0.40	0/17637	0.62	1/24014~(0.0%)	

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	56	LEU	CB-CG-CD2	-6.30	100.29	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1113	0	1075	2	0
1	В	1116	0	1084	3	0
1	С	1071	0	1039	5	0
1	D	1087	0	1047	7	0
1	Е	1101	0	1070	5	0
1	F	1113	0	1083	7	0
1	G	1078	0	1049	7	0
1	Н	1113	0	1067	4	0
1	Ι	1112	0	1073	6	0
1	J	1024	0	992	5	0
1	К	1117	0	1060	6	0
1	L	1130	0	1082	3	0
1	М	1049	0	997	6	0
1	N	1006	0	877	6	0
1	0	949	0	840	2	0
1	Р	1041	0	966	6	0
2	А	90	0	0	0	0
2	В	100	0	0	0	0
2	С	74	0	0	2	0
2	D	79	0	0	1	0
2	Е	85	0	0	0	0
2	F	59	0	0	0	0
2	G	72	0	0	3	0
2	Н	58	0	0	0	0
2	Ι	53	0	0	1	0
2	J	42	0	0	1	0
2	К	40	0	0	1	0
2	L	46	0	0	0	0
2	М	12	0	0	0	0
2	Ν	5	0	0	0	0
2	0	11	0	0	0	0
2	Р	18	0	0	0	0
All	All	18064	0	16401	68	0

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:G:135:GLU:OE1	2:G:201:HOH:O	2.06	0.73
1:F:31:LEU:HD13	1:J:77:VAL:HG22	1.73	0.69
1:J:125:ARG:NH1	2:J:202:HOH:O	2.24	0.69
1:G:142:ASP:OD1	2:G:202:HOH:O	2.11	0.68
1:D:45:GLU:OE1	1:H:38:ARG:NH1	2.28	0.63
1:G:149:ARG:NH1	2:G:203:HOH:O	2.20	0.56
1:M:123:ALA:HB2	1:M:134:TYR:CD2	2.44	0.53
1:P:133:LEU:O	1:P:136:GLN:HG2	2.10	0.52
1:E:131:ARG:O	1:E:135:GLU:HG3	2.10	0.52
1:N:38:ARG:N	1:N:43:TYR:HH	2.07	0.51
1:C:101:LYS:HE3	1:D:101:LYS:HE2	1.92	0.51
1:F:43:TYR:CE2	1:J:76:PRO:HA	2.46	0.51
1:K:80:LEU:HD12	1:K:117:SER:HB3	1.92	0.51
1:G:85:VAL:HG23	1:G:119:LEU:HD11	1.92	0.51
1:A:115:SER:HB2	1:H:14:LEU:HD23	1.94	0.50
1:E:75:GLU:OE2	1:E:118:LYS:NZ	2.45	0.50
1:A:143:TRP:HB2	1:D:123:ALA:O	2.12	0.50
1:H:123:ALA:O	1:K:143:TRP:HB2	2.11	0.50
1:G:123:ALA:HB2	1:G:134:TYR:CD2	2.46	0.49
1:B:101:LYS:NZ	1:B:105:ASP:OD2	2.42	0.49
1:E:27:TYR:HB2	1:E:89:TYR:CG	2.48	0.49
1:C:131:ARG:NH2	2:C:202:HOH:O	2.30	0.48
1:D:72:ASP:OD2	2:D:201:HOH:O	2.20	0.48
1:I:78:THR:O	1:L:37:ARG:HD3	2.14	0.48
1:E:106:VAL:O	1:E:109:ASP:HB2	2.14	0.48
1:I:123:ALA:O	1:L:143:TRP:HB2	2.14	0.47
1:K:9:ILE:HD11	1:K:102:ALA:HB1	1.97	0.47
1:M:146:TYR:OH	1:P:131:ARG:HG3	2.14	0.47
1:C:125:ARG:NH1	2:C:207:HOH:O	2.48	0.47
1:N:21:ALA:HB1	1:N:40:ASP:HB3	1.96	0.47
1:E:56:LEU:HD22	1:E:107:LEU:HD13	1.97	0.46
1:N:42:PHE:CE2	1:N:46:HIS:NE2	2.84	0.46
1:M:131:ARG:O	1:M:135:GLU:HG2	2.16	0.45
1:C:101:LYS:HE2	1:C:105:ASP:OD2	2.16	0.45
1:G:13:HIS:O	1:G:48:LEU:HD13	2.17	0.45
1:F:41:ASP:O	1:F:45:GLU:HG3	2.17	0.45
1:F:85:VAL:HG23	1:F:119:LEU:HD11	1.99	0.44
1:I:15:ARG:NH1	2:I:202:HOH:O	2.50	0.44
1:N:41:ASP:O	1:N:45:GLU:HG3	2.16	0.44
1:P:19:GLU:CD	1:P:59:ARG:HH12	2.21	0.44
1:C:107:LEU:HD12	1:C:107:LEU:HA	1.85	0.44
1:O:58:ALA:HB2	1:O:103:LEU:HD21	1.98	0.44



A 4 1	A + 0	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:J:9:ILE:HA	1:J:57:GLY:O	2.19	0.43
1:H:36:PRO:HB2	1:H:37:ARG:H	1.63	0.43
1:J:23:LEU:HA	1:J:23:LEU:HD12	1.78	0.43
1:K:72:ASP:OD2	2:K:201:HOH:O	2.21	0.43
1:N:67:PHE:CE2	1:N:89:TYR:HB3	2.54	0.43
1:K:59:ARG:NH1	1:K:62:GLY:O	2.50	0.43
1:P:19:GLU:OE1	1:P:59:ARG:NH2	2.48	0.43
1:M:143:TRP:HB2	1:P:123:ALA:O	2.18	0.42
1:D:107:LEU:HD12	1:D:107:LEU:HA	1.74	0.42
1:L:28:ALA:HA	1:L:31:LEU:HD12	2.01	0.42
1:M:13:HIS:O	1:M:48:LEU:HD13	2.20	0.42
1:N:9:ILE:HA	1:N:57:GLY:O	2.19	0.42
1:B:115:SER:HB2	1:I:14:LEU:HD23	2.02	0.41
1:F:21:ALA:HB1	1:F:40:ASP:HB3	2.02	0.41
1:K:85:VAL:HG23	1:K:119:LEU:HD11	2.02	0.41
1:M:74:PRO:HA	1:M:81:ARG:HG2	2.03	0.41
1:B:9:ILE:HA	1:B:57:GLY:O	2.21	0.41
1:F:20:PHE:HE2	1:F:47:LEU:HD23	1.85	0.41
1:I:9:ILE:HA	1:I:57:GLY:O	2.21	0.41
1:D:27:TYR:HB2	1:D:89:TYR:CG	2.56	0.41
1:F:101:LYS:NZ	1:F:105:ASP:OD2	2.54	0.41
1:D:113:GLU:HG2	1:D:114:ARG:HG3	2.02	0.40
1:G:23:LEU:HD12	1:G:23:LEU:HA	1.97	0.40
1:P:9:ILE:HA	1:P:57:GLY:O	2.21	0.40
1:I:19:GLU:OE1	1:I:59:ARG:NH2	2.52	0.40
1:O:20:PHE:HE2	1:O:47:LEU:HD23	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol

1

1

1 1 1

1 1 1

1

1

1

1

1

1

All

Ο

Р

All

2	Full wwPDB X-ray Structure Validation Report						
Chain	Analysed	Favoured	Allowed	Outliers	Percentiles		
А	139/173~(80%)	137~(99%)	2 (1%)	0	100 100		
В	139/173~(80%)	136~(98%)	2 (1%)	1 (1%)	22 26		
С	133/173~(77%)	132 (99%)	1 (1%)	0	100 100		
D	137/173~(79%)	136 (99%)	1 (1%)	0	100 100		
Ε	137/173~(79%)	135~(98%)	2 (2%)	0	100 100		
F	139/173~(80%)	138 (99%)	1 (1%)	0	100 100		
G	136/173~(79%)	134 (98%)	1 (1%)	1 (1%)	22 26		
Н	140/173~(81%)	138 (99%)	2 (1%)	0	100 100		
Ι	139/173~(80%)	136 (98%)	3 (2%)	0	100 100		
J	130/173~(75%)	129 (99%)	1 (1%)	0	100 100		
Κ	146/173~(84%)	142 (97%)	4 (3%)	0	100 100		
L	146/173~(84%)	144 (99%)	2 (1%)	0	100 100		
М	135/173~(78%)	134 (99%)	1 (1%)	0	100 100		
Ν	136/173~(79%)	134 (98%)	2 (2%)	0	100 100		

1 (1%)

1(1%)

27(1%)

129(99%)

133(99%)

2167 (99%)

100

100

51

100

100

64

0

0

2(0%)

All (2) Ramachandran outliers are listed below:

130/173(75%)

134/173(78%)

2196/2768~(79%)

Mol	Chain	Res	Type
1	G	6	ALA
1	В	31	LEU

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	108/135~(80%)	107~(99%)	1 (1%)	78 89
1	В	109/135~(81%)	106~(97%)	3~(3%)	43 60

Continued on next page...



7N1L

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	С	105/135~(78%)	105~(100%)	0	100	100
1	D	104/135~(77%)	104 (100%)	0	100	100
1	Ε	107/135~(79%)	106 (99%)	1 (1%)	78	89
1	F	110/135~(82%)	107~(97%)	3~(3%)	44	61
1	G	103/135~(76%)	102~(99%)	1 (1%)	76	87
1	Н	107/135~(79%)	104 (97%)	3(3%)	43	60
1	Ι	108/135~(80%)	106~(98%)	2(2%)	57	73
1	J	98/135~(73%)	97~(99%)	1 (1%)	76	87
1	Κ	103/135~(76%)	102 (99%)	1 (1%)	76	87
1	L	106/135~(78%)	105~(99%)	1 (1%)	78	89
1	М	97/135~(72%)	97~(100%)	0	100	100
1	Ν	83/135~(62%)	82~(99%)	1 (1%)	71	84
1	Ο	79/135~(58%)	77~(98%)	2(2%)	47	65
1	Р	95/135~(70%)	94 (99%)	1 (1%)	73	86
All	All	1622/2160~(75%)	1601 (99%)	21 (1%)	69	82

Continued from previous page...

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	75	GLU
1	В	8	ASP
1	В	75	GLU
1	В	109	ASP
1	Е	41	ASP
1	F	31	LEU
1	F	75	GLU
1	F	88	ILE
1	G	75	GLU
1	Н	41	ASP
1	Н	75	GLU
1	Н	109	ASP
1	Ι	75	GLU
1	Ι	109	ASP
1	J	75	GLU
1	К	149	ARG
1	L	38	ARG
1	Ν	42	PHE



Continued from previous page...

Mol	Chain	Res	Type
1	0	46	HIS
1	0	75	GLU
1	Р	75	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	49	GLN
1	М	92	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$\mathbf{OWAB}(\mathbf{\AA}^2)$	Q<0.9
1	А	143/173~(82%)	-0.44	4 (2%) 53 60	24, 33, 61, 99	0
1	В	143/173~(82%)	-0.43	2 (1%) 75 80	21, 32, 56, 99	0
1	С	137/173~(79%)	-0.46	0 100 100	23, 40, 63, 97	0
1	D	141/173 (81%)	-0.46	1 (0%) 87 91	24, 35, 63, 93	0
1	Е	141/173 (81%)	-0.48	0 100 100	21, 35, 58, 88	0
1	F	141/173 (81%)	-0.35	1 (0%) 87 91	22, 44, 71, 92	0
1	G	140/173~(80%)	-0.37	4 (2%) 51 58	23, 41, 73, 130	0
1	Н	144/173~(83%)	-0.44	2 (1%) 75 80	30, 48, 83, 99	0
1	Ι	143/173~(82%)	-0.39	0 100 100	33, 51, 84, 104	0
1	J	134/173~(77%)	-0.17	0 100 100	23, 57, 84, 101	0
1	K	148/173~(85%)	-0.46	0 100 100	31, 47, 61, 71	0
1	L	148/173~(85%)	-0.45	0 100 100	31, 50, 66, 81	0
1	М	139/173~(80%)	-0.12	4 (2%) 51 58	45, 69, 99, 134	0
1	N	140/173~(80%)	0.40	13 (9%) 8 11	65, 90, 116, 126	0
1	Ο	134/173~(77%)	0.33	10 (7%) 14 19	58, 90, 119, 134	0
1	Р	138/173~(79%)	-0.11	0 100 100	48, 75, 104, 112	0
All	All	2254/2768~(81%)	-0.28	41 (1%) 68 74	21, 48, 100, 134	0

All (41) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	40	ASP	5.3
1	0	65	VAL	4.6
1	В	36	PRO	4.5
1	N	134	TYR	4.5
1	М	41	ASP	4.3



7N	1L
----	----

Mol	Chain	Res	Type	RSRZ
1	М	77	VAL	3.9
1	Ν	130	GLY	3.9
1	N	77	VAL	3.7
1	А	36	PRO	3.4
1	Ν	136	GLN	3.3
1	М	40	ASP	3.3
1	0	7	VAL	3.2
1	N	85	VAL	3.2
1	А	31	LEU	3.0
1	0	89	TYR	2.9
1	В	37	ARG	2.6
1	0	139	ALA	2.6
1	0	77	VAL	2.6
1	0	91	HIS	2.6
1	N	78	THR	2.6
1	N	91	HIS	2.6
1	0	66	GLY	2.5
1	F	77	VAL	2.4
1	N	132	LYS	2.4
1	Ν	139	ALA	2.4
1	0	146	TYR	2.4
1	Ν	62	GLY	2.4
1	D	6	ALA	2.4
1	А	37	ARG	2.3
1	G	6	ALA	2.3
1	N	89	TYR	2.3
1	Ν	106	VAL	2.3
1	0	95	ARG	2.2
1	G	39	PRO	2.2
1	А	30	ALA	2.1
1	Н	5	HIS	2.1
1	0	99	ILE	2.1
1	М	39	PRO	2.1
1	G	41	ASP	2.0
1	Н	36	PRO	2.0
1	N	96	GLY	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

