



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 17, 2021 – 08:39 AM EDT

PDB ID : 1N2T
Title : C-DES Mutant K223A with GLY Covalently Linked to the PLP-cofactor
Authors : Kaiser, J.T.; Bruno, S.; Clausen, T.; Huber, R.; Schiaretti, F.; Mozzarelli, A.; Kessler, D.
Deposited on : 2002-10-24
Resolution : 2.00 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	386	
1	B	386	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6595 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-cysteine/cystine lyase C-DES.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	385	2980	1900	525	544	11	6	0	0
1	B	385	2980	1900	525	544	11	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	8	THR	-	cloning artifact	GB 3820527
A	223	ALA	LYS	engineered mutation	GB 3820527
B	8	THR	-	cloning artifact	GB 3820527
B	223	ALA	LYS	engineered mutation	GB 3820527

- Molecule 2 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total K 1 1	0	0
2	B	1	Total K 1 1	0	0

- Molecule 3 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: C₈H₁₀NO₆P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	15	8	1	5	1	0	0
3	B	1	15	8	1	5	1	0	0

- Molecule 4 is GLYCINE (three-letter code: GLY) (formula: $C_2H_5NO_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	A	1	5	2	1	2	0	0
4	B	1	5	2	1	2	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	309	Total 309	O 309	0	0
5	B	284	Total 284	O 284	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: L-cysteine/cystine lyase C-DES



- Molecule 1: L-cysteine/cystine lyase C-DES



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	62.75Å 66.24Å 172.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.95 – 2.00	Depositor
% Data completeness (in resolution range)	96.5 (19.95-2.00)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.201 , 0.245	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	6595	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PLP, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/3057	0.64	0/4173
1	B	0.46	0/3057	0.64	0/4173
All	All	0.46	0/6114	0.64	0/8346

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2980	0	2903	42	0
1	B	2980	0	2903	51	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	15	0	7	1	0
3	B	15	0	7	1	0
4	A	5	0	2	1	0
4	B	5	0	2	2	0
5	A	309	0	0	6	0
5	B	284	0	0	13	0
All	All	6595	0	5824	94	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:243:GLU:HB2	5:B:2177:HOH:O	1.75	0.87
1:B:10:ASP:H	1:B:295:GLN:HE22	1.24	0.81
1:A:10:ASP:H	1:A:295:GLN:HE22	1.28	0.79
1:B:237:HIS:HD2	1:B:239:ASP:H	1.32	0.77
1:A:237:HIS:HD2	1:A:239:ASP:H	1.33	0.77
1:A:169:ASN:H	1:A:169:ASN:HD22	1.32	0.75
1:B:278:ALA:HB1	1:B:281:GLN:NE2	2.04	0.73
3:B:2001:PLP:HO3	4:B:2002:GLY:N	1.86	0.73
1:B:169:ASN:H	1:B:169:ASN:HD22	1.39	0.71
3:A:3001:PLP:HO3	4:A:3002:GLY:N	1.88	0.71
1:B:125:ALA:HA	1:B:130:ILE:HG13	1.73	0.70
1:A:125:ALA:HA	1:A:130:ILE:HG13	1.72	0.70
1:A:293:GLN:HE21	1:A:293:GLN:HA	1.58	0.69
1:A:303:GLN:HG3	5:A:3301:HOH:O	1.93	0.67
1:A:278:ALA:HB1	1:A:281:GLN:NE2	2.09	0.67
1:A:88:VAL:HG23	1:A:220:THR:HB	1.74	0.67
1:B:243:GLU:HG3	5:B:2079:HOH:O	1.96	0.64
1:B:184:ARG:HH11	1:B:184:ARG:HG2	1.63	0.64
1:B:293:GLN:HE21	1:B:293:GLN:HA	1.63	0.63
1:B:346:ARG:HG3	5:B:2267:HOH:O	1.98	0.63
1:B:88:VAL:HG23	1:B:220:THR:HB	1.80	0.63
1:B:354:GLU:HB3	5:B:2285:HOH:O	2.00	0.62
1:B:278:ALA:HB3	5:B:2052:HOH:O	2.00	0.62
1:B:278:ALA:HB1	1:B:281:GLN:HE21	1.65	0.61
1:A:169:ASN:HD22	1:A:169:ASN:N	1.98	0.61
1:B:237:HIS:CD2	1:B:239:ASP:H	2.15	0.61
1:A:373:HIS:CD2	1:A:374:TYR:H	2.19	0.61
1:A:237:HIS:CD2	1:A:239:ASP:H	2.16	0.60
1:A:297:THR:OG1	1:A:300:GLU:HG3	2.03	0.59
1:A:184:ARG:HG2	1:A:184:ARG:HH11	1.68	0.59
1:A:169:ASN:H	1:A:169:ASN:ND2	2.01	0.57
1:B:10:ASP:H	1:B:295:GLN:NE2	2.00	0.57
1:A:19:ASN:HB2	5:B:2251:HOH:O	2.05	0.57
1:A:10:ASP:H	1:A:295:GLN:NE2	2.01	0.57
1:A:346:ARG:HD2	1:A:347:ALA:N	2.20	0.57
1:B:297:THR:OG1	1:B:300:GLU:HG3	2.04	0.57
1:A:278:ALA:HB1	1:A:281:GLN:HE21	1.69	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:355:GLN:HE22	1:A:387:ARG:HE	1.51	0.56
1:B:373:HIS:CD2	1:B:374:TYR:H	2.23	0.56
1:A:346:ARG:HG3	5:A:3187:HOH:O	2.05	0.56
1:A:293:GLN:HA	1:A:293:GLN:NE2	2.20	0.55
1:B:193:ARG:HH11	1:B:193:ARG:HG3	1.72	0.55
1:B:184:ARG:NH1	5:B:2182:HOH:O	2.40	0.55
1:B:169:ASN:H	1:B:169:ASN:ND2	2.03	0.55
1:B:303:GLN:O	1:B:307:GLN:HG3	2.07	0.55
1:B:346:ARG:HD2	1:B:347:ALA:N	2.21	0.55
1:B:314:ARG:NH1	1:B:314:ARG:HG2	2.21	0.55
1:B:169:ASN:HD22	1:B:169:ASN:N	2.01	0.54
1:B:293:GLN:HA	1:B:293:GLN:NE2	2.23	0.53
4:B:2002:GLY:HA3	5:B:2200:HOH:O	2.09	0.53
1:A:303:GLN:O	1:A:307:GLN:HG3	2.09	0.53
1:B:243:GLU:HG2	5:B:2170:HOH:O	2.09	0.53
1:B:355:GLN:HE22	1:B:387:ARG:HE	1.57	0.53
1:A:314:ARG:HH11	1:A:314:ARG:HG2	1.74	0.53
1:B:314:ARG:HG2	1:B:314:ARG:HH11	1.71	0.53
1:A:281:GLN:OE1	1:B:281:GLN:OE1	2.28	0.51
1:A:314:ARG:HG2	1:A:314:ARG:NH1	2.25	0.50
1:A:102:HIS:HE1	5:A:3243:HOH:O	1.94	0.50
1:A:243:GLU:HG2	5:A:3311:HOH:O	2.13	0.49
1:A:57:ASN:ND2	5:A:3060:HOH:O	2.45	0.48
1:A:373:HIS:HD2	1:A:374:TYR:H	1.61	0.48
1:A:193:ARG:HH11	1:A:193:ARG:HG3	1.78	0.48
1:A:304:ALA:O	1:A:308:ARG:HG2	2.13	0.48
1:A:102:HIS:HD2	5:A:3210:HOH:O	1.97	0.47
1:B:358:TYR:C	1:B:359:LEU:HD12	2.35	0.47
1:B:319:LEU:HB3	5:B:2222:HOH:O	2.15	0.46
1:A:106:GLU:OE1	1:A:133:ARG:HD3	2.15	0.46
1:A:358:TYR:C	1:A:359:LEU:HD12	2.36	0.46
1:A:114:HIS:HB3	1:A:117:ILE:HG12	1.98	0.45
1:B:90:THR:HG21	5:B:2173:HOH:O	2.16	0.45
1:B:193:ARG:HH11	1:B:193:ARG:CG	2.30	0.44
1:B:140:THR:HA	1:B:143:GLN:O	2.17	0.44
1:A:43:TYR:OH	1:B:281:GLN:OE1	2.36	0.43
1:A:71:LEU:HD13	1:A:289:LEU:HD11	2.00	0.43
1:B:304:ALA:O	1:B:308:ARG:HG2	2.18	0.43
1:B:71:LEU:HD13	1:B:289:LEU:HD11	2.01	0.43
1:A:140:THR:HA	1:A:143:GLN:O	2.19	0.42
1:A:120:ILE:O	1:A:124:ILE:HG12	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:112:CYS:SG	1:B:138:ALA:HB2	2.60	0.42
1:B:184:ARG:HG2	1:B:184:ARG:NH1	2.33	0.42
1:B:310:GLU:O	1:B:314:ARG:HG3	2.19	0.42
1:B:169:ASN:ND2	1:B:169:ASN:N	2.66	0.42
1:B:114:HIS:HB3	1:B:117:ILE:HG12	2.02	0.42
1:B:118:ILE:O	1:B:122:GLN:HG3	2.20	0.42
1:B:169:ASN:ND2	1:B:170:THR:H	2.18	0.42
1:B:373:HIS:HD2	1:B:374:TYR:H	1.65	0.41
1:B:19:ASN:HB2	5:B:2169:HOH:O	2.19	0.41
1:B:21:THR:HG22	1:B:23:PHE:CE1	2.56	0.41
1:B:169:ASN:HD22	1:B:170:THR:H	1.69	0.41
1:B:152:ASN:HB2	5:B:2245:HOH:O	2.21	0.41
1:A:193:ARG:NH1	1:A:243:GLU:OE1	2.54	0.41
1:A:293:GLN:HE21	1:A:293:GLN:CA	2.24	0.41
1:B:78:ASP:HA	1:B:79:PRO:HD3	1.91	0.41
1:A:364:ASP:HA	1:A:365:PRO:HA	1.96	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	383/386 (99%)	371 (97%)	12 (3%)	0	100	100
1	B	383/386 (99%)	371 (97%)	12 (3%)	0	100	100
All	All	766/772 (99%)	742 (97%)	24 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	304/306 (99%)	297 (98%)	7 (2%)	50	53
1	B	304/306 (99%)	298 (98%)	6 (2%)	55	58
All	All	608/612 (99%)	595 (98%)	13 (2%)	53	57

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	71	LEU
1	A	109	LEU
1	A	169	ASN
1	A	193	ARG
1	A	253	SER
1	A	299	GLU
1	A	346	ARG
1	B	71	LEU
1	B	109	LEU
1	B	169	ASN
1	B	193	ARG
1	B	299	GLU
1	B	346	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (36) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	61	GLN
1	A	66	GLN
1	A	76	ASN
1	A	80	ASN
1	A	102	HIS
1	A	103	GLN
1	A	152	ASN
1	A	169	ASN
1	A	186	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	187	GLN
1	A	237	HIS
1	A	293	GLN
1	A	295	GLN
1	A	303	GLN
1	A	350	GLN
1	A	355	GLN
1	A	373	HIS
1	B	61	GLN
1	B	66	GLN
1	B	76	ASN
1	B	80	ASN
1	B	103	GLN
1	B	152	ASN
1	B	169	ASN
1	B	186	HIS
1	B	187	GLN
1	B	237	HIS
1	B	281	GLN
1	B	293	GLN
1	B	295	GLN
1	B	303	GLN
1	B	323	HIS
1	B	350	GLN
1	B	355	GLN
1	B	373	HIS
1	B	383	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PLP	B	2001	4	15,15,16	1.71	4 (26%)	20,22,23	2.19	6 (30%)
4	GLY	A	3002	3	1,4,4	0.09	0	0,4,4	-	-
4	GLY	B	2002	3	1,4,4	0.08	0	0,4,4	-	-
3	PLP	A	3001	4	15,15,16	1.89	4 (26%)	20,22,23	2.12	7 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PLP	B	2001	4	-	0/6/6/8	0/1/1/1
4	GLY	A	3002	3	-	0/0/2/2	-
4	GLY	B	2002	3	-	0/0/2/2	-
3	PLP	A	3001	4	-	0/6/6/8	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	3001	PLP	C5-C4	4.09	1.45	1.40
3	B	2001	PLP	C5-C4	3.26	1.44	1.40
3	A	3001	PLP	C2A-C2	2.96	1.55	1.50
3	A	3001	PLP	C2-N1	2.78	1.39	1.33
3	B	2001	PLP	C2A-C2	2.63	1.54	1.50
3	B	2001	PLP	C2-N1	2.33	1.38	1.33
3	B	2001	PLP	P-O3P	-2.29	1.46	1.54
3	A	3001	PLP	C3-C4	2.27	1.44	1.40

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	2001	PLP	O4P-C5A-C5	5.27	119.39	109.35
3	B	2001	PLP	O2P-P-O4P	-4.91	93.67	106.73
3	A	3001	PLP	O2P-P-O4P	-4.88	93.75	106.73
3	A	3001	PLP	O4P-C5A-C5	4.12	117.20	109.35
3	A	3001	PLP	O3P-P-O4P	3.38	115.74	106.73
3	B	2001	PLP	C5A-C5-C6	-3.26	114.02	119.37
3	A	3001	PLP	C5A-C5-C6	-3.20	114.12	119.37
3	B	2001	PLP	O3P-P-O4P	3.08	114.92	106.73
3	A	3001	PLP	O3P-P-O1P	2.48	120.40	110.68
3	B	2001	PLP	O3P-P-O1P	2.42	120.16	110.68
3	A	3001	PLP	C6-N1-C2	2.24	123.32	119.17
3	B	2001	PLP	C6-N1-C2	2.07	123.00	119.17
3	A	3001	PLP	C5-C6-N1	-2.01	120.47	123.82

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	2001	PLP	1	0
4	A	3002	GLY	1	0
4	B	2002	GLY	2	0
3	A	3001	PLP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.