

# Full wwPDB X-ray Structure Validation Report (i)

May 13, 2020 - 09:43 am BST

PDB ID	:	5N47
$\operatorname{Title}$	:	Structure of Anticalin N7E in complex with the three-domain fragment Fn7B8
		of human oncofetal fibronectin
Authors	:	Schiefner, A.; Skerra, A.
Deposited on	:	2017-02-10
$\operatorname{Resolution}$	:	3.00  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
$\operatorname{Refmac}$	:	5.8.0158
CCP4	:	$7.0.044 \; (Gargrove)$
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R <sub>free</sub>	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	$1990 \ (3.00-3.00)$

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	Δ	100			
	A	188	89%	6%	•
			%		
1	С	188	85%	9%	6%
			2%		
1	E	188	88%	••	9%
2	В	284	61% · 36%		_
	_		6%		
2	D	284	94%		••
			27%		
2	F	284	94%		•••



## 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 9943 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	180	Total	С	Ν	Ο	S	0	0	0
	A	100	1463	943	250	266	4	0		
1	C	176	Total	С	Ν	Ο	S	0	0	0
			1436	925	245	262	4			
1	1 E	179	Total	С	Ν	Ο	S	0	0	0
	172	1409	911	241	253	4	U		0	

• Molecule 1 is a protein called Neutrophil gelatinase-associated lipocalin.

Chain	Residue	Modelled	Actual Comment		Reference
A	28	HIS	GLN	engineered mutation	UNP P80188
А	36	GLU	LEU	engineered mutation	UNP P80188
A	40	SER	ALA	engineered mutation	UNP P80188
А	41	LEU	ILE	engineered mutation	UNP P80188
A	49	ARG	GLN	engineered mutation	UNP P80188
А	70	ARG	LEU	engineered mutation	UNP P80188
А	73	SER	LYS	engineered mutation	UNP P80188
А	77	HIS	ASP	engineered mutation	UNP P80188
A	79	LEU	TRP	engineered mutation	UNP P80188
А	87	SER	CYS	engineered mutation	UNP P80188
A	96	LEU	ASN	engineered mutation	UNP P80188
A	100	LYS	TYR	engineered mutation	UNP P80188
А	103	HIS	LEU	engineered mutation	UNP P80188
А	106	PHE	TYR	engineered mutation	UNP P80188
A	125	THR	LYS	engineered mutation	UNP P80188
А	127	ALA	SER	engineered mutation	UNP P80188
A	134	PHE	LYS	engineered mutation	UNP P80188
A	179	SER	-	expression tag	UNP P80188
A	180	ALA	-	expression tag	UNP P80188
A	181	TRP	-	expression tag	UNP P80188
A	182	SER	-	expression tag	UNP P80188
A	183	HIS	-	expression tag	UNP P80188
A	184	PRO	-	expression tag	UNP P80188

There are 81 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
А	185	GLN	-	expression tag	UNP P80188
A	186	PHE	-	expression tag	UNP P80188
A	187	GLU	-	expression tag	UNP P80188
A	188	LYS	-	expression tag	UNP P80188
С	28	HIS	GLN	engineered mutation	UNP P80188
С	36	GLU	LEU	engineered mutation	UNP P80188
С	40	SER	ALA	engineered mutation	UNP P80188
С	41	LEU	ILE	engineered mutation	UNP P80188
С	49	ARG	GLN	engineered mutation	UNP P80188
С	70	ARG	LEU	engineered mutation	UNP P80188
С	73	SER	LYS	engineered mutation	UNP P80188
С	77	HIS	ASP	engineered mutation	UNP P80188
С	79	LEU	TRP	engineered mutation	UNP P80188
С	87	SER	CYS	engineered mutation	UNP P80188
С	96	LEU	ASN	engineered mutation	UNP P80188
С	100	LYS	TYR	engineered mutation	UNP P80188
С	103	HIS	LEU	engineered mutation	UNP P80188
С	106	PHE	TYR	engineered mutation	UNP P80188
С	125	THR	LYS	engineered mutation	UNP P80188
С	127	ALA	SER	engineered mutation	UNP P80188
С	134	PHE	LYS	engineered mutation	UNP P80188
С	179	SER	_	expression tag	UNP P80188
С	180	ALA	-	expression tag	UNP P80188
С	181	TRP	-	expression tag	UNP P80188
С	182	SER	-	expression tag	UNP P80188
С	183	HIS	-	expression tag	UNP P80188
С	184	PRO	-	expression tag	UNP P80188
С	185	GLN	-	expression tag	UNP P80188
С	186	PHE	-	expression tag	UNP P80188
С	187	GLU	-	expression tag	UNP P80188
C	188	LYS	-	expression tag	UNP P80188
Е	28	HIS	GLN	engineered mutation	UNP P80188
E	36	GLU	LEU	engineered mutation	UNP P80188
Е	40	SER	ALA	engineered mutation	UNP P80188
Е	41	LEU	ILE	engineered mutation	UNP P80188
E	49	ARG	GLN	engineered mutation	UNP P80188
E	70	ARG	LEU	engineered mutation	UNP P80188
E	73	SER	LYS	engineered mutation	UNP P80188
E	77	HIS	ASP	engineered mutation	UNP P80188
E	79	LEU	TRP	engineered mutation	UNP P80188
Е	87	SER	CYS	engineered mutation	UNP P80188
E	96	LEU	ASN	engineered mutation	UNP P80188

Continued on next page...

-



Chain	Residue	Modelled	Actual	$\mathbf{Comment}$	Reference
Е	100	LYS	TYR	engineered mutation	UNP P80188
E	103	HIS	LEU	engineered mutation	UNP P80188
E	106	PHE	TYR	engineered mutation	UNP P80188
E	125	THR	LYS	engineered mutation	UNP P80188
E	127	ALA	SER	engineered mutation	UNP P80188
E	134	PHE	LYS	engineered mutation	UNP P80188
E	179	SER	-	expression tag	UNP P80188
E	180	ALA	-	expression tag	UNP P80188
E	181	TRP	-	expression tag	UNP P80188
E	182	SER	-	expression tag	UNP P80188
E	183	HIS	-	expression tag	UNP P80188
E	184	PRO	-	expression tag	UNP P80188
E	185	GLN	-	expression tag	UNP P80188
E	186	PHE	-	expression tag	UNP P80188
Е	187	GLU	-	expression tag	UNP P80188
E	188	LYS	_	expression tag	UNP P80188

• Molecule 2 is a protein called Fibronectin.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
9	В	183	Total	С	Ν	Ο	S	0	0	0
2	Z D		1392	883	222	286	1	0		
0	П	280	Total	С	Ν	Ο	S	0	0	0
		280	2134	1341	345	446	2			
0		077	Total	С	Ν	Ο	S	0	0	0
	211	2109	1326	338	443	2	0	0	0	

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	1449	SER	-	expression tag	UNP P02751
В	1450	ALA	-	expression tag	UNP P02751
В	1451	HIS	-	expression tag	UNP P02751
В	1452	HIS	-	expression tag	UNP P02751
В	1453	HIS	-	expression tag	UNP P02751
В	1454	HIS	-	expression tag	UNP P02751
В	1455	HIS	-	expression tag	UNP P02751
В	1456	HIS	-	expression tag	UNP P02751
D	1449	SER	-	expression tag	UNP P02751
D	1450	ALA	-	expression tag	UNP P02751
D	1451	HIS	-	expression tag	UNP P02751
D	1452	HIS	-	expression tag	UNP P02751



Chain	Residue	Modelled	Actual	$\mathbf{Comment}$	Reference
D	1453	HIS	-	expression tag	UNP P02751
D	1454	HIS	-	expression tag	UNP P02751
D	1455	HIS	-	expression tag	UNP P02751
D	1456	HIS	-	expression tag	UNP P02751
F	1449	SER	-	expression tag	UNP P02751
F	1450	ALA	-	expression tag	UNP P02751
F	1451	HIS	-	expression tag	UNP P02751
F	1452	HIS	-	expression tag	UNP P02751
F	1453	HIS	-	expression tag	UNP P02751
F	1454	HIS	-	expression tag	UNP P02751
F	1455	HIS	-	expression tag	UNP P02751
F	1456	HIS	-	expression tag	UNP P02751



## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Neutrophil gelatinase-associated lipocalin









## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants	135.15Å $135.15$ Å $203.94$ Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{B}_{\mathrm{ascolution}}(\mathbf{\hat{A}})$	35.00 - 3.00	Depositor
Resolution (A)	34.92 - 3.00	EDS
% Data completeness	99.9 (35.00-3.00)	Depositor
(in resolution range)	$100.0\ (34.92‐3.00)$	EDS
$R_{merge}$	0.12	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.91 (at 3.00 \text{\AA})$	Xtriage
Refinement program	REFMAC $5.8.0155$	Depositor
D D.	0.208 , $0.241$	Depositor
$\Pi, \Pi_{free}$	0.206 , $0.237$	DCC
$R_{free}$ test set	1926 reflections $(5.00\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	70.0	Xtriage
Anisotropy	0.264	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.29 , $42.0$	EDS
L-test for twinning <sup>2</sup>	$ \langle L  \rangle = 0.50, \langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	9943	wwPDB-VP
Average B, all atoms $(Å^2)$	99.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.47% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality (i)

### 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.54	0/1503	0.74	0/2034
1	С	0.54	0/1474	0.73	0/1994
1	Е	0.45	0/1447	0.64	0/1957
2	В	0.48	0/1424	0.70	0/1960
2	D	0.44	0/2185	0.67	0/3009
2	F	0.41	0/2158	0.57	0/2972
All	All	0.47	0/10191	0.67	0/13926

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1463	0	1449	6	0
1	С	1436	0	1425	10	0
1	Е	1409	0	1404	3	0
2	В	1392	0	1368	3	0
2	D	2134	0	2068	4	0
2	F	2109	0	2049	2	0
All	All	9943	0	9763	26	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.



Atom 1		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:5:SER:O	1:C:130:ARG:NH2	2.15	0.79
1:C:34:VAL:HG11	1:C:144:LEU:HD13	1.72	0.72
1:A:33:VAL:HG21	1:A:52:TYR:CZ	2.29	0.66
1:C:94:LEU:HD13	1:C:106:PHE:CD1	2.39	0.58
1:C:33:VAL:HG21	1:C:52:TYR:CZ	2.39	0.58
1:E:33:VAL:HG21	1:E:52:TYR:CZ	2.40	0.57
1:A:135:ILE:HD11	1:A:159:LEU:HD12	1.91	0.52
1:E:33:VAL:HG21	1:E:52:TYR:CE2	2.45	0.51
2:F:1330:PRO:HA	2:F:1356:THR:OG1	2.11	0.50
2:D:1285:LEU:HD21	2:D:1336:ILE:HG21	1.95	0.49
2:B:1392:ARG:HA	2:B:1403:ALA:O	2.12	0.48
2:D:1384:ILE:HG22	2:D:1386:LEU:HG	1.95	0.48
1:C:34:VAL:HG12	1:C:144:LEU:HD22	1.95	0.48
1:C:34:VAL:CG1	1:C:144:LEU:HD13	2.39	0.48
2:D:1300:ILE:HD13	2:D:1323:TYR:CG	2.49	0.47
1:A:179:SER:CB	1:C:103:HIS:HA	2.45	0.46
1:A:75:LYS:HA	1:C:9:PRO:HD3	1.98	0.46
1:C:16:VAL:HG11	1:C:122:PHE:CD2	2.52	0.45
2:B:1384:ILE:HG22	2:B:1386:LEU:HG	2.00	0.43
1:C:83:PHE:CD1	1:C:94:LEU:HD11	2.54	0.42
2:F:1396:VAL:HG22	2:F:1426:VAL:HG13	2.01	0.42
2:B:1426:VAL:HG12	2:B:1444:ARG:HG2	2.02	0.41
1:A:25:ASN:O	1:A:28:HIS:ND1	2.49	0.41
1:A:33:VAL:HG21	1:A:52:TYR:CE2	2.56	0.40
2:D:1393:TYR:CE1	2:D:1403:ALA:HB3	2.56	0.40
1:E:118:HIS:CE1	1:E:148:LEU:HD11	2.57	0.40

All (26) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	178/188~(95%)	169~(95%)	8 (4%)	1 (1%)	25 64
1	С	174/188~(93%)	166~(95%)	7~(4%)	1 (1%)	25 64
1	Ε	170/188~(90%)	163~(96%)	7 (4%)	0	100 100
2	В	181/284~(64%)	177 (98%)	4 (2%)	0	100 100
2	D	278/284~(98%)	262 (94%)	15~(5%)	1 (0%)	34 72
2	F	275/284~(97%)	259~(94%)	15~(6%)	1 (0%)	34 72
All	All	1256/1416 (89%)	1196 (95%)	56(4%)	4 (0%)	41 76

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	1252	ASP
2	F	1252	ASP
1	С	99	SER
1	А	61	ASP

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	164/172~(95%)	161~(98%)	3(2%)	59 85
1	С	162/172~(94%)	160 (99%)	2 (1%)	71 90
1	Ε	158/172~(92%)	155~(98%)	3 (2%)	57 84
2	В	163/256~(64%)	160 (98%)	3 (2%)	59 85
2	D	252/256~(98%)	249~(99%)	3 (1%)	71 90
2	F	250/256~(98%)	245~(98%)	5 (2%)	55 83
All	All	1149/1284~(90%)	1130 (98%)	19 (2%)	60 85

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	54	THR
	au	1	



Mol	Chain	Res	Type
1	А	128	GLN
1	А	150	GLU
2	В	1294	THR
2	В	1343	ASN
2	В	1431	SER
1	С	112	SER
1	С	148	LEU
2	D	1402	VAL
2	D	1408	SER
2	D	1431	SER
1	Е	54	THR
1	Ε	146	SER
1	Е	148	LEU
2	F	1363	ASP
2	F	1372	ASP
2	F	1402	VAL
2	F	1405	LEU
2	F	1434	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	С	118	HIS

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

#### 5.6 Ligand geometry (i)

There are no ligands in this entry.



## 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RSRZ>2	$\mathbf{OWAB}(\mathbf{\AA}^2)$	$Q{<}0.9$
1	А	180/188~(95%)	-0.40	0 100 100	39, 56, 106, 129	0
1	С	176/188~(93%)	-0.36	1 (0%) 89 72	42, 62, 112, 166	0
1	E	172/188~(91%)	-0.12	3 (1%) 70 41	58, 96, 157, 222	0
2	В	183/284~(64%)	-0.31	1 (0%) 91 75	41, 67, 101, 142	0
2	D	280/284~(98%)	0.06	18 (6%) 19 6	42, 82, 168, 216	0
2	F	277/284~(97%)	1.36	78 (28%) 0 0	98, 175, 213, 229	0
All	All	1268/1416~(89%)	0.14	101 (7%) 12 4	39, 82, 199, 229	0

All (101) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	F	1173	PRO	7.8
1	С	99	SER	6.5
2	F	1202	ASP	6.0
2	F	1246	SER	6.0
2	F	1217	GLN	5.8
2	F	1228	ASP	5.8
2	F	1253	ASP	5.7
2	F	1245	VAL	5.7
2	F	1180	LEU	5.6
2	F	1201	PRO	5.6
2	F	1216	GLN	5.5
2	F	1234	PHE	5.4
2	F	1425	TYR	5.3
2	F	1226	HIS	5.2
2	F	1235	ASP	4.7
2	F	1219	ASN	4.6
2	F	1225	VAL	4.6
1	Е	99	SER	4.3
2	D	1217	GLN	4.3



Mol	Chain	Res	Type	RSRZ
1	Е	101	PRO	4.0
2	F	1196	GLU	4.0
2	F	1204	THR	3.9
2	F	1227	ALA	3.9
2	F	1427	VAL	3.8
2	F	1200	THR	3.8
2	F	1260	SER	3.7
2	F	1218	GLY	3.7
2	F	1174	LEU	3.6
2	F	1233	THR	3.6
2	D	1226	HIS	3.5
2	F	1205	GLY	3.4
2	F	1215	GLY	3.4
2	F	1221	LEU	3.4
2	F	1424	GLU	3.4
2	F	1243	TYR	3.4
2	F	1393	TYR	3.4
2	F	1320	VAL	3.3
2	F	1199	THR	3.3
2	D	1214	ASN	3.3
2	F	1247	VAL	3.3
2	F	1206	TYR	3.1
2	F	1231	SER	3.1
2	D	1205	GLY	3.0
2	F	1365	ARG	3.0
2	F	1319	SER	3.0
2	D	1201	PRO	3.0
2	F	1261	ASP	3.0
2	F	1305	ALA	2.9
2	D	1206	TYR	2.9
2	F	1265	PRO	2.8
2	F	1214	ASN	2.8
2	F	1403	ALA	2.8
2	D	1208	ILE	2.8
2	F	1297	GLY	2.8
2	F	1188	THR	2.8
2	F	1222	GLU	2.7
2	D	1252	ASP	2.7
2	F	1207	ARG	2.7
2	F	1203	ILE	2.7
2	F	1237	LEU	2.7
2	F	1443	GLY	2.6

Continued from previous page...



Mol	Chain	Res	Type	RSRZ
2	F	1306	GLY	2.6
2	F	1377	THR	2.5
2	F	1263	ILE	2.5
2	D	1204	THR	2.5
2	F	1298	TYR	2.5
2	F	1252	ASP	2.5
2	F	1209	THR	2.5
2	F	1210	THR	2.5
2	D	1247	VAL	2.5
2	F	1308	GLY	2.5
2	F	1268	PRO	2.5
2	D	1228	ASP	2.4
2	F	1230	SER	2.4
2	F	1363	ASP	2.4
2	D	1203	ILE	2.3
2	F	1304	ALA	2.3
2	F	1224	VAL	2.3
2	F	1236	ASN	2.3
2	F	1254	LYS	2.3
2	D	1222	GLU	2.3
2	F	1444	ARG	2.3
2	F	1244	ASN	2.3
2	F	1175	SER	2.3
2	F	1429	VAL	2.3
2	F	1220	SER	2.2
2	F	1179	ASN	2.2
2	D	1450	ALA	2.2
2	F	1241	LEU	2.2
2	F	1195	TRP	2.2
1	Е	98	LYS	2.2
2	D	1202	ASP	2.2
2	F	1430	SER	2.2
2	F	1333	ASP	2.2
2	D	1227	ALA	2.1
2	D	1224	VAL	2.1
2	F	1367	THR	2.1
2	F	1317	ASP	2.1
2	F	1190	VAL	2.1
2	В	1342	ILE	2.0
2	D	1229	GLN	2.0

Continued from previous page...



#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

#### 6.4 Ligands (i)

There are no ligands in this entry.

#### 6.5 Other polymers (i)

There are no such residues in this entry.

