



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2024 – 08:57 PM EST

PDB ID : 3N7Q  
Title : Crystal structure of human mitochondrial mTERF fragment (aa 99-399) in complex with a 12-mer DNA encompassing the tRNA<sup>Leu</sup>(UUR) binding sequence  
Authors : Jimenez-Menendez, N.; Fernandez-Millan, P.; Rubio-Cosials, A.; Arnan, C.; Montoya, J.; Jacobs, H.T.; Bernado, P.; Coll, M.; Uson, I.; Sola, M.  
Deposited on : 2010-05-27  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	310	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 53%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 37%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 5px;">5%      53%      37%      5% .</p>
2	B	12	<div style="display: flex; align-items: center;"> <div style="width: 67%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 25%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: orange; margin-right: 5px;"></div> </div> <p style="margin-left: 5px;">67%      25%      8%</p>
3	C	12	<div style="display: flex; align-items: center;"> <div style="width: 17%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 50%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 33%; height: 10px; background-color: orange; margin-right: 5px;"></div> </div> <p style="margin-left: 5px;">17%      50%      33%</p>

## 2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 2933 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transcription termination factor, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	298	2402	1530	416	446	10	0	0	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	96	MET	-	expression tag	UNP Q99551
A	97	GLY	-	expression tag	UNP Q99551
A	98	SER	-	expression tag	UNP Q99551
A	400	HIS	-	expression tag	UNP Q99551
A	401	HIS	-	expression tag	UNP Q99551
A	402	HIS	-	expression tag	UNP Q99551
A	403	HIS	-	expression tag	UNP Q99551
A	404	HIS	-	expression tag	UNP Q99551
A	405	HIS	-	expression tag	UNP Q99551


- Molecule 2 is a DNA chain called DNA (5'-D(\*GP\*GP\*CP\*AP\*GP\*AP\*GP\*CP\*CP\*CP\*GP\*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	B	12	247	116	52	68	11	0	0	0

- Molecule 3 is a DNA chain called DNA (5'-D(\*CP\*CP\*GP\*GP\*GP\*CP\*TP\*CP\*TP\*GP\*CP\*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	C	12	239	114	42	72	11	0	0	0

- Molecule 4 is CITRIC ACID (three-letter code: CIT) (formula: C<sub>6</sub>H<sub>8</sub>O<sub>7</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 13 6 7	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	26	Total O 26 26	0	0
5	B	3	Total O 3 3	0	0
5	C	3	Total O 3 3	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Transcription termination factor, mitochondrial



- Molecule 2: DNA (5'-D(\*GP\*GP\*CP\*AP\*GP\*AP\*GP\*CP\*CP\*CP\*GP\*G)-3')



- Molecule 3: DNA (5'-D(\*CP\*CP\*GP\*GP\*GP\*CP\*TP\*CP\*TP\*GP\*CP\*C)-3')



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 32	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	99.85Å 99.85Å 39.60Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	31.00 – 2.40 31.03 – 2.40	Depositor EDS
% Data completeness (in resolution range)	100.0 (31.00-2.40) 100.0 (31.03-2.40)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.50 (at 2.39Å)	Xtrriage
Refinement program	PHENIX (phenix.refine)	Depositor
R, $R_{free}$	0.228 , 0.278 0.227 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	56.1	Xtrriage
Anisotropy	0.044	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 52.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.054 for -h,-k,l 0.040 for h,-h-k,-l 0.029 for -k,-h,-l	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	2933	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	71.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.89% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CIT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.51	0/2438	0.64	0/3284
2	B	0.87	0/278	1.48	2/428 (0.5%)
3	C	0.86	0/266	1.60	4/408 (1.0%)
All	All	0.59	0/2982	0.90	6/4120 (0.1%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	7	DT	P-O3'-C3'	8.16	129.49	119.70
3	C	3	DG	P-O3'-C3'	7.45	128.64	119.70
3	C	5	DG	O4'-C1'-N9	-6.78	103.26	108.00
3	C	8	DC	O4'-C4'-C3'	-5.78	102.19	104.50
2	B	4	DA	O4'-C1'-C2'	-5.56	101.45	105.90
2	B	4	DA	O4'-C1'-N9	5.35	111.74	108.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2402	0	2493	124	0
2	B	247	0	134	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	239	0	136	13	0
4	A	13	0	5	0	0
5	A	26	0	0	0	0
5	B	3	0	0	0	0
5	C	3	0	0	0	0
All	All	2933	0	2768	141	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:222:GLY:O	1:A:227:HIS:HB2	1.68	0.94
1:A:299:LYS:HE3	1:A:332:ILE:HD11	1.48	0.94
1:A:103:ASN:HB3	1:A:132:ILE:HG22	1.56	0.85
1:A:102:THR:H	1:A:105:GLN:HG3	1.46	0.81
1:A:341:SER:OG	1:A:344:GLN:HG3	1.82	0.79
1:A:303:LEU:HD13	1:A:342:ILE:HD11	1.63	0.78
1:A:364:LYS:HB2	1:A:364:LYS:NZ	1.97	0.78
3:C:10:DG:H2''	3:C:11:DC:OP2	1.82	0.77
1:A:121:ILE:O	1:A:125:ILE:HG13	1.86	0.76
1:A:394:LYS:HB2	1:A:394:LYS:NZ	2.06	0.70
1:A:380:LEU:HD12	1:A:381:LEU:N	2.08	0.69
1:A:342:ILE:HG22	1:A:343:SER:N	2.07	0.69
1:A:117:SER:OG	1:A:120:VAL:HG13	1.93	0.68
1:A:177:GLU:HG2	1:A:181:LYS:HE3	1.74	0.68
1:A:303:LEU:CD1	1:A:342:ILE:HD11	2.22	0.68
3:C:2:DC:H4'	3:C:3:DG:OP1	1.92	0.68
1:A:260:ARG:HG3	1:A:270:LEU:HD22	1.77	0.66
1:A:332:ILE:HG13	1:A:333:ASP:N	2.09	0.66
1:A:303:LEU:HD11	1:A:332:ILE:CD1	2.27	0.65
1:A:380:LEU:O	1:A:383:TRP:HB2	1.95	0.65
1:A:152:SER:OG	1:A:155:GLU:HG3	1.97	0.65
1:A:366:LEU:O	1:A:371:CYS:HB3	1.97	0.65
1:A:364:LYS:HB2	1:A:364:LYS:HZ3	1.61	0.65
1:A:117:SER:HG	1:A:120:VAL:HG13	1.62	0.64
1:A:292:SER:HB3	1:A:321:ILE:HG23	1.79	0.64
1:A:119:GLU:HG3	1:A:120:VAL:N	2.11	0.64
1:A:102:THR:H	1:A:105:GLN:CG	2.11	0.64
1:A:362:ARG:O	1:A:365:GLU:HG2	1.99	0.63

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:150:VAL:HG11	1:A:156:ILE:HG12	1.80	0.62
1:A:130:ARG:HH11	1:A:130:ARG:HB2	1.65	0.61
1:A:101:ILE:HG23	1:A:105:GLN:HB2	1.81	0.61
1:A:363:ILE:C	1:A:365:GLU:H	2.03	0.60
3:C:7:DT:H1'	3:C:8:DC:H5'	1.82	0.60
1:A:380:LEU:HA	1:A:383:TRP:CG	2.37	0.60
1:A:209:ASP:O	1:A:213:GLN:HG3	2.01	0.60
1:A:203:THR:O	1:A:206:ASN:HB2	2.01	0.60
1:A:362:ARG:HD3	1:A:388:TYR:CD2	2.37	0.59
1:A:327:LYS:HE3	1:A:331:LYS:NZ	2.18	0.59
1:A:380:LEU:HD12	1:A:380:LEU:C	2.23	0.58
1:A:194:CYS:O	1:A:198:THR:HG23	2.02	0.58
1:A:189:THR:HG22	1:A:192:CYS:HB2	1.85	0.58
1:A:165:GLU:O	1:A:169:ARG:HB2	2.04	0.58
2:B:5:DG:H2''	2:B:6:DA:C8	2.39	0.58
1:A:231:ALA:O	1:A:235:ARG:HG3	2.03	0.57
1:A:102:THR:OG1	1:A:105:GLN:HG2	2.05	0.57
1:A:105:GLN:HE21	1:A:105:GLN:HA	1.68	0.57
1:A:384:SER:HB3	1:A:387:ARG:HG3	1.86	0.57
2:B:5:DG:H2''	2:B:6:DA:H8	1.71	0.56
1:A:172:ASN:CG	1:A:175:ASN:HB2	2.26	0.56
3:C:1:DC:H2''	3:C:2:DC:OP2	2.06	0.56
1:A:303:LEU:HD13	1:A:342:ILE:CD1	2.34	0.56
2:B:4:DA:C2	2:B:5:DG:C6	2.95	0.55
1:A:343:SER:O	1:A:347:GLU:HG3	2.07	0.55
1:A:130:ARG:HB2	1:A:130:ARG:NH1	2.22	0.55
1:A:252:VAL:O	1:A:256:ILE:HG13	2.07	0.55
1:A:303:LEU:HD11	1:A:332:ILE:HD13	1.89	0.55
1:A:364:LYS:C	1:A:368:ASN:HB2	2.28	0.55
1:A:243:PHE:O	1:A:246:ILE:HG12	2.07	0.54
3:C:3:DG:H2''	3:C:4:DG:OP2	2.07	0.54
1:A:376:LEU:HD12	1:A:376:LEU:O	2.07	0.54
1:A:337:GLU:C	1:A:339:ASN:H	2.10	0.54
1:A:278:GLY:O	1:A:281:ILE:HB	2.08	0.53
1:A:117:SER:O	1:A:121:ILE:HG13	2.09	0.53
1:A:189:THR:HG23	1:A:192:CYS:H	1.74	0.53
1:A:371:CYS:SG	1:A:372:ASN:N	2.82	0.52
1:A:249:THR:O	1:A:253:LYS:HB2	2.09	0.52
1:A:359:LEU:HD12	1:A:360:LYS:H	1.74	0.52
1:A:101:ILE:HG23	1:A:105:GLN:CB	2.39	0.51
1:A:378:ILE:O	1:A:381:LEU:HB2	2.11	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:384:SER:O	1:A:388:TYR:N	2.43	0.51
1:A:327:LYS:HD3	1:A:331:LYS:HE3	1.92	0.51
1:A:155:GLU:HA	1:A:158:ASN:ND2	2.24	0.51
1:A:384:SER:HB3	1:A:387:ARG:CG	2.42	0.50
1:A:394:LYS:HE2	3:C:5:DG:OP2	2.11	0.50
1:A:303:LEU:HD21	1:A:336:MET:HE1	1.94	0.49
1:A:367:VAL:HG21	1:A:373:LEU:HB2	1.95	0.49
1:A:225:LEU:HD13	1:A:271:LEU:HG	1.94	0.49
1:A:394:LYS:HB2	1:A:394:LYS:HZ3	1.78	0.48
1:A:102:THR:N	1:A:105:GLN:HG3	2.21	0.48
1:A:234:VAL:O	1:A:238:ILE:HG13	2.12	0.48
1:A:240:LYS:HG2	1:A:275:CYS:O	2.14	0.48
1:A:364:LYS:HB2	1:A:364:LYS:HZ2	1.78	0.48
1:A:376:LEU:HD11	1:A:378:ILE:HG22	1.95	0.48
3:C:3:DG:H1'	3:C:4:DG:OP2	2.13	0.47
1:A:306:THR:OG1	1:A:309:GLU:HB2	2.14	0.47
1:A:178:ASN:HB3	1:A:208:LEU:HD22	1.96	0.47
1:A:164:PRO:O	1:A:168:PHE:HD2	1.98	0.47
1:A:150:VAL:CG1	1:A:155:GLU:HB2	2.45	0.47
1:A:153:ASP:O	1:A:157:VAL:HG23	2.15	0.46
1:A:105:GLN:HE21	1:A:105:GLN:CA	2.28	0.46
1:A:189:THR:O	1:A:193:LEU:HD13	2.15	0.46
1:A:341:SER:O	1:A:344:GLN:HB2	2.15	0.46
1:A:303:LEU:HD13	1:A:342:ILE:CG1	2.46	0.46
1:A:381:LEU:HA	1:A:381:LEU:HD23	1.67	0.46
1:A:183:LEU:HD23	1:A:183:LEU:HA	1.80	0.45
3:C:3:DG:C2'	3:C:4:DG:OP2	2.64	0.45
3:C:10:DG:C2'	3:C:11:DC:OP2	2.59	0.45
1:A:306:THR:O	1:A:310:VAL:HG23	2.16	0.45
1:A:218:LEU:HD23	1:A:218:LEU:HA	1.79	0.44
1:A:259:LEU:HA	1:A:259:LEU:HD23	1.66	0.44
3:C:6:DC:C2'	3:C:7:DT:H72	2.46	0.44
3:C:10:DG:O5'	3:C:10:DG:H2'	2.17	0.44
1:A:276:GLY:HA3	1:A:277:PRO:HD3	1.90	0.44
2:B:3:DC:H2''	2:B:4:DA:C8	2.53	0.44
1:A:103:ASN:HB3	1:A:132:ILE:CG2	2.38	0.44
1:A:251:ARG:HG3	1:A:286:ASN:HD21	1.81	0.44
1:A:184:TYR:CE1	1:A:193:LEU:HD22	2.53	0.44
1:A:142:ARG:CZ	1:A:170:SER:O	2.66	0.44
1:A:363:ILE:C	1:A:365:GLU:N	2.71	0.43
1:A:380:LEU:HA	1:A:383:TRP:CD2	2.53	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:394:LYS:HB2	1:A:394:LYS:HZ2	1.78	0.43
1:A:377:ASN:C	1:A:379:THR:H	2.22	0.43
1:A:268:GLU:H	1:A:268:GLU:CD	2.22	0.43
1:A:336:MET:HE2	1:A:336:MET:HB2	1.62	0.43
1:A:376:LEU:HD12	1:A:376:LEU:C	2.39	0.43
1:A:354:SER:HB2	1:A:359:LEU:HD23	2.00	0.42
1:A:359:LEU:H	1:A:359:LEU:HG	1.68	0.42
3:C:4:DG:H4'	3:C:5:DG:OP1	2.18	0.42
1:A:327:LYS:O	1:A:331:LYS:HB2	2.19	0.42
1:A:360:LYS:O	1:A:364:LYS:NZ	2.53	0.42
1:A:327:LYS:HE3	1:A:331:LYS:HZ1	1.84	0.42
1:A:365:GLU:O	1:A:369:ALA:HB3	2.19	0.42
1:A:151:THR:HG22	1:A:151:THR:O	2.20	0.42
2:B:3:DC:C2'	2:B:4:DA:C8	3.03	0.42
1:A:287:ASP:O	1:A:291:ARG:HG3	2.20	0.41
1:A:335:LEU:HD21	1:A:359:LEU:HD22	2.02	0.41
1:A:257:GLU:OE2	1:A:260:ARG:NH1	2.50	0.41
1:A:259:LEU:HD13	1:A:273:LEU:HD13	2.02	0.41
1:A:364:LYS:NZ	1:A:364:LYS:CB	2.74	0.41
1:A:257:GLU:OE1	1:A:260:ARG:NH1	2.53	0.41
1:A:208:LEU:HG	1:A:212:LYS:HE3	2.03	0.41
1:A:200:ALA:N	1:A:201:PRO:HD3	2.36	0.41
1:A:157:VAL:O	1:A:158:ASN:C	2.58	0.41
1:A:292:SER:CB	1:A:321:ILE:HG23	2.50	0.41
1:A:184:TYR:CZ	1:A:193:LEU:HD22	2.56	0.40
1:A:223:LEU:HG	1:A:230:PRO:HG3	2.03	0.40
1:A:342:ILE:HA	1:A:345:ILE:HD12	2.03	0.40
3:C:2:DC:OP2	3:C:2:DC:H2'	2.21	0.40
1:A:129:PRO:O	1:A:132:ILE:HG13	2.21	0.40
1:A:111:LEU:HD23	1:A:111:LEU:HA	1.89	0.40
1:A:119:GLU:HG3	1:A:120:VAL:H	1.85	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	296/310 (96%)	269 (91%)	22 (7%)	5 (2%)	9 11

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	123	SER
1	A	228	ASN
1	A	383	TRP
1	A	364	LYS
1	A	378	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	276/286 (96%)	254 (92%)	22 (8%)	12 18

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	101	ILE
1	A	105	GLN
1	A	106	ASP
1	A	130	ARG
1	A	132	ILE
1	A	133	THR
1	A	163	SER
1	A	165	GLU
1	A	169	ARG
1	A	227	HIS
1	A	228	ASN
1	A	249	THR
1	A	273	LEU
1	A	332	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	336	MET
1	A	342	ILE
1	A	356	ILE
1	A	359	LEU
1	A	361	SER
1	A	364	LYS
1	A	375	THR
1	A	394	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	105	GLN
1	A	158	ASN
1	A	199	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	CIT	A	501	-	12,12,12	1.07	0	17,17,17	1.58	4 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	CIT	A	501	-	-	0/16/16/16	-

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	501	CIT	C4-C3-C6	-2.65	104.41	110.11
4	A	501	CIT	O4-C5-C4	2.51	122.40	114.35
4	A	501	CIT	O7-C3-C2	-2.38	103.82	109.40
4	A	501	CIT	O6-C6-C3	2.21	116.89	113.05

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	298/310 (96%)	0.22	15 (5%) 28 27	39, 59, 102, 121	0
2	B	12/12 (100%)	-0.03	0 100 100	90, 93, 103, 106	0
3	C	12/12 (100%)	0.40	0 100 100	97, 101, 114, 114	0
All	All	322/334 (96%)	0.22	15 (4%) 31 30	39, 61, 104, 121	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	371	CYS	5.1
1	A	370	GLY	4.6
1	A	395	LEU	4.3
1	A	100	MET	4.0
1	A	390	ALA	3.9
1	A	393	LYS	3.8
1	A	397	ARG	3.6
1	A	396	SER	3.6
1	A	130	ARG	3.2
1	A	387	ARG	3.0
1	A	369	ALA	2.9
1	A	136	PRO	2.8
1	A	137	GLU	2.5
1	A	215	VAL	2.2
1	A	388	TYR	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	CIT	A	501	13/13	0.93	0.19	52,59,62,64	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.