

Full wwPDB X-ray Structure Validation Report (i)

Feb 5, 2025 – 12:08 PM EST

PDB ID	:	4N76
Title	:	Structure of Thermus thermophilus Argonaute bound to guide DNA and
		cleaved target DNA with $Mn2+$
Authors	:	Sheng, G.; Zhao, H.; Wang, J.; Rao, Y.; Wang, Y.
Deposited on	:	2013-10-15
Resolution	:	2.89 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.21
EDS	:	3.0
buster-report	:	1.1.7(2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution
Metric	$(\# {\rm Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	164625	2335 (2.90-2.90)
Clashscore	180529	2564 (2.90-2.90)
Ramachandran outliers	177936	2514 (2.90-2.90)
Sidechain outliers	177891	2516 (2.90-2.90)
RSRZ outliers	164620	2337 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length		Quality of	chain
1	А	685		69%	22% • 6%
1	В	685		72%	23% • •
2	С	21	29%	19%	52%
2	Е	21	33%	19%	48%
3	D	10		80%	20%



Mol	Chain	Length	Quality of ch	ain
3	F	10	60%	40%



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 10818 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Argonaute.

Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf	Trace
1	Δ	641	Total	С	Ν	0	S	4	0	0
	A	041	4803	3069	895	834	5	4		
1	В	667	Total	С	Ν	0	S	0	0	0
	D	007	5115	3273	959	877	6	0	0	0

• Molecule 2 is a DNA chain called 5'-D(P*TP*GP*AP*GP*GP*TP*AP*GP*TP*AP*GP* GP*TP*TP*GP*TP*AP*TP*AP*GP*T)-3'.

Mol	Chain	Residues		Ate	\mathbf{oms}			ZeroOcc	AltConf	Trace
9	C	10	Total	С	Ν	Ο	Р	0	0	0
		10	212	100	41	61	10	0	0	0
9	F	11	Total	С	Ν	0	Р	0	0	0
2	Ľ	11	234	110	46	67	11	0	0	0

• Molecule 3 is a DNA chain called 5'-D(P*TP*AP*CP*TP*AP*CP*CP*TP*CP*G)-3'.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
3	Л	10	Total	С	Ν	Ο	Р	0	0	0
5	D	10	201	96	33	62	10	0	0	0
2	F	10	Total	С	Ν	Ο	Р	0	0	0
່ <u>ບ</u>	Ľ	10	201	96	33	62	10			U

• Molecule 4 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	В	3	Total Mn 3 3	0	0
4	С	1	Total Mn 1 1	0	0

• Molecule 5 is THYMIDINE-5'-PHOSPHATE (three-letter code: TMP) (formula: $C_{10}H_{15}N_2O_8P$).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf		
5	В	1	Total	С	Ν	0	Р	0	0
	D	1	21	10	2	8	1	0	Ŭ

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	8	Total O 8 8	0	0
6	В	14	Total O 14 14	0	0
6	С	1	Total O 1 1	0	0
6	Ε	3	Total O 3 3	0	0
6	F	1	Total O 1 1	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Argonaute

• Molecule 1: Argonaute





G499 G499 G356 L501 L505 L366 L505 L365 L366 L505 L366 L366 L505 L366 L366 L505 L366 L366 L505 L366 L366 L505 L400 L400 K840 M423 L400 K840 M426 L426 K840 L426 L426 K840 L426 L426 K840 L436 L446 K850 K460 L436 K850 L456 L456 K850 L456 L456

• Molecule 2: 5'-D(P*TP*GP*AP*GP*GP*TP*AP*GP*TP*AP*GP*TP*AP*GP*TP*AP*GP*TP*AP*GP*T)-3'

Chain C:	29%	19%	52%	-
11 62 43 64 06 06 07 07 07	DG DT DA DA DG DT			
• Molecule 2 TP*AP*GP*	: 5'-D(P*TP*(*T)-3'	GP*AP*GP*GP*T	TP*AP*GP*TP*AP*GP*GP	*TP*TP*GP*TP*AP*
Chain E:	33%	19%	48%	
11 62 61 61 71 71 71 72	DU T T D D D T D T D			
• Molecule 3	: 5'-D(P*TP*A	AP*CP*TP*AP*C	CP*CP*TP*CP*G)-3'	
Chain D:		80%	20%	-
G19 G19				
• Molecule 3	: 5'-D(P*TP*A	AP*CP*TP*AP*C	2P*CP*TP*CP*G)-3'	
Chain F:		60%	40%	•
T10 A11 C12 T13 A14 619 619				



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	110.92Å 117.42Å 160.46Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	49.37 - 2.89	Depositor
Resolution (A)	49.37 - 2.89	EDS
% Data completeness	95.0 (49.37-2.89)	Depositor
(in resolution range)	94.7 (49.37 - 2.89)	EDS
R_{merge}	0.16	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.44 (at 2.91 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.8.2_1309	Depositor
P. P.	0.219 , 0.269	Depositor
n, n_{free}	0.223 , 0.270	DCC
R_{free} test set	2291 reflections $(5.08%)$	wwPDB-VP
Wilson B-factor (Å ²)	42.6	Xtriage
Anisotropy	0.444	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.32, 39.7	EDS
L-test for twinning ²	$ < L >=0.44, < L^2>=0.26$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	10818	wwPDB-VP
Average B, all atoms $(Å^2)$	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.32% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MN, TMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bo	nd lengths	Bond angles		
Moi Chai	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.26	0/4910	0.46	1/6677~(0.0%)	
1	В	0.27	0/5235	0.45	2/7115~(0.0%)	
2	С	0.82	1/238~(0.4%)	1.21	1/365~(0.3%)	
2	Е	0.79	1/263~(0.4%)	1.18	1/404~(0.2%)	
3	D	0.86	1/223~(0.4%)	1.18	0/339	
3	F	0.92	1/223~(0.4%)	1.22	1/339~(0.3%)	
All	All	0.35	4/11092~(0.0%)	0.57	6/15239~(0.0%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
2	С	1	DT	OP3-P	-10.96	1.48	1.61
2	Е	1	DT	OP3-P	-10.72	1.48	1.61
3	F	10	DT	OP3-P	-10.30	1.48	1.61
3	D	10	DT	OP3-P	-10.28	1.48	1.61

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	Е	1	DT	OP1-P-OP2	-8.20	107.30	119.60
2	С	1	DT	OP1-P-OP2	-7.34	108.59	119.60
1	В	143	PRO	N-CA-CB	5.92	110.41	103.30



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	143	PRO	N-CA-CB	5.83	110.29	103.30
1	В	356	GLY	N-CA-C	5.35	126.47	113.10
3	F	12	DC	O4'-C1'-N1	5.01	111.51	108.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	В	437	VAL	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4803	0	4723	91	0
1	В	5115	0	5099	89	0
2	С	212	0	114	2	0
2	Е	234	0	125	3	0
3	D	201	0	114	2	0
3	F	201	0	114	2	0
4	В	3	0	0	0	0
4	С	1	0	0	0	0
5	В	21	0	13	5	0
6	А	8	0	0	1	0
6	В	14	0	0	2	0
6	С	1	0	0	0	0
6	Е	3	0	0	0	0
6	F	1	0	0	0	0
All	All	10818	0	10302	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:639:THR:HG22	1:A:640:ARG:HE	1.46	0.81
1:A:344:THR:HG21	1:A:460:LEU:HD11	1.62	0.80
1:B:639:THR:HG22	1:B:640:ARG:HE	1.46	0.80
1:B:608:ARG:HB2	1:B:611:ARG:HG3	1.67	0.76
1:B:99:ASP:N	1:B:105:GLU:OE1	2.18	0.74
1:A:7:THR:OG1	1:A:8:GLU:N	2.17	0.73
1:A:287:ARG:NH2	1:A:583:PRO:O	2.22	0.72
1:A:319:PRO:HG3	1:A:640:ARG:HD3	1.71	0.72
1:B:319:PRO:HG3	1:B:640:ARG:HD3	1.71	0.72
1:A:575:LYS:HD3	1:A:652:LEU:HD11	1.74	0.70
1:B:344:THR:HG21	1:B:460:LEU:HD11	1.72	0.69
1:A:37:PRO:HB2	1:A:42:VAL:HG22	1.74	0.69
1:B:575:LYS:HD3	1:B:652:LEU:HD11	1.75	0.69
1:A:76:GLU:HG2	1:A:89:ARG:HG3	1.76	0.68
1:B:486:ARG:NH1	1:B:512:GLU:OE1	2.28	0.67
1:A:486:ARG:NH1	1:A:512:GLU:OE1	2.28	0.66
1:A:350:ARG:HD3	1:A:354:ALA:HB3	1.78	0.66
1:B:99:ASP:HB3	1:B:105:GLU:OE1	1.96	0.66
1:B:546:ASP:OD1	1:B:575:LYS:NZ	2.29	0.66
1:B:28:ARG:HH21	1:B:96:ARG:HB3	1.62	0.65
1:A:546:ASP:OD1	1:A:575:LYS:NZ	2.30	0.64
1:B:350:ARG:HD3	1:B:354:ALA:HB3	1.79	0.64
1:A:16:LEU:HD13	1:A:303:LEU:HB3	1.80	0.64
1:A:190:PRO:HG2	1:A:263:PRO:HB3	1.79	0.63
1:A:129:VAL:HG22	1:A:134:VAL:HG22	1.81	0.63
1:B:15:ALA:HB3	1:B:307:GLU:HB3	1.83	0.60
1:B:177:MET:HB3	1:B:181:ALA:HB3	1.84	0.60
1:A:59:ARG:NH1	1:A:61:GLY:O	2.35	0.59
1:A:113:ALA:HB1	1:A:155:LEU:HD13	1.84	0.59
1:B:540:ARG:NH2	1:B:625:ASP:OD2	2.36	0.59
1:B:99:ASP:CB	1:B:105:GLU:OE1	2.51	0.58
1:A:8:GLU:OE2	1:A:310:ARG:NH1	2.36	0.58
1:A:540:ARG:NH2	1:A:625:ASP:OD2	2.36	0.58
1:A:359:GLU:HG3	1:A:363:ARG:HE	1.69	0.57
1:B:640:ARG:NH1	6:B:805:HOH:O	2.38	0.57
1:A:39:ARG:HD2	5:B:704:TMP:N3	2.19	0.56
1:A:583:PRO:HD3	1:A:588:LEU:HD13	1.88	0.55
1:B:500:HIS:CD2	1:B:502:LEU:HD21	2.41	0.55
1:A:516:GLN:NE2	1:A:552:ASP:O	2.40	0.54
1:B:75:LEU:HD22	1:B:90:LEU:HB2	1.89	0.54
1:A:500:HIS:HD2	1:A:502:LEU:HD21	1.73	0.54
1:A:506:PRO:HG2	1:A:666:VAL:HG11	1.88	0.53



	ti a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:583:PRO:HD3	1:B:588:LEU:HD13	1.90	0.53
1:A:358:PRO:HG2	1:A:361:LEU:HD12	1.91	0.53
1:A:425:LEU:HD12	1:A:432:SER:HB3	1.90	0.53
1:B:232:ARG:NH1	5:B:704:TMP:O2P	2.34	0.53
2:C:3:DA:H2'	2:C:4:DG:C8	2.43	0.53
2:E:3:DA:H2'	2:E:4:DG:C8	2.44	0.52
1:B:425:LEU:HD12	1:B:432:SER:HB3	1.90	0.52
1:A:437:VAL:O	1:A:439:LEU:N	2.42	0.52
1:B:500:HIS:CE1	1:B:533:LYS:HE3	2.44	0.52
1:A:676:GLU:OE1	1:B:679:ARG:NH2	2.43	0.52
1:B:331:ALA:HA	1:B:452:LEU:HD11	1.92	0.52
1:A:500:HIS:CD2	1:A:502:LEU:HD21	2.45	0.52
1:A:523:LEU:HD21	1:A:561:LEU:HD11	1.92	0.51
1:A:13:ARG:HD3	1:A:156:TRP:CZ2	2.46	0.51
1:A:38:GLY:O	1:A:39:ARG:C	2.48	0.51
1:A:286:ARG:HD2	1:A:613:THR:HG21	1.92	0.51
1:B:207:LEU:HD23	1:B:242:ALA:HA	1.92	0.51
1:A:75:LEU:HD22	1:A:90:LEU:HB2	1.93	0.51
1:B:20:ASN:HB2	1:B:21:PRO:HD2	1.93	0.50
1:A:500:HIS:NE2	1:A:533:LYS:HE2	2.26	0.50
1:A:497:ASP:OD1	1:A:497:ASP:N	2.44	0.50
1:B:8:GLU:O	1:B:584:VAL:HB	2.12	0.50
1:B:350:ARG:NH2	1:B:352:ASP:OD2	2.45	0.50
1:B:156:TRP:HZ3	1:B:166:GLU:HB2	1.76	0.50
1:A:39:ARG:HD3	5:B:704:TMP:C2	2.47	0.50
1:A:679:ARG:NH2	1:B:676:GLU:OE1	2.45	0.50
1:A:410:THR:O	1:A:436:ASN:HA	2.11	0.49
1:A:350:ARG:NH2	1:A:352:ASP:OD2	2.45	0.49
1:A:13:ARG:HD3	1:A:156:TRP:HZ2	1.77	0.49
1:B:558:LEU:HG	1:B:568:TYR:CE2	2.48	0.49
1:A:52:ARG:HG3	1:A:79:LEU:HD13	1.93	0.49
1:B:513:ARG:NH2	1:B:551:GLN:O	2.45	0.49
1:A:20:ASN:HB2	1:A:21:PRO:HD2	1.95	0.49
1:A:558:LEU:HG	1:A:568:TYR:CE2	2.47	0.49
1:B:117:LEU:HD22	1:B:155:LEU:HB2	1.95	0.49
1:B:506:PRO:HG2	1:B:666:VAL:HG11	1.93	0.49
1:A:666:VAL:HG22	1:A:674:LEU:HD11	1.95	0.49
1:B:268:GLU:HA	3:F:14:DA:H5'	1.94	0.49
1:B:446:ARG:HG3	2:E:2:DG:C8	2.47	0.49
1:B:410:THR:O	1:B:436:ASN:HA	2.12	0.49
1:B:295:SER:HA	1:B:306:PRO:HG3	1.95	0.48



	louo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:501:LEU:HD13	1:B:658:LEU:HD11	1.95	0.48
1:A:140:ALA:HB3	1:A:147:VAL:HB	1.94	0.48
1:B:449:ASN:ND2	2:E:2:DG:H21	2.11	0.48
1:B:125:GLU:HA	1:B:126:GLY:HA2	1.48	0.48
1:B:423:ALA:HB1	1:B:673:HIS:CE1	2.49	0.48
1:A:423:ALA:HB1	1:A:673:HIS:CE1	2.48	0.48
1:A:462:VAL:HG23	1:A:463:VAL:HG13	1.96	0.48
1:A:498:GLY:HA3	1:A:641:LEU:HD11	1.94	0.48
1:A:154:ASP:OD2	1:A:155:LEU:N	2.48	0.47
1:B:498:GLY:HA3	1:B:641:LEU:HD11	1.95	0.47
1:A:501:LEU:HD13	1:A:658:LEU:HD11	1.97	0.47
1:A:56:VAL:HG13	1:A:67:TRP:HB2	1.97	0.47
1:B:135:TYR:HA	1:B:150:GLY:HA3	1.97	0.47
1:B:500:HIS:HD2	1:B:502:LEU:HD21	1.79	0.47
1:B:202:TRP:HB3	1:B:244:VAL:HB	1.96	0.47
1:B:137:ARG:HH21	1:B:139:HIS:CE1	2.33	0.47
1:A:121:LEU:HD11	1:A:153:LEU:HD12	1.97	0.47
1:B:436:ASN:HB2	1:B:446:ARG:HH12	1.80	0.46
1:B:666:VAL:HG22	1:B:674:LEU:HD11	1.96	0.46
1:A:18:PRO:HA	1:A:162:ALA:HA	1.96	0.46
1:A:338:PHE:CZ	1:A:368:ALA:HB1	2.50	0.46
1:B:594:VAL:HB	1:B:602:LEU:HB2	1.98	0.46
1:A:56:VAL:HG23	1:A:115:ARG:HB3	1.96	0.46
1:A:594:VAL:HB	1:A:602:LEU:HB2	1.97	0.46
1:B:119:GLU:OE1	1:B:123:ARG:NH2	2.49	0.46
1:B:287:ARG:HG3	1:B:582:TYR:CG	2.51	0.46
1:B:545:ARG:NH1	1:B:553:GLU:OE2	2.47	0.46
1:A:348:LEU:HB2	1:A:357:TRP:CE2	2.51	0.45
1:A:39:ARG:CD	5:B:704:TMP:C2	3.00	0.45
1:A:125:GLU:HA	1:A:126:GLY:HA2	1.60	0.45
1:A:114:ARG:NH1	1:A:154:ASP:OD1	2.50	0.45
1:A:134:VAL:O	1:A:150:GLY:HA3	2.17	0.45
1:A:502:LEU:HD23	1:A:680:GLU:HA	1.99	0.45
1:A:384:HIS:CD2	1:A:385:PRO:HD2	2.52	0.44
1:A:461:GLN:HG3	1:A:499:GLY:O	2.17	0.44
1:B:193:VAL:HG21	1:B:261:LEU:HB3	1.99	0.44
1:B:409:LEU:HB3	1:B:437:VAL:HG21	1.99	0.44
1:A:297:ILE:O	1:A:301:LEU:HB2	2.17	0.44
1:B:461:GLN:HG3	1:B:499:GLY:O	2.17	0.44
1:B:645:SER:OG	1:B:648:ALA:O	2.31	0.44
1:B:497:ASP:OD1	1:B:497:ASP:N	2.42	0.44



	loue page	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:357:TRP:HA	1:A:358:PRO:HD2	1.86	0.44
1:B:369:PHE:CE1	1:B:376:LEU:HD13	2.53	0.44
1:A:43:TYR:N	1:A:44:PRO:HD2	2.32	0.44
1:A:444:ARG:HG2	1:A:447:TRP:CZ2	2.53	0.44
1:A:545:ARG:HG2	1:A:549:VAL:HG22	2.00	0.44
1:A:545:ARG:NH1	1:A:553:GLU:OE2	2.48	0.44
1:B:545:ARG:HG2	1:B:549:VAL:HG22	2.00	0.44
1:A:38:GLY:O	1:A:41:GLU:N	2.51	0.43
1:B:228:ALA:HA	1:B:233:LEU:HB2	2.00	0.43
1:B:114:ARG:HD3	1:B:132:LEU:HD11	1.99	0.43
1:B:523:LEU:O	1:B:526:THR:OG1	2.29	0.43
1:A:48:GLN:HG2	1:A:79:LEU:HD11	1.99	0.43
1:A:590:ASP:OD1	3:D:19:DG:N2	2.48	0.43
1:B:366:LEU:HD13	1:B:376:LEU:HD23	1.99	0.43
1:B:321:LEU:HB3	1:B:327:VAL:HG23	2.00	0.43
1:B:608:ARG:O	1:B:611:ARG:HB2	2.18	0.43
1:A:14:PHE:O	1:A:165:LEU:N	2.48	0.43
1:B:142:GLY:N	1:B:145:TRP:O	2.52	0.43
1:B:117:LEU:O	1:B:121:LEU:HG	2.19	0.42
1:A:130:GLU:OE2	1:A:172:ARG:NH1	2.52	0.42
1:A:528:TRP:CE2	1:B:392:ARG:HD3	2.53	0.42
1:B:212:PRO:HB2	1:B:224:LEU:HB2	2.00	0.42
1:A:187:HIS:HA	1:A:188:PRO:HD3	1.91	0.42
1:A:505:LEU:HD23	1:A:505:LEU:HA	1.92	0.42
1:B:195:ASN:HB2	1:B:198:ASP:OD1	2.19	0.42
1:A:325:ARG:HG2	1:A:336:VAL:HG13	2.02	0.42
1:A:366:LEU:HD13	1:A:366:LEU:HA	1.83	0.42
1:B:321:LEU:HD23	1:B:321:LEU:HA	1.74	0.42
1:B:37:PRO:HB2	1:B:38:GLY:H	1.64	0.42
1:B:409:LEU:HD23	1:B:435:LEU:HB3	2.02	0.42
1:B:315:ARG:NH2	6:B:802:HOH:O	2.46	0.42
1:A:321:LEU:HB3	1:A:327:VAL:HG23	2.02	0.42
1:B:296:TRP:CH2	1:B:300:ARG:HG3	2.55	0.42
1:B:505:LEU:HD23	1:B:505:LEU:HA	1.93	0.42
1:A:36:PRO:HA	1:A:37:PRO:HD3	1.82	0.41
1:A:415:TRP:CZ3	1:A:668:ARG:HD2	2.55	0.41
1:B:140:ALA:HB3	1:B:147:VAL:HB	2.01	0.41
1:B:195:ASN:HD21	1:B:202:TRP:HE1	1.67	0.41
1:B:502:LEU:HD23	1:B:680:GLU:HA	2.01	0.41
1:B:590:ASP:OD1	3:F:19:DG:N1	2.51	0.41
1:A:122:ARG:NH1	6:A:704:HOH:O	2.53	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:39:ARG:HD2	5:B:704:TMP:HN3	1.83	0.41
1:A:479:ALA:HA	1:A:487:PHE:O	2.21	0.41
1:A:590:ASP:OD1	3:D:19:DG:N1	2.48	0.41
1:B:286:ARG:HD2	1:B:613:THR:HG21	2.02	0.41
1:A:348:LEU:HB2	1:A:357:TRP:CZ2	2.55	0.41
1:B:185:GLN:HB2	1:B:187:HIS:ND1	2.36	0.41
1:B:431:PRO:HB2	1:B:457:LYS:HB3	2.01	0.41
1:A:446:ARG:HG3	2:C:2:DG:C8	2.56	0.41
1:B:384:HIS:CG	1:B:385:PRO:HD2	2.56	0.41
1:B:24:LEU:O	1:B:97:PRO:HA	2.21	0.40
1:A:321:LEU:HA	1:A:321:LEU:HD23	1.77	0.40
1:B:451:LEU:HD12	1:B:451:LEU:HA	1.88	0.40
1:B:325:ARG:HG2	1:B:336:VAL:HG13	2.03	0.40
1:B:479:ALA:HA	1:B:487:PHE:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	avoured Allowed		Percentiles		
1	А	633/685~(92%)	580 (92%)	47 (7%)	6 (1%)	14	43	
1	В	655/685~(96%)	613 (94%)	36 (6%)	6 (1%)	14	43	
All	All	1288/1370~(94%)	1193~(93%)	83~(6%)	12 (1%)	14	43	

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	483	GLU
1	В	438	PRO
1	В	37	PRO
1	В	356	GLY



Contre	naca jion	i precio	sus page
Mol	Chain	\mathbf{Res}	Type
1	В	482	ARG
1	В	483	GLU
1	А	268	GLU
1	А	37	PRO
1	А	353	GLY
1	В	353	GLY
1	А	219	GLY
1	А	238	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles		
1	А	447/549~(81%)	409 (92%)	38~(8%)	8	27	
1	В	492/549~(90%)	449 (91%)	43 (9%)	8	27	
All	All	939/1098~(86%)	858 (91%)	81 (9%)	8	27	

All (81) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	7	THR
1	А	27	TRP
1	А	57	THR
1	А	64	LEU
1	А	78	THR
1	А	118	GLN
1	А	155	LEU
1	А	165	LEU
1	А	172	ARG
1	А	264	VAL
1	А	287	ARG
1	А	300	ARG
1	А	322	MET
1	А	336	VAL
1	А	342	GLN



Mol	Chain	Res	Type
1	А	366	LEU
1	А	425	LEU
1	А	451	LEU
1	A	454	LEU
1	A	462	VAL
1	А	475	VAL
1	А	500	HIS
1	А	505	LEU
1	А	517	GLU
1	А	531	ARG
1	А	540	ARG
1	А	556	LEU
1	А	558	LEU
1	А	570	LEU
1	А	580	ARG
1	А	584	VAL
1	А	592	LEU
1	А	600	THR
1	А	604	LEU
1	А	621	HIS
1	А	639	THR
1	А	640	ARG
1	А	678	ASP
1	В	3	HIS
1	В	22	GLU
1	В	42	VAL
1	В	46	LEU
1	В	79	LEU
1	В	98	LEU
1	В	155	LEU
1	В	159	ASP
1	В	165	LEU
1	В	179	LEU
1	В	199	ARG
1	В	207	LEU
1	В	223	LEU
1	В	289	ARG
1	В	305	THR
1	В	309	VAL
1	В	322	MET
1	В	336	VAL
1	В	342	GLN



Mol	Chain	Res	Type
1	В	366	LEU
1	В	375	SER
1	В	425	LEU
1	В	442	GLU
1	В	451	LEU
1	В	454	LEU
1	В	462	VAL
1	В	466	SER
1	В	475	VAL
1	В	500	HIS
1	В	505	LEU
1	В	540	ARG
1	В	556	LEU
1	В	558	LEU
1	В	570	LEU
1	В	580	ARG
1	В	584	VAL
1	В	592	LEU
1	В	600	THR
1	В	604	LEU
1	В	621	HIS
1	В	639	THR
1	В	640	ARG
1	В	678	ASP

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such side chains are listed below:

Mol	Chain	Res	Type	
1	В	500	HIS	

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 5 ligands modelled in this entry, 4 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tuno	Chain	Dog	Tink	Bo	ond leng	\mathbf{ths}	B	ond ang	les
	Type	Ullalli	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
5	TMP	В	704	-	22,22,22	0.62	0	32,33,33	0.91	2 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	TMP	В	704	-	-	1/10/22/22	0/2/2/2

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
5	В	704	TMP	O3P-P-O2P	2.92	118.74	107.80
5	В	704	TMP	O4-C4-C5	-2.48	122.08	124.92

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	В	704	TMP	C5'-O5'-P-O1P

There are no ring outliers.

1 monomer is involved in 5 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	В	704	TMP	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	641/685~(93%)	-1.60	3 (0%) 87 84	3, 25, 103, 143	1 (0%)
1	В	667/685~(97%)	-1.69	0 100 100	1, 27, 82, 113	0
2	С	10/21~(47%)	-2.35	0 100 100	22, 26, 65, 83	0
2	Е	11/21~(52%)	-2.28	0 100 100	16, 24, 73, 100	0
3	D	10/10~(100%)	-1.84	0 100 100	27,66,90,91	0
3	F	10/10~(100%)	-1.90	0 100 100	26, 56, 76, 78	0
All	All	1349/1432~(94%)	-1.66	3 (0%) 92 91	1, 26, 92, 143	1 (0%)

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	233	LEU	6.0
1	А	232	ARG	4.4
1	А	220	GLY	2.2

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q < 0.9
4	MN	В	701	1/1	1.00	0.01	$50,\!50,\!50,\!50$	0
4	MN	В	702	1/1	1.00	0.02	$63,\!63,\!63,\!63$	1
4	MN	В	703	1/1	1.00	0.03	81,81,81,81	0
4	MN	С	101	1/1	1.00	0.01	$53,\!53,\!53,\!53$	0
5	TMP	В	704	21/21	1.00	0.03	47,64,75,84	0

median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers (i)

There are no such residues in this entry.

