



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 7, 2023 – 06:23 AM EDT

PDB ID : 1N97
Title : Crystal Structure of CYP175A1 from *Thermus thermophilus* strain HB27
Authors : Yano, J.K.; Blasco, F.; Li, H.; Schmid, R.D.; Henne, A.; Poulos, T.L.
Deposited on : 2002-11-22
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	389	 6% 79% 18% ..
1	B	389	 4% 79% 17% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SRT	A	601	X	X	-	-
2	SRT	B	602	X	-	-	-
4	EDO	B	708	-	-	-	X
4	EDO	B	709	-	-	-	X

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 6832 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYP175A1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	385	Total 3052	C 1972	N 557	O 518	S 5	0	0	0
1	B	385	Total 3074	C 1985	N 560	O 524	S 5	27	0	0

- Molecule 2 is S,R MESO-TARTARIC ACID (three-letter code: SRT) (formula: C₄H₆O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	Total 10	C 4	O 6	0	0
2	B	1	Total 10	C 4	O 6	0	0

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	C O	0	0
			4	2 2		
4	A	1	Total	C O	0	0
			4	2 2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	206	Total O 206 206	0	0
5	B	322	Total O 322 322	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CYP175A1



• Molecule 1: CYP175A1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	64.54Å 90.70Å 74.52Å 90.00° 99.68° 90.00°	Depositor
Resolution (Å)	19.99 – 1.80 19.99 – 1.80	Depositor EDS
% Data completeness (in resolution range)	92.0 (19.99-1.80) 92.0 (19.99-1.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.92 (at 1.80Å)	Xtrriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.182 , 0.222 0.190 , 0.228	Depositor DCC
R_{free} test set	3764 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	27.9	Xtrriage
Anisotropy	0.246	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 59.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6832	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, EDO, SRT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.13	5/3136 (0.2%)	1.02	8/4263 (0.2%)
1	B	1.38	8/3158 (0.3%)	1.19	28/4288 (0.7%)
All	All	1.26	13/6294 (0.2%)	1.11	36/8551 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	10	TRP	C-N	-12.85	1.09	1.34
1	B	13	LEU	C-N	10.64	1.58	1.34
1	B	313	GLU	CD-OE2	-10.45	1.14	1.25
1	B	313	GLU	CD-OE1	10.29	1.36	1.25
1	B	106	TYR	CE2-CZ	-7.53	1.28	1.38
1	B	345	GLU	CD-OE2	-6.77	1.18	1.25
1	A	319	ARG	CG-CD	6.61	1.68	1.51
1	B	325	ARG	CB-CG	-6.07	1.36	1.52
1	A	257	ALA	CA-CB	5.79	1.64	1.52
1	A	106	TYR	CG-CD2	5.75	1.46	1.39
1	A	326	TYR	CD2-CE2	5.53	1.47	1.39
1	B	111	GLU	CD-OE1	-5.44	1.19	1.25
1	A	321	THR	CB-CG2	-5.12	1.35	1.52

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	334	ARG	NE-CZ-NH2	-10.02	115.29	120.30
1	B	334	ARG	NE-CZ-NH1	9.14	124.87	120.30
1	B	187	ARG	NE-CZ-NH1	8.97	124.78	120.30
1	B	162	ASP	CB-CG-OD2	8.88	126.29	118.30
1	B	355	ARG	NE-CZ-NH1	8.65	124.62	120.30
1	B	192	ARG	NE-CZ-NH1	8.49	124.54	120.30
1	A	242	ASP	CB-CG-OD2	8.39	125.85	118.30
1	A	246	ARG	NE-CZ-NH1	7.61	124.10	120.30
1	A	360	ASP	CB-CG-OD2	7.33	124.89	118.30
1	B	306	ASP	CB-CG-OD2	6.98	124.58	118.30
1	B	273	ARG	NE-CZ-NH2	-6.87	116.86	120.30
1	B	96	ASP	CB-CG-OD2	6.67	124.30	118.30
1	B	15	ASP	CB-CG-OD2	6.55	124.19	118.30
1	B	10	TRP	O-C-N	-6.48	108.79	121.10
1	A	104	ARG	NE-CZ-NH1	6.25	123.43	120.30
1	B	129	ASP	CB-CG-OD2	6.21	123.89	118.30
1	B	182	ARG	NE-CZ-NH2	-6.17	117.22	120.30
1	B	351	ARG	NE-CZ-NH1	6.08	123.34	120.30
1	B	187	ARG	NE-CZ-NH2	-6.08	117.26	120.30
1	B	360	ASP	CB-CG-OD2	5.96	123.67	118.30
1	B	366	ARG	NE-CZ-NH2	-5.88	117.36	120.30
1	B	374	ARG	NE-CZ-NH1	5.53	123.07	120.30
1	B	115	ARG	NE-CZ-NH1	5.46	123.03	120.30
1	A	246	ARG	NE-CZ-NH2	-5.45	117.58	120.30
1	B	331	LEU	CB-CG-CD2	-5.41	101.80	111.00
1	B	355	ARG	NE-CZ-NH2	-5.39	117.60	120.30
1	A	334	ARG	NE-CZ-NH2	-5.37	117.61	120.30
1	B	1	MET	CG-SD-CE	5.27	108.63	100.20
1	B	212	LEU	CB-CG-CD1	-5.19	102.17	111.00
1	A	96	ASP	CB-CG-OD2	5.17	122.95	118.30
1	B	246	ARG	NE-CZ-NH2	-5.16	117.72	120.30
1	B	80	LEU	CB-CG-CD1	-5.16	102.23	111.00
1	B	339	ARG	NE-CZ-NH2	-5.10	117.75	120.30
1	B	242	ASP	CB-CG-OD2	5.05	122.85	118.30
1	B	77	ARG	NE-CZ-NH1	5.05	122.83	120.30
1	A	340	ASP	CB-CG-OD2	5.04	122.84	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	10	TRP	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3052	0	3082	60	0
1	B	3074	0	3119	34	1
2	A	10	0	5	1	0
2	B	10	0	4	0	0
3	A	43	0	30	1	0
3	B	43	0	30	1	0
4	A	28	0	42	3	0
4	B	44	0	66	9	0
5	A	206	0	0	3	1
5	B	322	0	0	6	1
All	All	6832	0	6378	95	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:218:LEU:HD21	5:A:734:HOH:O	1.73	0.87
1:A:245:LYS:NZ	1:A:249:GLU:OE2	2.13	0.81
1:A:74:LEU:HB2	1:A:164:ILE:CD1	2.17	0.74
1:A:280:LEU:H	1:A:280:LEU:HD23	1.52	0.74
1:B:74:LEU:HD12	1:B:161:LEU:HG	1.70	0.73
1:A:292:LEU:HD12	1:A:292:LEU:N	2.05	0.72
1:A:300:GLN:HE21	1:A:327:PHE:H	1.37	0.72
1:A:138:ARG:HH11	1:A:138:ARG:HB3	1.55	0.71
1:B:195:GLU:OE2	1:B:208:ARG:NH2	2.24	0.70
1:A:249:GLU:OE1	5:A:764:HOH:O	2.11	0.67
1:A:163:ARG:HD3	1:A:180:GLU:OE2	1.95	0.66
1:A:280:LEU:H	1:A:280:LEU:CD2	2.08	0.66
4:B:709:EDO:H21	5:B:980:HOH:O	1.97	0.64
1:A:113:GLU:OE2	1:A:138:ARG:NH1	2.30	0.64
1:B:280:LEU:H	1:B:280:LEU:HD23	1.63	0.62
1:A:10:TRP:HZ2	1:A:39:PRO:HG2	1.63	0.62
1:B:351:ARG:NH2	1:B:355:ARG:HH21	1.96	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:113:GLU:OE2	1:A:138:ARG:CZ	2.48	0.61
1:A:74:LEU:HB2	1:A:164:ILE:HD12	1.81	0.60
1:A:275:LEU:HD13	1:A:292:LEU:HD11	1.84	0.60
1:A:198:ILE:HD13	1:A:212:LEU:HD13	1.84	0.59
1:A:292:LEU:N	1:A:292:LEU:CD1	2.66	0.58
1:A:138:ARG:HH11	1:A:138:ARG:CB	2.15	0.58
1:A:358:ARG:HH11	1:A:358:ARG:HG2	1.68	0.58
1:B:9:ALA:O	1:B:14:LYS:HB2	2.05	0.57
1:A:10:TRP:CZ2	1:A:39:PRO:HG2	2.39	0.57
1:A:382:ARG:NE	5:A:898:HOH:O	2.37	0.57
1:A:67:GLN:HE21	4:A:715:EDO:H21	1.69	0.57
1:A:49:PRO:HD3	1:A:303:HIS:CD2	2.39	0.57
1:A:239:HIS:HE1	1:A:362:LEU:O	1.88	0.57
1:A:163:ARG:HA	1:A:163:ARG:HE	1.69	0.56
1:A:275:LEU:HD13	1:A:292:LEU:CD1	2.35	0.56
1:A:358:ARG:HG2	1:A:358:ARG:NH1	2.20	0.56
1:A:40:ARG:O	1:A:41:PHE:CD1	2.58	0.56
1:A:300:GLN:NE2	1:A:327:PHE:H	2.01	0.56
1:A:10:TRP:HB2	1:A:11:PRO:HD3	1.87	0.56
1:A:13:LEU:C	1:A:13:LEU:HD13	2.26	0.55
1:A:356:ARG:NH1	1:A:357:PHE:CZ	2.75	0.55
1:B:351:ARG:HG3	5:B:879:HOH:O	2.07	0.55
1:B:46:ILE:HD13	1:B:281:LEU:HD21	1.89	0.54
1:A:275:LEU:HD11	1:A:279:LEU:HD12	1.89	0.54
1:B:355:ARG:NH1	5:B:903:HOH:O	2.39	0.54
1:A:153:LEU:HD12	1:A:190:LEU:HD12	1.89	0.54
1:B:10:TRP:CD1	1:B:10:TRP:N	2.78	0.51
1:B:239:HIS:HE1	1:B:362:LEU:O	1.94	0.51
1:B:164:ILE:O	1:B:168:THR:HG23	2.10	0.51
1:A:275:LEU:HD22	1:A:290:THR:HB	1.93	0.51
1:A:1:MET:HE2	1:A:34:LEU:C	2.31	0.50
1:B:172:LEU:N	1:B:172:LEU:HD12	2.28	0.49
1:B:142:ARG:HG2	5:B:982:HOH:O	2.12	0.48
1:B:351:ARG:HH21	1:B:355:ARG:HH21	1.60	0.48
1:A:138:ARG:HH11	1:A:138:ARG:CG	2.25	0.48
1:B:207:PRO:HA	4:B:703:EDO:H11	1.94	0.48
1:B:245:LYS:HZ3	1:B:249:GLU:CD	2.17	0.48
1:A:222:GLY:HA3	3:A:602:HEM:HBC2	1.96	0.48
1:B:5:SER:C	1:B:7:ARG:H	2.18	0.47
1:B:45:LEU:HD23	1:B:293:VAL:HB	1.97	0.47
1:A:1:MET:HB2	1:A:33:ARG:CB	2.45	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:29:ARG:HH11	1:A:29:ARG:HG2	1.79	0.47
1:B:270:ILE:HD13	1:B:294:LEU:O	2.15	0.46
1:B:4:LEU:HD12	1:B:36:LEU:HG	1.97	0.46
1:B:220:VAL:HA	4:B:710:EDO:H12	1.97	0.46
1:B:158:LEU:CD2	4:B:710:EDO:H22	2.46	0.46
1:B:158:LEU:HG	4:B:710:EDO:H22	1.98	0.46
1:A:163:ARG:NH1	1:A:180:GLU:OE2	2.35	0.46
1:B:117:PHE:CD1	4:B:707:EDO:H21	2.51	0.46
1:B:252:GLU:CD	5:B:970:HOH:O	2.55	0.45
1:B:277:ARG:HB2	1:B:278:PRO:CD	2.46	0.45
1:A:239:HIS:CE1	1:A:362:LEU:O	2.70	0.45
1:A:28:GLY:HA2	1:A:31:HIS:O	2.17	0.44
1:A:138:ARG:HA	1:A:148:PRO:HB3	1.98	0.44
1:A:137:LEU:HD22	1:A:149:LEU:HB2	1.98	0.44
1:A:333:GLN:HE22	4:A:714:EDO:H21	1.82	0.44
1:A:36:LEU:HB3	1:A:38:LEU:CD2	2.47	0.44
1:A:29:ARG:HG2	1:A:29:ARG:NH1	2.32	0.43
1:A:356:ARG:HG2	1:A:356:ARG:HH11	1.83	0.43
1:A:174:LEU:O	1:A:174:LEU:HG	2.19	0.43
1:B:126:ARG:HH22	4:B:708:EDO:H21	1.84	0.43
1:B:117:PHE:CG	4:B:707:EDO:H21	2.54	0.43
1:B:247:VAL:O	1:B:351:ARG:HD2	2.18	0.43
1:A:55:ALA:HB1	1:A:292:LEU:HD23	2.01	0.43
1:A:179:ALA:HA	1:A:182:ARG:HH11	1.85	0.42
1:A:4:LEU:HD13	1:A:12:TYR:HD1	1.83	0.42
1:A:101:LYS:HG3	4:A:717:EDO:H11	2.01	0.42
1:B:245:LYS:NZ	1:B:249:GLU:OE1	2.53	0.42
1:B:142:ARG:HD3	5:B:934:HOH:O	2.20	0.42
1:A:16:LEU:HD21	1:A:27:TRP:CZ3	2.55	0.41
1:A:153:LEU:HA	1:A:193:GLU:OE2	2.19	0.41
1:B:336:CYS:HA	3:B:603:HEM:CHA	2.50	0.41
1:B:117:PHE:CE1	4:B:707:EDO:H12	2.56	0.41
1:A:9:ALA:HB1	1:A:38:LEU:HD22	2.02	0.41
1:A:339:ARG:HH22	2:A:601:SRT:C4	2.34	0.41
1:A:138:ARG:NH1	1:A:138:ARG:CG	2.83	0.41
1:A:277:ARG:HA	1:A:288:PRO:HB3	2.02	0.41
1:B:274:ARG:HG2	1:B:274:ARG:HH11	1.87	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:748:HOH:O	5:B:1016:HOH:O[2_645]	1.70	0.50
1:B:252:GLU:OE1	5:A:867:HOH:O[2_656]	2.10	0.10

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	383/389 (98%)	375 (98%)	7 (2%)	1 (0%)	41	27
1	B	383/389 (98%)	368 (96%)	11 (3%)	4 (1%)	15	5
All	All	766/778 (98%)	743 (97%)	18 (2%)	5 (1%)	22	10

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	14	LYS
1	A	208	ARG
1	B	6	LEU
1	B	12	TYR
1	B	282	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	305/319 (96%)	293 (96%)	12 (4%)	32	17
1	B	310/319 (97%)	299 (96%)	11 (4%)	36	21

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	615/638 (96%)	592 (96%)	23 (4%)	34 19

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	LEU
1	A	74	LEU
1	A	137	LEU
1	A	138	ARG
1	A	147	LYS
1	A	149	LEU
1	A	163	ARG
1	A	212	LEU
1	A	235	LEU
1	A	277	ARG
1	A	279	LEU
1	A	325	ARG
1	B	6	LEU
1	B	15	ASP
1	B	74	LEU
1	B	153	LEU
1	B	165	MET
1	B	172	LEU
1	B	218	LEU
1	B	280	LEU
1	B	283	GLU
1	B	318	GLU
1	B	365	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	239	HIS
1	A	300	GLN
1	A	333	GLN
1	A	370	GLN
1	B	67	GLN
1	B	239	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

22 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	B	710	-	3,3,3	0.45	0	2,2,2	0.26	0
4	EDO	A	715	-	3,3,3	0.54	0	2,2,2	0.26	0
4	EDO	B	702	-	3,3,3	0.88	0	2,2,2	0.36	0
3	HEM	A	602	1	41,50,50	1.99	11 (26%)	45,82,82	2.37	14 (31%)
4	EDO	B	709	-	3,3,3	0.52	0	2,2,2	0.37	0
4	EDO	B	701	-	3,3,3	0.81	0	2,2,2	0.24	0
4	EDO	B	703	-	3,3,3	0.30	0	2,2,2	0.52	0
4	EDO	A	713	-	3,3,3	0.43	0	2,2,2	0.37	0
4	EDO	A	717	-	3,3,3	0.50	0	2,2,2	0.25	0
2	SRT	A	601	-	9,9,9	1.20	1 (11%)	12,12,12	2.35	4 (33%)
4	EDO	B	712	-	3,3,3	0.63	0	2,2,2	0.24	0
4	EDO	A	714	-	3,3,3	0.37	0	2,2,2	0.39	0
2	SRT	B	602	-	9,9,9	1.21	1 (11%)	12,12,12	3.15	3 (25%)
4	EDO	A	705	-	3,3,3	0.57	0	2,2,2	0.41	0
4	EDO	A	718	-	3,3,3	0.48	0	2,2,2	0.52	0
4	EDO	B	708	-	3,3,3	0.57	0	2,2,2	0.38	0
4	EDO	B	711	-	3,3,3	0.62	0	2,2,2	0.90	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	A	719	-	3,3,3	0.40	0	2,2,2	0.69	0
4	EDO	B	706	-	3,3,3	0.44	0	2,2,2	0.36	0
4	EDO	B	704	-	3,3,3	0.67	0	2,2,2	0.09	0
3	HEM	B	603	1	41,50,50	2.00	12 (29%)	45,82,82	2.41	14 (31%)
4	EDO	B	707	-	3,3,3	0.76	0	2,2,2	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	B	710	-	-	1/1/1/1	-
4	EDO	A	715	-	-	1/1/1/1	-
4	EDO	B	702	-	-	0/1/1/1	-
3	HEM	A	602	1	-	2/12/54/54	-
4	EDO	B	709	-	-	0/1/1/1	-
4	EDO	B	701	-	-	1/1/1/1	-
4	EDO	B	703	-	-	0/1/1/1	-
4	EDO	A	713	-	-	0/1/1/1	-
4	EDO	A	717	-	-	0/1/1/1	-
2	SRT	A	601	-	2/2/4/4	10/12/12/12	-
4	EDO	B	712	-	-	1/1/1/1	-
4	EDO	A	714	-	-	1/1/1/1	-
2	SRT	B	602	-	2/2/4/4	8/12/12/12	-
4	EDO	A	705	-	-	1/1/1/1	-
4	EDO	A	718	-	-	0/1/1/1	-
4	EDO	B	708	-	-	1/1/1/1	-
4	EDO	B	711	-	-	0/1/1/1	-
4	EDO	A	719	-	-	1/1/1/1	-
4	EDO	B	706	-	-	0/1/1/1	-
4	EDO	B	704	-	-	1/1/1/1	-
3	HEM	B	603	1	-	2/12/54/54	-
4	EDO	B	707	-	-	1/1/1/1	-

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	602	HEM	C3C-C2C	-6.38	1.31	1.40
3	B	603	HEM	C3C-C2C	-5.17	1.33	1.40
3	B	603	HEM	C3D-C2D	4.74	1.46	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	603	HEM	C4D-ND	-4.05	1.33	1.40
3	A	602	HEM	C3D-C2D	4.03	1.45	1.36
3	B	603	HEM	CMD-C2D	3.64	1.58	1.50
3	A	602	HEM	CMC-C2C	3.62	1.60	1.51
3	A	602	HEM	CAA-C2A	3.06	1.56	1.52
3	B	603	HEM	CBD-CGD	3.04	1.57	1.50
3	A	602	HEM	C4A-NA	2.96	1.42	1.36
2	B	602	SRT	C3-C4	-2.86	1.48	1.52
3	A	602	HEM	C4D-ND	-2.70	1.35	1.40
2	A	601	SRT	O1-C1	2.65	1.39	1.30
3	B	603	HEM	C4A-NA	2.61	1.41	1.36
3	B	603	HEM	O2A-CGA	-2.50	1.22	1.30
3	A	602	HEM	C1A-NA	2.49	1.41	1.36
3	A	602	HEM	C1B-NB	-2.39	1.36	1.40
3	B	603	HEM	FE-ND	2.36	2.08	1.96
3	A	602	HEM	FE-ND	2.25	2.08	1.96
3	A	602	HEM	CHD-C1D	-2.24	1.34	1.41
3	B	603	HEM	C1A-NA	2.20	1.40	1.36
3	B	603	HEM	CBA-CGA	2.12	1.55	1.50
3	A	602	HEM	FE-NB	2.11	2.07	1.96
3	B	603	HEM	CHB-C1B	2.04	1.40	1.35
3	B	603	HEM	CMA-C3A	-2.02	1.47	1.51

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	602	SRT	O2-C2-C3	-9.61	91.14	110.23
3	A	602	HEM	C2C-C3C-C4C	8.02	112.50	106.90
3	B	603	HEM	C4D-ND-C1D	7.95	113.28	105.07
3	A	602	HEM	C4D-ND-C1D	7.12	112.42	105.07
3	B	603	HEM	C2C-C3C-C4C	6.14	111.18	106.90
2	A	601	SRT	O2-C2-C3	-5.55	99.20	110.23
3	A	602	HEM	C1B-NB-C4B	5.14	110.38	105.07
3	B	603	HEM	CHD-C1D-ND	4.33	129.14	124.43
3	B	603	HEM	CHC-C4B-NB	4.23	129.03	124.43
3	B	603	HEM	C1B-NB-C4B	3.95	109.15	105.07
3	A	602	HEM	CHD-C1D-ND	3.84	128.60	124.43
3	B	603	HEM	C2D-C1D-ND	-3.67	105.49	109.88
3	A	602	HEM	CAD-CBD-CGD	-3.62	105.81	113.60
2	B	602	SRT	C2-C3-C4	3.47	117.63	109.87
2	A	601	SRT	O3-C3-C4	3.45	117.89	110.66
3	B	603	HEM	CBA-CAA-C2A	3.25	118.16	112.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	602	HEM	C3D-C4D-ND	-3.13	106.68	110.17
3	B	603	HEM	C4B-C3B-C2B	2.86	109.38	107.11
3	B	603	HEM	CMA-C3A-C4A	-2.81	124.15	128.46
3	B	603	HEM	CHA-C4D-ND	2.71	127.73	124.38
2	A	601	SRT	O1-C1-C2	2.69	120.55	113.27
3	B	603	HEM	CAD-CBD-CGD	-2.69	107.81	113.60
3	B	603	HEM	CMC-C2C-C3C	2.66	129.65	124.68
3	A	602	HEM	CMC-C2C-C3C	2.64	129.62	124.68
3	B	603	HEM	CBD-CAD-C3D	-2.58	105.46	112.63
3	A	602	HEM	CHC-C4B-NB	2.56	127.21	124.43
3	A	602	HEM	CHA-C4D-ND	2.49	127.46	124.38
3	A	602	HEM	C2D-C1D-ND	-2.32	107.10	109.88
2	B	602	SRT	O3-C3-C2	2.31	114.81	110.23
3	A	602	HEM	CBD-CAD-C3D	-2.28	106.29	112.63
3	A	602	HEM	C4B-C3B-C2B	2.24	108.89	107.11
3	B	603	HEM	O1D-CGD-CBD	-2.24	115.90	123.08
2	A	601	SRT	O11-C1-C2	-2.22	115.80	121.63
3	A	602	HEM	C4A-C3A-C2A	2.19	108.52	107.00
3	A	602	HEM	O1D-CGD-CBD	-2.12	116.26	123.08

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	601	SRT	C3
2	A	601	SRT	C2
2	B	602	SRT	C3
2	B	602	SRT	C2

All (32) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	SRT	O2-C2-C3-O3
2	A	601	SRT	O3-C3-C4-O41
2	B	602	SRT	O2-C2-C3-O3
2	A	601	SRT	O2-C2-C3-C4
2	B	602	SRT	O2-C2-C3-C4
2	B	602	SRT	C1-C2-C3-O3
2	A	601	SRT	O3-C3-C4-O4
2	A	601	SRT	C2-C3-C4-O4
2	A	601	SRT	C2-C3-C4-O41
2	B	602	SRT	C2-C3-C4-O4
2	B	602	SRT	C2-C3-C4-O41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	601	SRT	C1-C2-C3-O3
2	B	602	SRT	O3-C3-C4-O41
2	B	602	SRT	O3-C3-C4-O4
4	A	714	EDO	O1-C1-C2-O2
4	A	715	EDO	O1-C1-C2-O2
4	A	719	EDO	O1-C1-C2-O2
4	B	704	EDO	O1-C1-C2-O2
4	B	707	EDO	O1-C1-C2-O2
4	B	710	EDO	O1-C1-C2-O2
2	B	602	SRT	C1-C2-C3-C4
2	A	601	SRT	C1-C2-C3-C4
4	A	705	EDO	O1-C1-C2-O2
4	B	712	EDO	O1-C1-C2-O2
3	A	602	HEM	CAD-CBD-CGD-O1D
3	B	603	HEM	CAD-CBD-CGD-O1D
3	B	603	HEM	CAD-CBD-CGD-O2D
2	A	601	SRT	O11-C1-C2-O2
3	A	602	HEM	CAD-CBD-CGD-O2D
4	B	708	EDO	O1-C1-C2-O2
2	A	601	SRT	O1-C1-C2-O2
4	B	701	EDO	O1-C1-C2-O2


There are no ring outliers.


11 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	710	EDO	3	0
4	A	715	EDO	1	0
3	A	602	HEM	1	0
4	B	709	EDO	1	0
4	B	703	EDO	1	0
4	A	717	EDO	1	0
2	A	601	SRT	1	0
4	A	714	EDO	1	0
4	B	708	EDO	1	0
3	B	603	HEM	1	0
4	B	707	EDO	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	10:TRP	C	11:PRO	N	1.09

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	385/389 (98%)	0.29	23 (5%) 21 17	20, 39, 60, 73	25 (6%)
1	B	382/389 (98%)	0.02	17 (4%) 33 27	14, 27, 55, 82	54 (14%)
All	All	767/778 (98%)	0.16	40 (5%) 27 22	14, 33, 58, 82	79 (10%)

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	6	LEU	8.8
1	A	40	ARG	7.7
1	A	6	LEU	4.4
1	B	8	GLU	4.3
1	A	41	PHE	4.0
1	A	10	TRP	3.9
1	A	38	LEU	3.8
1	B	15	ASP	3.4
1	A	287	PRO	3.4
1	A	30	ALA	3.3
1	A	174	LEU	3.3
1	B	10	TRP	3.2
1	A	283	GLU	3.1
1	B	37	PRO	3.1
1	B	172	LEU	3.0
1	A	382	ARG	2.9
1	A	288	PRO	2.8
1	A	294	LEU	2.7
1	B	280	LEU	2.6
1	B	278	PRO	2.6
1	A	286	LEU	2.6
1	B	292	LEU	2.5
1	A	58	ALA	2.4
1	A	289	GLY	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	205	HIS	2.3
1	B	170	SER	2.3
1	B	178	ALA	2.3
1	B	216	VAL	2.3
1	B	7	ARG	2.3
1	A	264	LEU	2.2
1	B	41	PHE	2.2
1	B	294	LEU	2.2
1	B	39	PRO	2.2
1	A	280	LEU	2.2
1	B	169	ARG	2.1
1	A	46	ILE	2.1
1	A	12	TYR	2.1
1	A	5	SER	2.0
1	A	292	LEU	2.0
1	A	285	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	EDO	B	708	4/4	0.63	0.46	60,63,68,68	0
4	EDO	B	704	4/4	0.68	0.22	58,64,67,70	0
4	EDO	A	714	4/4	0.70	0.25	69,70,70,71	0
4	EDO	A	715	4/4	0.72	0.20	67,70,70,72	0
4	EDO	B	709	4/4	0.72	0.43	55,64,69,71	0
4	EDO	A	717	4/4	0.76	0.36	62,68,68,69	0
4	EDO	A	719	4/4	0.79	0.31	58,66,66,71	0

Continued on next page...




Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	EDO	A	713	4/4	0.79	0.16	69,69,69,69	0
2	SRT	A	601	10/10	0.85	0.22	41,49,55,56	0
4	EDO	A	705	4/4	0.86	0.16	50,51,54,59	0
4	EDO	B	712	4/4	0.86	0.27	60,62,62,63	0
4	EDO	B	706	4/4	0.89	0.20	39,48,49,55	0
4	EDO	B	707	4/4	0.91	0.33	40,44,50,50	0
4	EDO	B	703	4/4	0.91	0.13	45,47,50,53	0
4	EDO	B	711	4/4	0.92	0.14	33,40,43,45	0
4	EDO	B	702	4/4	0.92	0.12	33,38,39,42	0
2	SRT	B	602	10/10	0.93	0.17	32,36,41,41	0
4	EDO	B	701	4/4	0.94	0.09	33,37,39,41	0
4	EDO	A	718	4/4	0.95	0.11	45,48,50,54	0
4	EDO	B	710	4/4	0.96	0.12	38,45,46,53	0
3	HEM	A	602	43/43	0.98	0.06	18,24,32,37	0
3	HEM	B	603	43/43	0.99	0.06	11,15,24,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around HEM A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.