

# Full wwPDB X-ray Structure Validation Report (i)

#### Jun 11, 2024 – 10:09 PM EDT

PDB ID : 1ND2

Title: The structure of Rhinovirus 16

Authors: Zhang, Y.; Simpson, A.A.; Bator, C.M.; Chakravarty, S.; Pevear, D.C.;

Skochko, G.A.; Tull, T.M.; Diana, G.; Rossmann, M.G.

Deposited on : 2002-12-06

Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul : 2022.3.0, CSD as543be (2022)

Xtriage (Phenix) : NOT EXECUTED EDS : NOT EXECUTED

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.36.2

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$ 

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution		
Metric	$(\# \mathrm{Entries})$	$(\#  ext{Entries},  ext{ resolution range}( ext{Å}))$		
Clashscore	141614	5346 (2.50-2.50)		
Ramachandran outliers	138981	5231 (2.50-2.50)		
Sidechain outliers	138945	5233 (2.50-2.50)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Note EDS was not executed.

Mol	Chain	Length	Quality of chain	
1	A	285	86%	14%
2	В	261	82%	12% • •
3	С	238	88%	12%
4	D	68	28% 13% • 57%	



# 2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 6858 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called coat protein VP1.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	A	285	Total 2287	C 1442	N 397	O 437	S 11	0	0	0

• Molecule 2 is a protein called coat protein VP2.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
2	В	252	Total 1977	C 1252	N 343	O 372	S 10	0	0	0

• Molecule 3 is a protein called coat protein VP3.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
3	С	238	Total 1845	C 1186	N 298	O 346	S 15	0	0	0

• Molecule 4 is a protein called coat protein VP4.


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
4	D	29	Total 224	C 138	N 41	O 45	0	0	0

• Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Zn 1 1	0	0

• Molecule 6 is MYRISTIC ACID (three-letter code: MYR) (formula: C<sub>14</sub>H<sub>28</sub>O<sub>2</sub>).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 16 14 2	0	0
6	D	1	Total C O 15 14 1	0	0

### • Molecule 7 is water.

Mol	Chain	Residues	Atoms	$\mathbf{ZeroOcc}$	AltConf
7	A	169	Total O 169 169	0	0
7	В	174	Total O 174 174	0	0
7	С	142	Total O 142 142	0	0
7	D	8	Total O 8 8	0	0




# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: coat protein VP1





# 4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source	
Space group	P 2 21 21	Depositor	
Cell constants	360.37Å 343.63Å 332.65Å	Depositor	
a, b, c, $\alpha$ , $\beta$ , $\gamma$	90.00° 90.00° 90.00°	Depositor	
Resolution (Å)	20.00 - 2.50	Depositor	
% Data completeness	(Not available) (20.00-2.50)	Depositor	
(in resolution range)	(110t available) (20.00-2.50)	Depositor	
$R_{merge}$	(Not available)	Depositor	
$R_{sym}$	(Not available)	Depositor	
Refinement program	unknown	Depositor	
$R, R_{free}$	0.202 , 0.206	Depositor	
Estimated twinning fraction	No twinning to report.	Xtriage	
Total number of atoms	6858	wwPDB-VP	
Average B, all atoms (Å <sup>2</sup> )	16.0	wwPDB-VP	



# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MYR, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
IVIOI	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	A	0.32	0/2349	0.59	0/3204	
2	В	0.33	0/2029	0.64	0/2770	
3	С	0.36	0/1897	0.64	0/2596	
4	D	0.35	0/226	0.55	0/301	
All	All	0.34	0/6501	0.62	0/8871	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2287	0	2201	29	0
2	В	1977	0	1920	28	0
3	С	1845	0	1826	17	0
4	D	224	0	211	9	0
5	A	1	0	0	0	0
6	A	16	0	27	4	0
6	D	15	0	27	2	0
7	A	169	0	0	1	0
7	В	174	0	0	4	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	С	142	0	0	2	0
7	D	8	0	0	0	0
All	All	6858	0	6212	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

A4 a 1	A4 2	Interatomic	Clash
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	overlap (Å)
2:B:173:ASN:HD21	2:B:179:LEU:HA	1.42	0.84
1:A:122:ILE:HG12	6:A:6001:MYR:H112	1.59	0.84
1:A:124:MET:HB2	1:A:177:PRO:HG2	1.67	0.77
2:B:255:ARG:HG3	2:B:255:ARG:HH11	1.51	0.73
3:C:176:ARG:HG2	3:C:184:SER:HB2	1.71	0.72
1:A:122:ILE:CG1	6:A:6001:MYR:H112	2.20	0.71
2:B:260:VAL:O	2:B:261:GLN:HB2	1.91	0.71
1:A:24:HIS:HB3	1:A:25:PRO:HD2	1.82	0.61
4:D:1:GLY:O	4:D:29:ILE:HA	2.01	0.60
3:C:185:SER:HB2	7:C:5170:HOH:O	2.02	0.59
2:B:173:ASN:ND2	2:B:179:LEU:HA	2.18	0.57
1:A:38:GLU:HA	2:B:189:PHE:HB2	1.85	0.57
1:A:13:GLU:HA	1:A:61:THR:HG21	1.86	0.56
1:A:263:ASN:HA	2:B:133:ALA:HB1	1.87	0.55
3:C:2:LEU:HD12	3:C:3:PRO:HD2	1.88	0.55
1:A:170:TRP:CD1	1:A:177:PRO:HD3	2.42	0.54
4:D:4:VAL:HG22	4:D:27:PHE:CD1	2.43	0.54
2:B:255:ARG:HG3	2:B:255:ARG:NH1	2.22	0.54
2:B:211:ASP:OD2	2:B:216:HIS:HD2	1.91	0.53
2:B:12:ARG:HG3	2:B:12:ARG:HH11	1.74	0.53
1:A:112:MET:CE	1:A:251:PRO:HG3	2.40	0.52
1:A:60:GLN:CD	1:A:60:GLN:H	2.13	0.51
3:C:90:ALA:HB3	3:C:178:THR:O	2.10	0.51
2:B:193:ARG:HD3	7:B:5510:HOH:O	2.10	0.51
1:A:106:ILE:HG13	1:A:107:ARG:N	2.25	0.51
2:B:159:GLN:NE2	7:B:5313:HOH:O	2.42	0.50
4:D:43:LEU:O	4:D:44:ASP:HB3	2.12	0.50
1:A:250:PRO:HB2	2:B:177:THR:HB	1.93	0.50
1:A:46:GLN:HB3	1:A:47:PRO:HD2	1.94	0.50
1:A:145:VAL:HG13	1:A:149:ALA:HB3	1.94	0.49
2:B:215:ARG:NH1	7:B:5439:HOH:O	2.45	0.49



Continued from previous page...

Continued from prev		Interatomic	Clash	
Atom-1	Atom-2	${\rm distance}\ (\mathring{\rm A})$	overlap (Å)	
1:A:77:ILE:HG22	1:A:106:ILE:CD1	2.43	0.49	
2:B:129:GLU:OE1	2:B:216:HIS:HE1	1.95	0.48	
3:C:19:MET:HE3	3:C:19:MET:HA	1.95	0.48	
2:B:162:ASN:OD1	2:B:163:GLU:N	2.46	0.48	
2:B:162:ASN:HB3	2:B:165:GLN:HE21	1.77	0.48	
3:C:81:GLU:HB2	3:C:192:TRP:CZ3	2.49	0.48	
2:B:171:TRP:CD2	3:C:63:GLY:HA2	2.48	0.48	
4:D:43:LEU:O	4:D:44:ASP:CB	2.62	0.47	
4:D:26:TYR:CE2	4:D:28:ASN:HB2	2.49	0.47	
2:B:154:ARG:NE	2:B:159:GLN:HG3	2.30	0.47	
2:B:171:TRP:CE2	3:C:63:GLY:HA2	2.49	0.47	
3:C:26:PRO:O	3:C:27:TRP:HB2	2.14	0.47	
1:A:112:MET:HE1	1:A:251:PRO:HG3	1.97	0.46	
1:A:170:TRP:CH2	1:A:172:HIS:HA	2.51	0.46	
2:B:232:ASN:HD22	2:B:232:ASN:N	2.13	0.46	
3:C:83:PHE:C	3:C:83:PHE:CD1	2.88	0.46	
7:A:5019:HOH:O	3:C:222:ARG:HG3	2.16	0.46	
4:D:1:GLY:HA2	6:D:4000:MYR:O2	2.16	0.45	
3:C:212:PHE:CD1	3:C:212:PHE:N	2.85	0.45	
2:B:30:ASN:ND2	2:B:31:ALA:H	2.14	0.45	
2:B:43:THR:OG1	2:B:45:GLN:HG2	2.17	0.44	
3:C:44:ILE:O	3:C:48:GLN:HG3	2.17	0.44	
1:A:248:PRO:HD3	3:C:40:VAL:CG2	2.47	0.44	
4:D:1:GLY:N	6:D:4000:MYR:O2	2.48	0.44	
1:A:54:ARG:HG3	1:A:56:VAL:HG23	2.00	0.43	
1:A:183:PHE:CZ	1:A:185:SER:HB3	2.54	0.43	
3:C:166:VAL:O	3:C:168:PRO:HD3	2.17	0.43	
4:D:5:SER:HB2	4:D:26:TYR:HB3	2.00	0.43	
1:A:44:LYS:HA	1:A:44:LYS:HD3	1.60	0.43	
4:D:4:VAL:HG22	4:D:27:PHE:CE1	2.54	0.43	
1:A:25:PRO:HD3	1:A:52:GLU:OE1	2.19	0.43	
1:A:250:PRO:HA	1:A:251:PRO:HD3	1.90	0.43	
3:C:132:ALA:O	3:C:189:ILE:HA	2.19	0.43	
3:C:158:GLY:HA2	7:C:5548:HOH:O	2.19	0.42	
1:A:147:PRO:HD3	1:A:215:GLY:CA	2.49	0.42	
1:A:197:TYR:CE2	1:A:206:TYR:HB2	2.54	0.42	
2:B:165:GLN:HE21	2:B:165:GLN:HB2	1.54	0.42	
2:B:48:THR:HG23	2:B:49:ALA:N	2.36	0.41	
2:B:13:ILE:HG22	2:B:14:ILE:N	2.35	0.41	
2:B:23:ILE:HG21	2:B:109:HIS:CD2	2.56	0.41	
1:A:134:HIS:ND1	1:A:228:HIS:CE1	2.89	0.41	



Continued from previous page...

Atom-1	Atom-2	Interatomic	Clash
7100111-1	1100111-2	distance (Å)	overlap (Å)
1:A:190:TYR:CG	6:A:6001:MYR:H41	2.55	0.41
2:B:52:LYS:HA	2:B:53:PRO:HD3	1.89	0.41
1:A:212:ASN:HD22	6:A:6001:MYR:C2	2.34	0.41
2:B:13:ILE:HD11	7:B:5464:HOH:O	2.21	0.40
1:A:77:ILE:HG22	1:A:106:ILE:HD11	2.02	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	283/285~(99%)	275 (97%)	8 (3%)	0	100	100
2	В	250/261~(96%)	232 (93%)	17 (7%)	1 (0%)	34	54
3	C	$236/238 \ (99\%)$	225 (95%)	10 (4%)	1 (0%)	34	54
4	D	25/68~(37%)	24 (96%)	1 (4%)	0	100	100
All	All	794/852 (93%)	756 (95%)	36 (4%)	2 (0%)	41	61

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	В	161	GLU
3	С	180	PRO

### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was



analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric Outliers		Percentiles		
1	A	$256/256 \ (100\%)$	251 (98%)	5 (2%)	55	79	
2	В	$221/228 \ (97\%)$	213 (96%)	8 (4%)	35	61	
3	С	210/210 (100%)	207 (99%)	3 (1%)	67	86	
4	D	23/59 (39%)	21 (91%)	2 (9%)	10	20	
All	All	710/753 (94%)	692 (98%)	18 (2%)	47	73	

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	63	ASP
1	A	97	ASN
1	A	172	HIS
1	A	219	SER
1	A	265	LYS
2	В	30	ASN
2	В	45	GLN
2	В	115	SER
2	В	116	LYS
2	В	165	GLN
2	В	193	ARG
2	В	232	ASN
2	В	236	ASN
3	С	124	ASN
3	С	148	MET
3	С	182	THR
4	D	3	GLN
4	D	28	ASN

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such side chains are listed below:

Mol	Chain	Res	Type
1	A	1	ASN
1	A	12	ASN
1	A	57	GLN
1	A	89	ASN
1	A	97	ASN
1	A	171	GLN
2	В	30	ASN
2	В	45	GLN



Continued from previous page...

Mol	Chain	Res	Type
2	В	55	GLN
2	В	159	GLN
2	В	165	GLN
2	В	173	ASN
2	В	216	HIS
2	В	230	GLN
2	В	232	ASN
2	В	236	ASN
3	С	59	GLN
3	С	174	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Trme	pe Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Clasia Das	Dag	Link	Bond lengths			Bond angles		
MIOI	Type		Res	Lilik	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2												
6	MYR	A	6001	-	15,15,15	1.36	1 (6%)	15,15,15	1.27	3 (20%)												
6	MYR	D	4000	-	14,14,15	1.18	1 (7%)	13,13,15	0.91	0												



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	MYR	A	6001	-	-	9/13/13/13	-
6	MYR	D	4000	-	-	7/12/12/13	-

#### All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$Ideal(\AA)$
6	A	6001	MYR	C2-C1	3.74	1.59	1.50
6	D	4000	MYR	O2-C1	-3.62	1.23	1.42

#### All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$Observed(^o)$	$\operatorname{Ideal}(^{o})$
6	A	6001	MYR	C13-C12-C11	-3.16	87.51	115.25
6	A	6001	MYR	O2-C1-O1	-2.33	117.33	123.33
6	A	6001	MYR	O2-C1-C2	2.32	121.34	114.00

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	6001	MYR	C1-C2-C3-C4
6	D	4000	MYR	C9-C10-C11-C12
6	A	6001	MYR	C10-C11-C12-C13
6	A	6001	MYR	C5-C6-C7-C8
6	D	4000	MYR	O2-C1-C2-C3
6	D	4000	MYR	C11-C10-C9-C8
6	A	6001	MYR	C6-C7-C8-C9
6	A	6001	MYR	C3-C4-C5-C6
6	D	4000	MYR	C11-C12-C13-C14
6	D	4000	MYR	C6-C7-C8-C9
6	A	6001	MYR	C11-C12-C13-C14
6	D	4000	MYR	C4-C5-C6-C7
6	D	4000	MYR	C1-C2-C3-C4
6	A	6001	MYR	C2-C3-C4-C5
6	A	6001	MYR	O1-C1-C2-C3
6	A	6001	MYR	O2-C1-C2-C3



There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	6001	MYR	4	0
6	D	4000	MYR	2	0

## 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS was not executed - this section is therefore empty.

## 6.3 Carbohydrates (i)

EDS was not executed - this section is therefore empty.

## 6.4 Ligands (i)

EDS was not executed - this section is therefore empty.

## 6.5 Other polymers (i)

EDS was not executed - this section is therefore empty.

