



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 20, 2023 – 11:00 AM EST

PDB ID : 6NDX  
Title : Lysinoalanine cross-linked FlgE dimer from *Treponema denticola*  
Authors : Lynch, M.J.; Crane, B.R.  
Deposited on : 2018-12-14  
Resolution : 3.04 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2752 (3.08-3.00)
Clashscore	141614	3096 (3.08-3.00)
Ramachandran outliers	138981	2986 (3.08-3.00)
Sidechain outliers	138945	2988 (3.08-3.00)
RSRZ outliers	127900	2636 (3.08-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	333	 29% 25% 5% 5% 40%
1	B	333	 42% 21% 5% 5% 35%
2	C	177	 2% 59% 32% 5% 5% 5%
2	D	177	 2% 62% 30% 5% 5% 5%

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 5774 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Flagellar hook protein FlgE.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
1	B	218	1657	1027	288	342	0	0	0
1	A	201	1528	948	267	313	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	11	ALA	CYS	engineered mutation	UNP Q9RQB6
A	11	ALA	CYS	engineered mutation	UNP Q9RQB6

- Molecule 2 is a protein called Flagellar hook protein FlgE.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	C	171	1290	796	227	267	0	0	0
2	D	172	1294	798	227	269	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	11	DAL	CYS	conflict	UNP Q9RQB6
D	11	DAL	CYS	conflict	UNP Q9RQB6

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total 2	O 2	0	0
3	A	1	Total 1	O 1	0	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	2	Total O 2 2	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Flagellar hook protein FlgE




- Molecule 1: Flagellar hook protein FlgE



- Molecule 2: Flagellar hook protein FlgE



- Molecule 2: Flagellar hook protein FlgE



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	41.56Å 136.35Å 112.18Å 90.00° 96.53° 90.00°	Depositor
Resolution (Å)	43.10 – 3.04 43.15 – 2.83	Depositor EDS
% Data completeness (in resolution range)	89.7 (43.10-3.04) 89.5 (43.15-2.83)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.31 (at 2.81Å)	Xtrriage
Refinement program	PHENIX 1.14_3260	Depositor
R, $R_{free}$	0.248 , 0.316 0.237 , 0.305	Depositor DCC
$R_{free}$ test set	1986 reflections (6.95%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	65.6	Xtrriage
Anisotropy	0.155	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.25 , 35.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	5774	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	73.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.17% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: DAL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.76	4/1555 (0.3%)	1.14	13/2121 (0.6%)
1	B	0.54	0/1686	0.75	3/2299 (0.1%)
2	C	0.51	0/1306	0.76	0/1780
2	D	0.59	0/1312	0.85	4/1791 (0.2%)
All	All	0.61	4/5859 (0.1%)	0.89	20/7991 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	26	ARG	CB-CG	12.84	1.87	1.52
1	A	26	ARG	CG-CD	10.44	1.78	1.51
1	A	114	VAL	CB-CG2	-8.80	1.34	1.52
1	A	26	ARG	NE-CZ	8.10	1.43	1.33

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	26	ARG	NE-CZ-NH1	24.48	132.54	120.30
1	A	97	ARG	NE-CZ-NH2	10.87	125.73	120.30
1	A	26	ARG	NH1-CZ-NH2	-10.72	107.60	119.40

*Continued on next page...*



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	26	ARG	CD-NE-CZ	10.27	137.98	123.60
1	A	97	ARG	CA-CB-CG	9.58	134.48	113.40
1	A	26	ARG	CA-CB-CG	8.85	132.87	113.40
1	A	26	ARG	CB-CG-CD	7.45	130.98	111.60
1	B	186	ILE	C-N-CA	7.24	139.80	121.70
1	A	97	ARG	CB-CG-CD	7.13	130.14	111.60
1	B	187	ASP	CB-CG-OD1	-7.13	111.88	118.30
1	B	187	ASP	CB-CG-OD2	6.91	124.52	118.30
1	A	97	ARG	NE-CZ-NH1	-6.69	116.95	120.30
2	D	49	GLU	CG-CD-OE1	6.63	131.57	118.30
1	A	26	ARG	CG-CD-NE	6.63	125.72	111.80
2	D	49	GLU	CG-CD-OE2	-5.92	106.45	118.30
1	A	97	ARG	CB-CA-C	-5.63	99.13	110.40
1	A	59	GLY	N-CA-C	5.58	127.05	113.10
2	D	113	ASN	N-CA-CB	5.24	120.04	110.60
2	D	111	ALA	CB-CA-C	5.13	117.80	110.10
1	A	178	LEU	CA-CB-CG	5.09	127.00	115.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	99	ASP	Peptide
1	B	186	ILE	Peptide

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1528	0	1459	109	1
1	B	1657	0	1589	56	0
2	C	1290	0	1232	61	0
2	D	1294	0	1228	39	1
3	A	1	0	0	0	0
3	B	2	0	0	0	0
3	D	2	0	0	0	0
All	All	5774	0	5508	256	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (256) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:26:ARG:CD	1:A:26:ARG:CG	1.78	1.58
1:A:26:ARG:CG	1:A:26:ARG:CB	1.87	1.50
1:A:14:ASP:CG	1:A:15:LYS:HE3	1.64	1.17
1:A:107:VAL:HG12	1:A:114:VAL:HG12	1.12	1.07
1:A:107:VAL:HG12	1:A:114:VAL:CG1	1.89	1.02
1:B:160:THR:HG23	1:B:169:LYS:NZ	1.74	1.00
2:C:39:LYS:O	2:C:173:GLN:NE2	2.01	0.92
2:C:150:GLY:HA3	2:C:158:THR:HG23	1.53	0.91
2:C:104:LEU:HD21	2:C:121:VAL:HG21	1.53	0.89
1:A:107:VAL:CG1	1:A:114:VAL:HG12	1.99	0.88
1:A:62:ASN:ND2	1:A:98:PHE:O	2.06	0.87
2:C:12:ASN:H	2:C:167:THR:HG23	1.37	0.86
2:C:14:ASP:HB3	2:C:17:LEU:HD13	1.59	0.84
1:B:120:GLN:HG2	1:B:151:GLU:HB3	1.58	0.84
2:C:78:THR:OG1	2:C:128:ASN:N	2.10	0.83
2:D:91:GLN:HG3	2:D:110:THR:HG21	1.60	0.82
2:C:82:VAL:HG12	2:C:125:ILE:HD13	1.62	0.82
1:B:160:THR:HG23	1:B:169:LYS:HZ2	1.45	0.81
2:C:126:SER:O	2:C:144:THR:OG1	1.96	0.81
1:A:57:VAL:O	1:A:59:GLY:N	2.14	0.80
1:A:14:ASP:OD1	1:A:15:LYS:HE3	1.82	0.78
1:A:97:ARG:HB2	1:A:106:SER:HB2	1.66	0.77
2:C:125:ILE:O	2:C:144:THR:HG23	1.87	0.74
2:C:126:SER:OG	2:C:127:TYR:N	2.17	0.74
1:A:177:THR:HG22	1:A:178:LEU:H	1.52	0.74
1:B:128:ASN:OD1	1:B:142:ARG:NH2	2.21	0.73
1:A:104:LEU:HG	1:A:105:ALA:H	1.54	0.73
2:C:70:VAL:HG11	2:C:127:TYR:HB3	1.71	0.72
1:B:187:ASP:OD1	1:B:191:ILE:HB	1.89	0.72
1:A:95:ILE:HG13	1:A:108:THR:HG22	1.70	0.72
1:B:108:THR:HG23	1:B:114:VAL:HG22	1.72	0.71
1:A:5:THR:OG1	1:A:174:ASP:OD2	2.09	0.71
1:A:168:THR:HG22	1:A:170:ALA:H	1.55	0.71
1:A:97:ARG:HG2	1:A:97:ARG:HH11	1.54	0.70
2:C:80:THR:HA	2:C:126:SER:OG	1.91	0.70
2:C:81:ARG:H	2:C:126:SER:HB3	1.54	0.70
1:A:-5:ILE:HD12	2:C:156:LYS:NZ	2.06	0.70

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:120:GLN:HA	1:B:151:GLU:HA	1.73	0.70
1:A:95:ILE:HG13	1:A:108:THR:CG2	2.21	0.70
1:A:178:LEU:HD13	2:C:162:PHE:CD2	2.26	0.69
1:A:11:ALA:HB2	1:A:168:THR:OG1	1.92	0.69
1:A:14:ASP:CG	1:A:15:LYS:CE	2.55	0.69
1:A:97:ARG:CB	1:A:106:SER:HB2	2.23	0.68
2:D:130:VAL:HG12	2:D:131:GLY:H	1.58	0.68
2:D:35:SER:OG	2:D:53:ASP:OD2	2.11	0.68
1:A:16:ARG:HH11	1:A:103:HIS:H	1.42	0.68
1:B:104:LEU:HD21	1:B:121:VAL:HG11	1.75	0.67
1:B:133:ASN:OD1	2:D:62:ASN:ND2	2.27	0.67
1:A:15:LYS:O	1:A:16:ARG:HG2	1.96	0.66
2:D:75:ALA:O	2:D:77:ALA:N	2.29	0.66
2:C:26:ARG:HG3	2:C:28:GLN:HB2	1.78	0.66
1:A:-2:LYS:HG2	1:A:178:LEU:HD11	1.79	0.65
1:A:189:SER:O	1:A:191:ILE:N	2.30	0.65
1:A:190:GLY:HA3	1:A:207:ILE:HB	1.79	0.65
2:D:64:TRP:HE1	2:D:161:GLN:HE21	1.44	0.65
1:B:14:ASP:HB2	1:B:166:SER:HB2	1.79	0.65
1:B:12:ASN:ND2	1:B:165:LYS:O	2.29	0.64
2:C:81:ARG:H	2:C:126:SER:CB	2.11	0.63
1:B:39:LYS:O	1:B:171:TYR:OH	2.15	0.63
1:A:10:ALA:HB3	1:A:168:THR:CG2	2.29	0.63
1:A:16:ARG:HG2	1:A:103:HIS:CE1	2.34	0.62
1:A:55:ALA:O	1:A:65:ARG:N	2.20	0.62
2:D:40:VAL:HG11	2:D:145:PHE:HZ	1.63	0.62
2:D:4:THR:O	2:D:6:SER:N	2.31	0.62
2:C:127:TYR:HH	2:C:143:HIS:CD2	2.18	0.61
1:B:160:THR:HG23	1:B:169:LYS:HZ1	1.66	0.61
1:A:10:ALA:HB3	1:A:168:THR:HG21	1.82	0.61
1:A:115:THR:O	1:A:116:SER:OG	2.14	0.61
2:D:64:TRP:HE1	2:D:161:GLN:NE2	1.99	0.61
1:A:14:ASP:O	1:A:15:LYS:HD2	2.00	0.60
1:B:-5:ILE:HA	1:B:181:LEU:HD12	1.83	0.60
1:B:163:SER:OG	1:B:164:ASP:N	2.33	0.60
1:A:95:ILE:O	1:A:108:THR:HB	2.02	0.60
1:B:154:THR:OG1	1:B:155:SER:N	2.34	0.60
1:A:29:ILE:O	1:A:33:THR:HG22	2.01	0.60
2:D:87:THR:HG21	2:D:126:SER:OG	2.02	0.60
1:A:82:VAL:HG11	1:A:94:PHE:HD2	1.67	0.59
1:A:121:VAL:HG22	1:A:149:LEU:HD23	1.84	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:128:ASN:HD22	2:C:140:PRO:HB2	1.67	0.59
2:D:9:TYR:CZ	2:D:170:ALA:HB2	2.37	0.59
1:A:104:LEU:HG	1:A:105:ALA:N	2.17	0.58
1:A:38:PHE:CZ	1:A:50:LEU:HD22	2.39	0.58
1:A:-5:ILE:HD12	2:C:156:LYS:HZ1	1.69	0.57
2:D:24:ALA:HB1	2:D:28:GLN:HB2	1.85	0.57
2:C:4:THR:HG21	2:C:40:VAL:HG23	1.85	0.57
2:D:87:THR:O	2:D:87:THR:HG22	2.04	0.57
1:B:155:SER:O	1:B:157:ASN:N	2.37	0.57
1:B:82:VAL:HG12	1:B:92:ASN:HA	1.85	0.57
1:A:16:ARG:HG2	1:A:103:HIS:HE1	1.68	0.57
1:A:178:LEU:HD13	2:C:162:PHE:CE2	2.39	0.57
2:D:139:ALA:HB1	2:D:140:PRO:HD2	1.85	0.57
1:A:12:ASN:ND2	1:A:151:GLU:OE2	2.38	0.56
2:D:151:GLU:HG3	2:D:154:THR:CG2	2.35	0.56
1:A:14:ASP:OD2	1:A:15:LYS:HE3	2.06	0.56
2:C:27:ALA:HA	2:C:29:ILE:HD12	1.88	0.56
1:A:19:GLU:O	1:A:56:ARG:NH1	2.39	0.56
1:A:106:SER:O	1:A:106:SER:OG	2.17	0.56
2:C:119:GLY:O	2:C:152:ILE:HG13	2.06	0.56
1:A:97:ARG:HB2	1:A:106:SER:CB	2.34	0.55
1:A:10:ALA:HB1	1:A:151:GLU:H	1.71	0.55
2:C:133:ASN:ND2	2:C:139:ALA:O	2.39	0.55
1:A:177:THR:HG22	1:A:178:LEU:N	2.22	0.54
2:D:95:ILE:HG22	2:D:97:ARG:HE	1.71	0.54
1:A:168:THR:HG22	1:A:169:LYS:N	2.22	0.54
1:B:190:GLY:O	1:B:206:GLN:HA	2.07	0.54
2:C:80:THR:O	2:C:92:ASN:HB3	2.07	0.54
1:B:19:GLU:HG3	1:B:61:VAL:HG22	1.90	0.54
2:C:82:VAL:CG1	2:C:125:ILE:HD13	2.35	0.54
2:C:127:TYR:OH	2:C:143:HIS:NE2	2.31	0.53
1:B:80:THR:O	1:B:92:ASN:HB3	2.08	0.53
2:D:20:LEU:HD11	2:D:32:SER:HB2	1.90	0.53
2:C:61:VAL:HG23	2:C:62:ASN:ND2	2.24	0.53
1:B:15:LYS:HG3	1:B:161:GLN:HE21	1.74	0.53
2:D:152:ILE:HD12	2:D:152:ILE:O	2.09	0.53
1:B:90:VAL:HG12	1:B:111:ALA:HB2	1.91	0.53
1:A:103:HIS:HA	1:A:151:GLU:OE1	2.09	0.53
1:A:22:GLU:OE2	1:A:59:GLY:HA3	2.09	0.52
1:A:201:ARG:HB2	1:A:201:ARG:HH11	1.73	0.52
1:A:206:GLN:HG3	1:A:207:ILE:N	2.23	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:LEU:HD11	1:A:34:TRP:CD1	2.45	0.52
1:B:177:THR:O	1:B:198:ASN:ND2	2.42	0.52
1:A:-5:ILE:HA	2:C:156:LYS:NZ	2.25	0.52
1:A:97:ARG:HG2	1:A:97:ARG:NH1	2.21	0.52
1:A:-5:ILE:HD12	2:C:156:LYS:HZ3	1.75	0.51
1:A:107:VAL:HG11	1:A:115:THR:O	2.11	0.51
2:C:78:THR:C	2:C:80:THR:H	2.13	0.51
1:A:125:ILE:O	1:A:144:THR:HA	2.10	0.51
2:D:84:ILE:N	2:D:123:VAL:O	2.41	0.51
2:C:12:ASN:H	2:C:167:THR:CG2	2.15	0.51
2:D:95:ILE:CG2	2:D:97:ARG:HE	2.23	0.51
2:D:90:VAL:HG13	2:D:110:THR:HB	1.91	0.51
2:D:74:ASN:OD1	2:D:77:ALA:HB3	2.11	0.51
1:B:68:VAL:HG11	1:B:125:ILE:HD13	1.91	0.51
2:C:70:VAL:CG1	2:C:127:TYR:HB3	2.39	0.51
1:B:195:VAL:HG12	1:B:201:ARG:HG3	1.93	0.51
2:C:78:THR:CB	2:C:127:TYR:HA	2.40	0.50
1:A:33:THR:HB	1:A:55:ALA:HA	1.93	0.50
1:A:68:VAL:HG11	1:A:82:VAL:CG2	2.42	0.50
1:A:42:ASP:OD2	1:A:46:GLU:HB3	2.11	0.50
1:B:149:LEU:O	1:B:158:THR:HA	2.11	0.50
1:B:150:GLY:HA3	1:B:158:THR:HG23	1.94	0.50
2:C:68:VAL:HG11	2:C:125:ILE:HD12	1.94	0.50
2:C:125:ILE:HG13	2:C:147:VAL:HG13	1.93	0.50
1:B:183:ASN:O	1:B:195:VAL:HG22	2.11	0.50
1:A:190:GLY:O	1:A:207:ILE:N	2.44	0.50
2:C:42:ASP:OD2	2:C:48:HIS:NE2	2.45	0.49
1:A:28:GLN:HA	1:A:31:GLU:HG2	1.94	0.49
2:D:4:THR:HG1	2:D:145:PHE:HE2	1.60	0.49
1:B:160:THR:CG2	1:B:169:LYS:HZ2	2.21	0.49
1:A:37:GLU:HG2	1:A:49:GLU:HG2	1.94	0.49
2:C:78:THR:OG1	2:C:127:TYR:HA	2.13	0.49
1:B:50:LEU:C	1:B:50:LEU:HD23	2.32	0.49
1:A:79:ALA:HB3	1:A:128:ASN:OD1	2.13	0.49
2:D:151:GLU:HG3	2:D:154:THR:HG21	1.93	0.49
1:A:133:ASN:HB2	2:C:100:ASN:HD21	1.78	0.48
1:A:97:ARG:O	1:A:106:SER:HB2	2.13	0.48
2:C:4:THR:HG21	2:C:40:VAL:CG2	2.42	0.48
1:A:168:THR:HG22	1:A:170:ALA:N	2.27	0.48
2:C:78:THR:HG1	2:C:128:ASN:H	1.52	0.48
1:A:127:TYR:CE2	1:A:143:HIS:HB3	2.49	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:20:LEU:CD1	1:B:32:SER:HB2	2.43	0.48
1:A:13:LEU:HB2	1:A:17:LEU:HD11	1.94	0.48
1:A:180:TYR:OH	2:C:167:THR:HG21	2.13	0.48
2:D:118:ALA:HA	2:D:152:ILE:HG12	1.95	0.48
1:B:70:VAL:HG21	1:B:127:TYR:CD2	2.49	0.47
1:A:56:ARG:HH21	1:A:62:ASN:HA	1.78	0.47
1:A:120:GLN:HA	1:A:149:LEU:HD21	1.96	0.47
1:B:135:ASP:OD1	1:B:135:ASP:N	2.45	0.47
2:D:20:LEU:CD1	2:D:32:SER:HB2	2.44	0.47
2:C:126:SER:HG	2:C:127:TYR:H	1.52	0.47
1:B:16:ARG:HG3	1:B:164:ASP:OD1	2.14	0.47
2:C:46:GLU:HG2	2:C:47:ALA:N	2.30	0.47
1:A:189:SER:O	1:A:191:ILE:HG22	2.15	0.47
1:B:186:ILE:HG12	1:B:187:ASP:H	1.80	0.47
2:D:48:HIS:CE1	2:D:129:VAL:HG23	2.50	0.47
1:A:16:ARG:NH1	1:A:98:PHE:CB	2.78	0.46
1:A:34:TRP:O	1:A:54:PHE:HB2	2.14	0.46
2:C:68:VAL:HB	2:C:82:VAL:HG11	1.97	0.46
1:A:97:ARG:NH1	1:A:97:ARG:CG	2.78	0.46
2:C:41:TYR:HE1	2:C:47:ALA:HB2	1.80	0.46
1:B:107:VAL:O	1:B:115:THR:HG23	2.16	0.46
1:A:7:VAL:HG22	1:A:173:GLN:HB3	1.98	0.46
1:B:20:LEU:HD21	1:B:29:ILE:HA	1.97	0.46
1:A:177:THR:O	1:A:198:ASN:ND2	2.48	0.46
1:B:20:LEU:O	1:B:59:GLY:N	2.45	0.45
1:B:25:ASN:OD1	1:B:28:GLN:NE2	2.49	0.45
1:B:87:THR:HG22	1:B:124:GLN:HE21	1.81	0.45
1:A:16:ARG:NH1	1:A:102:GLY:HA2	2.32	0.45
1:A:107:VAL:HG11	1:A:115:THR:C	2.36	0.45
2:C:127:TYR:CZ	2:C:143:HIS:CD2	3.05	0.45
2:C:24:ALA:O	2:C:25:ASN:HB2	2.16	0.45
2:C:19:GLU:O	2:C:20:LEU:HD22	2.17	0.45
2:C:50:LEU:HD12	2:C:51:GLN:N	2.32	0.44
2:D:82:VAL:HG21	2:D:94:PHE:HD2	1.82	0.44
1:A:16:ARG:CG	1:A:103:HIS:CE1	2.98	0.44
1:A:149:LEU:HB3	1:A:150:GLY:H	1.47	0.44
1:A:84:ILE:HD12	1:A:114:VAL:HG13	1.98	0.44
2:D:62:ASN:HA	2:D:161:GLN:HE22	1.82	0.44
1:A:34:TRP:CH2	1:A:167:THR:HG22	2.52	0.44
1:B:86:THR:OG1	1:B:87:THR:N	2.49	0.44
1:A:126:SER:HA	1:A:143:HIS:O	2.18	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:124:GLN:HG2	2:C:146:ASP:OD2	2.18	0.44
2:C:125:ILE:C	2:C:144:THR:HG23	2.38	0.44
2:D:77:ALA:C	2:D:79:ALA:H	2.21	0.44
1:A:86:THR:OG1	1:A:87:THR:N	2.51	0.43
1:A:95:ILE:HG13	1:A:108:THR:HG21	1.99	0.43
1:A:188:GLN:O	1:A:189:SER:OG	2.34	0.43
1:B:133:ASN:O	1:B:141:THR:OG1	2.30	0.43
2:D:151:GLU:H	2:D:151:GLU:HG2	1.47	0.43
1:B:39:LYS:NZ	1:B:49:GLU:OE1	2.51	0.43
1:A:16:ARG:HH12	1:A:98:PHE:CB	2.30	0.43
1:A:109:ASP:HB3	1:A:114:VAL:CG2	2.48	0.43
1:A:16:ARG:NH2	1:A:98:PHE:CD2	2.86	0.43
2:C:26:ARG:HG3	2:C:28:GLN:CB	2.46	0.43
1:A:16:ARG:HH12	1:A:98:PHE:HB2	1.83	0.43
2:C:70:VAL:HG11	2:C:127:TYR:CB	2.45	0.43
1:B:135:ASP:OD1	1:B:139:ALA:N	2.52	0.43
2:D:4:THR:HG23	2:D:41:TYR:H	1.84	0.43
2:D:48:HIS:HE1	2:D:129:VAL:HG23	1.83	0.42
1:B:-3:GLN:HG3	1:B:-2:LYS:N	2.34	0.42
1:B:107:VAL:H	1:B:115:THR:HG23	1.84	0.42
1:A:53:ASP:O	1:A:66:ALA:HA	2.20	0.42
1:B:198:ASN:OD1	1:B:200:VAL:HG23	2.19	0.42
1:A:16:ARG:NH2	1:A:98:PHE:HD2	2.18	0.42
1:A:176:TYR:CD1	1:A:198:ASN:ND2	2.88	0.42
1:B:104:LEU:HD21	1:B:121:VAL:CG1	2.49	0.42
1:B:20:LEU:HD11	1:B:32:SER:HB2	2.01	0.41
1:B:164:ASP:O	1:B:165:LYS:HG2	2.20	0.41
2:C:127:TYR:OH	2:C:143:HIS:CD2	2.72	0.41
2:D:109:ASP:O	2:D:111:ALA:N	2.53	0.41
1:A:68:VAL:HG12	1:A:92:ASN:HB2	2.01	0.41
1:A:97:ARG:HH11	1:A:97:ARG:CG	2.24	0.41
1:A:7:VAL:HG11	1:A:38:PHE:CE1	2.55	0.41
1:A:136:GLU:O	1:A:138:GLY:N	2.53	0.41
1:A:202:GLN:HG3	1:A:203:GLU:N	2.35	0.41
2:C:142:ARG:H	2:C:142:ARG:HG3	1.62	0.41
1:B:112:GLY:O	1:B:114:VAL:HG23	2.21	0.41
1:A:14:ASP:O	1:A:16:ARG:N	2.54	0.41
1:A:87:THR:HG21	1:A:126:SER:OG	2.21	0.41
2:C:90:VAL:HG23	2:C:110:THR:OG1	2.21	0.41
1:B:151:GLU:HG3	1:B:154:THR:HG22	2.02	0.41
1:A:148:ASN:HB3	1:A:149:LEU:H	1.63	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:24:ALA:HB1	1:B:28:GLN:HB2	2.04	0.40
1:B:61:VAL:HG12	1:B:62:ASN:N	2.36	0.40
1:A:207:ILE:HD12	1:A:207:ILE:HA	1.92	0.40
2:D:17:LEU:HA	2:D:18:PRO:HD3	1.86	0.40
2:D:78:THR:O	2:D:80:THR:N	2.54	0.40
2:D:81:ARG:HH21	2:D:142:ARG:CZ	2.34	0.40
1:B:194:GLY:O	1:B:201:ARG:HA	2.21	0.40
1:A:55:ALA:O	1:A:64:TRP:HA	2.22	0.40
2:C:84:ILE:HB	2:C:113:ASN:HB2	2.04	0.40
2:C:128:ASN:CB	2:C:140:PRO:HB2	2.51	0.40
2:C:114:VAL:HG22	2:C:115:THR:N	2.37	0.40
2:D:80:THR:O	2:D:92:ASN:HB3	2.21	0.40
1:A:120:GLN:H	1:A:120:GLN:HG2	1.69	0.40
2:D:123:VAL:O	2:D:124:GLN:HB2	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:26:ARG:NH1	2:D:112:GLY:N[1_454]	2.11	0.09

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	197/333 (59%)	160 (81%)	18 (9%)	19 (10%)	0	2
1	B	216/333 (65%)	196 (91%)	13 (6%)	7 (3%)	4	20
2	C	166/177 (94%)	137 (82%)	17 (10%)	12 (7%)	1	5
2	D	169/177 (96%)	137 (81%)	21 (12%)	11 (6%)	1	6
All	All	748/1020 (73%)	630 (84%)	69 (9%)	49 (7%)	1	6



All (49) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	163	SER
1	A	18	PRO
1	A	58	PRO
1	A	116	SER
1	A	137	ALA
2	C	25	ASN
2	C	26	ARG
2	C	80	THR
2	C	126	SER
2	C	127	TYR
2	D	5	THR
2	D	76	ASP
2	D	141	THR
1	B	115	THR
1	B	141	THR
1	B	188	GLN
1	A	11	ALA
1	A	13	LEU
1	A	16	ARG
1	A	21	PRO
1	A	61	VAL
1	A	100	ASN
2	C	130	VAL
2	C	142	ARG
2	D	84	ILE
2	D	110	THR
1	A	15	LYS
1	A	64	TRP
1	A	136	GLU
1	A	149	LEU
2	C	19	GLU
2	C	139	ALA
2	D	79	ALA
2	D	139	ALA
1	B	156	LYS
1	B	189	SER
1	A	106	SER
1	A	190	GLY
2	C	134	PRO
2	D	133	ASN
1	B	165	LYS
1	A	180	TYR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	C	132	ALA
2	C	143	HIS
1	A	201	ARG
2	D	124	GLN
2	D	134	PRO
2	D	146	ASP
1	A	17	LEU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	162/262 (62%)	153 (94%)	9 (6%)	21	54
1	B	178/262 (68%)	174 (98%)	4 (2%)	52	79
2	C	138/143 (96%)	130 (94%)	8 (6%)	20	52
2	D	138/143 (96%)	130 (94%)	8 (6%)	20	52
All	All	616/810 (76%)	587 (95%)	29 (5%)	26	61

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	35	SER
1	B	88	ASP
1	B	151	GLU
1	B	156	LYS
1	A	15	LYS
1	A	35	SER
1	A	60	GLU
1	A	71	ASP
1	A	93	SER
1	A	97	ARG
1	A	99	ASP
1	A	106	SER
1	A	148	ASN
2	C	44	PHE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	C	81	ARG
2	C	93	SER
2	C	127	TYR
2	C	142	ARG
2	C	146	ASP
2	C	161	GLN
2	C	169	LYS
2	D	2	LYS
2	D	6	SER
2	D	35	SER
2	D	113	ASN
2	D	124	GLN
2	D	135	ASP
2	D	145	PHE
2	D	156	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
2	D	161	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	DAL	C	11	1,2	3,4,5	0.62	0	2,4,6	0.86	0
2	DAL	D	11	1,2	3,4,5	0.78	0	2,4,6	1.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DAL	C	11	1,2	-	0/0/2/4	-
2	DAL	D	11	1,2	-	0/0/2/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	201/333 (60%)	-0.37	1 (0%) 91 75	38, 85, 124, 143	0
1	B	218/333 (65%)	-0.51	0 100 100	34, 59, 87, 110	0
2	C	170/177 (96%)	-0.36	2 (1%) 79 53	40, 66, 130, 162	0
2	D	171/177 (96%)	-0.35	4 (2%) 60 31	39, 76, 132, 177	0
All	All	760/1020 (74%)	-0.40	7 (0%) 84 62	34, 69, 121, 177	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	137	ALA	3.5
2	D	134	PRO	3.2
2	D	132	ALA	3.1
2	C	134	PRO	2.5
2	D	76	ASP	2.1
2	D	131	GLY	2.0
1	A	97	ARG	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	DAL	C	11	5/6	0.97	0.19	41,42,45,45	0
2	DAL	D	11	5/6	0.98	0.14	43,46,49,53	0

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

### 6.5 Other polymers [i](#)

There are no such residues in this entry.