



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 12, 2023 – 05:46 PM EDT

PDB ID : 4NF0
Title : CRYSTAL STRUCTURE OF A TRAP PERIPLASMIC SOLUTE BINDING PROTEIN FROM PSEUDOMONAS AERUGINOSA PAO1 (PA4616), TARGET EFI-510182, WITH BOUND L-Malate
Authors : Vetting, M.W.; Patskovsky, Y.; Al Obaidi, N.F.; Morisco, L.L.; Wasserman, S.R.; Sojitra, S.; Stead, M.; Attonito, J.D.; Scott Glenn, A.; Chowdhury, S.; Evans, B.; Hillerich, B.; Love, J.; Seidel, R.D.; Imker, H.J.; Gerlt, J.A.; Almo, S.C.; Enzyme Function Initiative (EFI)
Deposited on : 2013-10-30
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2469 (1.86-1.86)
Clashscore	141614	2625 (1.86-1.86)
Ramachandran outliers	138981	2592 (1.86-1.86)
Sidechain outliers	138945	2592 (1.86-1.86)
RSRZ outliers	127900	2436 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	339	 80% 6% 14%
1	B	339	 76% 19%
1	C	339	 82% 14%

Continued on next page...

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
 Validation Pipeline (wwPDB-VP) : 2.35.1

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	D	339	 80% 5% 15%
1	E	339	 15% 58% 10% 31%
1	F	339	 81% 5% 15%
1	G	339	 77% 8% 15%
1	H	339	 2% 65% 12% 23%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 19172 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable c4-dicarboxylate-binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	291	Total 2299	C 1462	N 395	O 435	S 7	0	0	0
1	B	273	Total 2156	C 1369	N 370	O 410	S 7	0	0	0
1	C	291	Total 2297	C 1464	N 393	O 433	S 7	0	1	0
1	D	289	Total 2280	C 1448	N 391	O 434	S 7	0	1	0
1	E	233	Total 1780	C 1127	N 301	O 346	S 6	0	0	0
1	F	288	Total 2281	C 1451	N 392	O 431	S 7	0	0	0
1	G	287	Total 2276	C 1449	N 392	O 428	S 7	0	0	0
1	H	261	Total 2056	C 1308	N 348	O 393	S 7	0	0	0

There are 56 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	334	ALA	-	expression tag	UNP Q9HVVH5
A	335	GLU	-	expression tag	UNP Q9HVVH5
A	336	ASN	-	expression tag	UNP Q9HVVH5
A	337	LEU	-	expression tag	UNP Q9HVVH5
A	338	TYR	-	expression tag	UNP Q9HVVH5
A	339	PHE	-	expression tag	UNP Q9HVVH5
A	340	GLN	-	expression tag	UNP Q9HVVH5
B	334	ALA	-	expression tag	UNP Q9HVVH5
B	335	GLU	-	expression tag	UNP Q9HVVH5
B	336	ASN	-	expression tag	UNP Q9HVVH5
B	337	LEU	-	expression tag	UNP Q9HVVH5
B	338	TYR	-	expression tag	UNP Q9HVVH5
B	339	PHE	-	expression tag	UNP Q9HVVH5

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	340	GLN	-	expression tag	UNP Q9HVVH5
C	334	ALA	-	expression tag	UNP Q9HVVH5
C	335	GLU	-	expression tag	UNP Q9HVVH5
C	336	ASN	-	expression tag	UNP Q9HVVH5
C	337	LEU	-	expression tag	UNP Q9HVVH5
C	338	TYR	-	expression tag	UNP Q9HVVH5
C	339	PHE	-	expression tag	UNP Q9HVVH5
C	340	GLN	-	expression tag	UNP Q9HVVH5
D	334	ALA	-	expression tag	UNP Q9HVVH5
D	335	GLU	-	expression tag	UNP Q9HVVH5
D	336	ASN	-	expression tag	UNP Q9HVVH5
D	337	LEU	-	expression tag	UNP Q9HVVH5
D	338	TYR	-	expression tag	UNP Q9HVVH5
D	339	PHE	-	expression tag	UNP Q9HVVH5
D	340	GLN	-	expression tag	UNP Q9HVVH5
E	334	ALA	-	expression tag	UNP Q9HVVH5
E	335	GLU	-	expression tag	UNP Q9HVVH5
E	336	ASN	-	expression tag	UNP Q9HVVH5
E	337	LEU	-	expression tag	UNP Q9HVVH5
E	338	TYR	-	expression tag	UNP Q9HVVH5
E	339	PHE	-	expression tag	UNP Q9HVVH5
E	340	GLN	-	expression tag	UNP Q9HVVH5
F	334	ALA	-	expression tag	UNP Q9HVVH5
F	335	GLU	-	expression tag	UNP Q9HVVH5
F	336	ASN	-	expression tag	UNP Q9HVVH5
F	337	LEU	-	expression tag	UNP Q9HVVH5
F	338	TYR	-	expression tag	UNP Q9HVVH5
F	339	PHE	-	expression tag	UNP Q9HVVH5
F	340	GLN	-	expression tag	UNP Q9HVVH5
G	334	ALA	-	expression tag	UNP Q9HVVH5
G	335	GLU	-	expression tag	UNP Q9HVVH5
G	336	ASN	-	expression tag	UNP Q9HVVH5
G	337	LEU	-	expression tag	UNP Q9HVVH5
G	338	TYR	-	expression tag	UNP Q9HVVH5
G	339	PHE	-	expression tag	UNP Q9HVVH5
G	340	GLN	-	expression tag	UNP Q9HVVH5
H	334	ALA	-	expression tag	UNP Q9HVVH5
H	335	GLU	-	expression tag	UNP Q9HVVH5
H	336	ASN	-	expression tag	UNP Q9HVVH5
H	337	LEU	-	expression tag	UNP Q9HVVH5
H	338	TYR	-	expression tag	UNP Q9HVVH5
H	339	PHE	-	expression tag	UNP Q9HVVH5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	340	GLN	-	expression tag	UNP Q9HVVH5

- Molecule 2 is (2S)-2-hydroxybutanedioic acid (three-letter code: LMR) (formula: C₄H₆O₅).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	C O	0	0
			9	4 5		
2	B	1	Total	C O	0	0
			9	4 5		
2	C	1	Total	C O	0	0
			9	4 5		
2	D	1	Total	C O	0	0
			9	4 5		
2	F	1	Total	C O	0	0
			9	4 5		
2	G	1	Total	C O	0	0
			9	4 5		
2	H	1	Total	C O	0	0
			9	4 5		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	221	Total	O	0	0
			221	221		
4	B	221	Total	O	0	0
			221	221		
4	C	270	Total	O	0	0
			270	270		
4	D	263	Total	O	0	0
			263	263		
4	E	100	Total	O	0	0
			100	100		
4	F	201	Total	O	0	0
			201	201		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	G	261	Total 261	O 261	0	0
4	H	117	Total 117	O 117	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Probable c4-dicarboxylate-binding protein




- Molecule 1: Probable c4-dicarboxylate-binding protein




- Molecule 1: Probable c4-dicarboxylate-binding protein



- Molecule 1: Probable c4-dicarboxylate-binding protein





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	71.96Å 73.91Å 122.14Å 99.01° 91.59° 95.09°	Depositor
Resolution (Å)	33.56 – 1.85 120.52 – 1.85	Depositor EDS
% Data completeness (in resolution range)	96.1 (33.56-1.85) 96.6 (120.52-1.85)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.67 (at 1.84Å)	Xtrriage
Refinement program	PHENIX 1.8.4_1496	Depositor
R, R_{free}	0.195 , 0.239 0.195 , 0.236	Depositor DCC
R_{free} test set	10265 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	23.1	Xtrriage
Anisotropy	0.073	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 58.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	19172	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 35.14 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.1104e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: LMR, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/2345	0.47	0/3170
1	B	0.38	0/2197	0.51	0/2967
1	C	0.40	0/2343	0.51	0/3168
1	D	0.39	0/2326	0.51	0/3147
1	E	0.41	0/1808	0.54	0/2446
1	F	0.37	0/2327	0.51	0/3144
1	G	0.40	0/2322	0.51	0/3136
1	H	0.35	0/2094	0.50	0/2826
All	All	0.38	0/17762	0.51	0/24004

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2299	0	2302	10	0
1	B	2156	0	2146	12	0
1	C	2297	0	2302	8	0
1	D	2280	0	2265	11	0
1	E	1780	0	1732	23	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	2281	0	2289	9	0
1	G	2276	0	2294	18	0
1	H	2056	0	2023	23	1
2	A	9	0	4	0	0
2	B	9	0	4	0	0
2	C	9	0	4	0	0
2	D	9	0	4	0	0
2	F	9	0	4	0	0
2	G	9	0	4	0	0
2	H	9	0	4	0	0
3	B	10	0	0	0	0
3	C	5	0	0	0	0
3	D	10	0	0	0	0
3	F	5	0	0	0	0
4	A	221	0	0	2	0
4	B	221	0	0	2	0
4	C	270	0	0	0	0
4	D	263	0	0	3	1
4	E	100	0	0	2	0
4	F	201	0	0	1	0
4	G	261	0	0	7	0
4	H	117	0	0	1	0
All	All	19172	0	17381	114	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:97:PHE:HB3	1:B:135:MET:HE3	1.61	0.82
1:B:135:MET:SD	4:B:608:HOH:O	2.41	0.78
1:C:250:ILE:O	1:C:255:ARG:NH2	2.20	0.73
1:F:40:ASP:OD1	1:F:45:LYS:NZ	2.21	0.73
1:G:179:GLU:OE1	1:G:191:GLN:NE2	2.21	0.72
1:B:100:TYR:HB2	1:B:135:MET:CE	2.22	0.69
1:G:120:LYS:NZ	4:G:709:HOH:O	2.27	0.67
1:E:142:GLY:HA2	1:E:241:ILE:HD12	1.78	0.65
1:E:88:GLN:OE1	1:E:88:GLN:N	2.29	0.64
1:B:160:HIS:ND1	4:B:549:HOH:O	2.30	0.63
1:E:108:ASP:OD1	4:E:411:HOH:O	2.15	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:243:SER:OG	1:H:246:PHE:HB3	1.98	0.62
1:B:97:PHE:HB3	1:B:135:MET:CE	2.29	0.62
1:H:79:ILE:HA	1:H:90:LEU:HD11	1.82	0.61
1:D:190:LYS:NZ	4:D:661:HOH:O	2.32	0.61
1:A:116:LEU:HD11	1:A:149:GLY:HA2	1.83	0.59
1:D:86:LYS:NZ	4:D:666:HOH:O	2.35	0.58
1:E:174:PRO:HA	1:E:191:GLN:HB3	1.86	0.58
1:E:110:PRO:HG3	1:E:181:GLN:HG2	1.85	0.57
1:E:169:VAL:HG23	1:E:206:VAL:HA	1.86	0.57
1:G:253:GLN:H	1:G:253:GLN:CD	2.08	0.57
1:C:162:PRO:HG3	1:C:303:TRP:HA	1.86	0.55
1:G:57:ARG:NH2	4:G:692:HOH:O	2.27	0.55
1:B:100:TYR:HB2	1:B:135:MET:HE2	1.87	0.55
1:G:58:LEU:HB2	1:G:62:VAL:HG22	1.88	0.55
1:D:40:ASP:OD1	1:D:45:LYS:NZ	2.39	0.54
1:B:100:TYR:HB2	1:B:135:MET:HE1	1.89	0.54
1:E:32:LYS:NZ	1:E:88:GLN:HE22	2.06	0.53
1:G:162:PRO:HG3	1:G:303:TRP:HA	1.89	0.53
1:C:201:MET:HG2	1:C:206:VAL:HG23	1.90	0.53
1:C:201:MET:HG2	1:C:206:VAL:CG2	2.39	0.53
1:D:130:GLU:OE1	1:D:133:ARG:NH1	2.41	0.52
1:E:83:ARG:HE	1:E:138:HIS:HB3	1.73	0.52
1:F:196:GLU:OE2	4:F:699:HOH:O	2.19	0.52
1:B:101:THR:HG22	1:B:135:MET:CE	2.40	0.52
1:H:53:LEU:HB3	1:H:261:ILE:HD13	1.92	0.52
1:H:143:LEU:HD11	1:H:242:THR:HG22	1.92	0.52
1:A:162:PRO:HG3	1:A:303:TRP:HA	1.90	0.52
1:H:161:ARG:NH1	1:H:298:GLU:OE1	2.44	0.51
1:G:272:GLU:OE1	4:G:643:HOH:O	2.19	0.51
1:F:162:PRO:HG3	1:F:303:TRP:HA	1.93	0.51
1:G:201:MET:HG3	1:G:206:VAL:HG23	1.92	0.51
1:E:32:LYS:HB2	1:E:88:GLN:OE1	2.11	0.50
1:B:162:PRO:HG3	1:B:303:TRP:HA	1.93	0.50
1:B:101:THR:HG22	1:B:135:MET:HE3	1.93	0.50
1:C:248:THR:O	1:C:255:ARG:NH2	2.45	0.49
1:E:151:LYS:NZ	1:E:210:GLU:OE2	2.34	0.49
1:A:166:LYS:NZ	4:A:623:HOH:O	2.45	0.49
1:C:45:LYS:HZ2	1:C:276:LEU:HD21	1.77	0.49
1:G:313:ASN:ND2	4:G:617:HOH:O	2.42	0.49
1:H:261:ILE:HA	1:H:264:GLU:H	1.78	0.49
1:E:169:VAL:HG21	1:E:205:SER:O	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:116:LEU:HD11	1:G:149:GLY:HA2	1.93	0.48
1:D:196:GLU:OE1	4:D:621:HOH:O	2.19	0.48
1:H:135:MET:HB3	1:H:135:MET:HE2	1.58	0.48
1:H:48:LEU:O	1:H:51:LYS:HB3	2.14	0.47
1:H:131:LEU:O	1:H:134:SER:HB2	2.14	0.47
1:G:192:LEU:HB3	1:G:196:GLU:HG3	1.96	0.47
1:H:242:THR:OG1	1:H:243:SER:N	2.47	0.47
1:H:312:LYS:HA	1:H:312:LYS:HD3	1.66	0.47
1:H:279:LYS:HE2	1:H:283:HIS:HE1	1.80	0.46
1:E:178:LEU:HD13	4:E:408:HOH:O	2.14	0.46
1:G:49:LEU:CD2	1:G:268:VAL:HG11	2.46	0.46
1:G:169:VAL:HG22	1:G:188:THR:CG2	2.45	0.46
1:B:43:LYS:HD3	1:B:91:ALA:HB3	1.97	0.46
1:E:148:ASN:O	1:E:277:ASN:ND2	2.49	0.45
1:E:109:LEU:HA	1:E:110:PRO:HD2	1.83	0.45
1:A:156:THR:HA	1:A:226:PRO:HD2	1.98	0.45
1:D:220:LYS:HB2	1:D:220:LYS:HE2	1.76	0.45
1:B:125:ARG:O	1:B:129:ARG:HG2	2.16	0.44
1:E:162:PRO:HB3	1:E:185:LEU:HD21	1.98	0.44
1:E:169:VAL:CG2	1:E:206:VAL:HA	2.46	0.44
1:H:152:GLN:O	1:H:210:GLU:HA	2.17	0.44
1:H:51:LYS:HE3	1:H:64:VAL:HG13	1.98	0.44
1:D:184:MET:HE1	1:D:307:MET:HA	2.00	0.44
1:H:90:LEU:O	1:H:240:LEU:HD12	2.18	0.44
1:E:82:LEU:HD22	1:E:241:ILE:HG23	2.00	0.44
1:F:278:GLN:HG3	4:G:761:HOH:O	2.17	0.44
1:A:252:TYR:HD1	1:A:255:ARG:NH2	2.16	0.43
1:D:156:THR:HA	1:D:226:PRO:HD2	2.01	0.43
1:D:184:MET:CE	1:D:307:MET:HA	2.49	0.43
1:H:116:LEU:HD11	1:H:149:GLY:HA2	1.99	0.43
1:E:116:LEU:HD12	1:E:116:LEU:HA	1.83	0.43
1:G:124:LYS:NZ	4:G:683:HOH:O	2.49	0.43
1:F:137:LYS:HB3	1:F:137:LYS:HE3	1.80	0.43
1:F:250:ILE:O	1:F:255:ARG:NH2	2.52	0.43
1:G:308:LYS:HG2	1:G:309:PRO:HD3	2.01	0.43
1:H:143:LEU:HB3	1:H:262:VAL:HG11	2.01	0.43
1:A:184:MET:HE1	1:A:307:MET:O	2.19	0.42
1:E:141:TYR:HB3	1:E:242:THR:HG23	2.01	0.42
1:A:54:ALA:HA	1:A:261:ILE:HD13	2.00	0.42
1:G:188:THR:HG22	4:G:760:HOH:O	2.20	0.42
1:E:152:GLN:O	1:E:210:GLU:HA	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:271:LYS:HB3	1:E:271:LYS:HE3	1.65	0.42
1:H:79:ILE:HD11	1:H:100:TYR:CZ	2.55	0.42
1:G:201:MET:CG	1:G:206:VAL:HG23	2.50	0.42
1:G:57:ARG:C	1:G:59:PRO:HD3	2.40	0.42
1:C:190:LYS:HE3	1:C:190:LYS:HB2	1.80	0.42
1:A:317:GLN:HG3	4:A:688:HOH:O	2.20	0.41
1:E:291:ARG:HH11	1:E:291:ARG:HG2	1.85	0.41
1:F:79:ILE:HG21	1:F:100:TYR:CZ	2.55	0.41
1:F:220:LYS:HB2	1:F:220:LYS:HE3	1.86	0.41
1:A:120:LYS:HG2	1:A:124:LYS:HE3	2.02	0.41
1:F:52:LYS:NZ	1:F:56:GLU:OE2	2.54	0.41
1:H:72:LEU:HG	1:H:73:PHE:CD1	2.54	0.41
1:C:57:ARG:C	1:C:59:PRO:HD3	2.40	0.41
1:H:95:SER:O	1:H:175:SER:HB2	2.19	0.41
1:H:101:THR:HG22	1:H:135:MET:HE3	2.03	0.41
1:H:208:GLY:HA2	1:H:225:GLN:OE1	2.21	0.41
1:H:138:HIS:HA	4:H:567:HOH:O	2.20	0.41
1:A:79:ILE:HD11	1:A:92:THR:HG21	2.01	0.41
1:D:222:ASP:HB3	1:D:284:LEU:HD11	2.02	0.41
1:E:175:SER:HB3	1:E:178:LEU:HD12	2.03	0.41
1:D:201:MET:HG3	1:D:206:VAL:HG23	2.02	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:130:GLU:OE2	4:D:678:HOH:O[1_544]	2.02	0.18

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	289/339 (85%)	283 (98%)	6 (2%)	0	100	100
1	B	267/339 (79%)	262 (98%)	5 (2%)	0	100	100
1	C	290/339 (86%)	284 (98%)	6 (2%)	0	100	100
1	D	288/339 (85%)	284 (99%)	4 (1%)	0	100	100
1	E	223/339 (66%)	216 (97%)	7 (3%)	0	100	100
1	F	286/339 (84%)	281 (98%)	5 (2%)	0	100	100
1	G	285/339 (84%)	277 (97%)	8 (3%)	0	100	100
1	H	251/339 (74%)	241 (96%)	9 (4%)	1 (0%)	34	19
All	All	2179/2712 (80%)	2128 (98%)	50 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	77	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	245/281 (87%)	243 (99%)	2 (1%)	81	76
1	B	230/281 (82%)	227 (99%)	3 (1%)	69	58
1	C	244/281 (87%)	242 (99%)	2 (1%)	81	76
1	D	242/281 (86%)	241 (100%)	1 (0%)	91	89
1	E	185/281 (66%)	178 (96%)	7 (4%)	33	16
1	F	244/281 (87%)	243 (100%)	1 (0%)	91	89
1	G	244/281 (87%)	243 (100%)	1 (0%)	91	89
1	H	217/281 (77%)	215 (99%)	2 (1%)	78	72
All	All	1851/2248 (82%)	1832 (99%)	19 (1%)	76	69

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	33	PHE
1	A	211	ASN
1	B	33	PHE
1	B	75	ASP
1	B	211	ASN
1	C	33	PHE
1	C	253	GLN
1	D	33	PHE
1	E	31	ILE
1	E	33	PHE
1	E	177	VAL
1	E	181	GLN
1	E	188	THR
1	E	260	SER
1	E	262	VAL
1	F	33	PHE
1	G	33	PHE
1	H	33	PHE
1	H	211	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	G	105	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	B	403	-	4,4,4	0.13	0	6,6,6	0.25	0
2	LMR	C	401	-	8,8,8	1.12	0	10,10,10	1.33	2 (20%)
3	SO4	D	402	-	4,4,4	0.18	0	6,6,6	0.24	0
2	LMR	A	401	-	8,8,8	1.09	0	10,10,10	1.35	1 (10%)
2	LMR	F	401	-	8,8,8	1.12	0	10,10,10	1.56	3 (30%)
2	LMR	B	401	-	8,8,8	1.27	1 (12%)	10,10,10	1.52	3 (30%)
3	SO4	C	402	-	4,4,4	0.15	0	6,6,6	0.23	0
3	SO4	D	403	-	4,4,4	0.12	0	6,6,6	0.17	0
3	SO4	F	402	-	4,4,4	0.13	0	6,6,6	0.12	0
2	LMR	H	401	-	8,8,8	1.16	0	10,10,10	1.41	2 (20%)
3	SO4	B	402	-	4,4,4	0.15	0	6,6,6	0.08	0
2	LMR	D	401	-	8,8,8	1.22	0	10,10,10	1.50	1 (10%)
2	LMR	G	401	-	8,8,8	1.14	0	10,10,10	1.31	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LMR	C	401	-	-	2/8/8/8	-
2	LMR	A	401	-	-	2/8/8/8	-
2	LMR	F	401	-	-	2/8/8/8	-
2	LMR	B	401	-	-	2/8/8/8	-
2	LMR	H	401	-	-	3/8/8/8	-
2	LMR	D	401	-	-	2/8/8/8	-
2	LMR	G	401	-	-	3/8/8/8	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	LMR	C2-C1	2.40	1.55	1.52

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	401	LMR	O1A-C1-C2	-2.98	116.71	122.54
2	D	401	LMR	O1A-C1-C2	-2.92	116.82	122.54
2	A	401	LMR	O1A-C1-C2	-2.83	117.02	122.54
2	B	401	LMR	O1A-C1-C2	-2.82	117.03	122.54
2	F	401	LMR	O1A-C1-C2	-2.78	117.10	122.54
2	G	401	LMR	O1A-C1-C2	-2.62	117.42	122.54
2	C	401	LMR	O1B-C1-C2	2.43	118.06	112.72
2	C	401	LMR	O1A-C1-C2	-2.43	117.79	122.54
2	H	401	LMR	O1B-C1-C2	2.38	117.95	112.72
2	B	401	LMR	O1B-C1-C2	2.35	117.89	112.72
2	F	401	LMR	C2-C3-C4	-2.22	106.63	112.13
2	F	401	LMR	O4B-C4-C3	-2.08	116.13	122.80
2	B	401	LMR	O4B-C4-C3	-2.01	116.34	122.80

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	401	LMR	O1B-C1-C2-C3
2	F	401	LMR	O1B-C1-C2-C3
2	G	401	LMR	O1B-C1-C2-C3
2	B	401	LMR	O1B-C1-C2-C3
2	C	401	LMR	O1A-C1-C2-C3
2	C	401	LMR	O1B-C1-C2-C3
2	D	401	LMR	O1A-C1-C2-C3
2	G	401	LMR	O1A-C1-C2-C3
2	H	401	LMR	O1A-C1-C2-C3
2	H	401	LMR	C2-C3-C4-O4A
2	G	401	LMR	C2-C3-C4-O4A
2	A	401	LMR	O1A-C1-C2-C3
2	A	401	LMR	O1B-C1-C2-C3
2	B	401	LMR	O1A-C1-C2-C3
2	F	401	LMR	O1A-C1-C2-C3
2	H	401	LMR	O1B-C1-C2-C3

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	291/339 (85%)	-0.30	1 (0%) 94 93	16, 28, 48, 61	0
1	B	273/339 (80%)	-0.27	0 100 100	13, 26, 48, 60	0
1	C	291/339 (85%)	-0.36	1 (0%) 94 93	12, 24, 43, 71	0
1	D	289/339 (85%)	-0.39	0 100 100	12, 22, 41, 53	0
1	E	233/339 (68%)	1.02	52 (22%) 0 0	23, 52, 75, 90	0
1	F	288/339 (84%)	-0.27	1 (0%) 94 93	15, 28, 48, 61	0
1	G	287/339 (84%)	-0.34	0 100 100	12, 24, 40, 52	0
1	H	261/339 (76%)	0.05	6 (2%) 60 59	18, 38, 60, 79	0
All	All	2213/2712 (81%)	-0.14	61 (2%) 53 52	12, 28, 58, 90	0

All (61) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	258	LEU	8.2
1	E	104	LEU	4.6
1	E	124	LYS	4.5
1	H	64	VAL	4.2
1	E	90	LEU	4.0
1	E	113	PHE	3.7
1	E	82	LEU	3.6
1	H	261	ILE	3.6
1	E	50	PHE	3.5
1	E	36	VAL	3.4
1	E	262	VAL	3.4
1	E	265	VAL	3.4
1	E	66	VAL	3.2
1	E	68	PRO	3.2
1	E	141	TYR	3.2
1	E	143	LEU	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	93	SER	3.0
1	E	107	PHE	3.0
1	E	261	ILE	3.0
1	E	72	LEU	2.8
1	E	136	ALA	2.8
1	C	253	GLN	2.8
1	E	238	TYR	2.7
1	E	177	VAL	2.7
1	E	178	LEU	2.7
1	E	140	ILE	2.7
1	E	241	ILE	2.7
1	E	76	ALA	2.6
1	E	67	TYR	2.6
1	E	79	ILE	2.6
1	E	49	LEU	2.5
1	E	181	GLN	2.5
1	E	92	THR	2.5
1	E	172	ILE	2.5
1	H	243	SER	2.5
1	E	111	PHE	2.5
1	H	81	ALA	2.4
1	E	94	LEU	2.4
1	A	253	GLN	2.3
1	E	112	LEU	2.3
1	E	306	ALA	2.3
1	H	258	LEU	2.3
1	E	185	LEU	2.3
1	H	192	LEU	2.3
1	E	260	SER	2.3
1	E	33	PHE	2.2
1	E	64	VAL	2.2
1	E	91	ALA	2.2
1	E	145	TYR	2.2
1	E	70	SER	2.2
1	E	71	THR	2.2
1	E	139	GLY	2.2
1	E	148	ASN	2.2
1	E	116	LEU	2.1
1	E	73	PHE	2.1
1	E	87	VAL	2.1
1	E	101	THR	2.1
1	E	77	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	137	LYS	2.0
1	F	252	TYR	2.0
1	E	122	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	LMR	H	401	9/9	0.78	0.15	25,26,30,31	0
3	SO4	C	402	5/5	0.89	0.16	45,50,57,64	0
3	SO4	B	403	5/5	0.95	0.08	42,51,55,55	0
3	SO4	D	403	5/5	0.95	0.10	50,52,53,54	0
3	SO4	B	402	5/5	0.96	0.11	37,40,48,57	0
3	SO4	F	402	5/5	0.96	0.07	59,60,66,69	0
2	LMR	C	401	9/9	0.97	0.07	13,16,19,20	0
2	LMR	F	401	9/9	0.97	0.08	14,18,19,21	0
3	SO4	D	402	5/5	0.97	0.10	35,36,40,41	0
2	LMR	A	401	9/9	0.97	0.09	19,21,25,26	0
2	LMR	B	401	9/9	0.97	0.09	13,17,18,19	0
2	LMR	G	401	9/9	0.98	0.07	14,16,17,19	0
2	LMR	D	401	9/9	0.98	0.07	10,12,15,15	0

6.5 Other polymers [i](#)

There are no such residues in this entry.